

LRL

ENGINEERING | INGÉNIERIE

Phase One Environmental Site Assessment

1412 Stittsville Main Street
Ottawa, Ontario

Prepared for:

Elite Living Developments
10 Brad's Court
Stittsville (Ottawa), Ontario
K2S 1V2

Attention: Tracy Goulet

EXECUTIVE SUMMARY

Elite Living Developments has retained LRL Engineering (LRL) to complete a Phase One Environmental Site Assessment (ESA) on the property located at 1412 Stittsville Main Street, Ottawa (Stittsville), Ontario (herein referred to as the “Site”). The Site is set within a residential, and commercial area of the City of Ottawa and is undeveloped and vacant. The legal description of the Site is Part Lot 23 Concession 11 Goulbourn Part 1, 5R10561; Goulbourn; City of Ottawa. The Phase One ESA was requested to support the creation of a proposed multi-unit development on the currently un-developed Site. The proposed development will be serviced by municipal sanitary and water distribution services. Based on available information, the Site has been undeveloped and vacant since at least the late 1970's (1976). The Site was historically developed with inferred various structures, as observed in the available 1945 and 1963 aerial imagery, and based on available data retrieved, in the late 1880's the Site was sought to be used for agricultural or other. No records of previous develops on the Site have been retrieved.

This assessment was conducted to identify potential environmental concerns or liabilities related to the past and present operations conducted on the property and the adjacent lands. A historical review of the Site was conducted, as well as contact with relevant regulatory agencies, a walk-through Site inspection of the property and interviews with those knowledgeable of the Site. It is our understanding that this Phase One Environmental Site Assessment is required for the above-referenced property in support of an anticipated development application with the City of Ottawa. The Phase One ESA identifies the existing environmental conditions and potential environmental liabilities associated with the subject property, focusing on the possible presence of contamination on the property. It includes a review of available information (historical data and aerial photographs) and a visual Site inspection to assess potential contamination of past or present activities conducted on the property itself and on adjacent properties.

Potential contamination represents the uncontrolled release of foreign substances within the natural environment. Such an event can result in air, soil and groundwater contamination that may represent environmental liabilities towards the Site and perhaps towards adjacent properties. The ESA evaluates in a consistent manner, within the time constraints imposed for this report, whether such events have occurred at this Site. This level of work is a method of risk reduction and does not eliminate risk for the client.

The Site is rectangular in shape, with a total area of approximately 1,400 m² (0.35 acres), being approximately 20 m wide (north-south) by approximately 70 m deep (east-west). The Site is accessible via Stittsville Main Street, to the east of the Site. The subject Site and neighbouring lands are serviced by municipal sanitary and water distribution supply.

Generalized surficial geology is found to comprise of Glaciofluvial Deposits: gravel and sand, poorly to well sorted and bedded, mainly coarse- to medium-grained with numerous cobbles, boulders, and lenses of till, gravel and sand. Generalized bedrock geology is found to be the Ottawa Formation: limestone with some shaly partings: some sandstone in basal part. According to available MECP water well records, bedrock is found to be between approximate 1.8 and 9.0 m below grade. One (1) well, located approximately 140 m northwest was terminated at 9.6 m, before bedrock was encountered.

The inferred groundwater flow direction is north towards the Poole Creek, located approximately 80 m north of the Site. According to the Atlas of Canada – Toporama, Poole Creek flows in an east to northeast direction toward the Carp River.

A potentially contaminating activity is a use or activity set out in Table 2 of Schedule D of the O. Reg. 153/04. The activities on the Site and lands within 250 m generally consist of agricultural and residential. Based on the results of the Phase One Environmental Site Assessment the following areas of potential environmental concern were identified:

PEC	Location	Comments	Contaminants of Potential Concern	Media Potentially Impacted
APEC 1	Across the general eastern portion of the Site.	According to the 1945 Aerial Image, structures were present at the eastern portion of the Site. In the subsequent 1963 Aerial Image, a larger structure is apparent across the majority of the Site. A 2022 geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.	Metals, PAH, PHC, VOC, General Inorganics.	Soil and Groundwater

Notes: PEC – Potential Environmental Concern
PHC – Petroleum Hydrocarbons
VOC – Volatile Organic Compound
PCB - Polychlorinated Biphenyls
PAH – Polycyclic Aromatics

1 - Area of Potential Environmental Concern (APEC) means the area on, in, or under a Phase One Property where one or more contaminants are potentially present, as determined through the Phase One ESA, including through:

- (a) Identification of past or present uses on, in, or under the Phase One Property and
- (b) Identification of potentially contaminating activity.

2 - Potentially Contaminating Activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One Study Area

3 - When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011,

4 - When submitting a record of site condition for filing, a copy of this table must be attached.

APEC 1 was generated due to the presence of PCA 30: Importation of Fill Material of Unknown Quality which is associated with the presence of former buildings or structures on the property from at least between the mid 1940's through to the early 1960's. A 2022 geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.

A subsurface investigation, Phase Two Environmental Site Assessment, is considered warranted to address the potential concerns and impairment to the subject Site as of PCA identified.

TABLE OF CONTENTS

1	INTRODUCTION	1
1.1	Phase One Property Information	2
	Table 2: Phase One Property Information.....	3
2	SCOPE OF INVESTIGATION	4
3	RECORDS REVIEW	5
3.1.1	First Developed Use Determination	5
3.1.2	Fire Insurance Plans	5
3.1.3	Property Underwriters' Report.....	6
3.2	Chain of Title	6
3.3	Previous Reports	7
3.3.1	Phase I Environmental Site Assessment, 2020	7
3.3.2	Geotechnical Investigation, 2022	7
3.4	City Directories	7
3.5	Environmental Source Information.....	9
3.5.1	City of Ottawa	15
3.5.2	Inventory of Coal Tar Industrial Sites in Ontario	16
3.5.3	Technical Standards and Safety Authority	16
3.5.4	Ministry of Environment, Conservation, and Parks Water Well Records	17
3.5.5	Waste Disposal Site Inventory	19
3.6	Physical Setting Sources	19
3.6.1	Aerial Photographs	19
3.6.2	Topography, Hydrology & Geology	21
3.6.3	Fill Material	21
3.6.4	Water Bodies and Areas of Natural Significance.....	22
3.7	Site Operating Records	22
4	INTERVIEWS	23
5	SITE RECONNAISSANCE	24
5.1	Specific Observations of the Phase One ESA property	25
5.2	Adjacent Land Use.....	26
5.3	Special Attention Items	27



5.3.1	Designated Substances	27
5.3.2	Other Hazardous Building Materials/Items	28
6	REVIEW AND EVALUATION OF INFORMATION	29
6.1	Enhanced Investigation Property	29
6.2	Phase One ESA – Investigation Details.....	29
6.3	Phase One ESA Site Reconnaissance Findings	30
7	REVIEW AND EVALUATION OF INFORMATION	30
7.1	Current and Past Uses.....	30
7.2	Potential Contaminating Activity (PCA) & Areas of Potential Environmental Concern (APEC)	31
7.3	Areas of Potential Environmental Concern.....	33
7.4	PCA Exclusion Rationale	33
7.5	Uncertainties or Absence of Information	35
7.6	Phase One Conceptual Site Model	35
7.6.1	Conceptual Site Model Drawing.....	35
7.6.2	Contaminants of Potential Concern.....	36
7.6.3	Potential for Underground Utilities to Influence the Transportation and Distribution of Contaminates.....	36
7.6.4	Available Regional or Site-Specific Geological or Hydrogeological Information.....	36
8	CONCLUSIONS	36
9	LIMITATIONS AND USE OF REPORT	37
10	REFERENCES.....	38



FIGURES

(In order following text)

Figure 1	Site Location
Figure 2	Site Plan
Figure 3	Potential Contaminating Activities Within 250 M of the Site
Figure 4	Areas of Potential Environmental Concern

APPENDICES

(In order following Figures)

Appendix A	Fire Insurance Plans
Appendix B	Chain of Title Search
Appendix C	Previous Environmental Report By Others
Appendix D	City Directory
Appendix E	Ecolog Eris Report
Appendix F	TSSA Correspondence
Appendix G	Water Well Records
Appendix H	Topographic Map
Appendix I	Aerial Photographs
Appendix J	Site Visit Photographs
Appendix K	Table 2 of Schedule D of O. Reg 153/04



1 INTRODUCTION

Elite Living Developments has retained LRL Engineering (LRL) to complete a Phase One Environmental Site Assessment (ESA) on the property located at 1412 Stittsville Main Street, Ottawa (Stittsville), Ontario (herein referred to as the “Site”). The Site is set within a residential, and commercial area of the City of Ottawa and is undeveloped and vacant. The legal description of the Site is Part Lot 23 Concession 11 Goulbourn Part 1, 5R10561; Goulbourn; City of Ottawa. The Phase One ESA was requested in support of the creation of a proposed multi-unit development on the currently un-developed Site. The proposed development will be serviced by municipal sanitary and water distribution services. Based on available information, the Site has been undeveloped and vacant since at least the late 1970’s (1976). The Site was historically developed with inferred various structures, as observed in the available 1945 and 1963 aerial imagery, and based on available data retrieved, in the late 1880’s the Site was sought to be used for agricultural or other. No records of previous develops on the Site have been retrieved. The Site’s location is shown in **Figure 1**.

This assessment was conducted to identify potential environmental concerns or liabilities related to the past and present operations conducted on the property and the adjacent lands. A historical review of the Site was conducted, as well as contact with relevant regulatory agencies, a walk-through Site inspection of the property and interviews with those knowledgeable of the Site. It is our understanding that this Phase One Environmental Site Assessment is required for the above-referenced property in support of an anticipated development application with the City of Ottawa.

The Phase One ESA identifies the existing environmental conditions and potential environmental liabilities associated with the subject property, focusing on the possible presence of contamination on the property. It includes a review of available information (historical data and aerial photographs) and a visual Site inspection to assess potential contamination of past or present activities conducted on the property itself and on adjacent properties.

Potential contamination represents the uncontrolled release of foreign substances within the natural environment. Such an event can result in air, soil and groundwater contamination that may represent environmental liabilities towards the Site and perhaps towards adjacent properties. The ESA evaluates in a consistent manner, within the time constraints imposed for this report, whether such events have occurred at this Site. This level of work is a method of risk reduction and does not eliminate risk for the client.

The Site is rectangular in shape, with a total area of approximately 1,400 m² (0.35 acres), being approximately 20 m wide (north-south) by approximately 70 m deep (east-west). The Site is accessible via Stittsville Main Street, to the east of the Site. The subject Site and neighbouring lands are serviced by municipal sanitary and water distribution supply.

Generalized surficial geology is found to comprise of Glaciofluvial Deposits: gravel and sand, poorly to well sorted and bedded, mainly coarse- to medium-grained with numerous cobbles, boulders, and lenses of till, gravel and sand. Generalized bedrock geology is found to be the Ottawa Formation: limestone with some shaly partings: some sandstone in basal part. According to available MECP water well records, bedrock is found to be between approximate 1.8 and 9.0 m below grade. One (1) well, located approximately 140 m northwest was terminated at 9.6 m, before bedrock was encountered.

The inferred groundwater flow direction is north towards the Poole Creek, located approximately 80 m north of the Site. According to the *Atlas of Canada – Toporama*, Poole Creek flows in an east to northeast direction toward the Carp River.

1.1 Phase One Property Information

The Phase One Property Information is summarized below in the following **Table 1** and **Table 2**:

Table 1: Phase One Property Information – Authorized and Regulation

Parameters	Information
Work Authorization	The formal authorization to proceed with the Phase One ESA was received by LRL on January 3 rd , 2025.
Purpose of Phase One ESA	<p>A Phase One ESA is required for the above-referenced property in support of an anticipated multi-tenant development proposed.</p> <p>This assessment was conducted to identify potential environmental concerns or liabilities related to the past and present operations conducted on the property and adjacent lands. The Phase One ESA identifies the existing environmental conditions and potential environmental liabilities associated with the subject property, focusing on the possible presence of contamination on the property. It includes a review of available information (historical data and aerial photographs) and a visual Site inspection to assess potential evidence of past or present activities conducted on the property itself and on adjacent properties that could be potentially contaminating activities (PCA).</p> <p>Potential contamination represents the uncontrolled release of foreign substances within the natural environment. Such an event can result in air, soil and groundwater contamination that may represent environmental liabilities toward the Site and perhaps toward adjacent properties. The ESA evaluates in a consistent manner, within the time constraints imposed for this report, whether such events have occurred at this Site. This level of work is a method of risk reduction and does not eliminate risk for the client.</p>
Record of Site Condition	It is understood that the proposed development will include a multi-unit development. A Record of Site Condition (RSC) is not anticipated to be required based on the details provided at the time this report was prepared.
Regulation/Guideline used for Phase One ESA	<ul style="list-style-type: none"> Canadian Standards Association (CSA) Phase One Environmental Site Assessment, Z768 01 (R2022); Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario, Ontario Ministry of the Environment and Energy, December 1996; and Ontario Regulation (O. Reg.) 153/04, as amended.
Sampling and Testing	As part of a Phase One ESA, in-situ sampling, measuring, testing or analyzing the conditions and characteristics of soil, groundwater, or building materials (if applicable) across the subject Phase One ESA Site is not included. These activities would be completed as part of a Phase Two ESA or a designated substance and hazardous material survey if required.
Reliance of Report	This report is intended for the sole use of Elite Living Developments and their authorized agents. LRL Engineering will not be responsible for any use of the information contained within this report by any third party.

Table 2: Phase One Property Information

Parameters	Information
Location/Address	1412 Stittsville Main Street, Ottawa, Ontario. The location of the Site is presented in the included Figure 1 .
Property Identification Number (PIN)	PIN#:04455-0196 (LT)
Legal Description	PT LT 23 CON 11 GOULBOURN PT 1, 5R10561; GOULBOURN; City of Ottawa
Dimensions	Rectangle in shape, being approximately 20 m wide (north-south) by approximately 70 m deep (east-west). The general Site configuration is shown on the Site Plan in Figure 2 . For the purposes of this report, Stittsville Main Street will be inferred as running in a north-south direction.
Area	Approximately 1,400 m ² or 0.35 acres.
Frontage / Access to Phase One ESA Property	Stittsville Main Street along the eastern extent of the Site.
Occupancy	Not Applicable. Undeveloped – Vacant.
Current Land Use	Undeveloped – Vacant.
Proposed Land Use	Residential – 18 Unit Apartment Building
Zoning	TM9 H (15) – Traditional Main Street
Phase One ESA Property Owner	Elite Living Developments The current property owners have owned the Phase One ESA property since February 2022.
Phase One ESA Property Contact	Tracy Goulet, Elite Living Developments Phone: 613-617-4550 Email: tracygoulet@elitelivingproperty.com Address: 10 Brad's Court, Stittsville, Ontario K2S 1V2

LRL Engineering was retained by the property owner to complete the Phase One ESA.



2 SCOPE OF INVESTIGATION

The Phase One ESA scope of the investigation is generally summarized in the following **Table 3**:

Table 3: Phase One ESA Scope of Investigation

Parameter	Information
Regulation/Guideline used as part of the Phase One ESA	<p>The Phase One ESA was carried out in general accordance with the following regulations and guidelines:</p> <ul style="list-style-type: none"> Canadian Standards Association (CSA) Phase One Environmental Site Assessment, Z768 01 (R2022); Guidance on Sampling and Analytical Methods for Use at Contaminated Sites in Ontario, Ontario Ministry of the Environment and Energy, December 1996; and Parts I through VI of Schedule D of O. Reg. 153/04, as amended, made under the Environmental Protection Act (R.S.O. 1990, Chapter E.19).
Records Review	<p>The Phase One ESA study area included a minimum radius from the Site boundaries of 300 m. Extending the study area beyond that of 300 m radius was dependent on the Record of Site Condition being required for this Phase One ESA.</p> <p>The records which were reviewed and interpreted as part of the assessment, for the Phase One ESA property, and the Phase One ESA study area, included: Chain of Title Search; Fire Insurance Plans; Aerial Photographs including historical and current imagery; Topographical, Physiography, and Geological Maps; Previous Investigation reports for the Phase One ESA property, including Phase One ESAs, Phase Two ESA, or Geotechnical Reports; Well Head Protection Areas, Areas of Natural and Scientific Interest (ANSI) as maintained by the Ontario Ministry of Natural Resources; Water Well Information Systems; Permits to Take Water; Waste Disposal sites; Waste Generators & Receiver Information (Ontario Regulation 347); Private & Retail Fuel Storage Tanks (TSSA); Coal Gasification Plants and Coal Tar and Related Tar Industries, Certificates of Approval; Environmental Compliance Reports; Orders; Spills; Notices; Offences or Inspection Reports by the Ontario Ministry of the Environment, Conservation and Parks (MECP); Inventory of PCB Storage Sites; RSC on adjoining property; Certificates of Property Use; National Pollution Release Inventory (NPRI); National PCB Inventory; and all other available illustrated atlases, land registry records and government records.</p> <p>A Freedom of Information (FOI) request was made to the MECP, as well as to the City of Ottawa, for a record search in relation to reportable spills, orders, and convictions associated with the Phase One Property.</p> <p>A Historical Land Use Inventory (HLUI) request was made to the City of Ottawa as part of this Phase One ESA.</p> <p>EcoLog Environmental Risk Information Service (ERIS) was obtained to complete searches in all available environmental databases, including but not limited to the following:</p> <ul style="list-style-type: none"> National Pollutant Release Inventory (NPRI); PCB information; Environmental Approvals, permits and certificates; Inventory of coal gas plants; Records concerning environmental incidents;

	<ul style="list-style-type: none"> • Waste management records, including Ontario Regulation 347 Waste • Generators; • Fuel storage tanks information, including Technical Standards and Safety • Authority (TSSA) database; • Landfill information; and • Records of Site Condition
Interview	Interview current and previous owners and/or tenants as well as local and provincial authorities who have knowledge of the Phase One ESA property.
Site Reconnaissance	<p>The Site reconnaissance consisted of a walk-through of the Phase One Property, including a visual inspection of the current land use for the purpose of validating the current and past land uses of Phase One Property, which will be identified by historical searches.</p> <p>The observations of the Phase One ESA property and those of the Phase One Study Area were used to further identify the potential presence of staining or distressed vegetation, which may be an indication of a possible environmental concern.</p>
Records and Observations Evaluation	The information gathered from the records review, interview, and Site reconnaissance were reviewed and evaluated for any Potentially Contaminating Activities (PCAs) and any Areas of Potential Environmental Concerns (APECs).
Reporting	Preparation of a Phase One ESA Report, which includes and summarizes the findings of the assessment, records evaluation, and provides recommendations for further investigation (if necessary).

This report will present the results of the ESA carried out between January 8th, 2025, and January 23rd, 2025.

3 RECORDS REVIEW

3.1.1 First Developed Use Determination

First developed use is defined by O. Reg. 153/04 Section 22 (1) as the first property use after 1875 that resulted in a building or structure or the first potentially contaminating activity, whichever is earlier. The first development use was established from a review of available Aerial Photographs (Section 3.6.1 for further detail) and the City Directory (Section 3.2 for further detail) in addition to observations made at the time of the Site Reconnaissance.

Records retrieved and as outlined in later sections within this report confirm that the Site has been undeveloped and vacant since at least the late 1970's (1976). The Site was historically developed with inferred various structures, as observed in the available 1945 and 1963 aerial imagery, and based on available data retrieved, in the late 1880's the Site was sought to be used for agricultural or other.

3.1.2 Fire Insurance Plans

Fire Insurance Plans (FIP) mapped streets and buildings of urban Canada in great detail and illustrated building construction, occupancy and potential fire hazards. They also provide detailed information regarding storage tanks, transformers, boilers, and electrical rooms. The original

plans were produced between 1875 and 1923 and continued to be produced and updated until production ceased in 1974.

No Fire Insurance Plans were found for the subject Site, a copy of the decision can be found in **Appendix A**.

3.1.3 Property Underwriters' Report

Property Underwriters Site Plans and Reports provide detailed information on a site-specific basis and include descriptions of building construction, heating sources, production processes, and the presence of chemicals or materials which may be stored on Site. They also indicate the presence of environmental hazards such as electrical rooms, transformers, boilers, and storage tanks.

No Property Underwriters Reports were found for the subject Site.

3.2 Chain of Title

Land Titles contain legal title information concerning property ownership, transfer details, and any encumbrances such as mortgages or easements. Each time a new transaction occurs, property records are updated as soon as the instrument is registered. Schedule D of O. Reg. 153/04, as amended, specifies that the Chain of Title search should include all titles to date, dating back to Crown land. As this Phase One ESA is not required for an RSC, the Chain of Title search was completed to the recent land transaction.

The search of the Service Ontario Land Registry Office was completed by ERIS on January 14th, 2025. A copy of the Chain of Title is included in **Appendix B**, and a summary of the pertinent information retrieved is summarized below in **Table 4**.

Table 4: Chain of Title

Property	Date	Party From	Party To
1412 Stittsville Main Street PIN# 04455-0196 (LT)	February 2022	2785616 Ontario Inc.	Elite Living Developments Inc



3.3 Previous Reports

3.3.1 Phase I Environmental Site Assessment, 2020

The Client has provided LRL with a copy of a previously completed Phase I Environmental Site Assessment report, prepared by Pinchin Ltd. (Pinchin), dated September 8, 2020. According to the report, Pinchin was retained by 2V Holdings Inc. to conduct a Phase I Environmental Site Assessment (ESA) of the property located at 1410 Stittsville Main Street, Ottawa, Ontario. The assessment was completed in support of potential acquisition and financing of the Site.

The Phase I ESA was completed in general accordance with the Canadian Standards Association (CSA) document entitled “Phase I Environmental Site Assessment, CSA Standard Z768-01” (2016), and included a review of readily available historical and regulatory records, the completion of a Site reconnaissance, interviews, and an evaluation of information and reporting.

Pinchin concluded that based on the results of the Phase I ESA, no concerns which may contribute to potential subsurface impacts at the Site were identified. Pinchin recommended that no subsurface investigation work (Phase II ESA) was recommended at the time of the assessment.

A copy of the previously prepared report is included in **Appendix C** for reference.

3.3.2 Geotechnical Investigation, 2022

LRL was retained to complete a geotechnical investigation on the subject site in support of a proposed development of a three (3) story commercial building. The investigation involved the advancement of four (4) boreholes across the Site, to depths of between 2.18 and 5.74 m below grade, to allow for a better understanding of the Site’s subsurface conditions. The boreholes were advanced using a truck mounted drilling rig, equipped with a 200 mm diameter hollow stem auger.

The subsurface conditions encountered generally included a thin layer of topsoil, approximately 300 mm thick, over glacial till. One (1) borehole advanced at the eastern portion of the Site encountered a layer of sand, from beneath the topsoil to a depth of at least 4.42 m. The sand was described as loose to compact in density, with trace of clay, some silt and gravel. Although not specified in the report as being fill material, due to the placement, the inconsistency with the remaining boreholes advanced, and the loose density encountered throughout the majority of the boreholes, this sand material is inferred to be fill.

Static water levels were recorded in the open boreholes, after drilling, at depths of between 1.8 and 2.0 m below ground surface.

3.4 City Directories

City directories have been produced for most urban and some rural areas since the late 1800s. These directories are often archived in research and municipal libraries. The directories are generally not comprehensive and may contain gaps in time periods. Where available, city directories were reviewed in a minimum five-year increment to determine historical property use of the subject and adjoining properties. The City Directories search was completed by ERIS and included a search of the Mights; Polks; Vernons; and Digital Business Directory.

A copy of the city directory is included in **Appendix D**, and a summary of the findings is included below in **Table 5**:

Table 5: City Directories

Location	Details
Years Searched:	1960 - 2023
Historical Property Uses:	
Subject Site:	1412 Stittsville Main Street: Stittsville Main Street was not listed between 1960 – 1994. The Site is not listed from between 1997 - 2023.
Adjacent Land:	<p>1408 Stittsville Main Street (North of the Site): Stittsville Main Street was not listed between 1960 – 1994. The property was listed as multi tenant commercial from between 1997 – 2006/07, and included the following tenants:</p> <ul style="list-style-type: none"> • Rentalex (1997 – 2000); • Chaplins Restaurant & Bistro (1997); • Decadent Delights (1997 – 2000); • Dixie Lee Fried Chicken & Seafood (1997 – 2000); • Reddi-chef (1997 – 2000); • Al Dente Restaurant (2000); • Main Street Pub (2000); • Sears Canada Inc. (2006/07); • Browns Cleaners (2006/07); • Crystal Nail (2006/07 - 2012); • Stittsville Quickmart (2006/07); • Greektown (2006/07); and • Wily's Pizza (2006/07). <p>The address was not listed between 2017 – 2023.</p> <p>1416 Stittsville Main Street (South of the Site): Stittsville Main Street was not listed between 1960 – 1994. Residential (1997 – 2006/07). Not listed 2017 – 2023.</p> <p>1418 Stittsville Main Street (West of the Site): Stittsville Main Street was not listed between 1960 – 1994. The property was not listed 1997 – 2000. In 2006/07, the address was listed residential. The property was not listed in 2017 – 2023.</p> <p>10 Warner Colpitts Lane (West of the Site): Warner Colpitts Lane was not listed between 1960 – 1997. Thereafter the property was listed as Stittsville Minor Hockey Association, Stittsville District Community Centre between 2006/07 - 2023. Goulbourn Skating Club and Stittsville Quartier Centre Communautaire was included at the property in 2017.</p> <p>2 through 37 Riverbank Court (East of the Site): Riverbank Court was not listed between 1960 – 1997. The addresses were listed as residential between 2000 – 2006/07, and 2021 - 2023. No listings were available between 2012 – 2017.</p>

1 Mulkins Street (South of the Site): Mulkins Street is not listed between 1997 – 2000. From between 2006/07 – 2012, it was listed as Commercial: Mortgage Centre, and in 2021, it was listed as Newton Jack Dentist Office. The property was not listed in 2017 and in 2023.

3 Mulkins Street (South of the Site): Mulkins Street is not listed between 1997 – 2000. The property was listed as Commercial: Traditions Bridal Boutique between 2006/07- 2017. The address was not listed thereafter.

Relevant information regarding potentially contaminating activity and areas of potential environmental concern

The activities identified on the Site, and adjacent properties, throughout the available periods documented by the City Directories generally do not indicate any potential environmental concerns.

Browns Cleaners is a known drycleaning operation and was listed on the adjacent property to the north (1408 Stittsville Main Street) in 2006/07. Such operations present a high risk for potential environmental impairment due to the processes and chemical use. The property is located down-gradient of the Site with respect to the northerly groundwater flow direction, therefore, the former drycleaning operations are not considered to present a potential risk for environmental concern.

3.5 Environmental Source Information

As part of the Phase One ESA, a search was completed for available federal, provincial, and private databases. The search covered the Phase One ESA Site, as well as the Phase One Study Area. The information was obtained through the following search providers:

- EcoLog ERIS search provider;
- MECP Water Well Registry;
- MECP Freedom of Information (FOI) Request;
- City of Ottawa FOI, Historical Land Use Inventory (HLUI) Requests and other available related documents; and
- Technical Standards and Safety Authority (TSSA).

A summary of the records retrieved pertaining to the Phase One ESA Study Area, interpreted from the ERIS reports received, is summarized below in **Table 6**. A copy of the report provided is included in **Appendix E**.

Table 6: Summary of ERIS Search Records

Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
National Pollutant Release Inventory	0	0	No records were found within a 250 m radius from the Site.
Certificate of Approval (C of A)	0	1	One (1) C of A was found within 250 m of the Site. It was issued to 635372 Ontario Inc. at the intersection of Riverbank Crescent and Wintergreen Drive, approximately 130 meters east (trans-gradient) of the Site. The C of A was issued in 1996 for municipal water. Due to the type of activity applied to the approval (municipal water), the record does not present a potential risk for environmental concern.
Pesticide Register (PES)	0	0	No records were found within a 250 m radius from the Site.
Permit to Take Water (PTTW)	0	0	No records found within 250 m of the Phase One property.
Environmental Activity and Sector Registry (EASR)	0	0	No records were found within a 250 m radius from the Site.
Borehole (BORE)	0	4	Four (4) borehole records were found within a 250 m radius of the Site.
List of Expired Fuels Safety Facilities (EXP)	0	0	No records were found within a 250 m radius from the Site.
Ontario Regulation 347 Waste Generators Summary (GEN)	0	26	<p>26 records of waste generators were retrieved within a 250 m radius of the Site. The records retrieved are summarized as follows:</p> <ul style="list-style-type: none"> One (1) record retrieved was registered to Teraflex Ltd., listed at the intersection of Stittsville Main Street and Warner-Colpitts Lane, approximately 60 m north of the Site. They are listed as a waste generator of oil skimmings and sludges in 2015. The record does not present a potential risk for environmental concern due to its down-gradient location from the Site. 13 records were listed to the City of Ottawa, located at 10 Warner-Colpitts

Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
			<p>Lane, approximately 40 m west of the Site. Based on details collected during the Site reconnaissance, this property is the Johnny Leroux Stittsville Community Arena. The address was listed from between 2005 through 2010, 2012 through 2016, and as of December 2018, a generator of paint/pigment/coating residues and oil skimming & sludges. The record reported from as of July 2020, and as of November 2021, the inclusion waste crankcase oils and lubricants wastes generated. The records do not present a potential risk for environmental concern due to the trans-gradient location of the facility from the Site.</p> <ul style="list-style-type: none"> 11 waste generator records were retrieved for Frederick Banting Alternative High School, located at 1453 Stittsville Main Street, approximately 180 m southeast of the Site. They are listed as a waste generator of alkaline wastes (heavy metals), organic laboratory chemicals, acid waste (heavy metals), other specified inorganics, alkaline solutions, waste compressed gases, wastes from the use of pigments/coatings/paints, misc. wastes and inorganic/organic chemicals, inorganic sludges/slurries/solids, aliphatic solvents/residues from generally from between 2010 through as of December 2018. The records do not present a potential risk for environmental concern due to its trans-gradient location from the Site. One (1) record was retrieved for Vos Trailers Ltd., a recreational vehicle sales facility, located at 1441 Stittsville Main Street, approximately 190 m east of the Site. They are listed as a waste generator of light fuels as of 2014. The record does not present a potential risk for environmental concern due to its trans-gradient location from the Site.

Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
Record of Site Condition (RSC)	0	0	No records were found within a 250 m radius from the Site.
Retail Fuel Storage Tanks (RST)	0	0	No records were found within a 250 m radius from the Site.
Environmental Registry (EBR)	0	0	No records were found within a 250 m radius from the Site.
ERIS Historical Searches (EHS)	1	12	Twelve records were found within a 250 m radius from the Site, and one (1) was found for the Site.
Water Well Information System (WWIS)	0	24	<p>24 records were found within a 250 m radius of the Site, none of which were recorded as being on the Site. 23 of the records were domestic or commercial supply wells, with one (1) record indicating a public water supply well.</p> <p>One (1) of the records retrieved revealed the presence of a monitoring / observation well located at 1370 Stittsville Main Street (Well ID A173491), approximately 170 m north of the Site (down-gradient). The well was installed in 2015 and was constructed to an overall depth of 3.9 m below grade. The soils encountered included silty sand from approximately groundsurface to 1.5 m; followed by sand with gravel to 3.9 m; with a thin layer of fill material (sand and crushed stone) to 0.05 m at ground surface. The monitoring well was constructed with a slotted PVC screen extending between 2.4 and 3.9 m below grade and continued to groundsurface with a solid PVC riser. The presence of the monitoring well does not present a risk for potential environmental concern as it is located down-gradient of the Site.</p>
Environmental Condition Reports	--	--	Not included in Phase One ESA ERIS searches.



Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
Areas of Natural Significance	--	--	Not included in Phase One ESA ERIS searches.
Fuel Oil Spills and Leaks (INC)	0	0	No records were found within a 250 m radius from the Site.
TSSA Pipeline Incidences (PINC)	0	1	One (1) record was found within a 250 m radius from the Site. Enbridge Gas reported an incident at 15 Beechfern Drive, approximately 210 m northeast of the Site. The incident included a damage pipeline in 2021. The reason for the damage was not specified nor were there any additional details provided. Natural gas, and a release of it into the environment, does not present a potential risk for environmental concern due to its overall attributes and compositional properties.
Fuel Storage Tanks (FST)	0	0	No records were found within a 250 m radius from the Site.
Fuel Storage Tank – Historic (FSTH)	0	0	No records were found within a 250 m radius from the Site.
Environmental Compliance Approval (ECA)	0	1	One (1) record was found within a 250 m radius from the Site. the record was listed to Bayview Stittsville Inc., at the property located at 1364 – 1370 Stittsville Main Street, approximately 170 m north of the Site. The ECA was issued for municipal and private sewage works, approved in August 2023. The record does not present a potential risk for environmental concern due to its down-gradient location from the Site.
Private and Retail Fuel Storage Tanks (PRT)	0	0	No records were found within a 250 m radius from the Site.
Scott's Manufacturing Directory (SCT)	0	3	Three (3) records were retrieved within a 250 m radius of the Site. One (1) of the records retrieved was for Decadent Delights, located at 1408 Stittsville Main Street, immediate north of the Site. The

Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
			<p>facility is a chocolate and confectionary company that manufactures confectionaries from cacao beans and purchased chocolates. They were established in 1996. Due to their immediate down-gradient location from the Site, and the product they manufacture, they do not present a potential risk to the Site for environmental concern.</p> <p>Two (2) records were retrieved for Stittsville Rubber Stamp Inc. located at 1450 Stittsville Main Street, approximately 140 m south of the Site (up-gradient). The facility is listed as a small scale rubber stamp manufacturer. The records specified that it is a plastic product, office supply (except paper), and cutlery/hand tool manufacturer. They were established in January of 1989. According to their available website, www.stittsvillerubberstamp.com, they no longer operate at this address, and are equipped to manufacture various rubber stamps for home, business, and industry. They appear to be rather small scaled, and more than 100 m from the limits of the subject Site, therefore are not considered to presents a potential risk for environmental concern.</p>
Ontario Spills (SPL)	0	3	<p>Three (3) records of spills were retrieved within a 250 m radius of the Site. The records are summarized as follows:</p> <ul style="list-style-type: none"> In 2003, a hydraulic oil spill was reported at the intersection of Stittsville Main Street and Wintergreen Drive, approximately 75 m southeast of the Site. It was reported that a malfunction of system components of a Canadian Waste Services Inc. pipe or hose caused 45 gallons (204 L) of hydraulic oil to spill to the ground. The cause of the spill was due to equipment failure. Environmental impacts were not anticipated. Due to the location trans-gradient from the Site, this spill does not present a potential risk for environmental concern to the Site. In 1988, a spill of diesel onto the roadway was reported at the intersection of Stittsville Main Street & Beverly Street, approximately 145 m

Database Searched	Records Retrieved		Description of data, analysis and findings relevant to the Phase One ESA
	Phase One Property	Phase One Study Area	
			<p>north of the Site. It was reported that a transportation accident between a transport truck and an automobile caused the diesel spill to the roadway. Due to the down-gradient location from the Site, the incident does not present a potential risk for environmental concern.</p> <ul style="list-style-type: none"> In 2021, a natural gas spill was reported at 15 Beechfern Drive in Stittsville, approximately 210 m northeast of the Site. It was reported that an Enbridge Consumers Gas ½" plastic service line was hit during a repair/construction. Impact to health was not anticipated. This records appears to be that reported under the Pipeline Incidents records detailed above. Natural gas, and a release of it into the environment, does not present a potential risk for environmental concern due to its overall attributes and compositional properties.

3.5.1 City of Ottawa

3.5.1.1 City of Ottawa Historical Land Use Inventory (HLUI)

The City of Ottawa was contacted on January 22nd, 2025, to obtain available information for the Site and surrounding areas through their Historical Land Use Inventory (HLUI). At the time of this report a response from the City is still pending. When the HLUI request is returned, it will be forwarded to the client for appending to this report.

3.5.1.2 1988 Intera Report

Prior to the 2001 amalgamation, the City did not have a consolidated database of environmental concerns for City properties and typically referred all inquiries to the *1988 Mapping and Assessment of Former Industrial Sites, City of Ottawa*, prepared by Intera Technologies Ltd. (1988 Intera Report). This report describes an inventory and assessment study of former industrial sites in the former (prior to the 2001 amalgamation) City of Ottawa from 1850 to 1984 that likely produced or handle hazardous wastes and materials. LRL reviewed a physical copy of the 1988 Intera Report. There are no records of former industrial sites within a 250 m radius of the Site.

3.5.1.3 City of Ottawa Old Landfill Management Strategy Document, 2004

A report entitled *Old Landfill Management Strategy Phase 1 – Identification of Sites City of Ottawa, Ontario*, was prepared by Golder Associates for the City of Ottawa in 2004. This report identified old landfill site for potential environmental consideration within the boundary of the amalgamated City of Ottawa. LRL reviewed this report as part of the Phase One ESA desktop assessment for the Site and found no records within a 1 km radius of the Site.

Ontario Ministry of Environment Conservation, and Parks Freedom of Information Act

The Ontario Ministry of the Environment, Conservation, and Parks (MECP) was contacted under the Freedom of Information Act (FOI) to obtain available information for the Site regarding:

- Certificates of Approvals or any permits relating to air emissions (including noise), water taking and discharging, waste disposal sites, septic systems, pesticides storage or other similar instruments.
- Incidents, orders, offences, spills, discharges of contaminants or inspections;
- Waste management records, including current and historical waste storage locations and waste generator and waste receiver information; and

Reports submitted to the MECP related to the environmental conditions of the property. Under the Freedom of Information Act, a freedom of Information Request was made to the MECP. At the time this report was prepared, a formal response from the MECP has not been received. A formal response is expected and will be reviewed by LRL. If the response details any issues of potential environmental concern with respect to the site, a copy will be forwarded to the client so that it can be appended to this report.

3.5.2 Inventory of Coal Tar Industrial Sites in Ontario

The MECP has created an inventory of all known and historical coal gasification plants. It identifies industrial sites that produced and continue to produce or use coal tar or other related tars. The program was discontinued in 1988. A search of the databased revealed no records within a 250 m radius from the Site.

3.5.3 Technical Standards and Safety Authority

Fuel storage at commercial and industrial facilities is regulated by the Technical Standards and Safety Authority (TSSA). Records of aboveground storage tanks are maintained for bulk storage facilities only. Underground storage tanks are required to be registered with the TSSA. There are no requirements to register private underground and aboveground fuel oil storage tanks for heating or waste oil. Records of registered and licensed tanks have been maintained since 1990.

TSSA was contacted on January 17, 2025, regarding available information concerning the presence of petroleum storage tanks, fuel spill records, accidents or fuel-related incidents which may be registered on the Site or surrounding properties. The Public Information Agent has indicated that no record(s) were found for the Site or the surrounding properties.

A copy of the correspondence is included in **Appendix F**.



3.5.4 Ministry of Environment, Conservation, and Parks Water Well Records

The MECP well records database provides information of locations and characteristics of water wells throughout Canada in accordance with Ontario Regulation 903. Information of the stratigraphy, depth of bedrock and approximate depth of water table is also provided. A search of the water well record database was completed on January 24th, 2025. Records of 27 wells were identified within a 250 m radius of the Site. Each of the wells identified are located on neighbouring properties, and the details of representative wells are summarized below.

The results are summarized in the following summary table, **Table 8**, and a copy of the available records retrieved are included in **Appendix G**.

Table 8: Summary of Well Records Retrieved

Well Identification	Details
1502829	A domestic supply well located approximately 60 m north of the Site, was installed in 1950. The subsurface conditions encountered include sand and gravel to 3.6 m below ground surface (bgs), followed by limestone bedrock to 20.7 m bgs, where the well was terminated. Water was reported to be found at depths of 16.7 and 17.6 m bgs.
1502842	A community (church) supply well located approximately 60 m north of the Site, was installed in 1955. The subsurface conditions encountered include sand to 7.6 m bgs, followed by limestone bedrock to 22.8 m bgs, where the well was terminated. Water was reported to be found at depths of 22.8 m bgs.
1502844	A domestic supply well located approximately 60 m north of the Site, was installed in 1955. The subsurface conditions encountered include sand to 7.6 m bgs, followed by limestone bedrock to 22.8 m bgs, where the well was terminated. Water was reported to be found at depths of 22.8 m bgs.
1502845	A domestic (cottage) supply well located approximately 200 m southwest of the Site, was installed in 1956. The subsurface conditions encountered include sand to 6.0 m bgs, followed by limestone bedrock to 19.8 m bgs, where the well was terminated. Water was reported to be found at depths of 19.8 m bgs.
1502849	A domestic supply well located approximately 210 m south of the Site, was installed in 1957. The subsurface conditions encountered include sand to 7.6 m bgs, followed by limestone bedrock to 23.4 m bgs, where the well was terminated. Water was reported to be found at depths of 23.4 m bgs.
1502851	A domestic supply well located approximately 230 m northwest of the Site, was installed in 1957. The subsurface conditions encountered include sand to 5.1 m bgs, followed by till to a depth of 6.3 m bgs, over limestone bedrock to 16.4 m bgs, where the well was terminated. Water was reported to be found at depths of 16.4 m bgs.
1502853	A domestic supply well located approximately 190 m north of the Site, was installed in 1957. The subsurface conditions encountered include sand to 1.8 m bgs, followed by limestone bedrock to 15.8 m bgs, where the well was terminated. Water was reported to be found at depths of 15.8 m bgs.
1502867	A domestic supply well located approximately 230 m north of the Site, was installed in 1958. The subsurface conditions encountered include sand and gravel to 1.8 m bgs, followed by limestone bedrock to 16.7 m bgs, where the well was terminated. Water was reported to be found at depths of 16.7 m bgs.
1502870	A domestic supply well located approximately 235 m northwest of the Site, was installed in 1958. The subsurface conditions encountered include sand to 6.4 m bgs, over till to a depth of 6.7 m bgs, followed by limestone bedrock to 16.7 m bgs, where the well was terminated. Water was reported to be found at depths of 16.7 m bgs.
1502873	A domestic supply well located approximately 195 m northwest of the Site, was installed in 1959. The subsurface conditions encountered include sand to 8.2 m bgs, over clay to a depth of 8.8 m bgs.

Well Identification	Details
	bgs, followed by limestone bedrock to 21.3 m bgs, where the well was terminated. Water was reported to be found at depths of 21.3 m bgs.
1502874	<p>A domestic supply well located approximately 195 m northwest of the Site, was installed in 1959. The subsurface conditions encountered include sand to 8.2 m bgs, over clay to a depth of 8.8 m bgs, followed by limestone bedrock to 21.3 m bgs, where the well was terminated. Water was reported to be found at depths of 21.3 m bgs.</p> <p>Notably these conditions are identical to the well identified as 1502873, however, there does appear to be differences encountered on the actual well record (the sketch is different for both) which does support that they are in fact separate installations.</p>
1502888	A domestic supply well located approximately 145 m northwest of the Site, was installed in 1960. The subsurface conditions encountered include sand and gravel to 5.4 m bgs, followed by limestone bedrock to 18.2 m bgs, where the well was terminated. Water was reported to be found at depths of 18.2 m bgs.
1502891	A domestic supply well located approximately 235 m southeast of the Site, was installed in 1948. The subsurface conditions encountered include sand and gravel to 9.1 m bgs, followed by limestone bedrock to 25.6 m bgs, which is the anticipated depth of the well being terminated. However, there is additional text, although illegible, which does indicate 114' (34.7 m). It is possible that this is indicative that the well extends or was terminated at that depth but it is unclear. Water was reported to be found at depths of 34.7 m bgs which supports that the well extended to 34.7 m bgs.
1502896	A domestic supply well located approximately 150 m southeast of the Site, was installed in 1949. The subsurface conditions encountered include sand to 9.1 m bgs followed by limestone bedrock to 30.4 m bgs, where the well was terminated. Water was reported to be found at depths of 15.2 and 29.8 m bgs.
1509338	A domestic supply well located approximately 180 m northwest of the Site, was installed in 1962. The subsurface conditions encountered include sand to 3.0 m bgs, followed by limestone bedrock to 24.3 m bgs, where the well was terminated. Water was reported to be found at depths of between 22.8 and 24.3 m bgs.
1509354	A domestic supply well located approximately 130 m northeast of the Site, was installed in 1964. The subsurface conditions encountered include sand to 8.2 m bgs, followed by limestone bedrock to 21.9 m bgs, where the well was terminated. Water was reported to be found at depths between 15.2 and 21.9 m bgs.
1509690	A domestic supply well located approximately 80 m northwest of the Site, was installed in 1968. The subsurface conditions encountered include sand, gravel and boulders to 3.3 m bgs, followed by limestone bedrock to 12.1 m bgs, where the well was terminated. Water was reported to be found at depths of 11.5 m bgs.
1510073	A domestic supply well located approximately 80 m northwest of the Site, was installed in 1969. The subsurface conditions encountered include sand to 2.1 m bgs, followed by limestone bedrock to 19.5 m bgs, where the well was terminated. Water was reported to be found at depths of 18.8 m bgs.
1510232	A domestic supply well located approximately 140 m northwest of the Site, was installed in 1969. The subsurface conditions encountered include sand to 2.7 m bgs, followed by limestone bedrock to 18.2 m bgs, where the well was terminated. Water was reported to be found at depths of 17.3 m bgs.
1510420	A domestic supply well located approximately 230 m northwest of the Site, was installed in 1969. The subsurface conditions encountered include sand to 3.6 m bgs, followed by limestone bedrock to 16.7 m bgs, where the well was terminated. Water was reported to be found at depths of 16.1 m bgs.
1510534	A domestic supply well located approximately 190 m northwest of the Site, was installed in 1970. The subsurface conditions encountered include sand to 4.5 m bgs over gravel to 6.0 m bgs,

Well Identification	Details
	followed by limestone bedrock to 23.4 m bgs, where the well was terminated. Water was reported to be found at depths of 23.4 m bgs
1511018	A domestic supply well located approximately 100 m northwest of the Site, was installed in 1970. The subsurface conditions encountered include sand to 4.2 m bgs, followed by limestone bedrock to 32.3 m bgs, where the well was terminated. Water was reported to be found at depths of 14.3 and 32.0 m bgs.
1511046	A commercial supply well located approximately 110 m southwest of the Site, installed in 1970. The subsurface conditions encountered include sand to 6.0 m bgs, followed by limestone bedrock to 19.8 m bgs, where the well was terminated. Water was reported to be found at depths of 18.8 m bgs.
1511192	A domestic supply well located approximately 140 m northwest of the Site, installed in 1971. The subsurface conditions encountered include sand to 8.5 m bgs, followed by gravel to 9.7 m bgs, where the well was terminated. Water was reported to be found at depths of 9.7 m bgs.
1511620	A domestic supply well located approximately 80 m northwest of the Site, installed in 1971. The subsurface conditions encountered include sand to 6.7 m bgs, followed by limestone bedrock to 21.3 m bgs, where the well was terminated. Water was reported to be found at depths of 20.7 m bgs.
7242935	A monitoring well located approximately 145 m north of the Site at 1370 Stittsville Main Street, installed in 2015. The subsurface conditions encountered include fill to a depth of 0.05 m bgs, followed by silty sand to 1.52 m bgs, over sand and gravel to 3.96 m bgs where the well was terminated. The well was constructed of PVC, with a screen interval of between 2.45 and 3.96 m bgs. Water was reported to be found at 2.58 m bgs.
7242936	A monitoring well located approximately 215 m north of the Site at 1364 Stittsville Main Street, installed in 2015. The subsurface conditions encountered include topsoil to a depth of 0.05 m bgs, followed by sand to 1.52 m bgs, over sandy silt to 2.29 m bgs, followed by sand and gravel to 5.79 m bgs, and weathered bedrock to 6.00 m bgs where the well was terminated. The well was constructed of PVC, with a screen interval of between 4.48 and 6.00 m bgs. The depth of water being encountered was not recorded.

3.5.5 Waste Disposal Site Inventory

The MECP's Waste Management branch maintains an inventory of known open (active or inactive) and closed disposal site in Ontario. A search of the database revealed no records within a 1 km radius from the Site.

3.6 Physical Setting Sources

The Site has an approximate elevation of 118 amsl and is generally flat. The topography of the Site and general area is presented in the topographic map included in **Appendix H**.

3.6.1 Aerial Photographs

Aerial photographs were obtained from GeoOttawa, and from the National Aerial Photograph Library. Review of the photographs was completed to develop a general history of the development of the Site and surrounding properties. Aerial photographs may be at a scale that limits a detailed review of the Site and surrounding properties.

Copies of select aerial photographs are included in **Appendix I**, and a summary is included in **Table 9**.

Table 9: Summary of Aerial Photographs

Year	Phase One Property (Site)	Phase One Study Area (Surrounding Area)
1932 (AP1)	The aerial photograph number is A4432-35. The Site appears to be agricultural land.	Stittsville Main Street is present to the east of the Site. The surrounding lands to the north, south, east and west appear to include agricultural lands, with areas of tree cover. Development is observed further south of the Site along Stittsville Main Street.
1945 (AP2)	The aerial photograph number is A9610-112. The Site appears to be developed. Although the scale of the image makes it difficult for detailed observations, there does appear to be two (2) small structures, and an access road from Stittsville Main Street, at the eastern portion of the Site. The remainder of the Site appears to be agricultural land.	The properties to the north, east, south and west appear to include agricultural land, with areas of tree cover. The adjacent property to the south of the Site is developed.
1963 (AP3)	The aerial photograph number is A18155-74. The previous development on the Site appears to have been replaced with a larger structure which is visible across the majority of the Site and extending on to the adjacent property to the north. There appears to be an access lane from Stittsville Main Street, extending west towards the structure.	The adjacent property to the north is forested followed by a residential development. The property to the west appears vacant, and possible occupied with agricultural fields. West of the Site is forested, and a baseball diamond is visible to the southwest. South and southeast of the Site is developed with residential, and the current school structure is visible.
1976 (AP4)	The Site appeared undeveloped. The previously identified structure is no longer visible.	Warner Colpitts Lane is present to the north of the Site. Other than additional development in the general area, no significant changes were observed in the general area of the Site.
1999 (AP5)	The Site appeared similar to 1976.	No significant changes were observed to the Phase One study area with the exception of additional residential developments in the general area of the Site.
2002 (AP6)	The Site appeared similar to 1999.	No significant changes were observed to the Phase One study area from the observations made in 1999.
2011 (AP7)	The Site appeared similar to 2002.	No significant changes were observed to the Phase One study area from the observation made in 2002.
2022 (AP8)	The Site appeared similar to 2011.	No significant changes were observed to the Phase One study area from the observation made in 2011.

3.6.2 Topography, Hydrology & Geology

An Ontario Base Map was retrieved by ERIS for the Phase One Subject Area and surrounding properties. A copy of the map is included in **Appendix J**. Furthermore, the City of Ottawa interactive mapping system, geoOttawa, provides additional topographic information such as contours.

Geological maps were reviewed to obtain information on regional geology, surficial soils and bedrock. These maps included the following:

- Harrison, J.E., 1976, Generalized Bedrock Geology, Ottawa-Hull, Ontario and Quebec, Geological Survey of Canada, Map 1508A, Scale 1:125,000; and
- St-Onge, D.A., (compilation), 2009, Surficial Geology, Lower Ottawa Valley, Ontario-Quebec, Geological Survey of Canada, Map 2140A, Scale 1:125,000.

A summary of Topographical, Physiographical, Hydrogeological and Geological Conditions are summarized on **Table 10**.

Table 10: Summary of Topographical, Physiographical, Hydrogeological and Geological Conditions

Parameter	Source	Description
Topography	Ontario Base Map (included in Appendix J), and geoOttawa	The Site and general area are considered to have a flat topography. The Site has an approximate elevation of 118 m amsl.
Physiography	Not Applicable	A review of the Physiography of the Phase One ESA property, and Subject Area was not included as part of this ESA.
Hydrology	Toporama – The Atlas of Canada	The inferred groundwater flow direction is north towards the Poole Creek, located approximately 80 m north of the Site. According to the Atlas of Canada – Toporama, Poole Creek flows in an east to northeast direction toward the Carp River.
Geology	Geological Survey of Canada mapping, as referenced above at the beginning of this Section.	Generalized surficial geology is found to comprise of Glaciofluvial Deposits: gravel and sand, poorly to well sorted and bedded, mainly coarse- to medium-grained with numerous cobbles, boulders, and lenses of till, gravel and sand. Generalized bedrock geology is found to be the Ottawa Formation: limestone with some shaly partings: some sandstone in basal part. According to available MECP water well records, bedrock is found to be between approximate 1.8 and 9.0 m below grade. One (1) well, located approximately 140 m northwest was terminated at 9.6 m, before bedrock was encountered.

3.6.3 Fill Material

Based on our review of available historical information and aerial photographs, it has been revealed that the Phase One property was historically developed from between at least the mid 1940's (1945) through to the early 1960's (1963), based on available aerial imagery. The structures are no longer present. A previously prepared geotechnical investigation, completed in 2022, revealed an at least 4 m sand deposit at the eastern extent of the Site, inferred to be fill material. The origin or quality of the suspected fill material is not known.

3.6.4 Water Bodies and Areas of Natural Significance

O. Reg. 153/04 identifies an Areas of Natural Significance through the following databases and criteria:

- The Site is not part of a provincial park or conservation area;
- The Site is not within any Areas of Natural and Scientific Interest (ANSI) identified by the Ministry of Natural Resources (MNR) as having provincial significance;
- The Site does not include any area identified as Provincial Significance Wetland (PSW) by MNR
- The Site does not include any area designated as environmentally significant in municipal official plans;
- The Site does not include any area designated as an escarpment natural area by Niagara Escarpment Plan;
- The Site does not include any area which is a habitat of endangered species;
- The Site does not include any Oak Ridges Moraine Conservation area; and,
- The Site does not include any area designated as a wilderness area.

Based on the above criteria, the Phase One ESA property is not considered to be within an Area of Natural Significance, as seen in the Ontario Base Map included in **Appendix H**.

3.7 Site Operating Records

Site operating records have not been provided in associated with this report.



4 INTERVIEWS

A summary of the interview conducted as part of this Phase One ESA is included in the following **Table 11**.

Table 11: Summary of Interview

Parameter	Information
Interviewee	Tracy Goulet, Elite Living Property Site Owner
Interviewer	Jessica Arthurs, Environmental Engineering Manager
Interview Type	Email Correspondence / Questionnaire.
Interview Date	January 20, 2025
Interview Details/Pertinent Information	<ul style="list-style-type: none"> • Mrs. Goulet has been familiar with the property for approximately three (3) years. • To the best of Mrs. Goulet knowledge, the Site has been in its present-day use of undeveloped for at least 10-years. She is not aware of any previous developments (i.e. buildings) on the Site. • Mrs. Goulet is not aware of any previous fuelling stations, manufacturing facilities, drycleaners, junkyards, or other potential contaminating activities operated on the Site, or adjacent lands. • Mrs. Goulet is not aware of previous sewage disposal systems, or supply wells which may have been present, or are present, on the Site. • Mrs. Goulet is not aware of any previous notices of environmental violations from any regulatory agency. • Mrs. Goulet is not aware of any investigations by a government agency of potential responsibility for environmental contamination, including off-site contamination. • Mrs. Goulet is not aware of any lawsuits, disputes or administrative proceeding regarding environmental concerns associated with the Site or activities conducted on the Site.
Evaluation	Based on the interview, it is found that the information retrieved corresponded to that obtained from the records reviewed with no inconsistencies or deviations encountered.



5 SITE RECONNAISSANCE

A summary of the Site reconnaissance conducted as part of this Phase One ESA is included in the following **Table 12**.

Table 12: Summary of the Site Reconnaissance

Parameter	Information
Date	January 23 rd , 2025
Time	13:20 – 14:00
Weather Conditions	Light Snow, Overcast, -8° C
Site Activity	Undeveloped – Vacant
Person conducting Site visit	Jessica Arthurs, Environmental Engineering Manager
Limitations to Site visit	Snow cover across ground surface.
Site Reconnaissance Details	<p>The following observations were made of the Phase One ESA Property, 1412 Stittsville Main Street, in Ottawa, Ontario:</p> <ul style="list-style-type: none"> The entirety of the Site is undeveloped, and vacant. Mature trees are present along the western extent of the Site, along with overgrown shrubs and evidence of tall weeds protruding through the snow cover. The Site is generally flat with no evidence of swales, depressions or sumps. The adjacent land to the north is developed with a multi-tenant commercial facility. The rear of the property backs onto the Site where it was observed to have natural gas connections for heating and suspected kitchen appliances for the operating restaurants. Two (2) dumpsters were observed in the property to the north, which are assumed to collect wastes for the commercial operations. Two (2) smaller containers, and one (1) drum were also observed along the rear of the adjacent property used to store spent cooking oils. They were in good condition with no evidence of spills, leaks or overfilling. South of the Site is a single-family residence. The property to the east of the Site, following Stittsville Main Street is also developed with residential structures, although they are much denser and more comparable to an urban setting. No evidence of potential contaminating activities was observed in the vicinity of the Site. Exhaust stacks, likely from the kitchen operations, were observed on the roof of the adjacent property to the north.
Utilities	<p>A pad mounted transformer was observed along northeastern extent of the Site. The manufacturing date of the transformer, based on the corresponding manufacturer plate, is found to be June 2015.</p> <p>A Bell Canada service utility pedestal is present along the northeast of the Site, north of the transformer. It is unclear if the buried trench with</p>

	<p>the utility transverse north-south along the east perimeter of the Site, or along the northern extent of the Site in an east-west direction.</p> <p>No supply wells were observed on the Site or neighbouring properties. Water supply is provided by the municipal distribution system.</p> <p>No evidence of private or shared sewage disposal systems were observed on the Site of the neighbouring lands. Sanitary services are available for the area.</p>
Site Visit Photographs	Photographs from the Site visit is included in Appendix J .

5.1 Specific Observations of the Phase One ESA property

The specific observations encountered at the Phase One ESA property are summarized in the following **Table 13**.

Table 13: Specific Observations of the Phase One ESA property

Parameters	Information
Property Dimensions	Rectangle in shape, being approximately 20 m wide (north-south) by approximately 70 m deep (east-west).
Current Occupants/ Tenants	Undeveloped – Vacant
Structures/ Improvements	None.
Sewage Works	None.
Landscaped & Vegetated Areas	Although snow cover at the time of the Site visit limited observations of the overall ground cover, it is suspected that the property is covered with manicured grass. The eastern perimeter of the Site has mature trees and overgrown shrubs and weeds visible protruding through the snow cover.
Pavement, Roads & Driveways:	Not observed.
Topography	Generally flat.
Surface Drainage	Not observed.
Drainage Improvements	None observed.
Receives Drainage from Adjacent Lands:	None observed.
Watercourses, Ditches or Standing Water:	None observed.
Aboveground storage tanks (ASTs)	None observed.
Underground storage tanks (USTs)	None observed.
Fill Ports, Vent Pipes	None observed.

Storage Containers	None observed.
Hazardous Materials	None observed.
Unidentified Substances	None observed.
Odours	None observed.
Air Emissions	Exhaust stacks, likely from the kitchen operations, were observed on the roof of the adjacent property to the north.
Wells	None observed.
Sewage Disposal	None observed.
Pits and Lagoons, Wastewater or Solid Waste	None observed.
Stained Material and Stressed Vegetation	None observed.
Fill or previous fill activities	None observed.
Earth Moving Activities	None observed.
Railway Lines	None observed.
Other	None observed.
Potential Contaminating Activities (PCA)	None observed.
Unidentified Substances	None observed.

5.2 Adjacent Land Use

The current land uses of the adjoining properties were observed from the property limits and publicly accessible locations to assess potential impacts to the Site that may arise from off-Site operations. The properties surrounding the subject Site are as follows:

Commercial – Multi Tenant Retail & Restaurant including the following:	
North:	<ul style="list-style-type: none"> • Stittsville Nutrition • Poole Creek Family Dentistry • Main Street Pub • Willy's Pizza • Vapcanada • Together Nails & Spa • Mavericks Nonut Company
South:	Residential followed by Commercial – Densit Office
East:	Stittsville Main Street followed by Residential.
West	Commercial – Massage and Holistic Skin Therapy, followed by Community – Recreational Ice Rink Arena and Park Land (Sprouts Fields and Play Structures).



5.3 Special Attention Items

Eleven chemical contaminants have been identified under the Occupational Health and Safety Act (OHSA) and regulations have been set in place to prohibit, regulate restrict, limit or control workers exposure to these substances. Other hazardous materials not included in the OHSA but under the Environmental Protection Act were also observed. The observations presented herein do not constitute a designated substance/hazardous material survey but are rather for information purposes only.

5.3.1 Designated Substances

Asbestos Containing Material (ACM)
Since the late 1970's the manufacture and use of asbestos containing building materials started to decrease. It is commonly presumed that buildings constructed prior to 1980 are more likely to contain both friable and non-friable forms of asbestos. General buildings constructed up to the mid 1980's are more likely to contain non-friable asbestos (flooring, joint compound).
Not Applicable.
Lead
Lead may be present in a variety of building materials including paint and water distributions pipes, however, lead based paints (LBP) are considered the most significant hazard. According to published information by Health Canada concerning LBP, buildings constructed before 1980 may contain lead-based interior and exterior paints.
Not Applicable.
Mercury
Minor amounts of mercury are commonly found in a variety of building material including mercury vapour lamps, fluorescent light tubing and thermostats and other electrically control switches.
Not Applicable.
Others
No other designated substances were identified (i.e. arsenic, ethylene oxide, vinyl chloride, benzene, coke oven emissions, acrylonitrile or isocyanates).



5.3.2 Other Hazardous Building Materials/Items

Microbial Contamination and Mould: Not Applicable.
Ozone-Depleting Substances (ODS): ODS such as chlorofluorocarbons (CFC) and hydrochlorofluorocarbon (HCFC) are typically found in refrigeration equipment, air conditioners, aerosols, cleaning solvents and fire extinguishers. Federal regulations required the elimination of production and import of CFC and a freeze on the production and import of HCFC by January 1, 1996. The regulations govern only the production and import therefore these materials are still used as long as a supply is in place. Not Applicable.
Polychlorinated Biphenyls (PCB): The Federal Chlorobiphenyls Regulation, SOR/91-152 prohibits PCBs from being used in products, equipment, machinery, electrical transformers and capacitors which were manufactured or imported into the country after July 1, 1980. However, older equipment in use after this date may still contain PCBs if the equipment fluid has not been replaced. PCB-containing equipment can also include fluorescent, mercury, transformers and sodium vapour light ballasts. A hydro services pad mounted transformer is located at the northeastern portion of the Site. The unit was in good shape, with a manufacturer date of June 2015. Modern transformers contain no traceable amount of PCBs, therefore it is unlikely PCBs are a concern to the Site.
Urea Formaldehyde Foam Insulation (UFFI): UFFI was widely used as an insulating material until December 1980 when a ban was enacted under the Hazardous Products Act. UFFI was commonly injected through walls by drilling injections holes in roof structures, ceilings and overhangs. Not Applicable.
Radon: Radon gas is a product of the decay series of uranium that is commonly found in geological units that contain black shale, sandstone or granite. Radon can percolate up through the soil where it may accumulate in basement of buildings with cracks or joints in the foundation. Because the existence of radon is dependent upon geological factors, it is more a regional concern than site specific. Due to the location of the Site, any radon levels would be considered low risk.
Electric and Magnetic Fields: Electromagnetic fields are generally associated with high frequency power lines. No high voltage power lines were noted within 250 m of the Site.
Noise and Vibration: Noise and vibration are typical of an urban environment (i.e. traffic).
Methane: Methane gas is a colourless and odourless gas commonly formed by the decomposition of organic material. The Site is not close to any active or closed waste disposal sites, marshes, swamps or peat deposits therefore methane is not a concern.
Others: No other designated substances were identified (i.e. arsenic, ethylene oxide, vinyl chloride, benzene, coke oven emissions, acrylonitrile or isocyanates).



6 REVIEW AND EVALUATION OF INFORMATION

6.1 Enhanced Investigation Property

As defined in O. Reg. 153/04, as amended, an Enhanced Investigation Property “*means a property that is being used or has been used, in whole or in part, in a manner described in clause 32 (1) (b) to which subsection 32 (2) does not apply*”. Those property include the following:

- Industrial use which involves assembling, fabricating, manufacturing, processing, producing, storing, warehousing, or distributing goods or raw materials;
- a garage;
- bulk liquid dispensing facility; or
- dry-cleaning operation.

Based on the records retrieved and reviewed as part of this assessment, the Phase One ESA Property was, at one point, not used for the above-mentioned uses, therefore the Site is not considered an enhance investigation property.

6.2 Phase One ESA – Investigation Details

LRL completed a Site reconnaissance of the subject property, as outlined above in Section 5. The Site reconnaissance included a detailed walkthrough of the Phase One ESA Property, to allow for a review of its current condition, as well as to evaluate the likely impacts from past uses and neighbouring properties. Some limitations were encountered during the Site reconnaissance, including the second floor of the barn (hay storage) and the small unit on the western side of the barn. The Site reconnaissance included the following:

- A thorough walkthrough of the Phase One Property, with a focus on:
 - The presence of structures or other features of construction;
 - The surface cover type and areas of fill, or debris;
 - Areas of staining, stressed vegetation or anomalous condition;
 - Presence of unidentifiable substances; and
 - The presence, or former evidence, of underground/ buried features or structures, including storage tanks and utility corridors;
- A perimeter walk-around, noting the condition and general characteristics of the Phase One Property limits;
- Visually observations of the neighbouring lands from the Phase One Property extents, to locate and document the following:
 - Potentially contaminating activities;
 - Water bodies; and
 - Possible storage tanks and areas of natural significance.

A summary of the observations encountered are included in **Figure 2**.



6.3 Phase One ESA Site Reconnaissance Findings

Based on the findings of the Site Reconnaissance, the following PCAs have been identified, which are summarized in the subsequent **Table 14**.

Table 14: Site Reconnaissance Findings Corresponding to Areas of Potential Environmental Concern.

O. Reg 153/04 Schedule D PCA	Location of PCA	Description and Source Information	Contribution to an APEC
None – No Areas of Potential Environmental Concern have been identified at the time of the Site Reconnaissance.	n/a	n/a	n/a

7 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

Below is a summary of the current and past uses of 1412 Stittsville Main Street, Ottawa, Ontario PIN#04455-0196 (LT). **Table 15** represents the current and past uses for 1412 Stittsville Main Street.

Table 15: 1412 Stittsville Main Street, Ottawa – Current and Past Uses

Year	Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
1880	A. Alexander	Based on the date, the property was in Agricultural or Other use.	Agricultural or Other Use.	The Canadian County Atlas Digital Project
1932 – 1945	Unknown	Agricultural or Other Use.	Agricultural or Other Use.	Aerial Imagery
1945 – <1976	Unknown	The Site is developed various structures throughout this period. Their use is not known, although based on the conditions and use of the neighbouring lands, it is anticipated that the use is Agricultural or Other Use.	Agricultural or Other Use.	Aerial Imagery
≥1976 – February 2022	Unknown	Undeveloped	Undeveloped	Aerial Imagery, Chain of Title
<February 1, 2022	2785616 Ontario Inc.	Undeveloped	Undeveloped	Chain of Title
February 1, 2022 - Present	Elite Living Developments Inc.	Undeveloped	Undeveloped	Chain of Title, Site Reconnaissance

7.2 Potential Contaminating Activity (PCA) & Areas of Potential Environmental Concern (APEC)

A potentially contaminating activity is a use or activity set out in Table 2 of Schedule D of the O. Reg. 153/04. These activities are summarized in the Table included in **Appendix k**.

The Site is currently undeveloped, and vacant, set within a commercial, community and residential area. Based on the records retrieved, the Site appears to have been developed between at least the mid – 1940's (1945) through to at least the early 1960's (1963). The activities on adjacent lands within 250 m from at least the early 1930's to the 1960's was primarily agricultural and residential, with some community and institutional establishments in later years. Presently, the area includes commercial, community and residential. Generally, the commercial occupants in the vicinity of the Site include retail and restaurants, with a community centre and arena located to the west of the Site.

Based on the results of the Phase One Environmental Site Assessment, the following areas of potential environmental concern were identified and are presented in **Figure 3**:

O. Reg 153/04 Schedule D PCA	Location of PCA	Description and Source Information	Contribution to an APEC
PCA 51: Solvent Manufacturing, Processing and Bulk Storage	1408 Stittsville Main Street, immediately north of the Site.	According to the City Directories available for the adjacent land to the north of the Site, 1408 Stittsville Main, Browns Cleaners was listed on the property in 2006/07. It was not listed prior to then, or thereafter, nor was it observed at the time of the Site reconnaissance.	The PCA is located immediately north of the Site, down-gradient of the Site with respect to the inferred groundwater flow direction. Based on the down-gradient location from the Site, it is not considered a potential risk for environmental concern to the Site.
PCA 47: Rubber Manufacturing and Processing	1450 Stittsville Main Street, approximately 140 m south of the Site.	The Scott's Manufacturing directory revealed that Stittsville Rubber Stamp Inc., operated at the property previously. The operations included plastic product, office supply (except paper), and cutlery/hand tool manufacturer. More specifically, they manufactured rubber stamps.	The PCA is located approximately 140 m south (up-gradient) of the Site. Due to the small-scale operations, and overall distance from the Site, the former stamp manufacturing operations are not considered a potential risk for environmental concern to the Site.
PCA 31: Ink Manufacturing, Processing and Bulk Storage	1450 Stittsville Main Street, approximately 140 m south of the Site.	The Scott's Manufacturing directory revealed that Stittsville Rubber Stamp Inc., operated at the property previously. The operations included manufacturing of rubber stamps. It would be sought that ink pads are stored or processed in association with the stamps.	The PCA is located approximately 140 m south (up-gradient) of the Site. Due to the small-scale operations, and overall distance from the Site, the former stamp manufacturing operations are not considered a potential risk for environmental concern to the Site.

O. Reg 153/04 Schedule D PCA	Location of PCA	Description and Source Information	Contribution to an APEC
PCA Other: Spill	At the intersection of Stittsville Main Street and Wintergreen Drive, approximately 75 m south of the Site.	In 2003, approximately 45 gallons (204 L) of hydraulic oil to spill to the ground. The cause of the spill was due to equipment failure.	The PCA is located approximately 140 m southeast (trans-gradient) of the Site. Based on the trans-gradient location from the Site, it is not considered a potential risk for environmental concern to the Site.
PCA 30: Importation of Fill Material of Unknown Quality	Eastern portion of the Site	<p>According to the 1945 Aerial Image, structures were present at the eastern portion of the Site. In the subsequent 1963 Aerial Image, a larger structure is apparent across the majority of the Site, and extending north, to the now adjacent land.</p> <p>These structures have since been removed, and the risk of fill being imported for infilling the previous structure footprint is possible. Furthermore, the presence of buried debris associated with the former structures is also possible.</p> <p>Although, a 2022, geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.</p>	The PCA is on Site, therefore it presents a possible risk for environmental concern to the Site.
PCA Other: Dentist Office	Approximately 25 m south of the Site.	Viewed at the time of the Site reconnaissance, and as listed in the City Directory as of 2021.	Dentist offices are associated with potential release of metals waste (i.e. mercury). Due to the small-scale operation, the quantities of waste are considered low, and therefore does not present a potential risk for environmental concern to the Site.



7.3 Areas of Potential Environmental Concern

Based on the PCAs noted in Section 6.2 above, the following APECs on the subject Site were identified and are presented in **Figure 4**:

Table 16: Areas of Potential Environmental Concern (APEC)

PEC	Location	Comments	Contaminants of Potential Concern	Media Potentially Impacted
APEC 1	Across the general eastern portion of the Site.	According to the 1945 Aerial Image, structures were present at the eastern portion of the Site. In the subsequent 1963 Aerial Image, a larger structure is apparent across the majority of the Site. A 2022 geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.	Metals, PAH, PHC, VOC, General Inorganics.	Soil and Groundwater

Notes: PEC – Potential Environmental Concern
PHC – Petroleum Hydrocarbons
VOC – Volatile Organic Compound
PCB - Polychlorinated Biphenyls
PAH – Polycyclic Aromatics

1 - Area of Potential Environmental Concern (APEC) means the area on, in, or under a Phase One Property where one or more contaminants are potentially present, as determined through the Phase One ESA, including through:

- (a) Identification of past or present uses on, in, or under the Phase One Property and
- (b) Identification of potentially contaminating activity.

2 - Potentially Contaminating Activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One Study Area

3 - When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011,

4 - When submitting a record of site condition for filing, a copy of this table must be attached.

7.4 PCA Exclusion Rationale

As part of this Phase One ESA, additional PCAs were encountered in the vicinity of the Site through the records retrieved. However, select PCAs encountered have been excluded as actual PCAs to the Phase One ESA Property. Exclusion of a PCA is often related to the location of the PCA in relation to the Phase One Property, the direction of groundwater flow, and the results from previous environmental reports pertaining to the Phase One Property (if any). The records excluded are summarized above in previous sections, in addition to the general rationale for their respective exclusion.

Table 18: Potential Contaminating Activity (PCA) Exclusion Rationale

O. Reg 153/04 Schedule D PCA	Location of PCA	Description and Source Information	Rationale
PCA 51: Solvent Manufacturing, Processing and Bulk Storage	1408 Stittsville Main Street, immediately north of the Site (down-gradient).	According to the City Directories available for the adjacent land to the north of the Site, 1408 Stittsville Main, Browns Cleaners was listed on the property in 2006/07. It was not listed prior to then, or thereafter, nor was it observed at the time of the Site reconnaissance.	The PCA is located immediately north of the Site, down-gradient of the Site with respect to the inferred groundwater flow direction. Based on the down-gradient location from the Site, it is not considered a potential risk for environmental concern to the Site.
PCA 47: Rubber Manufacturing and Processing	1450 Stittsville Main Street, approximately 140 m south of the Site.	The Scott's Manufacturing directory revealed that Stittsville Rubber Stamp Inc., operated at the property previously. The operations included plastic product, office supply (except paper), and cutlery/hand tool manufacturer. More specifically, they manufactured rubber stamps.	The PCA is located approximately 140 m south (up-gradient) of the Site. Due to the small-scale operations, and overall distance from the Site, the former stamp manufacturing operations are not considered a potential risk for environmental concern to the Site.
PCA 31: Ink Manufacturing, Processing and Bulk Storage	1450 Stittsville Main Street, approximately 140 m south of the Site.	The Scott's Manufacturing directory revealed that Stittsville Rubber Stamp Inc., operated at the property previously. The operations included manufacturing of rubber stamps. It would be sought that ink pads are stored or processed in association with the stamps.	The PCA is located approximately 140 m south (up-gradient) of the Site. Due to the small-scale operations, and overall distance from the Site, the former stamp manufacturing operations are not considered a potential risk for environmental concern to the Site.
PCA Other: Spill	At the intersection of Stittsville Main Street and Wintergreen Drive, approximately 75 m south of the Site.	In 2003, approximately 45 gallons (204 L) of hydraulic oil to spill to the ground. The cause of the spill was due to equipment failure.	The PCA is located approximately 140 m southeast (trans-gradient) of the Site. Based on the trans-gradient location from the Site, it is not considered a potential risk for environmental concern to the Site.
PCA Other: Dentist Office	Approximately 25 m south of the Site.	Viewed at the time of the Site reconnaissance, and as listed in the City Directory as of 2021.	Dentist offices are associated with potential release of metals waste (i.e. mercury). Due to the small-scale operation, the quantities of waste are considered low, and therefore does not present a potential risk for environmental concern to the Site.

7.5 Uncertainties or Absence of Information

The formal freedom of information request submission was submitted on January 20th, 2025, to the MECP. A response from the MECP has not been received at the time this report has been prepared. Additionally, the City of Ottawa was contacted on January 20th, 2025, to obtain available information for the Site and surrounding areas through their Historical Land Use Inventory (HLUI). At the time of this report, a response from the City is still pending. When the HLUI request is returned, it will be forwarded to the client for appending to this report.

Based on the body of information acquired, it is considered that the absence of this information should not likely affect the final conclusion of the Phase One ESA. LRL will review the responses from the outstanding regulatory requests upon their receipt. Should the response affect the findings of this Phase One ESA, it will be forwarded to the client. There were no material deviations to the Phase One ESA requirements set out in O. Reg. 153/04 that would cause uncertainty or absence of information that would affect the validity of the Phase One Conceptual Site Model or the findings of this Phase One ESA.

7.6 Phase One Conceptual Site Model

7.6.1 Conceptual Site Model Drawing

The location of the Site is shown in the attached **Figure 1** and the current layout of the Site is shown in the attached **Figure 2**. PCAs and APECs are shown in the included **Figure 3**, and **Figure 4**, respectively.

Description and Assessment

The PCAs identified on the Phase One Property, as well as those identified within the Phase One Study Area, were recognized through the records review, interview, and Site reconnaissance. One (1) PCA was identified. They are further summarized below in **Table 17** as follows:

Table 17: Summary of Conceptual Site Model – PCAs

APEC No.	O. Reg 153/04 Schedule D PCA	Direction from Phase One Property	Approximate Distance from Phase One Property (m)	Source Information	Remarks	APEC	Rationale
APEC 1	PCA 30: Importation of Fill Material of Unknown Quality	On – Site	On – Site	Aerial Photographs, and Previously prepared report	According to the 1945 Aerial Image, structures were present at the eastern portion of the Site. In the subsequent 1963 Aerial Image, a larger structure is apparent across the majority of the Site. A 2022 geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.	Eastern area of the Site	Potential impact on soil and groundwater



7.6.2 Contaminants of Potential Concern

The contaminants of potential concern related to the identified PCAs are as follows:

- Petroleum Hydrocarbons (PHCs);
- Volatile Organic Compounds (VOCs);
- Polychlorinated Biphenyls (PCBs); and
- Polycyclic Aromatics (PAH).

7.6.3 Potential for Underground Utilities to Influence the Transportation and Distribution of Contaminates

As described above in Section 0, the Site is undeveloped and unlikely to have utilities present on the Phase One ESA Site. A Bell utility service line pedestal was observed at the northeastern corner of the Site, which may be an indication of a service trench in the vicinity of the property. include a private on-Site sewage disposal system with a private supply well. Buried utility lines can contribute to potential pathways for contamination distribution. It is not anticipated for the Phase One ESA Site.

7.6.4 Available Regional or Site-Specific Geological or Hydrogeological Information

Generalized surficial geology is found to comprise of Glaciofluvial Deposits: gravel and sand, poorly to well sorted and bedded, mainly coarse- to medium-grained with numerous cobbles, boulders, and lenses of till, gravel and sand. Generalized bedrock geology is found to be the Ottawa Formation: limestone with some shaly partings: some sandstone in basal part.

According to available MECP water well records, bedrock is found to be between approximate 1.8 and 9.0 m below grade. One (1) well, located approximately 140 m northwest was terminated at 9.6 m, before bedrock was encountered.

The inferred groundwater flow direction is north towards the Poole Creek, located approximately 80 m north of the Site. According to the Atlas of Canada – Toporama, Poole Creek flows in an east to northeast direction toward the Carp River.

8 CONCLUSIONS

The Conceptual Site Model shows one (1) PCA on the property. Although additional potential contaminating activities were identified within 250 m radius from the Site, due to their down- or trans-gradient direction from the Site with respect to the inferred northerly groundwater flow direction, and the small-scale operations of select records retrieved, they do not present a potential risk for environmental concern to the Site.

APEC 1 was generated due to the presence of **PCA 30**: Importation of Fill Material of Unknown Quality which is associated with the presence of former buildings or structures on the property from at least between the mid 1940's through to the early 1960's. A 2022 geotechnical investigation completed by LRL confirmed that fill is only identified at the eastern portion of the Site. No buried debris was reported during the previous geotechnical investigation.

The general extents of the APEC is shown in **Figure 4**.

A subsurface investigation, Phase Two Environmental Site Assessment, is considered warranted to address the potential concerns and impairment to the subject Site as of PCA identified.



9 LIMITATIONS AND USE OF REPORT

The results of this Phase One ESA should not be considered a warranty that the subject property is free from all contaminants from former and current practices other than those noted in this report, nor that all compliance issues have been addressed.

The findings contained in this report are based on data and information collected during the Phase One ESA of the subject property conducted by LRL Engineering. The conclusions and recommendations are based solely on-site conditions encountered at the time of our inspection on January 20, 2025, supplemented by historical information and data obtained as described in this report. No assurance is made regarding changes in conditions subsequent to the time of this investigation. If additional information is discovered or obtained, LRL Engineering should be requested to re-evaluate the conclusions presented in this report and to provide amendments as required.

In evaluating the subject property, LRL Engineering has relied in good faith on information provided by individuals, as noted in this report. We assume that the information provided is factual and accurate. We accept no responsibility for any deficiencies, misstatements or inaccuracies contained in this report as a result of omissions, misinterpretation or fraudulent acts of the persons contacted.

This report is intended for the sole use of Elite Living Developments and their authorized agents. LRL Engineering will not be responsible for any use of the information contained within this report by any third party.

In addition, LRL Engineering will not be responsible for the real or perceived decrease in the property value, its saleability or ability to gain financing, through the reporting of information.

Yours truly,
LRL Engineering



Jessica Arthurs
Environmental Engineering Manager



John (Gianni) Lametti, P. Eng. QP_{ESA}
Senior Environmental Engineer



10 REFERENCES

1988 Mapping and Assessment of Former Industrial Sites, City of Ottawa, by Intera Technologies Ltd. (1988 Intera Report).

Canadian Standards Association, Z768-01 Phase I Environmental Site Assessment, November 2001.

City of Ottawa Interactive Map accessed through: <http://maps.ottawa.ca/geoottawa/>

Harrison, J.E., 1976, Generalized Bedrock Geology, Ottawa-Hull, Ontario and Quebec, Geological Survey of Canada, Map 1508A, Scale 1:125,000.

LRL Engineering, Geotechnical Investigation, Proposed 3-Storey Commercial Building, 1412 Stittsville Main Street, Stittsville, Ontario, prepared for Argue Construction Ltd., September 2022.

Ministry of Environment, Conservations and Parks, Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Environmental Protection Act, as amended.

Ministry of Environment and Energy, Coal Tar Site Investigations 1986 – 1995, January 1997.

Ontario Well Records Map accessed though: <https://www.ontario.ca/environment-and-energy/map-well-records>

Ontario Regulation 153/04, amended to O. Reg. 269/11 made under the Environmental Protection Act, *Record of Site Conditions – Part X.1 of the Environmental Protection Act*, Jul 1, 2011.

Ontario Ministry of the Environment, Soil, Groundwater and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act, April 15, 2011.

Pinchin Ltd., Phase I Environmental Site Assessment, 1410 Stittsville Main Street, Ottawa, Ontario, prepared for 2V Holding Inc., September 8, 2020;

St-Onge, D.A., (compilation), 2009, Surficial Geology, Lower Ottawa Valley, Ontario-Quebec, Geological Survey of Canada, Map 2140A, Scale 1:125,000.


The Canadian County Atlas Digital Project accessed through: [In Search of Your Canadian Past: The Canadian County Atlas Digital Project \(mcgill.ca\)](http://www.mcgill.ca/canadian-county-atlas/)

The Government of Canada, Natural Resources Canada, The Atlas of Canada – Tooporama through : <https://atlas.gc.ca/toporama/en/index.html>

Waste Management Branch, Ontario Ministry of the Environment, Waste Disposal Site Inventory, June 19, 1991.



FIGURES



LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

SITE LOCATION
(NOT TO SCALE)
SOURCE: GEOOTTAWA

CLIENT

ELITE LIVING DEVELOPMENTS INC.


DATE

FEBRUARY 2025

PROJECT

240811

FIGURE 1





LRL

ENGINEERING | INGÉNIÉRIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

SITE PLAN

CLIENT

ELITE LIVING DEVELOPMENTS INC.


DATE


FEBRUARY 2025

PROJECT

240811

FIGURE2





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSTVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

POTENTIAL CONTAMINATING ACTIVITIES WITHIN 250 M
FROM THE SITE

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

FIGURE 3



Legend



Potentially Contaminating Activity (PCA) – Not a Concern to the Site



Potentially Contaminating Activity (PCA) – Poses a Risk for Environmental Concern to the Site



Subject Site

250 M Radius From the Site Extents

PCA Other (1) Spill
PCA Other (2) Waste Generator
PCA Other (3) Dentist Office



SCALE: 1:4000



LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AREAS OF POTENTIAL ENVIRONMENTAL CONCERN

CLIENT

ELITE LIVING DEVELOPMENTS INC.


DATE

JANUARY 2025

PROJECT

240811

FIGURE 4



APPENDIX A


Fire Insurance Plans



Enviroscan Report

Site address: 1412 Stittsville Main Street Ottawa ON
Project #: 25010800051
P.O. #: 154050
Requested by: Eleanor Goolab
Date Completed: 1/15/2025 1:59:53 AM

Search Area: 1412 Stittsville Main Street Ottawa ON



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Historical Environmental Services Enviroscan Terms and Conditions

Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Verisk's records relating to the described property (hereinafter referred to as the "Property"). Verisk makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Verisk's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Verisk does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Verisk disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Verisk Reports or from any tortious acts or omissions of Verisk's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

No Records Found

Office

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

1.877.244.9437

optaintel.ca



Verisk.com

©Verisk Analytics Inc. All rights reserved.

CONFIDENTIAL

APPENDIX B

Chain of Title Search

PROPERTY DESCRIPTION: PT LT 23 CON 11 GOULBOURN PT 1, 5R10561 ; GOULBOURN

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

RE-ENTRY FROM 04455-0313

PIN CREATION DATE:

1999/08/20

OWNERS' NAMES


ELITE LIVING DEVELOPMENTS INC.

CAPACITY


SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
EFFECTIVE	2000/07/29	THE NOTATION OF THE	"BLOCK IMPLEMENTATION DATE" OF 1997/02/24 ON THIS PIN			
WAS REPLACED WITH THE		"PIN CREATION DATE" OF 1999/08/20				
** PRINTOUT	INCLUDES ALL	DOCUMENT TYPES (DELETED INSTRUMENTS NOT INCLUDED) **				
**SUBJECT,	ON FIRST REGISTRATION UNDER THE	LAND TITLES ACT, TO:				
**	SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES	*				
**	AND ESCHEATS OR FORFEITURE TO THE CROWN.					
**	THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF					
**	IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY					
**	CONVENTION.					
**	ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.					
**DATE OF CONVERSION TO	LAND TITLES: 1999/08/23 **					
ST51	1961/03/23	BYLAW				C
	REMARKS: LT1201	92				
ST1128	1967/11/13	BYLAW				C
	REMARKS: LT1201	91				
5R10561	1987/01/21	PLAN REFERENCE				C
OC2451579	2022/02/01	TRANSFER	\$705,000	2785616 ONTARIO INC.	ELITE LIVING DEVELOPMENTS INC.	C
	REMARKS: PLANNING ACT STATEMENTS.					

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.



PRINTED ON 14 JAN, 2025 AT 14:43:13
FOR EEGOOLAB



PROPERTY INDEX MAP
OTTAWA-CARLETON(No. 04)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE
PROPERTY INFORMATION AS THIS MAP MAY
NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND
DOCUMENTS RECORDED IN THE LAND
REGISTRATION SYSTEM AND HAS BEEN PREPARED
FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE
RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT
REFERENCE PLANS ARE NOT ILLUSTRATED



APPENDIX C

City Directory



CITY DIRECTORY

Project Property: *Phase I ESA -1412 Stittsville Main Street
1412 Stittsville Main Street
Ottawa, ON K2S 1V7*

Project No: *240811*

Requested By: *LRL Associates Ltd.*

Order No: *25010800051*

Date Completed: *January 13, 2025*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

January 13, 2025
RE: CITY DIRECTORY RESEARCH
1412 Stittsville Main Street
Ottawa, ON K2S 1V7

Thank you for contacting ERIS regarding our City Directory Search services. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. When searching a range of addresses, all civic addresses within that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on highly developed areas, while newly developed areas may be covered in the more recent years, older directories tend to cover only "central" parts of the city. To complete the search, we have either utilized the Toronto Reference Library, Library & Archives Canada and multiple digitized directories. While these do not claim to be a complete collection of all reverse listing city directories produced, ERIS has made every effort to provide accurate and complete information. ERIS shall not be held liable for missing, incomplete, or inaccurate information. If you believe there are additional addresses or streets that require searching, please contact us.

Search Criteria:

All of Mulkins Street
All of Riverbank Court
1370-1450 of Stittsville Main Street
All of Warner-Colpitts Lane

Search Notes:

Warner-Colpitts Lane is also known as All Warner Lane in Ottawa. Stittsville Main Street is also known as 1370-1450 Main Street in Ottawa.

Search Results Summary

Data from 2012 to 2017 does not include residential information

Date	Source	Comment
2023	DIGITAL BUSINESS DIRECTORY	
2021	DIGITAL BUSINESS DIRECTORY	
2017	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2006-07	VERNONS	
2000	POLKS	
1997	POLKS	
1994	POLKS	
1991	MIGHTS	
1987	MIGHTS	
1981-82	MIGHTS	
1976	MIGHTS	
1971	MIGHTS	
1966	MIGHTS	
1964	MIGHTS	
1960	MIGHTS	

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

NO LISTING FOUND

2 D SHELDRIK...RESIDENTIAL
3 D COSTELLO...RESIDENTIAL
3 MAHTA ALIZADEH...RESIDENTIAL
6 M BUELL...RESIDENTIAL
7 R ALLIGOOD...RESIDENTIAL
8 S RAHMAN...RESIDENTIAL
9 MICEAL POWELL...RESIDENTIAL
11 D GOODFELLOW...RESIDENTIAL
11 K FLOYD...RESIDENTIAL
12 D BOBIER...RESIDENTIAL
12 JAKE TURCOTTE...RESIDENTIAL
13 F VEENSTRA...RESIDENTIAL
14 N ROONEY...RESIDENTIAL
15 F MCMANUS...RESIDENTIAL
16 C GENT...RESIDENTIAL
17 J ROSS...RESIDENTIAL
19 J GORMAN...RESIDENTIAL
21 J MCDURMIT...RESIDENTIAL
25 W LEE...RESIDENTIAL
27 B PAUL...RESIDENTIAL
31 S THOMSON...RESIDENTIAL
33 J HEMEON...RESIDENTIAL
35 T MOSHER...RESIDENTIAL
37 A MILLER...RESIDENTIAL

1385	A BOND...RESIDENTIAL
1385	A LAFONTINE...RESIDENTIAL
1385	A READING...RESIDENTIAL
1385	B BOURGOIN...RESIDENTIAL
1385	B BUCK...RESIDENTIAL
1385	B CLARK...RESIDENTIAL
1385	B JONES...RESIDENTIAL
1385	C FREDA...RESIDENTIAL
1385	D BARR...RESIDENTIAL
1385	D HAYTER...RESIDENTIAL
1385	D JESSIMAN...RESIDENTIAL
1385	D SPEARMAN...RESIDENTIAL
1385	D VERHOEF...RESIDENTIAL
1385	E BEAUDRY...RESIDENTIAL
1385	E FULLUM...RESIDENTIAL
1385	E JORGENSEN...RESIDENTIAL
1385	E JULIEN...RESIDENTIAL
1385	E MOGHADAM...RESIDENTIAL
1385	GUY DROLET...RESIDENTIAL
1385	H BARR...RESIDENTIAL
1385	I MCNAMEE...RESIDENTIAL
1385	J HARTNETT...RESIDENTIAL
1385	J LANTHIER...RESIDENTIAL
1385	J LOCKHART...RESIDENTIAL
1385	J LOCKYER...RESIDENTIAL
1385	J RENNA...RESIDENTIAL
1385	J STEVENS...RESIDENTIAL
1385	L BAZAN...RESIDENTIAL
1385	L LALONDE...RESIDENTIAL
1385	M CORDINA...RESIDENTIAL
1385	M HAMELIN...RESIDENTIAL
1385	M HOFFE...RESIDENTIAL
1385	M MCAINSH...RESIDENTIAL
1385	M MCBRIDE...RESIDENTIAL
1385	N HALLIDAY...RESIDENTIAL
1385	N STEELE...RESIDENTIAL
1385	R BARR...RESIDENTIAL
1385	R WHITE...RESIDENTIAL
1385	S CHAPMAN...RESIDENTIAL
1385	T TATE...RESIDENTIAL
1385	V DAVID...RESIDENTIAL
1385	W WALKER...RESIDENTIAL
1385	W WHITE...RESIDENTIAL
1445	CAPTAIN SANDY'S CRUISE HOLIDAY...TRAVEL AGENCIES & BUREAUS
1450	JACKSON MARION E ATY...ATTORNEYS
1450	JACKSON MARION E ATY...NOTARIES-PUBLIC
1450	TENNANT JACKSON PETERS LLP...NOTARIES-PUBLIC
1450	TENNANT JACKSON PETERS LLP...ATTORNEYS

10	STITTSVILLE DIST CMNTY CTR...SKATING RINKS
10	STITTSVILLE DIST CMNTY CTR...SKATING INSTRUCTION
10	STITTSVILLE ARENA...TOURIST ATTRACTIONS
10	STITTSVILLE ARENA...STADIUMS ARENAS & ATHLETIC FIELDS

1 NEWTON JACK DDS...DENTISTS

2 D SHELDRIK...RESIDENTIAL
3 D COSTELLO...RESIDENTIAL
3 MAHTA V ALIZADEH...RESIDENTIAL
6 M BUELL...RESIDENTIAL
7 R ALLIGOOD...RESIDENTIAL
8 S RAHMAN...RESIDENTIAL
9 MICEAL POWELL...RESIDENTIAL
11 D GOODFELLOW...RESIDENTIAL
11 K FLOYD...RESIDENTIAL
12 D BOBIER...RESIDENTIAL
13 F VEENSTRA...RESIDENTIAL
14 N ROONEY...RESIDENTIAL
15 F MCMANUS...RESIDENTIAL
16 C GENT...RESIDENTIAL
17 J ROSS...RESIDENTIAL
19 J GORMAN...RESIDENTIAL
21 J MCDURMIT...RESIDENTIAL
25 W LEE...RESIDENTIAL
27 B PAUL...RESIDENTIAL
31 S THOMSON...RESIDENTIAL
33 J HEMEON...RESIDENTIAL
35 T MOSHER...RESIDENTIAL
37 A MILLER...RESIDENTIAL

1383 HOLY SPIRIT CATHOLIC SCHOOL...SCHOOLS
1383 HOLY SPIRIT CHILD CARE CTR...CHILD CARE SERVICE
1385 A BOND...RESIDENTIAL
1385 A LAFONTINE...RESIDENTIAL
1385 A READING...RESIDENTIAL
1385 B WILLIS...RESIDENTIAL
1385 C FRED A...RESIDENTIAL
1385 D BARR...RESIDENTIAL
1385 D HAYTER...RESIDENTIAL
1385 D JESSIMAN...RESIDENTIAL
1385 D SPEARMAN...RESIDENTIAL
1385 D VERHOEF...RESIDENTIAL
1385 E FULLUM...RESIDENTIAL
1385 E JULIEN...RESIDENTIAL
1385 GUY DROLET...RESIDENTIAL
1385 H T BARR...RESIDENTIAL
1385 I MCNAMEE...RESIDENTIAL
1385 J K HARTNETT...RESIDENTIAL
1385 L BAZAN...RESIDENTIAL
1385 M CORDINA...RESIDENTIAL
1385 M HAMELIN...RESIDENTIAL
1385 M HOFFE...RESIDENTIAL
1385 M MCAINSH...RESIDENTIAL
1385 R J BARR...RESIDENTIAL
1385 W WALKER...RESIDENTIAL
1445 CAPTAIN SANDY'S CRUISE HOLIDAY...TRAVEL AGENCIES & BUREAUS
1450 JACKSON MARION E ATY...ASSOCIATIONS
1450 JACKSON MARION E ATY...NOTARIES-PUBLIC
1450 TENNANT JACKSON PETERS LLP...ASSOCIATIONS
1450 TENNANT JACKSON PETERS LLP...NOTARIES-PUBLIC

10 STITTSVILLE DIST CMNTY CTR...SKATING INSTRUCTION
10 STITTSVILLE DIST CMNTY CTR...STADIUMS ARENAS & ATHLETIC FIELDS

- 2
- ST ANDREWS PRESBYTERIAN CHURCH...RELIGIOUS ORGANIZATION
- 3
- TRADITIONS BRIDAL BOUTIQUE...STORE RETAILERS NOT SPECIFIED
ELSEWHERE
- 3
- TRADITIONS BRIDAL BOUTIQUE...WOMEN'S CLOTHING STORES

NO LISTING FOUND

1383	HOLY SPIRIT CATHOLIC SCHOOL...ELEMENTARY & SECONDARY SCHOOLS
1445	DOMINON LENDING CTRS MORTG...REAL ESTATE CREDIT
1445	PARTNERS ADVANTAGE GMAC...OFFICES OF REAL ESTATE AGENTS & BROKERS
1445	WIKTOR REALTY CORP...OFFICES OF REAL ESTATE AGENTS & BROKERS
1450	STITTSVILLE RUBBER STAMP...MARKING DEVICE MFG

10	GOULBOURN SKATING CLUB...SPORTS & RECREATION INSTRUCTION
10	GOULDOUN...UNCLASSIFIED
10	STITTSVILLE-QUARTIER CTR CMNTY...MISCELLANEOUS PERSONAL SERVICES, NEC
10	STITTSVILLE DIST CMNTY CTR...FITNESS & RECREATIONAL SPORTS CENTERS
10	STITTSVILLE DISTRICT ARENA...NATURE PARKS & OTHER SIMILAR INSTITUTIONS
10	STITTSVILLE DISTRICT ARENA...PROMOTERS WITH FACILITIES

- 1MORTGAGE CENTRE...REAL ESTATE CREDIT
- 3TRADITIONS BRIDAL BOUTIQUE...WOMEN'S CLOTHING STORES
- 20ST ANDREWS PRESBYTERIAN CHURCH...RELIGIOUS ORGANIZATION

NO LISTING FOUND

1383

HOLY SPIRIT CATHOLIC SCHOOL...ELEMENTARY & SECONDARY SCHOOLS

1408

CRYSTAL NAILS...NAIL SALONS

1445

ARIOSTREAM...PROCESS & LOGISTICS CONSULTING SVCS

1445

MORTGAGE INTELLIGENCE...REAL ESTATE CREDIT

1450

STITTSVILLE RUBBER STAMP...MARKING DEVICE MFG

10

STITTSVILLE & DISTRICT CMNTY C...PROMOTERS WITH FACILITIES

10

STITTSVILLE MINOR HOCKEY ASSN...OTHER SIMILAR ORGANIZATIONS

2006-07 MULKINS STREET

SOURCE: VERNONS

MULLCRAFT CRES (NEPEAN)				605		
30	Ahmad Badi	739-7333	730	Cousens Henry	822-0796	
23	Bogelow S	247-8778	731	Saunders L&G	822-7984	
34	Anlone Marie	247-9452	732	Eloc F	822-1930	
	Quettele		733	Macpherson M&A	822-1873	
36	Sommarco Mayra	739-7064	734	Grant Duncan J	822-3116	
38	Dunkley S	736-1510	735	Guenin C	822-2831	
42	Nsani Jamal	247-1583	736	Berthiaume	822-3410	
48	Smith D	738-7453				
56	Sykes M Powell&J	248-8002	2738	A&S Shelia	822-4778	
MOZART CRT (GLOUCESTER)				2740	Marotte R&A	822-2071
2729	Saikya A&H	737-7508	2742	Lockyer Stephen J	822-2071	
2730	Nam Nam	738-1508	2746	Rana M	822-2373	
2735	Boyardyan Bedros	737-4518	2748	Jolie P&C	822-2127	
2737	Bradley James	731-9462	2750	Fowler Shane	822-1450	
2739	Pecek N	521-2802	2752	Malloy S&B	822-7931	
2741	Hughes M	731-6885				
2745	Gagnon R	521-8711	MURFIELD GONS (NEPEAN)			
2747	Chan Judy	523-4739	X2	Kurakose A K Dr	825-4827	
2748	Chan Chi Yee	523-5186	X4	Srotek R&A	823-6699	
2749	Goodfellow Rick	739-8323	X6	Nesralah Simon	825-2254	
2751	Power S	733-1676	MULBERRY CRES (GLOUCESTER)			
2753	Lewery I	321-1960	X1936	Herage Timothy	745-8114	
2759	Stockley Douglas J	738-0591	1937	Bellemare Michel	748-5530	
2761	Elias E	521-2464	1938	Short Cameron&J	749-6837	
2762	Mogall T	739-8565	1941	Mrak M&S	744-3074	
2763	Irving R H	526-2876	X1943	MacQuag James D	741-4022	
2764	Raymond D	523-9071	X1945	Hafez B	744-2395	
2766	Thompson Allen	731-2817	X1947	MacQuag B&J	741-7170	
2768	Lenk Diane&Ed	521-8461	X1949	Quirt David	745-2793	
2768	Leduc S	521-1685	X1951	Query Jean-Paul	749-4324	
2768	Cyr-Lenk D	521-0330	X1953	Dalziel James R	741-0170	
2770	Emond S	260-8326	X1954	Dobson M	747-3598	
2772	Mitchell Neil	523-3221	1955	Johnson Bryan	747-3598	
2772	Vogels D	523-3221	1955	Forest Clayton	745-0188	
2774	Levetsovites Paul	523-2179	1957	Morris John E	745-4058	
2776	Clark Warren	521-1159	1957	Bruneau Nicole	746-3575	
2779	Robillard Daniel	523-0928	1959	Dorrey Jacques	748-3575	
2780	Istam Henrik	733-4845	1961	Mrak Louis	745-8820	
2781	Sigoun S	260-9108	1961	Mrak Vincent	745-8109	
2782	Raymond C	523-2313	X1953	Durand Serge J A	741-5103	
2784	Machin W A	526-3408	X1964	Leek Donald	748-7567	
2785	Giroux R&B	523-1487	X1964	Young J	748-7567	
2789	Rancourt Jean	731-8918	X1965	Pulkkanen Davis J	745-0686	
2793	Phillips K	521-5113	X1966	Monroe D J	749-1140	
2795	Schryburt Peter	738-0613	X1967	McCaum F C	745-3618	
2797	Koren D&M	731-0277	X1968	Bergevin L	741-0505	
2798	Stringer K	523-2860	X1969	Circelli C	744-4968	
2799	Boone F W	523-2291	MULDER AVE (ORLEANS)			
2801	Wilson M J	526-3748	1131	Ou K L	837-2452	
2802	Curne David	521-2922	1133	Sirotna S	841-2812	
2803	Singh H	523-2550	1137	Grant C&W	834-8158	
2807	Scopelliti Franco	521-9699	1139	Rouveau Denis	841-9697	
2813	Namdar Archeshir	260-8553	1141	Armstrong David	824-4407	
2815	Filipowich D	526-3230	1143	Mbuluyo M	824-2104	
2816	Dwyer J W	736-5339	1144	Perreault D	834-0849	
2818	Houde D	738-4498	1145	Mason K	590-1586	
2820	Cram William	521-6982	1146	Piercy K	830-6562	
2821	Mohamdee T	738-0497	1147	Huizer L	826-6688	
2822	Andrews D	523-0774	1149	Hamilton B L Col	834-8910	
2822	LeVoi C	521-4817	1150	Montpetit D	824-8190	
2823	Kumar-Misr Les	526-1387	1152	Sinanni Fred	824-9959	
2824	Perera Jose	739-0885	1154	Gautier C J W	834-8604	
	Carlos		1155	Randell Sherman	841-1357	
2825	Caren M A	523-1867	1156	Lafreniere L	830-2271	
2826	Villeneuve L N	733-5313	1157	Lee Ning	834-2895	
2827	Browning C	526-6034	1159	Peel Edward	837-9258	
2827	Collier D	526-6034	1161	Peei M	837-9923	
2828	Diamond M B	521-8610	1163	Pierre J Beaugies	837-7089	
2829	Taylor K	526-5374				
2830	Jones Don&Sobei	526-3623	1167	Davis&Krstin	841-6449	
2831	Beauvais C&R	260-9742	1169	Blomley Bruce	834-6449	
2832	Duchess D P J	521-4172	1171	Hagel Axel	834-3718	
2833	Guy V	526-5666	1173	Henderson M	834-0783	
2834	Garbouchev K	739-1127	1174	Morris G	824-1373	
2835	O'Brien Mary	733-8454	1175	Melanson Kevin	841-3501	
2836	Young T	523-0679	1175	Leogae	834-9221	
2838	Bouché T	521-0622				
5745	Fnd N	521-8711	11176	Francos&Patricia		
MOZART RUE (GATINEAU)				11176	Bates W S	834-6797
404	Toste V	682-8931	11176	Hansen Bates I	834-6797	
407	Crook C	682-0061	11178	Chretien D	824-5473	
407	Bel Justn	682-9862	21179	Nwosu Daniel	590-1321	
408	Gravel Maurice	682-0696	11180	Sultana A	837-0208	
411	St-Onge G	682-9801	11182	Letourneau	824-8896	
411	St-Onge Gilles	684-1741				
412	Arsenault S	684-9400	11183	Rob&Judy		
418	Yanover M	685-3078	MULKINS (STITTSVILLE)			
419	Racine Marcel	684-0685	1	Mortgage Centre	836-8860	
422	Chretien Yves	684-9126	2	St Andrews	831-1256	
427	Beisic Paul	682-7374		Presbyterian Church		
428	Kesley T&N	684-4837	3	Traditions Bricol	831-6042	
430	McLay V	684-1932		Butique		
430	Roy Guy J R	684-1932	MULLCRAFT CRES (NEPEAN)			
435	Gagné Huguette	684-7750	1	Dufalt T D	823-3392	
439	Savard M	684-0820	13	Moussa M	823-5981	
443	Dal'aire Jean	682-2923	15	Lu Sen	843-1489	
MPLAIN (GATINEAU)				111	Aroultounan S	843-1274
277	Crête-Lefebvre Eric	776-6112	113	Medwen tsch Frank	825-5815	
MSDALE DR (KANATA)				15	Doucet S	825-5443
35	Leblond A&R	254-5950	17	Roy Lise	823-9085	
MUD CREEK CRES (GLOUCESTER)				19	Masson Brian M	823-7812
702	Imerti T	822-6558	29	Brown Roger	823-6569	
704	Lessard L	822-2580	31	Fitzpatrick M	823-6717	
706	Walker L	822-6187	132	Wardak A&F	825-7171	
712	Wilson C&A	822-2780	33	Lavoe Gd	825-7052	
712	Wilson J	822-2832	34	Cottingham R&D	825-9913	
713	Ramsay S	822-4782	35	Adams D	823-9476	
7174	Craig B&J	822-0184	36	Sheahan C	843-1544	
715	Ferguson R&S	822-2654	37	Fyffe George M	825-7958	
716	White A M	822-0550	38	Dorion Michel	843-9317	
717	Mis R K	822-3108	39	Bennett D	825-1661	
717	Smadney T S	822-3108	40	Bobo-Burke D&E	823-7457	
718	Merkley B	822-8559	41	Jette P	823-8814	
720	Culliner Tony	822-9096	42	Lloyd Richard	823-1639	
721	De Mannis Mario	822-4415	43	Fluegel H	823-0574	
	And Shelia		44	Shmoon L&S	823-7313	
722	Mongeon J R	822-4378	45	Bennett Kirk	823-8548	
723	Sysak J	822-0327	46	Suprenant M&X	823-2441	
724	Belinson Gregory	822-4304	48	Blaxney M	825-9034	
725	Chan Shu Ho	822-6883	49	Boulet L	825-2341	
726	Abou-Kher Kamel Dr	822-1231	50	Jessa M	843-9622	
727	Templeton A	822-2424	51	Pryor Knsta	823-3521	
729	Lemarie Dan&Jacque	822-0610	52	Wallace K	843-1099	
			54	Harrady Les-e	843-8484	
				Darradou Jean	823-0361	

2006-07 RIVERBANK COURT

SOURCE: VERNONS

RIVERBEND DR (NEPEAN)			697		
X1915	Mdes J H	692-3843	X377	Gaudette V	747-7531
X1922	Kelly T M	692-3876	X381	Basalle Jerry	745-7832
X1980	Kelly's Landing	692-1243	X395	Dyck G	842-9080
2004	Clare S	692-6397	X397	Pustay Paul	749-4340
X2015	St Brigit R C	692-2716	X399	Apartment	
	Community Church		X4	Brownlee S	741-3148
X2020	Martin S	692-3621	X	Martin B T	745-1498
X2020	Martin Chris	692-5268	X	Poulin M	746-2490
X2026	Byron M	692-3263	X	McKenna Gary	747-9192
X2030	B Deevy J L	692-3960	X	Savage John	748-6356
X2052	Ladley Robert	692-3377	X	John J	842-4114
2070	Beach M	692-0351	RIVER RD S		
X2083	Fleming M S	692-4044	358	Apartment	
X2083	Hutcheon C L	692-4044	358	Pugliese Theresa	738-9027
X2099	Baker N	692-2694	RIVER RIDGE CRES (ORLEANS)		
X2113	Baker B&C	692-4206	X308	Harbottle Ron	837-4746
X2184	Adams Frank	692-2248	X310	Spracklin George	837-4634
X2234	Kelly Reta	692-3117	X312	Battista Linda&Tony	824-9495
3)2248	C Sampson Michael	692-2751	X314	Hill Wayne	830-0001
X2260	Dunse D	692-2741	316	Beil David&Grace	841-1654
X2291	Kelly Francis	692-2142	X317	Chun G&P R	824-8830
X2318	Burrows Max	692-4154	X318	St Onge Denis&Betty	834-4221
X2330	Ochoa A	692-2905	X319	Robert Stephen	834-5197
X2331	Kelly S	692-4344	X321	Santerre Donald	824-8897
X2466	Tye David	692-4127	X332	Maranger Pierre Dr	830-2276
X2490	Janz D	692-6276	X332	Potter K	830-2276
X2490	H Gloor F	692-6276	X335	Desorme Louis	837-8118
X2490	E Kelly C&K	692-6286	X337	Mackley Ray&Marja	841-9393
X2517	Mulligan Keith	692-2627	X339	Armstrong T J	830-9541
X2524	Matheson Doug	692-4049	X342	Hutt J	824-9199
X2543	Doyle Robert F	692-3509	X343	Torres Francesco	834-8574
X2547	Doyle Pat	692-4050	X344	Boschi Claudio	824-6858
X2550	Fox R J	692-3257	X345	Cashon Tyler	830-7280
2552	Apartment		X346	Birkett Barry	824-3517
X - McKay Gibb		692-1263	X349	London L	830-7476
X - Lafontaine Denis Y		692-2021	X350	Sharpe John J	837-3669
			X351	Schell R A	830-9317
8) - Pryluta D		692-2628	X352	Berner S	830-7961
X - Lanovette Jean		692-3926	X353	Garcia L	824-0185
X2563	Doyle Hugh P	692-2688	X354	Comtois Pierre	824-8406
X2576	Greenhill N	692-4775	X355	Cloutier Albert	834-6656
2610 A Mavis H		692-3385	X355	Widgocoe A	834-6656
X2610 B Presley David		692-6125	X357	Roife J&K	841-3760
2620	Apartment		X361	McClymont Paul	837-3772
X - Cousineau Gordon		692-0675	X363	Regimbald Francois	830-7482
X - Lynde D		692-3948			
X - Miall W J		692-4443	X365	Gomes L	837-3866
X - Boudreau P		692-6008	X365	Courchesne R	841-4217
X2656	Archambault D W	692-3981	X367	Barnett O	834-6380
X2658 B McClennahan W		692-3965	X367	Catney M&L	834-6380
	John		X371	Foley P	834-5096
X2674	Beveridge Keith	692-4167	X372	Andersen Jeffrey	837-1718
X2678	Morrison T	692-2041	X373	Hasim R	830-5037
X2684	Boyd Ronald	692-2338	X375	Gubord Michel A	830-2188
X2686	Wanwanuk R J	692-3247	X377	Perron Michel R	837-5739
X2694	Pritchard John L	692-3315	X378	Sahay Krishna	837-9318
X2698	Hof H S	692-3127	X379	Thomas M	841-2716
X2700	Charlebois	692-1466	X381	Jacques R&N	834-5099
	Denny&Audrey		381	Lamontagne	841-6495
X2708	Barclay F M R	692-3647	RIVER ST		
X2726	Hurst Manna	692-1234	X1	Ontario Electrical	729-0518
X2730	Swan On The Rideau	692-4550	Construction Co Ltd		
2)4836	Ganepy D	692-0864	RIVERBANK CRT (STITTSVILLE)		
5)4836	Gray B	692-5566	2)1	Maynew S	831-7954
X4844	Kirk I	692-1361	7)3	Saunoi J	836-3024
X4847	Moodie Glen S	692-3639	5)4	Anderson Nancie CGA	831-9569
7)4848	Auclair M A	692-1719	4)4	Langevin J	831-9569
X4848	Auclair Michel	692-3959	X5	Stratton Tom&Gail	831-3647
X4851	Linnen Rodney	692-6732	5)6	Hylandes J	831-4445
4855	Pacholik Micheal	692-1386	1)7	Bevacqua P	831-6617
X4856	Kendry J	692-4461	2)8	Grimes E&M	836-6708
7)4863	Marcoux J	692-5510	X10	Paterson James A	831-9574
X4867	Labelle Ken	692-1984	6)11	Goodenow D	836-1402
5)4879	DeGane Y	692-4452	6)12	Bober D	831-6923
X4880	Bruder O	692-3370	X13	Veenstra F	831-3151
5)4883	Dale Gordon K	692-1566	1)14	Haughn J&R	831-7260
X4888	LaGuff Gerald	692-3463	2)15	Powell H M J	836-0386
X4892	Armstrong Robert A	692-3856	7)16	Pearce Joseph	831-5583
X4895	Strik N	692-4789	X17	Ronan A-M	831-3851
X4896	Sweeney Lloyd	692-2226	3)19	Gorman J	836-0514
X4933	Schlegel Adam	692-0025	8)21	McDermott Jem	836-9842
X4933	Schlegel Ken	692-1423	8)25	Page G E	831-0680
X4937	Dagenais Ric	692-0052	4)27	Culford K	836-1429
X4979	Annett Carson	692-1269	1)29	Moreland S	836-1636
5)5016	Breedvilt I&R	692-4921	X31	McMullan C	836-7598
X5054	Robinson R	692-4796	7)33	Beil E	831-1249
X5134	Mowat J&S	692-3614	X35	Mosher T	836-9942
X5138	Mowat J H	692-4632	8)35	Young D	836-9942
6)5138	Rideau View	692-7754	8)37	Keays S K	836-1075
	Catering		RIVERBEND DR (NEPEAN)		
4)5142	Grimes Richard C	692-4453	X4	de Hart W G	828-0921
4)5142	Luss B	692-4453	5)7	Treleven David	820-2620
5)5154	Plummer A	692-4584	X7	Fyke D	820-3592
X5160	Breedxy Martin	692-2198	X8	Corbett J D	828-7169
X5204	Clark R W	692-1830	X9	Doscal F Atan	596-9942
X5330	Frank N Stein	692-9292	X9	Doscal A D	726-5244
4)5366	Horvath W	692-8190	X10	Everest E A	829-6665
X5372	MacDonald L A T	692-2481	X12	Gächrist J M	596-0071
X5372	Ruppert B	692-3201	X13	Brockeier Lohar	828-0240
4)5402	Wooliam J C	692-5147	5)14	Tremblay Kevin&Letty	726-0474
X5412	Tilley D G	692-4320	3)15	Salehan K	829-3719
X5436	Van Loan N W Col	692-2315	X16	Ken Gerhard	829-0695
5530	Units		X17	Booth L	596-2825
4) - Herbal Magic		692-1206	X18	Fiducia Mona	828-8691
X - Taylor's Cleaners		692-1208	6)19	Spooner G E	829-7587
X - Wing Lee		692-1989	X20	Corquozzi V	829-9456
	Restaurant		X21	Loeban S W Capt	828-5130
1) - Birmini Bronzing		692-5353	X22	Bradley David W	596-2876
RIVER RD (VANIER)			X23	Carson George V	828-9877
7)261	Joly Daniel	741-6859	X24	Gikan Wm	828-7113
333	Units		25	Framo G	828-8295
3) - Joe's Nevada		741-0624	X26	Pinkos W G	820-3767
	Centre		X27	Winn A J	829-3327
X - Anes Maternity		745-0368	X28	Hay John B	829-4386
3) - Bona Building &		745-9122	X28	Hay John B	829-5190
Management Co Ltd			7)29	Knox Scott&Karen	721-3935
3) - Bona Building &		746-3918	2)30	Amundrud Don&Pat	829-8129
Management Co Ltd			X31	Nittio D	821-6089
355	Mainstreet	746-5413	X32	Nettett Canada	721-6089
	Foodservice		2)32	Seu Kenora	726-3001
5)355	Dorms Building	749-5405	2)33	Skooggaard P	726-3001
	Cleaning Company Ltd		3)33	Beaire R	596-3377

2006-07 STITTSVILLE MAIN STREET

SOURCE: VERNONS

4) 51 Pritchard	831-8062	2) - Crowther B	836-0925
David & Leigh		2) - Cassidy A C	836-1313
X53 Langille Lynne & Keith	831-7555	2) - Frost E	836-1553
4) 53 Texec Executive	831-7666	2) - Stittville	836-2216
Development Centre		1) - Retirement Community	836-3530
55 Troy Peter Francis	831-0737	1) - McNaughton M	836-3876
6) 57 Capello Peter Gibson	836-4513	1) - Fish B	836-3911
2) 59 Kershey Mark	831-6928	1) - McKee M	836-3911
STITTSVILLE DISTRICT MEDICAL		1) - Hopkins B	836-3932
CTR (STITTSVILLE)		1) - Shouldice I	836-4563
Units		1) - Youlthed E	836-4634
3) - Bowles Norman Dr	836-5083	1) - Mckenzie A C	836-4813
3) - Lazare Nancy Dr	836-5083	1) - Hogan Gordon	836-5701
3) - Lee John O Dr	836-5083	1) - Dysart Helen	836-5974
3) - Perry Joanne Dr	836-5083	1) - Davault J	836-6225
3) - Stittville	836-5083	1) - Kileen A J	836-6666
District Medical		1) - Hannum F L	836-7037
Centre		1) - Wasman E	836-7106
3) - Ward Robert A Dr	836-5083	1) - Gordon M	836-7649
STITTSVILLE MAIN ST		1) - Beattie M	836-8238
(STITTSVILLE)		1) - Adams J	836-8282
2) - Richcraft Homes	831-3311	1) - Sullivan H	836-8337
Limited		1) - Kamrads L	836-8508
1250 Units		1) 1368 Dube M G	836-9369
1) - Lauri's Boutique	831-1269	2) 1370 Gray Jason & Donna	831-5799
1) - Starcall	831-1499	2) 1374 Papa Sam's	836-7880
1) - Fantastic Sams	831-4289	Pizzeria	831-8511
1) - Grace O'Malleys	836-0083	2) 1383 Ottawa-Carleton	831-1853
1) - 1301736 Ontario	836-0198	Catholic School Board	
Ltd		2) 1383 Holy Spirit Child	831-3034
1) - Global Pet Foods	836-3023	Care Centre	
1) - Partners Advantage	836-3378	1385 Apartments	
Gmac Real Estate		2) - Wildeman B	831-0311
2) - Helix Hearing Care	836-3883	2) - Harrison G	831-2778
Centre		2) - Leggett V	831-6379
1) 1251 Main Street	831-7372	2) - Baxter A	831-6422
Medical Centre		2) - Goodlad T	831-6669
1) 1251 Brown's Your	831-9268	2) - Keywood R	831-9924
Independent Grocer		2) - Hamelin N	836-0429
2) 1251 Drugstore Pharmacy	831-9277	2) - Hamilton O	836-1127
1261 Units		2) - Roberts M B	836-1935
2) - Benjamin Moore	831-4556	2) - Norris A	836-2187
Stittville		2) - McCarthy M	836-3839
Decorating Ct		2) - McCallfrey D	836-4100
2) - Casual Elegance	831-4853	2) - Dagenais C	836-4780
Fine Gifts		2) - Boggis W S	836-6089
2) - Subway Sandwich &	831-4994	2) - Ryan D	836-6698
Salads		2) - Mallory Sara	836-7122
1) - Star Fashion	831-7827	2) - Merrifield T N	836-7914
Cleaners		2) - Wilson R	836-8291
2) - Amberwood	831-7982	2) - Corneli M	836-8899
Chiropractic		2) - Code Donna	836-9258
2) - Royal LePage Team	831-9287	2) - Trudel M T C	836-9311
Realty		2) - Lindsay K	836-9455
1) - Mahogany Salon &	836-3334	2) - Apt 110 Lepnik J	836-3214
Spa		1408 Units	
2) - Tim Horton's	836-6642	2) - Sears Canada Inc	831-0845
2) - Extreme Pita	836-9028	2) - Crystal Nail	831-5881
Stittville		2) - Browns Cleaners	831-8838
1) - Barakat A Dr	836-9084	2) - Stittville	836-2680
1) - Dentist Ryamain	836-9084	Quikmart	
2) 1261 U6 Bavero Beach	836-9008	2) - Greelyville	836-9119
Tanning Inc		2) - Wicky's Pizza	836-9191
1) 1271 Banque Scotia	831-3115	2) 1416 Graham Wayne	836-1807
1300 Units		2) 1418 Brooman K	831-5368
2) - PC Cyber Computer	831-1771	2) 1445 Mortgage	831-4769
Intelligence		2) 1450 Stamp Barn The	831-3292
2) - Nail Art	831-6177	2) 1450 Stittville Rubber	831-3292
Performance		2) 1450 Stead Rodney	836-1410
1) - Deschenes-Poltras	831-7750	2) 1464 Franzmann Alan Dr	836-2030
Dental Clinic Dr		2) 1464 Mollie Corrine Dr	836-2030
2) 209 Motion Works	831-4054	2) 1464 Cotnam M	836-0177
Physiotherapy Centre		2) 1468 Tran V	831-0084
1) 1327 Wood Donald	831-7988	2) 1469 Bradley C Wilfred	831-4108
1) 1329 Bentley L	831-8752	2) 1469 Bradley Wilfred	831-1500
1) 1339 Blenkarn Steven G	836-1711	2) 1476 Stanghetta	831-6150
1) 1339 Harrison Garry RMT	836-1711	Holdings	
1) 1339 Stittville	836-1711	2) 1476 Captain Sandy's	836-2030
Chiropractic Clinic		2) 1484 Goulbourn Non-	836-2030
1340 Apartments		2) 1488 Galaxy Photo	836-7245
1) - Macphee Angus	831-0110	2) 1491 Ravary V	836-7705
2) - Dougall I	831-0665	2) 1491 Water Boy	836-2293
2) - Newland A	831-1791	2) 1495 Lytle C & J	836-4929
1) - Carly H	831-2663	2) 1495 Lytle J A	836-1723
1) - Fleming S	831-2847	2) 1496 Stittville Meat	836-1473
1) - Papierkowski B	831-4511	2) 1498 Grace Monuments	831-1010
2) - Graham F Josefina	831-5289	2) 1502 Dance Studio &	836-0404
R		2) 1488 Galaxy Photo	836-7245
2) - Lavigne P G	831-5876	2) 1491 Ravary V	836-7705
2) - Courdin M R	831-9696	2) 1491 Water Boy	836-2293
2) - Ross B M	836-0457	2) 1495 Lytle C & J	836-4929
2) - Cox Norman	836-2221	2) 1495 Lytle J A	836-1723
2) - Neill Everett	836-2844	2) 1496 Stittville Meat	836-1473
2) - Dolcini Charles	836-6223	2) 1498 Grace Monuments	831-1010
2) - Maceachern D	836-9058	2) 1502 Dance Studio &	836-0404
2) - Holmes M J	836-9404	2) 1504 Maybury J	831-2021
2) 1347 Kang Roy Dr	831-0110	1505 Units	
2) 1354 Apartments		2) - Bowin Ronald J	831-5585
2) - Walson M I	831-0460	2) - Tennant E Winston	836-2024
2) - Summers G	831-0830	2) - Christian	836-2516
2) - Broeren D	831-1199	2) - Connections	
2) - Oliver P	831-1274	2) - Ottawa Valley	836-4479
2) - Maxwell C C	831-1283	Insurance & Financial	
2) - Renaud H	831-1735	Services Inc	836-1339
2) - Flatt A C	831-1763	2) 1506 Bryant A W	836-3693
2) - Vickers F	831-1925	1510 Units	
2) - Bassett T	831-2407	2) - Robins Nail Salon	836-6096
2) - Pegg John C	831-3110	2) - Studio Esthetics	836-6295
2) - McMahon Dale	831-3312	2) - Ashton J	836-3543
2) - Webley R	831-3380	2) - McKeeown Colin	836-6276
2) - Boulc C	831-4561	2) 1518 Eade N	831-4080
2) - Gerebizza V	831-4993	2) 1519 Stittville Glass	836-1411
2) - Elliott V	831-5061	2) - Sign	836-7323
2) - Leggett E	831-5314	2) 1520 Skoff Karl S	831-6588
2) - Sloat M	831-5843	2) 1521 Beni's Place	836-6573
2) - Fleming D	831-7303	2) 1523 Stittville Music	836-6573
2) - Wilson E	831-7564	Academy	
2) - Cotnam S	831-8407	2) 1525 Holmes Allan S	836-1527
2) - Kembail P	831-8748	1525 Apartments	831-2382
2) - Leeder J	831-9125	2) 3 Chung H	
2) - Mckenzie P	831-9144	2) 1528 Pretty Pots	
2) - Matchett G	831-9671		
2) - Dunn V	836-0251		
2) - Filion N			

2006-07 WARNER-COLPITTS LANE

SOURCE: VERNONS

WA-GATINEAU		224-3044	X3 Traversy G R	738-0704	1) 12
X11	Freeth J C	226-8403	X5 Poulin S L	733-8270	1) 12
X12	Simzer S	727-3897	25 Rao Gerard S	733-9412	1) 12
X13	Murphy Shaun C	224-8607	3) 29 Kennedy J	521-4664	1) 12
X14	Mendelsohn Steven	224-9644	8) 31 McGuinness J P	731-4041	1) 13
X15	Fawcett J A	228-7646	8) 33 Power C M	739-8763	1) 13
X16	Hart S J	228-7646	WART		1) 13
X17	Thernien Denis	226-2929	240 Peros M	789-5722	1) 13
X18	Roderick W	225-0005	255 Newberry A	241-5021	1) 13
X19	Bailey N E	225-0005	WARWICK PL		1) 13
X19	Huband Robert E	723-4680	4) 19 Best G	722-8374	1) 13
X19	Boczkowski Richard	226-3935	4) 19 McHugh Jim	722-8374	1) 13
X21	Bain A S	723-2642	6) 21 Anderson S	759-8416	1) 13
X22	Pikor G	723-2948	6) 21 Foisy C	759-8416	1) 13
X25	McDonald M	225-4556	2) 27 Pritchard Andrew	722-3351	1) 13
X27	Griffin P J		2) 27 Gere P J	722-8941	1) 13
WARD AVE			2) 29 Rozon Al	715-9237	1) 13
207 Caverly M		761-9284	WASHINGTON AVE (VANIER)		
WARDEN AVE (ORLEANS)			X11 Fragua Pedro	741-5653	
X318	Irvine K	824-2593	21 Mantha Gilles	749-6030	
320	Vandermeer P	834-6337	X25 B. Downes A	746-7385	
X321	Paquette Robert	824-7887	25 Ethier C	842-0583	
X322	Gemmilt T	830-1424	29 Apartments		
X323	Migneault Paul	837-7268	2) - Tenbult A	745-1274	
X325	Boulton N	837-2836	1) - Laurin J P	745-4295	
X327	Schmidt Peter	824-5287	2) - Budd D	746-7715	
X328	Gustafson Fred	830-5939	2) - Manders B L	842-8025	
8) 329	Lalonde N	824-0836	6) 33 Terrien M L	749-9875	
1) 330	Griffith L & F	824-5089	3) 34 Ahney R C	749-8980	
X331	Thompson James R	837-3291	4) 37 Jodoin G	747-4660	
332	Chatelain G & G	841-5554	3) 38 Cecile Joseph P	747-9367	
X334	Hebert Daniel & Peggy	824-6476	X41 Liddard Jim	749-8642	
X335	Stewart M	837-3362	4) 45 Pumphrey Donald J	744-1070	
X335	Stewart D	824-2835	WASHINGTON RUE (GATINEAU)		
X336	Regimbald Michel	590-0398	2) 4 Rutlan J E	684-7993	
1) 338	Tremblay Steve	837-5672	2) 5 Orawiec Richard Dr	682-1919	
X340	Vezina D	590-0577	5) 5 Richer Andre	684-2620	
2) 341	Godard Marcel & Lea	841-7921	2) 5 Guay Andre	684-3111	
X342	Thoms D & M	837-4597	2) 17 B. Meranger K	682-8462	
X344	Ford Ronald S	824-2121	2) 17 A. Delisle M	684-7456	
X346	MacDonald G W	830-4874	2) 18 Montgomery T	685-9661	
X347	Connolly P	834-1127	2) 30 Rochon D	684-6600	
6) 348	Madore Luc & Deena	590-2350	WATER W		
1) 349	Planie M		3) 235 Summerfield T	825-2792	
WAREHAM ST (NEPEAN)			WATERBEND LANE (NEPEAN)		
X3 Kahn D A	596-1503	3) 2 McInnes James	225-0322		
6) 4 Lu Karl	829-1137	3) 8 Logan P & C	226-4422		
5) 5 Chailfour R	596-6736	3) 8 Logan Clive	723-7653		
5) 5 Chailfour R	820-0254	2) 10 Deschene N	274-2778		
X6 Venance Laurence A	828-7096	WATERBRIDGE DR (NEPEAN)			
X7 Dunn W C H	828-5867	1) Ahmed Mushlaq	843-8866		
X8 Parker Bill R	596-2350	3) Goldfarb J & N	823-8390		
X8 Wade L G	596-2350	5) Sedghi-Dehnanaj Iraj	843-1378		
10 Barrett R	726-1085	7) Bondoc B Nicolae	823-6602		
11 Zolek Y	726-3116	9) Bright D	825-0055		
X12 Hum David K	828-0407	11) Wilmsen C & D	823-9298		
X13 Black Stephen	829-2328	13) Bassan Sunnder	825-1169		
X14 Bedford Rod	828-7722	15) Mousa Mohamed	825-4643		
X15 Harner C A	829-0146	17) Chen Guang	823-5938		
X16 Baynes E R	596-9530	21) Aymes E	825-3580		
X16 Baynes Ron	820-0476	23) Grieco Alan	823-4147		
3) 16 Baynes	828-0208	26) Sumra D S	825-6253		
Communications Inc		28) Millington	823-8594		
17 Periyapperuma Shiral	726-0368	Christopher P			
X18 Collier N	828-2426	1) 30 Hyland N & P	843-1990		
X19 Sheedy W D	828-7539	3) 34 Banovic-Da Silva	823-5988		
X20 Colven A L	828-3501	Gordana			
X21 Peter Altia L	829-3419	3) 38 Khondker Sultanuddin	823-4289		
WARNER COLPITTS LANE			Ahmed		
1) 3) 10 Stittville Minor	831-0865	3) 40 Dodswoth Craig	823-8476		
Hockey Association		3) 42 Singh H	823-1749		
3) 10 Stittville &	836-5941	43 Apartments			
District Community		3) - Lafrance E	823-0505		
Centre		3) - Gossack S	823-8737		
WARNOCK WAY		3) - Thompson K	823-9268		
4) 3 Sabounn Guy	740-9977	1) - McLean Jay	825-7806		
5) 5 Ozlu M	745-1873	2) - Finlay C J	843-0427		
7) 7 Lacroix Daniel	740-1520	3) 44 Cumani Renato	823-8247		
4) 9 Kruse Norman Martin	748-1535	1) 45 Housecall P C	823-6865		
5) 11 Ham B L	741-9040	Services			
5) 13 Claude Andre	747-9637	47) Santucci Brenda	825-8012		
5) 15 Lahaie Denis	742-0291	51) Barton H	825-0254		
5) 17 Nault Jean-Guy	748-9624	53) Robinson C	843-0237		
2) 19 Legare D	747-7558	55) Vaillancourt P	825-6402		
2) 21 De Sousa Victor	746-6980	57) Lalonde M	823-1102		
3) 23 Deslauriers J	747-3919	59) Leigh S	823-8671		
WARREN AVE			72 Kim Kwanguk	843-9941	
2) 6 Patterson W A	729-1140	74 Spero Melissa	743-9715		
8) 7 Lucas Daniel	725-0020	75 McDonald Bros	825-8328		
8) 9 Sousa Jose	728-4376	Construction Inc			
10) 11 Sousa J & C	728-7679	3) 76 Powell Ward	843-9957		
7) 12 Ryan E	798-0899	78 Kubik A	823-3901		
7) 12 Cooper Tim	798-1325	80 Kapoor S C	843-1355		
13) 14 Ward D G	722-7142	82 Giffin B	843-9125		
X15 Lazuk S J	722-0846	1) 82 Victoria's Quilts	843-9212		
6) 19 Scott K	792-1835	Canada			
X20 Glandon Robert	728-5066	1) 88 James Richard E	823-8456		
X23 Burns C L	725-3709	1) 90 Donon J	823-6915		
X23 Peeling G R	725-3709	92 Boyer A	843-0623		
X26 Suzuki-Oliver C A	729-8233	1) 94 Reynolds N & R	843-1478		
X27 Cuernier Marc	728-0035	1) 96 Famcombe T & M	823-5173		
1) 28 Woo M & S	792-4184	97 E. Edwards E	825-0090		
X31 Culis T P	729-5453	1) 98 Walker J & N	825-2226		
X31 Sommerville M B	729-5453	1) 100 Kovac Josip	823-2515		
X32 Danard Wm	722-3257	1) 102 Schoch M	823-0168		
X32 MacEwen C	722-3257	1) 104 Brown Peter J	843-9814		
X36 Edson N	729-5916	1) 106 Headley K	823-8093		
X40 Corey John	728-9369	1) 109 Clowater Richard	843-0649		
X41 Grant Peter	728-3178	1) 110 Higham Michael	823-2967		
42 Apartments		1) 111 Thomas T	823-5661		
X 1 Brown Connie	729-9072	1) 112 Ric. Dana & Miranda	823-4394		
X 2 Rousom E	729-1625	1) 113 McCulloch	823-4133		
X43 Moloughney Donald	729-0079	Ronald & Mary			
6) 44 Chaimers J	722-3688	1) 114 Adam N	825-1429		
X45 Moloughney Desmond J	728-7040	1) 115 Pender P	843-8720		
X46 Fraser A C H	761-9598	1) 116 Kozik M & P	823-3584		
X49 Spadaccini L	729-1548	1) 117 Bunwash R	843-0012		
X50 Woodburn Myles	725-2478	1) 119 Gan Zhonghong	843-0927		
51 Apartments		1) 120 Richardson D	843-8580		
1 David J	231-8466	1) 121 Boparai I	823-1074		
X 2 Marchand B K	728-7844	1) 122 Untell K	823-3317		
WARRINGTON DR		1) 123 Ivany S	823-7987		
1) 1 Talbot J	733-4968	1) 124 Dansereau R & A	843-9790		
X3 Griffith M A	738-0704	1) 125 Percival R	823-9281		

STREET NOT LISTED

RIVER RIDGE CRES (O)

Address	Phone
308 Harbottle Ron	K1E 3N2 837-4746
310 Spracklin George	K1E 3N2 837-4634
312 Cadieux Gaston	K1E 3N1 830-7849
314 Hill Wayne	K1E 3N1 830-0001
316 Bell David & Grace	K1E 3N1 841-1654
317 LOUISE KOOL & GALT	K1E 3N2 830-6456
Levac Jean H	K1E 3N2 830-6159
318 St-Onge Denis & Betty	K1E 3N1 834-4221
319 Gravelle Bryan	K1E 3N2 837-0322
321 Santerre Donald	K1E 3N2 824-8897
332 Maranger Pierre	K1E 3N1 830-2276
Potter K	K1E 3N2 824-0966
335 Petrella S & C	K1E 3N2 830-9541
337 Di Lorio R	K1E 3N2 824-8650
339 Armstrong T J	K1E 3N2 824-9199
341 Hull J	K1E 3N1 834-8574
342 Torrio Francesco	K1E 3N1 834-4446
Torrio J	K1E 3N2 824-6858
343 Singh M P	K1E 3N1 830-7280
344 Boselli Claudio	K1E 3N2 824-3517
345 Cashen Tyler	K1E 3N1 830-7476
346 Birkett Barry	K1E 3N1 830-1769
Birkett Tim	K1E 3N2 837-3669
349 London L	K1E 3N1 837-6937
350 Sharpe John J	K1E 3N2 830-9317
351 Schell R A	K1E 3N2 830-7981
352 Bernier S	K1E 3N2 824-0185
353 Garcia L	K1E 3M9 824-8406
354 Comole Pierre	K1E 3N3 830-4717
355 Hill J N	K1E 3N3 830-7454
356 Czop D	K1E 3N3 834-1243
357 Stewart William J & Deborah	K1E 3N4 837-3772
351 Mc Clymont Paul	K1E 3N4 830-7482
353 Regimbald Francois P	K1E 3N4 841-4217
Courchesne R	K1E 3N4 830-4395
Courchesne Roger	K1E 3N4 834-9351
367 Clainey Mark & Louise	K1E 3N4 837-5796
371 Arnold C	K1E 3N4 837-5796
Arnold John	K1E 3N3 837-1718
372 Andersen Jeffrey	K1E 3N4 830-5037
373 Hasin R	K1E 3N4 830-2188
375 Guilford M A	K1E 3N4 837-5739
377 Perron Michel R	K1E 3N3 837-9318
378 Sahay Krishna	K1E 3N4 841-2716
379 Thomas M	K1E 3N3 834-5099
380 Jacques R & N	K1E 3N4 841-6495
381 Lamontagne Robert & Diane	
BUSINESSES 1	HOUSEHOLDS 46

RIVERBANK CRT (ST)

3 Sauriol J	K2S 1V7 836-3024
5 Post Derek	K2S 1V7 831-4151
7 Sidwell M & J	K2S 1V7 836-8789
9 Jensen E D	K2S 1V7 831-5337
100 Cathcart Elmer	K2S 1V7 831-2662
11 Beaumont B	K2S 1V7 836-6694
Roy Michael	K2S 1V7 836-6694
120 Bobier D	K2S 1V7 831-6923
13 Hammond J A	K2S 1V7 836-8191
14 Sutcliffe C	K2S 1V7 831-3075
15 Bailey Jean & Arthur	K2S 1V7 836-5118
16 Pearce Joseph	K2S 1V7 831-5583
17 Ronan A-M	K2S 1V7 831-3851
19 Woods A G	K2S 1V7 831-9035
21 ALERMAX	
ENTERTAINMENT INC	K2S 1V7 831-4212
Mc Dermott Jim	K2S 1V7 836-9842
23 Poulin B	K2S 1V7 831-1140
25 Page G E	K2S 1V7 831-0680
27 Coe Beth	K2S 1V7 836-4685
29 Jorssen Robert	K2S 1V7 836-4855
31 Mc Mullin C	K2S 1V7 836-7598
33 Bell E	K2S 1V7 831-1249
35 Mosher T	K2S 1V7 836-9942
Young D	K2S 1V7 836-9942
37 Keays S K	K2S 1V7 836-1075
BUSINESSES 1	HOUSEHOLDS 24

RIVERCREST DR (O)

6043 Askari M	K1C 7N4 837-3948
Askari N	K1C 7N4 837-2489
6045 White D	K1C 7N4 841-4194
6062 Da Silva Antero	K1C 5R2 830-9752
6063 Pettipas R W	K1C 5R2 834-7822
6064 Portelance M & F	K1C 5R2 841-7280
6065 Phillips D R	K1C 5R2 830-3251
6066 Larose Mark & Marie-Anne	K1C 5R2 830-2490
6067 Dancause J C	K1C 5R2 837-0059
6068 Trus David	K1C 5R2 834-7110
6070 Desjardins A	K1C 5R2 834-0734
Dias J & M	K1C 5R2 841-5950
6072 Boucher G	K1C 5R2 837-7647
Hone M E	K1C 5R2 837-7647
6073 Mc Intyre M A	K1C 5R3 824-4633
6074 Pilon Roger L	K1C 5R2 830-2189
Sauriol M A	K1C 5R2 841-4568
6075 Campbell C A	K1C 5R3 834-0214
6076 Bowers C P	K1C 5R2 834-0021
6077 Glennie John R	K1C 5R3 830-2664
6078 Desjardins A L P	K1C 5R2 841-0528
6079 Saville David A	K1C 5R2 837-9266
6080 Corkum Joan	K1C 5R3 824-7889
6081 Bigonnesse D C	K1C 5R2 841-1479
Jamne L	K1C 5R3 841-6299
6082 Richard J	K1C 5R2 830-0694
6083 Cole Ronald	K1C 5R3 830-2677
6084 Thibodeau S	K1C 5R2 834-4084
6085 Selridge D	K1C 5R3 830-2990
6087 Kaczorowski S	K1C 5R3 834-3353
6088 Cayouette Michel	K1C 5R1 824-0742
6089 Agarwal K P	K1C 5R3 824-8691
6090 Clarke Robert	K1C 5R1 837-9365
6091 Rochon J	K1C 5R3 841-3796
6092 Deslauriers Mike	K1C 5R1 834-7318
6093 Slatem A J	K1C 5R3 830-2089
6094 Poisson S	K1C 5R1 834-7454
6095 Mantha Jean L P	K1C 5R3 830-3752
6096 Birbal M	K1C 5R1 830-3286
6097 Sebatu J	K1C 5R3 834-4582
6099 Beavon Daniel	K1C 5R3 841-7124
6101 Mathieson Orin	K1C 5R4 830-3372
6103 Mac Phee John C	K1C 5R4 830-3064
Macphee Cheryl	K1C 5R4 841-4964
BUSINESSES 1	HOUSEHOLDS 45

RIVERMILL CRES (O)

Address	Phone
12505 Ormrod Michael	K1C 5M9 837-3420
6111 Knechtel K J	K1C 5M9 841-8705
6113 Cotton D	K1C 5M9 830-8194
6126 Francisco Carlos	K1C 5M9 830-4988
6115 Parry V	K1C 5M9 837-9194
6119 Dalongville A	K1C 5M9 834-3635
6120 Kirkpatrick George F & J K	K1C 5M9 830-2092
6123 Whittall Malcolm & Janet	K1C 5M9 837-4519
6124 Seguin Rejean	K1C 5M9 830-2686
61250 Tilson M L	K1C 5M9 837-3420
6126 Francisco Carlos	K1C 5M9 834-4230
6127 Lo Thomas	K1C 5M9 830-1918
6128 Lo Swallow	K1C 5N2 824-3338
6129 Grant J Gordon	K1C 5N3 824-1101
6130 Grayston R	K1C 5N2 824-2643
6131 Choudhry H	K1C 5N3 830-1166
Choudhry Hussain	K1C 5N3 830-2666
6132 Russell D	K1C 5N3 830-1889
6133 Tang C S	K1C 5N2 830-4863
6134 Sacchetti V L	K1C 5N3 830-6556
6135 Pierce A & C	K1C 5N2 841-8874
61360 Sicotte J	K1C 5N3 830-2822
6137 Sengar D P S	K1C 5N2 830-9225
6138 Gleason Patrick & Beverley	K1C 5N3 830-2200
6139 Kurtz E G	K1C 5N2 830-3042
6140 Cardinal M	K1C 5N3 834-3556
6141 Prince M	K1C 5N2 834-9933
6142 Peckford J S	K1C 5N3 830-2292
6143 Wong C	K1C 5N2 830-1960
6144 Forbes Gordon	K1C 5N3 830-4083
6145 Cherrett P & E	K1C 5N2 830-6472
6146 Leung T Y	K1C 5N3 830-3272
6147 Leung P	K1C 5N3 841-6362
6149 Dudley E F	K1C 5N3 830-3486
6151 Dhangra A K	K1C 5N3 824-2770
61530 Markarian Nichan	K1C 5N3 841-1727
6155 Benner Tim	K1C 5N3 841-1727
Reifenstein V	K1C 5N3 830-9200
6157 ROYAL INSURANCE	K1C 5N3 841-6939
Murray W	
BUSINESSES 1	HOUSEHOLDS 39

RIVERSHORE CRES (G)

4980 Scott S & M	K1J 7Y7 745-7647
500 Trenouth Joseph M	K1J 7Y7 745-9517
502 Chasht K	K1J 7Y7 748-7027
504 Woodbury J L L Cdr	K1J 7Y7 747-7332
506 Killeen G & M-A	K1J 7Y7 747-5610
508 Jayaraman V	K1J 7Y7 747-9820
510 Luther R	K1J 7Y7 747-2221
Macdonald John A	K1J 7Y7 747-2221
512 Mueller Edward	K1J 7Y7 748-0663
Mueller Gary	K1J 7Y7 747-7352
514 Moser John	K1J 7Y7 747-9616
518 Appleton D	K1J 7Y7 748-0547
Appleton M W	K1J 7Y7 745-5242
520 Saunders J & R	K1J 7Y7 749-4396
521 Mitla A A	K1J 7Y8 745-7316
522 Mackenzie Andrew	K1J 7Y7 749-6417
523 Schwartz N V	K1J 7Y8 745-7975
524 Graves F J	K1J 7Y7 745-2532
525 Potvin A	K1J 7Y8 745-9263
Potvin C	K1J 7Y8 745-9263
526 Hamoui B	K1J 7Y7 745-8700
527 Martel G L	K1J 7Y8 747-9707
528 Mar A	K1J 7Y7 747-9890
Wong S	K1J 7Y7 742-6746
529 Olsen B L	K1J 7Y8 747-9674
530 Laskoski John	K1J 7Y7 747-9642
531 Klingbeil Allan J	K1J 7Y8 749-3538
532 Sander Daniel	K1J 7Y7 749-5810
533 Cousineau Gilles	K1J 7Y8 745-1463
534 Sheehan W	K1J 7Y7 745-5144
5350 Thorne Stephen J	K1J 7Y8 745-7848
5360 Scott J S	K1J 7Y7 747-0550
537 Bruggemann Segrid	K1J 7Y8 747-5537
Musgrove Bill	K1J 7Y8 742-5534
Musgrove Bill	K1J 7Y8 747-5537
538 Kavanaugh C	K1J 7Y7 749-6666
539 Morris W W	K1J 7Y8 747-9776
540 Mc Nally Gordon J	K1J 7Y7 749-9604
541 Millette S	K1J 7Y8 749-1726
542 Robins James	K1J 7Y7 745-5214
5430 Surprenant J-F Sonia	K1J 7Y8 742-5753
544 Robinson D B	K1J 7Y7 747-0065
545 Mac Isaac Arthur J	K1J 7Y8 749-7560
546 Davies A S & B	K1J 7Y7 747-1504
547 Brown David Andrew	K1J 7Y8 745-8857
#2 Brown David	K1J 7Y8 745-2778
Andrew F	K1J 7Y7 749-5363
548 Reddoch A H	K1J 7Y8 745-6589
549 Gunn J E	K1J 7Y7 747-6547
550 Rhodenizer R J	K1J 7Y8 749-1670
551 Mc Kay B J	K1J 7Y7 747-7767
552 Calder Glenn	K1J 7Y8 749-3586
553 Mes Hans	K1J 7Y7 749-5613
554 Ritchie George E	K1J 7Y8 748-0219
5550 Blais Michel Arch	K1J 7Y7 749-6147
5560 Viaw Ralph	K1J 7Y9 749-6569
559 Wilson Donald A	K1J 7Y7 742-4460
560 Novak Ken	K1J 7Y7 747-1896
5620 Edmonds E	K1J 7Y7 745-5383
Edmonds J & M	K1J 7Y7 747-5523
Edmonds J B	
BUSINESSES 1	HOUSEHOLDS 60

RIVERSIDE CRES (M)

4180 Loveys J B S	692-3456
5393 Ellis Brian L	K4M 1H1 692-1297
QUEIS Lawrence	K4M 1H1 692-3379
5395 Jones T J	K4M 1H1 692-4183
5397 Boudreau D	K4M 1H1 692-4013
5401 Gervais L N	K4M 1H1 692-4166
54020 Arnold Michael	K4M 1H1 692-4248
5403 Watson James	K4M 1H1 692-3722
Douglas	K4M 1H1 692-3310
54040 Le Page Dan	K4M 1H1 692-3804
5405 Barras C W	K4M 1H1 692-3021
5406 Lyons Jim	K4M 1H1 692-4467
5407 Mitchell John G	K4M 1H1 692-0954
5408 Paris R A	K4M 1H1 692-3291
5410 Sandrock T & S	K4M 1H1 692-6031
5411 Houle Albert U	K4M 1H1 692-4877
5414 Ramsay P	K4M 1G9 692-3934
5422 Parks A	K4M 1G9 692-2737
5430 Robinson R F	K4M 1G9 692-4935
5434 Gifford John F	K4M 1G9 692-6730
5437 Wilson P Dew	
5438 Jones G	
BUSINESSES 1	HOUSEHOLDS 20

150

MAIN ST	Address	Phone	MAIN ST	Address	Phone
14	Day M Z	826-0800	14	COUNTRY STYLE	
15	Robinson T	826-1528	15	DONUTS	K2S 159 836-1567
5508	Slocum R & M	826-3196	16	CROSSING BRIDGE	
17	PEBBLES PET FOOD & SUPPLIES	826-1173	17	DENTAL	
18	Dumont M	826-0819	18	CENTRE	K2S 159 831-2266
5511	DAB 'N' DOODLE		19	CROSSING BRIDGE	
19	DESIGN	826-3648	19	VETERINARY	
20	SWEET PEAS		20	HILLARY CLEANERS	K2S 159 831-4580
21	PANTRY	826-3041	21	I D A DRUG	K2S 159 831-4730
22	Adams Patrick	826-3232	22	STORES	
23	B & L BAKERY	826-1746	23	LAURIS BOUTIQUE	K2S 159 836-3881
24	CAFE	826-0128	24	M & M MEAT	K2S 159 831-1269
5518	OSGOODE TRAVEL	826-0143	25	SHOPS	
25	Lander M	826-2417	25	MAIN STREET	K2S 159 831-7608
5519	Miller C B	826-2417	26	FAMILY	
5521	Lapensee S	826-0967	26	HEALTH	
5522	MAIN STREET CAFE		27	CENTRE	K2S 159 831-7372
5523	PIZZERIA	826-3113	28	MAIN STREET	
5524	Slocum S	826-1999	28	OPTICAL	K2S 159 831-1514
5525	Johnston Joe	826-0007	29	MC DONALD'S	
5526	OSIDES M	826-3789	29	RESTAURANTS	
5530	Anderson Tim	826-3597	30	MEDICAL CENTRE	K2S 159 831-4440
5531	Nesralah M	826-2732	31	MAIN STREET	
5532	Rodgers D	826-3730	32	FAMILY	
5533	Piemer David	826-2552	33	HEALTH	
5534	FURLOW HEATING	826-1907	34	CENTRE	K2S 159 831-7372
5540	OSGOODE DROP-IN		35	PHARMACIE	
5541	CENTRE	826-2793	36	STITTSVILLE I	
5542	Ladouceur Mike	826-3204	37	D A	
5543	JENSEN GARAGE	826-2733	38	POSTES CANADA	K2S 159 836-3881
5544	Jensen V M	826-2733	39	PSYCHOEDUCATIONAL	K2S 159 836-3891
5545	Cheek C	826-0141	40	SERVICES	
5546	Brown D L W	826-2367	41	SECRET GARDEN	K2S 159 831-7372
5547	Hall C J	826-3773	42	THE	
5548	STERANKA E	826-3773	43	STITTSVILLE IDA	K2S 159 831-0689
5549	Finn Alban	826-3302	44	PHARMACY	K2S 159 836-3881
5550	Hayward D	826-3603	45	VIDEOFLICKS	K2S 159 831-8128
5551	OSGOODE GIFT & VIDEO	826-2456	46	POPS OSOODE	K2S 159 831-2266
5552	TAKE-OUT	826-2169	47	BANK OF NOVA	
5553	Powers Barry & Vickie	826-1676	48	SCOTIA	K2S 159 831-3115
5554	Laplanche J	826-0290	49	BERRYS PET FOOD	K2S 159 831-2333
5555	Driscoll D	826-1095	50	BRADLEY'S YOUR	
5556	Holmes Stuart	826-2159	51	INDEPENDENT	
5557	OSGOODE PUBLIC SCHOOL	826-2550	52	GROCE	K2S 159 831-3123
5558	OTTAWA-CARLETON DISTRICT SCHOOL		53	COMMUNITY BIBLE CHURCH	K2S 159 836-2606
5559	SCHOOL	826-2550	54	DECARY EQUIPMENT	K2S 159 769-1324
5560	BOARD	826-2550	55	DOLLAR POWER	K2S 159 831-9821
5561	Laidley Rob	826-1444	56	DRUG STORE	
5562	Saunders Ivan	826-2427	57	PHARMACY	K2S 159 831-6088
5563	OSGOODE PUBLIC LIBRARY	826-2227	58	FIRST CHOICE	
5564	Taylor Blain	826-2022	59	HAIRCUTTERS	K2S 159 831-3039
5565	FAGIONI INC MFG	826-2616	60	FORTEY & ARBIOUE	K2S 159 836-2240
5566	OSZIE'S PIZZA & SUBS	826-0216	61	HOLTZNER HOMES LTD	
5567	BEVERIDGE'S YOUR INDEPENDENT		62	MERRY GO ROUND	K2S 159 831-3484
5568	GROCE	826-2282	63	NAPOLI'S CAFE & GRILL	K2S 159 831-1526
5569	OSGOODE CO-OPERATIVE		64	S L B FLOWERS	K2S 159 836-7722
5570	NURSERY	826-2528	65	AND MORE	K2S 159 831-7441
5571	RIDEAU OSOODE	826-0417	66	SHOWBIZ VIDEO	K2S 159 836-7117
5572	KARATE CLUB	826-0417	67	STAR FASHION	
5573	Beveridge's Hardware	826-2282	68	CLEANERS	K2S 159 831-7827
5574	CHARBONNEAU THOMSON & COMPANY	826-0862	69	STITTSVILLE DECORATING CENTRE	K2S 159 831-4556
5575	HAIR GRAPHICS	826-3074	70	VALERIE'S VITALITY STUDIO & SPA	K2S 159 831-0109
5576	RED DOT CAFE	826-0552	71	Galaxy Photo	K2S 159 836-7245
5577	Miller A	826-0732	72	James Edward	K2S 159 831-8028
5578	Gilliland Thomas	826-0676	73	Kang Roy	K2S 159 831-2021
5579	Leang D G	826-3528	74	#205 MOTION WORKS	
5580	Scharle K	826-2943	75	PHYSIOTHERAPY CENTRE	K2S 159 831-4054
5581	Auprix Richard P	826-2226	76	#203 Joly Jacqueline	K2S 159 831-3318
5582	Elliott F	K0A 2W0 826-2366	77	#206 Weldon Connolly	K2S 159 831-3042
5583	OTTAWA SOUTH	K0A 2W0 826-1212	78	Armsstrong R S	K2S 159 836-3036
5584	Hall Perry	K0A 2W0 826-0297	79	Marlin G E	K2S 159 836-5115
5585	Ace W	K0A 2W0 826-3200	80	Graham George	836-1164
5586	Seabrook B	K0A 2W0 826-3479	81	STITTSVILLE CHIROPRACTIC CLINIC	K2S 159 836-1711
5587	Hachey John	K0A 2W0 826-2237	82	STITTSVILLE DISTRICT	
5588	A BIT O' HEAVEN	K0A 2W0 826-3030	83	LIONS CLUB	K2S 159 836-4964
5589	Deschamps Roger	K0A 2W0 826-2800	84	STITTSVILLE MEDICAL CENTRE	K2S 159 836-5083
5590	Evans S	K0A 2W0 826-3710	85	Blenkarn Steven G	K2S 159 836-1711
5591	BUSINESSES 33	HOUSEHOLDS 87	86	Sabourin Chris	K2S 159 836-5543
5592	MAIN ST (RU)		87	Towell Samuel	K2S 159 836-8337
5593	7 Blanchard D	K4R 1E1 445-1694	88	Adams J	K2S 159 831-5082
5594	12 Walsh Bill	K4R 1E1 445-5243	89	Allen D	K2S 159 836-8220
5595	Walsh M	K4R 1E1 445-5688	90	Bednarczyk B	K2S 159 831-9987
5596	15 Griffith Lisa	K4R 1E1 445-3335	91	Boswell M	K2S 159 831-3885
5597	24 Dougall Rodger	K4R 1E1 445-2132	92	Bradley J	K2S 159 831-9936
5598	HOUSEHOLDS 5		93	Butler D	K2S 159 831-1692
5599	MAIN ST (ST)		94	Carnie John	K2S 159 836-2605
5600	HELIX HEARING CARE	836-3883	95	Carruthers R	K2S 159 836-2290
5601	CENTRE		96	Dale J	K2S 159 836-8388
5602	ROYAL CANADIAN LEGION	836-1632	97	Dickie R & L	K2S 159 831-8918
5603	Bowles Norman	836-5083	98	Donnelly E	K2S 159 836-3249
5604	Lazare Nancy	836-5083	99	Duffy H	K2S 159 831-5051
5605	Lee John O	836-5083	100	Finn F	K2S 159 836-5931
5606	Perry Joanne	836-5083	101	Gallivan J P	K2S 159 831-9333
5607	Ward Robert A	836-5083	102	Ginn Larry & Helen	K2S 159 831-2948
5608	211 OZIE L	K2S 159 237-5913	103	Glynn M	K2S 159 831-5289
5609	600 MORRIS HOME	K2S 159 836-4321	104	Holbein O	K2S 159 836-5209
5610	HARDWARE	K2S 159 836-6298	105	Mitchell D	K2S 159 836-7068
5611	7930 Mongeon G	K2S 159 831-5074	106	Mulligan Sterling	K2S 159 836-1100
5612	8350 Hatto M	K2S 159 831-5074	107	Oliver P	K2S 159 836-4301
5613	1138 HOLY SPIRIT CHILD CARE CENTRE	K2S 159 831-3034	108	Patterson M J	K2S 159 836-2938
5614	1224 OTTAWA-CARLETON EDUCATIONAL	K2S 159 831-5686	109	Pepin Gerald	K2S 159 836-8232
5615	PURCHASING C	K2S 159 831-5686	110	Phinney D M	K2S 159 836-0899
5616	OTTAWA-CARLETON CATHOLIC SCHOOL	K2S 159 836-4358	111	Pooley	K2S 159 836-5083
5617	BCARD Carleton R C S B	K2S 159 836-5670	112	Price J C & F D	K2S 159 831-5068
5618	1250 BACK IN MOTION CHIROPRACTIC CLINIC	K2S 159 831-2026	113	Proskow A	K2S 159 831-8435
5619	BIWEY STORE 117	K2S 159 836-5719	114	Roy Daniel	K2S 159 836-8356
5620	CANADA POST	K2S 159 836-3891	115	Taylor Joseph	K2S 159 831-5611
5621	CHELSEA'S BAR	K2S 159 831-4642	116	Turkington David	K2S 159 836-7147
5622	AND GRILL		117	West F W	K2S 159 831-3669
5623	CLINIC MAIN STREET		118	Winch D	K2S 159 831-9908
5624	FAMILY HEALTH CENTRE	K2S 159 831-7372	119	Wylenburg Anton	K2S 159 836-5714
5625			120	Young G	K2S 159 836-2216
5626			121	Moscrop Robert E	K2S 159 831-5804
5627			122	STITTSVILLE VILLA	
5628			123	Bacho A	

150

MAIN ST		Phone		MAIN ST		Phone						
Address				Address								
Beckett M	K2S 1V4	831-4150	1456	BRIDAL AFFAIRS	K2S 1B8	836-7888						
QBerry J Manse	K2S 1V4	836-7826	1464	TUXEDO AFFAIRS	K2S 1B8	836-7399						
Clement John L	K2S 1V4	831-8987	1468	Radu A	K2S 1B8	831-5073						
Cochrane D A	K2S 1V4	831-0803	1469	BRADLEY'S INSURANCE (STITTSVILLE) LIMITED	K2S 1B8	836-2473						
Coleman Isabel	K2S 1V4	836-9962		Bradley C Wilfred	K2S 1B8	831-0084						
QCunningham W E	K2S 1V4	831-6951		#1 Bradley J S	K2S 1B8	831-7338						
Dabney M	K2S 1V4	831-5338		#3 Bradley S C	K2S 1B8	831-1672						
QDerrick M	K2S 1V4	836-8030		Bradley Wilfred	K2S 1B8	831-4108						
QDodge Ambrose	K2S 1V4	828-2275		1476	MEGATECH ELECTRICAL LTD	K2S 1B8	836-4499					
Doucette James A	K2S 1V4	836-4770		1480	HEIRLOOM CRAFTS & QUILT SUPPLIES	K2S 1B8	836-6301					
Douglas John H	K2S 1V4	831-5047		1488	DREAMSCAPE TRAVEL & CRUISE GOULBOURN NON-PROFIT HOUSING	K2S 1B8	836-8728					
Dunk M	K2S 1V4	831-6483			MUNCHY'S PIZZA & SUBS	K2S 1B8	831-2383					
Edkins J	K2S 1V4	831-3979			NATURE'S BASICS-YOUR HEALTH	K2S 1B8	836-5151					
France E	K2S 1V4	831-1919			FOOD STORE	K2S 1B8	831-2695					
Gallagher E	K2S 1V4	836-8298			STITTSVILLE NATURE'S BASICS-YOUR HEALTH	K2S 1B8	831-2695					
Gardner W	K2S 1V4	831-9449			STITTSVILLE NEWS	K2S 1B8	836-1357					
Garvie Hector	K2S 1V4	836-2443			Sutherland C							
Gobeil S	K2S 1V4	836-3940			Douglas	K2S 1B8	831-2145					
Gordon V M	K2S 1V4	836-7684			Walsh Peter	K2S 1B8	836-4777					
Goyan C	K2S 1V4	836-9998			Seabrook Garnet J	K2S 1B8	836-1331					
Gray J C	K2S 1V4	836-8824			Yliffe J A	K2S 1B8	836-4929					
QGreenside B	K2S 1V4	836-8215			1498	GRACE MONUMENTS	K2S 1B8	836-1473				
Guay Jeannette	K2S 1V4	831-5086			Goveas Arthur	K2S 1B8	831-4845					
Hewitt E J	K2S 1V4	831-5614			1502	DANCE STUDIO & BOUTIQUE THE	K2S 1B8	831-1010				
Hill Ted W	K2S 1V4	831-7221			1504	Mac Donald John	K2S 1B8	831-4203				
Hughes M	K2S 1V4	836-9664			1505	North B	K2S 1B8	836-4954				
Huneault Roger	K2S 1V4	831-4368			1506	Bryant A W	K2S 1B8	836-4479				
Irwin L	K2S 1V4	831-9002			1510	CANISH INSURANCE AGENCY LTD	K2S 1B8	831-6180				
James S W	K2S 1V4	836-3158				HUDSON INSURANCE LTD	K2S 1B8	836-5454				
Keene K D	K2S 1V4	836-8111				ROBINS NAIL SALON	K2S 1B8	836-1339				
QKelleher D F	K2S 1V4	836-6391				STUDIO ESTHETICS	K2S 1B8	836-3693				
Kimartin T	K2S 1V4	831-4911				Hudson Paul	K2S 1B8	831-1299				
QKrauss M	K2S 1V4	830-4458				#3 Maybury J M	K2S 1B8	831-3754				
Lafraza Hector	K2S 1V4	831-9144				QMc Kinna K A	K2S 1B8	831-9848				
Lagron Fred	K2S 1V4	836-5599				1518	CABINETMAKERS DELIGHT	K2S 1B8	831-1272			
Langill F	K2S 1V4	831-4403				ROYAL ALBERT TEA ROOM	K2S 1B8	836-3543				
Lalimer L	K2S 1V4	836-1401				THE CABINETMAKERS DELIGHT	K2S 1B8	831-1272				
Lavergne J	K2S 1V4	831-4964				Alexander Pub	K2S 1B8	836-3543				
Lee J J	K2S 1V4	831-5005				Eadie N	K2S 1B8	836-6276				
Levac E	K2S 1V4	836-7748				1520	QKarl S	K2S 1B8	836-1411			
Loiz E	K2S 1V4	831-6081				1521	BENJIS PLACE	K2S 1B8	836-7323			
Mac Gowan D	K2S 1V4	836-8014				1523	BOOKEM USED BOOKS	K2S 1B8	831-8066			
Maloney R	K2S 1V4	836-5556				1524	ROGERS'S CLEANERS	K2S 1B8	836-4580			
Marlow A	K2S 1V4	831-5206				QGoodmurphy K	K2S 1B8	831-6154				
Mc Askin M	K2S 1V4	831-6368				1525	#3 Chung H	K2S 1B8	836-1527			
Mc Gahay M A	K2S 1V4	836-2541				Holmes Allan S	K2S 1B8	836-6573				
QMc Hardy H	K2S 1V4	836-5995				1526	Norton Shawn	K2S 1B8	831-2777			
Mundy Rae	K2S 1V4	836-8367				1528	Pretty Pals	K2S 1B8	831-2362			
QNeft D S	K2S 1V4	831-1137				1530	Webster Harry S	K2S 1B8	831-3218			
Nugent M	K2S 1V4	831-1742				1530	OTTAWA SCHOOL OF PAINTED EFFECTS THE	K2S 1B8	831-9877			
QO'Neill E	K2S 1V4	831-7144				1531	CONSIGNMENT CENTRE	K2S 1B8	836-3978			
QOndovick M	K2S 1V4	831-9911				1535	STITCHERY STUDIO	K2S 1B8	831-6042			
QParkinson I	K2S 1V4	836-7278				1536	PRECISION CUT & COLOUR	K2S 1B8	831-2390			
Porter R M	K2S 1V4	836-5942				1538	FINE WINE & BEER SUPPLIES	K2S 1B8	836-3877			
QRoss I M C	K2S 1V4	831-7752					Erwin S	K2S 1B8	836-6961			
Ryde-Smith M E	K2S 1V4	836-7310					Lapensee Ron	K2S 1B8	836-6961			
Salter-Hwaile L	K2S 1V4	831-1137				1539	STITTSVILLE HAIR SHOP	K2S 1B8	831-5666			
QScott L	K2S 1V4	836-2793				1541	#B STITTTSVILLE PICTURE FRAMING & STUDIO GALLERY	K2S 1B8	831-0558			
Vopel L	K2S 1V4	831-2085					#2 Blazewicz Josp	K2S 1B8	836-1986			
Watschar M	K2S 1V4	836-5675					1543	Switzer P R	K2S 1B8	836-4796		
Wallace I	K2S 1V4	831-5281					1545	QLatimer T	K2S 1B8	836-5867		
White J	K2S 1V4	831-6587					1547	SWITZER'S WELDING & REPAIR SHOP	K2S 1B8	836-2420		
Whitney M	K2S 1V4	831-3341					1549	Smith Arnold	K2S 1B8	836-1338		
QWilliams H	K2S 1V4	831-8308					1552	QDiogozima D	K2S 1B8	836-4816		
Young Clara G	K2S 1V4	831-5407					1553	SPORTS VISION	K2S 1B8	836-2032		
Young Edward C	K2S 1V4	831-6542						STITTSVILLE	K2S 1B8	836-2030		
Zuana M	K2S 1V4	831-5354						Granda John C	K2S 1B8	836-4345		
1364	QDeary A	K2S 1B8	831-2285					John Stephen	K2S 1B8	836-4345		
1368	Sparks Hugh	K2S 1B8	836-1161					Kasiner Harry	K2S 1B8	836-2030		
1374	DNM MINI MART	K2S 1B8	836-9899					Kurtz Barbara	K2S 1B8	836-2030		
	QRose N	K2S 1B8	831-4897					QMotluk Corrine	K2S 1B8	831-4873		
1383	OTTAWA-CARLETON CATHOLIC SCHOOL BOARD	K2S 1B8	831-1853					1557	Stuart A	K2S 1B8	836-4841	
	OTTAWA-CARLETON CATHOLIC SCHOOL BOARD	K2S 1B8	836-7423					1560	VOS TRAILERS LTD	K2S 1B8	836-4669	
1385	Baxter A	K2S 1C1	831-4685					1563	Cutter S	K2S 1B8	836-1955	
	QClairoux K	K2S 1C1	836-1731					1564	KNE PRESS LTD	K2S 1B8	831-9584	
	QCode D	K2S 1C1	831-1680					1572	Deevey J	K2S 1B8	836-2210	
	QDagenas C	K2S 1C1	836-4780					1573	JOJO'S PIZZA & SUBS	K2S 1B8	831-9116	
	QDaniels-Hartman H	K2S 1C1	831-6659					1586	PARKWAY LANDSCAPING	K2S 1B8	836-5813	
	QDavies N B	K2S 1C1	831-3962					1589	KING CHOW TAKE-OUT	K2S 1B8	831-2880	
	QDelcore R	K2S 1C1	831-7671						HOME HARDWARE STORES	K2S 1B8	836-4321	
	QFeatherstone E	K2S 1C1	836-1913						La Rocque Rick	K2S 1B8	836-5072	
	Harrison G	K2S 1C1	831-2778						1601	Graham Post	K2S 1B8	836-4917
	Jonson P	K2S 1C1	836-7772						1606	Canada Post	K2S 1B8	836-4044
	Jameson S J	K2S 1C1	836-4665						1615	BANQUE ROYALE ROYAL BANK	K2S 1B8	836-4044
	Leeder James	K2S 1C1	831-8748						1618	BRUCE WOODWORKS	K2S 1B8	831-1272
	Qeggitt V	K2S 1C1	831-6379							CHANTAL'S CAKES FOR ALL REASONS	K2S 1B8	831-0760
	Long H E	K2S 1C1	836-3736									
	Marlin T	K2S 1C1	831-6235									
	QMc Carthy M	K2S 1C1	836-3839									
	Mc Coy Westley	K2S 1C1	836-6821									
	Merrifield T N	K2S 1C1	836-7914									
	QOlive M	K2S 1C1	831-1949									
	Pettigrew C	K2S 1C1	831-7324									
	Reardon F	K2S 1C1	836-2444									
	Rivard M	K2S 1C1	831-7222									
	Roberts M B	K2S 1C1	836-1935									
	QSalisbury H F	K2S 1C1	831-6324									
	Saulnier M	K2S 1C1	836-2952									
	Todd R J	K2S 1C1	836-4226									
	Vrolyk C H	K2S 1C1	836-9887									
	QWalker J W	K2S 1C1	831-6659									
	Wark L	K2S 1C1	836-9918									
	Wildeman B	K2S 1C1	831-0311									
	Yurkew Pelez	K2S 1C1	836-8204									
	#110 Leipnik J	K2S 1C1	836-3214									
	#207 Philpott James	K2S 1C1	836-1713									
	#203 Verney J G	K2S 1C1	836-7591									
	#306 Bourgeois B	K2S 1C1	836-5378									
	#33 Youlhead E	K2S 1B8	836-4694									
1395	HOLTZMAN	K2S 1B8	836-5905									
1408	A RENTALEX AL DENTE RESTAURANT	K2S 1B8	831-7368									
	DECADENT DELIGHTS	K2S 1B8	831-9951									
	#1 DIXIE LEE FRIED CHICKEN & SEAFOOD	K2S 1B8	836-1513									
	MAIN STREET PUB	K2S 1B8	831-1322									
	#4 REDDI-CHEF RENTALEX	K2S 1B8	836-2684									
1416	Graham Alex	K2S 1B8	831-7368									
	Graham Wayne	K2S 1B8	836-4047									
1418	Brooman K	K2S 1B8	831-5308									
	Kippers K	K2S 1B8	831-5308									
1445	Graham Barry	K2S 1B8	831-5308									
1450	STAMP BARN THE STITTTSVILLE RUBBER STAMP	K2S 1B8	831-3292									
	Slad Rodney	K2S 1B8	831-3292									
1453	OTTAWA-CARLETON DISTRICT SCHOOL BOARD	K2S 1B8	836-1410									

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

121

MAIN ST Address	cont'd Phone	MAIN ST Address	cont'd Phone
STITTSVILLE DISTRICT		1503 Mac Kinnon L & S...	K2S 1B8 836-3653
MEDICAL		1504 Simpson L B...	K2S 1B8 831-1316
CENTRE		1505 North B [2]	K2S 1B8 836-4954
Blanken Steven G	K2S 1B8 836-5083	1506 Bryan A W [2]	K2S 1B8 836-4470
Q Sabourin Chris...	K2S 1B8 836-1711	1510 HUDSON	
Towell Samuel [2]	K2S 1B8 836-5543	INSURANCE LTD...	K2S 1B8 836-5454
1340 J & B JANITORIAL		SILHOUETTE	K2S 1B8 831-0441
LTD.		SPD INSURANCE	
1347 Kang K [2]	K2S 1B8 831-2241	LIMITED	K2S 1B8 836-5454
1354 STITTSVILLE VILLA...	K2S 1B8 836-6398	STITCHERY STUDIO	K2S 1B8 831-6042
Q Douglas John H...	K2S 1B8 836-2216	Q Hudson Paul [2]	K2S 1B8 831-1299
Q Gazeby D	K2S 1B8 836-4770	Hudson Paul [2]	K2S 1B8 836-5454
Q Warner S G	K2S 1B8 836-2816	Q Robillard P...	K2S 1B8 836-3610
Q #203 Snarr L P	K2S 1B8 831-8924	Weber C [2]	K2S 1B8 836-2548
1364 Mc Getchie James [2]	K2S 1B8 831-1787	#1 White D [2]	K2S 1B8 836-7509
1368 Sparks Hugh [2]	K2S 1B8 836-5079	1518 CABINETMAKERS	
1370 Leonard Morris	K2S 1B8 836-1610	DELIGHT	K2S 1B8 831-1272
Robitaille Jude [2]	K2S 1B8 836-5649	ROYAL ALBERT	
1374 Ziai J [2]	K2S 1B8 836-3945	TEA ROOM	K2S 1B8 836-3543
1383 CARLETON ROMAN		THE	
CATHOLIC SCHOOL		CABINETMAKERS	
BOARD		DELIGHT	K2S 1B8 831-1272
HOLY SPIRIT CHILD	K2S 1B8 831-1853	Bruce Woodworks [2]	K2S 1B8 831-1272
CARE		Warford P A [2]	K2S 1B8 831-0820
CENTRE		1519 STITTSVILLE	
1385 Argue D [2]	K2S 1B8 831-3034	TRAILER & AUTO	
Q Baxter A...	K2S 1C1 836-4288	SALES INC	K2S 1B8 836-5555
Dagonais C [2]	K2S 1C1 831-4683	1520 NATIONAL	
Davies N B [2]	K2S 1C1 836-4780	MASONRY	K2S 1B8 836-1411
Featherstone E [2]	K2S 1C1 831-3962	1521 BENIS PLACE	K2S 1B8 836-7323
Glynn M [2]	K2S 1C1 836-1913	1523 AUTOLUBEX	
Harrison G [2]	K2S 1C1 831-2948	CANADA	K2S 1B8 831-4805
Ionson P [2]	K2S 1C1 831-2778	1524 ROGERS CLEANERS	K2S 1B8 836-4580
Jamieson S J [2]	K2S 1C1 836-7772	1525 #3 Chung H [2]	K2S 1B8 836-1527
Jones M D [2]	K2S 1C1 836-4665	Holmes Allan S [2]	K2S 1B8 836-6573
Q Le Blanc S	K2S 1C1 836-4704	1526 Norton Shawn	K2S 1B8 831-2777
Leeder James [2]	K2S 1C1 831-2188	1528 Pretty Pots [2]	K2S 1B8 831-2382
Leggett V [2]	K2S 1C1 831-6748	Webster Harry S [2]	K2S 1B8 831-3218
Long H E [2]	K2S 1C1 831-6379	1530 SEARS CANADA INC	K2S 1B8 831-0845
Mac Kenzie B [2]	K2S 1C1 836-3376	SIMPLY SWEET	K2S 1B8 836-5517
Mc Coy Wesley [2]	K2S 1C1 831-3354	1531 VANESSAS	K2S 1B8 831-1616
Merrifield T N [2]	K2S 1C1 836-6821	1535 MAIN STREET ART	
Mitchell D [2]	K2S 1C1 836-7914	GALLERY	K2S 1B8 831-7453
Paulen James &	K2S 1C1 836-7068	1536 PRECISION CUT	
Elizabeth [2]	K2S 1C1 831-6033	HAIR DESIGN	K2S 1B8 831-2390
Q Rivard M...	K2S 1C1 831-7222	1538 FINE WINE & BEER	
Roberts M B [2]	K2S 1C1 836-1935	SUPPLIES	K2S 1B8 836-3877
Ryan Fred [2]	K2S 1C1 836-2038	Erwin S [2]	K2S 1B8 836-6961
Saulnier M [2]	K2S 1C1 836-2952	Lapensee Ron [2]	K2S 1B8 836-6961
Tessier H [2]	K2S 1C1 831-0871	1539 RE RUNS	K2S 1B8 831-8352
Q Todd R J...	K2S 1C1 836-4226	Q Kayes J...	K2S 1B8 831-4627
Wildeman B [2]	K2S 1C1 831-6311	1541 STITTSVILLE	
Winch H J [2]	K2S 1C1 831-3669	BICYCLE REPAIRS...	K2S 1B8 836-5614
Q #114 Arney C T	K2S 1C1 836-3808	#8 STITTSVILLE	
Q #110 Leppink J	K2S 1C1 836-3214	PICTURE	
#113 Young G [2]	K2S 1C1 836-5714	FRAMING &	
#210 Foley P [2]	K2S 1C1 836-1981	STUDIO	
#207 Philpott James		GALLERY	K2S 1B8 831-0558
Q #203 Verney J G...	K2S 1C1 836-1713	#2 Blazevic Josip [2]	K2S 1B8 836-1986
#306 Bourgoin B [2]	K2S 1C1 836-7581	1543 Switzer P R [2]	K2S 1B8 836-4796
#301 Edkins J [2]	K2S 1C1 836-5378	1545 Batoon Kory	K2S 1B8 836-6761
#307 Garvie Hector	K2S 1C1 831-3979	1547 SWITZERS	
[2]	K2S 1C1 836-4243	WELDING & REPAIR	
#311 Kernohan K [2]	K2S 1C1 836-4379	SHOP	K2S 1B8 836-2420
#313 Youthead E [2]	K2S 1C1 836-4694	1549 Smith Arnold [2]	K2S 1B8 836-1338
1408 A RENTALEX	K2S 1B8 831-7368	1552 Bassett Art [2]	K2S 1B8 836-4209
CHAPLINS		1553 SPORTS VISION	
RESTAURANT		STITTSVILLE	K2S 1B8 836-2032
& BISTRO	K2S 1B8 836-7371	Q Granada John C...	K2S 1B8 836-2030
DECADENT		Joynt Stephon [2]	K2S 1B8 836-4345
DELIGHTS	K2S 1B8 836-1513	Kastner Harry [2]	K2S 1B8 836-4345
#4 DIXIE LEE FRIED		Kurtz Barbara [2]	K2S 1B8 836-2030
CHICKEN &		1560 VOS TRAILERS LTD.	K2S 1B8 836-4841
SEAFOOD	K2S 1B8 831-1322	1564 KEITH PRESS LTD...	K2S 1B8 836-1955
#4 REDDI-CHEF	K2S 1B8 831-1322	1572 Donaldson T C	K2S 1B8 831-2386
RENTALEX	K2S 1B8 831-1322	1573 JOJO'S PIZZA &	
Graham Alex [2]	K2S 1B8 836-1607	SUBS	K2S 1B8 836-2210
Graham Wayne [2]	K2S 1B8 836-4047	Hechme B [2]	K2S 1B8 831-1356
1445 Graham Barry [2]	K2S 1B8 831-2580	1586 Lamoureux J [2]	K2S 1B8 831-8449
1450 STITTSVILLE		1589 KING CHOW TAKE-	
RUBBER STAMP	K2S 1B8 831-3292	OUT	K2S 1B8 831-2880
Stamp Barn [2]	K2S 1B8 831-3292	1600 HOME HARDWARE	
Stead Rodney [2]	K2S 1B8 836-1410	STORES	K2S 1B8 836-4321
1453 CARLETON BOARD		MORRIS HOME	K2S 1B8 836-4321
OF EDUCATION	K2S 1B8 836-2818	HARDWARE	K2S 1B8 836-5020
1456 Honey Michael &		La Rocque Rick [2]	K2S 1B8 831-8534
Rosemary	K2S 1B8 831-4628	1601 Bowes H [2]	
1463 STITTSVILLE AUTO-		1606 CANADA POST	K2S 1B8 836-4917
LEASE	K2S 1B8 836-2886	CORPORATION	
1464 CCuprymyn B	K2S 1B8 831-4997	SOCIETE	
1468 Murray T [2]	K2S 1B8 831-6055	CANADIENNE	
1469 BRADLEY'S		DES POSTES	K2S 1B8 836-4917
INSURANCE		1610 EUROPEAN TOUCH	
(STITTSVILLE)	K2S 1B8 836-2473	TAILORS	K2S 1B8 831-2237
LIMITED	K2S 1B8 831-7338	1615 BANQUE ROYALE	K2S 1B8 836-4044
#1 Bradley J S [2]	K2S 1B8 831-1672	ROYAL BANK	K2S 1B8 836-4044
#3 Bradley S C [2]	K2S 1B8 831-4108	1618 CHANTAL'S CAKES	K2S 1B8 831-0760
Q Bradley Wilfred		STITTSVILLE	
1476 CANISH INSURANCE		BAKERY	K2S 1B8 831-0760
AGENCY LTD.	K2S 1B8 831-6180	STITTSVILLE QUIK	
STITTSVILLE STORE		MART	K2S 1B8 836-3544
TILE &		STITTSVILLE	
MARBLE CO	K2S 1B8 831-0223	QUICKMART	K2S 1B8 836-2680
1480 HEIRLOOM CRAFTS &		SUNNYSIDE DINER	K2S 1B8 831-2442
QUILT SUPPLIES	K2S 1B8 836-6301	1619 GOULBOURN	K2S 1B8 831-0451
1488 BANQUE ROYALE	K2S 1B8 836-6860	BANK	K2S 1B8 831-0882
MERRY GO ROUND	K2S 1B8 831-1526	VIDEOFLICKS	K2S 1B8 831-1106
MUNCHY'S PIZZA &		WINE CRAFT	
SUBS	K2S 1B8 836-5151	1634 GLIFORD CANADA	
NATURE'S BASICS		DIVISION	K2S 1B8 831-8260
BULK FOOD	K2S 1B8 831-2695	1637 PUBLIC LIBRARIES	K2S 1B8 836-4600
ROYAL BANK	K2S 1B8 836-6860	PUBLIC LIBRARIES	
STITTSVILLE NEWS	K2S 1B8 836-1357	1648 STITTSVILLE SMALL	K2S 1B8 836-5040
CONDITIONING		ANIMAL CLINIC	K2S 1B8 836-1491
INC	K2S 1B8 831-2235	1655 Bothwood Paul [2]	K2S 1B8 836-4810
Q Walsh Peter	K2S 1B8 836-4777	1656 Gauvin Ivan J [2]	K2S 1B8 836-4253
1491 Seabrook Garnet J [2]	K2S 1B8 836-1331	1661 Clark L J [2]	K2S 1B8 836-4064
1495 STITTSVILLE MEAT	K2S 1B8 836-4929	1662 Griffiths A R [2]	K2S 1B8 831-1530
MARSH & DELI		1669 Burke M [2]	
1497 GRACE		1670 NORTCH LASER	
MONUMENTS	K2S 1B8 836-1473	CARTRIDGE	K2S 1P5 831-8817
1501 Hearn Brian [2]	K2S 1B8 836-1899	Q Garvin H G	K2S 1P5 831-4757
1502 DANCE STUDIO &		1679 Q Carwardine R	K2S 1P5 836-3199
BOUTIQUE THE	K2S 1B8 831-1010	1680 Chorney Darcy [2]	K2S 1P5 831-1249
		1685 Olson Nils [2]	K2S 1B8 836-1426
		1703 Villeneuve K A [2]	K2S 1B8 831-0830
		Villeneuve R M [2]	K2S 1B8 831-1208
		1796 Smith Brian [2]	

STREET NOT LISTED

WARBLER BAY

Address	K1E 2A2	Phone
64 Beaulieu D [2]	K1E 2A2 837-7918	
966 Baker R W [2]	K1E 2A2 837-7119	
967 Gagnon Richard [2]	K1E 2A3 830-1038	
968 Burns Steven [2]	K1E 2A2 834-7990	
969 Lagace R [2]	K1E 2A3 824-2047	
970 Dingwall R J [2]	K1E 2A2 834-9629	
971 Hall S [2]	K1E 2A3 830-4124	
972 Brazeau Roland & Patricia [2]	K1E 2A2 824-8061	
973 Hopkins L [2]	K1E 2A3 837-9929	

HOUSEHOLDS 10

WARDEN AVE (O)

Address	K1E 1T3	Phone
317 Birch D [2]	K1E 1T3 837-9701	
318 Irvine K [2]	K1E 1T4 824-2593	
320 Vandermeer P [2]	K1E 1T4 834-6337	
321 Paquette Robert [2]	K1E 1T3 837-8618	
322 Gemmill T [2]	K1E 1T4 824-7887	
323 Mignault Paul [2]	K1E 1T3 830-1424	
325 Bouillon N [2]	K1E 1T3 837-7268	
327 Schmidt Peter [2]	K1E 1T3 837-2836	
328 Gustafson Fred [2]	K1E 1T4 824-5287	
329 Parrott Tony [2]	K1E 1T3 834-7683	
330 Jalbert J P [2]	K1E 1T4 837-7434	
331 Thompson James R [2]	K1E 1T3 824-5089	
332 Bennet B [2]	K1E 1T4 834-8872	
334 Roy J [2]	K1E 1T4 834-6357	
335 Stewart D [2]	K1E 1T3 837-3362	
336 Zarzecka K [2]	K1E 1T3 830-5078	
337 Ragimbald Michel [2]	K1E 1T4 824-2835	
337 VALLEY ASSOCIATES	K1E 1T3 841-6219	
338 Mc Caulley Paul [2]	K1E 1T3 830-4926	
340 Vezina D [2]	K1E 1T4 824-6130	
341 Godard M [2]	K1E 1T4 837-5672	
342 Thoms D & M [2]	K1E 1T3 834-4556	
344 Ford Darren [2]	K1E 1T4 841-7921	
345 Ford Roland S [2]	K1E 1T4 837-3933	
346 Mac Donald G W [2]	K1E 1T4 837-4597	
347 Connolly P [2]	K1E 1T4 824-2121	
348 Wilson T [2]	K1E 1T5 830-4874	
349 Johnson David W [2]	K1E 1T4 834-1127	
350 Johnson David W [2]	K1E 1T5 830-9071	

BUSINESSES 1 HOUSEHOLDS 28

WARNER LANE (ST)

Address	836-5941
10 STITTSVILLE DISTRICT COMMUNITY CENTRE	836-5941
STITTSVILLE MINOR HOCKEY ASSOCIATION	831-0865

BUSINESSES 2

WARNER WAY (OS)

Address	K0A 2W0	Phone
80 Crawford Eric [2]	K0A 2W0 826-2646	
3261 Copage Russell [2]	K0A 2W0 826-2694	
3265 Daverio M [2]	K0A 2W0 826-0708	
3269 Kennedy I [2]	K0A 2W0 826-0054	
3273 Douglas M E [2]	K0A 2W0 826-3473	
3276 Jamieson D A [2]	K0A 2W0 826-2179	
3277 Lander H [2]	K0A 2W0 826-2437	
3284 Stockley D F [2]	K0A 2W0 826-2516	
3285 Barrow R W [2]	K0A 2W0 826-2001	
3292 Mac Rae G [2]	K0A 2W0 826-0272	
3293 Payne F Knowles [2]	K0A 2W0 826-2881	
3300 Mac Donald R J [2]	K0A 2W0 826-3029	
3301 Flake Laurence [2]	K0A 2W0 826-2841	
3308 Pinnell B C [2]	K0A 2W0 826-2069	
3311 Hawco A J [2]	K0A 2W0 826-2804	
3312 Hawco M [2]	K0A 2W0 826-1108	
3317 Moldrum P [2]	K0A 2W0 826-2335	

HOUSEHOLDS 17

WASHINGTON (KA)

Address	K0A 2E0	Phone
1562 Nixon H [2]	K0A 2E0 489-3964	
1571 Smith Roy A [2]	K0A 2E0 489-3960	
1579 Hall Claire [2]	K0A 2E0 489-2998	
1581 Hern Tam [2]	K0A 2E0 489-2998	
1594 Haldon Joseph [2]	K0A 2E0 489-2835	

HOUSEHOLDS 5

WATERBURY LANE (NG)

Address	K0A 2T0	Phone
6434 Meszaros Bola [2]	K0A 2T0 489-2956	
6438 Polton Robert & Karen [2]	K0A 2T0 489-2887	
6442 Mc Cleary D M [2]	K0A 2T0 489-3093	
6446 Johnston-Vineyard J [2]	K0A 2T0 489-2174	
6449 Thibodeau David [2]	K0A 2T0 489-0047	
6450 Moberg Don [2]	K0A 2T0 489-4126	
6454 De La Cruz C [2]	K0A 2T0 489-3113	

HOUSEHOLDS 7

WATERFORD DR (K)

Address	591-1715
18 Assaad A [2]	591-1715

HOUSEHOLDS 1

WATERLOO (KA)

Address	K0A 2E0	Phone
20 Boyd Guy [2]	K0A 2E0 489-2359	
80 Case H [2]	K0A 2E0 489-2329	
230 Cretzman B [2]	K0A 2E0 489-3204	
6685 Thomas B H [2]	K0A 2E0 489-3341	
6686 MANOTICK ENERGY SYSTEMS LTD [2]	K0A 2E0 489-2073	
6689 Craig Paul [2]	K0A 2E0 489-3517	
6690 Ewing B [2]	K0A 2E0 489-2846	
6692 Macnab Alan [2]	K0A 2E0 489-3579	
6693 Willis D G [2]	K0A 2E0 489-1788	
6698 Lauzon Robert [2]	K0A 2E0 489-3237	
6701 Hancock Gerry [2]	K0A 2E0 489-3100	
6703 Polter Neil [2]	K0A 2E0 489-3939	
6704 Buchanan W K Jr [2]	K0A 2E0 489-3821	
6707 Duff K [2]	K0A 2E0 489-0629	
6709 Clonnet M G [2]	K0A 2E0 489-2146	
6712 McIner Charles W [2]	K0A 2E0 489-4137	
6721 Mac Donald H J [2]	K0A 2E0 489-2036	
6725 Davidson Craig S [2]	K0A 2E0 489-3001	
6726 Kitson C P [2]	K0A 2E0 489-3590	
6727 Trickitt J P [2]	K0A 2E0 489-3590	

WATERLOO

Address	Minor A	Phone
6732 Minor A [2]	K0A 2E0 489-2458	
6732 Minor C D [2]	K0A 2E0 489-3864	

BUSINESSES 1

WATERPARK PL (M)

Address	K4M 1J7	Phone
1103 Farago J [2]	K4M 1J7 692-4959	
1111 Diotte Randy [2]	K4M 1J7 692-5069	
1121 Armstrong David & Tracey [2]	K4M 1J7 692-0267	
1130 Fernandes H [2]	K4M 1J7 692-0212	

HOUSEHOLDS 4

WATERTON CRES (K)

Address	K2M 1Y3	Phone
3 Bray R W [2]	K2M 1Y3 599-4195	
5 Sweet C [2]	K2M 1Y3 591-3304	
7 Burwash J R [2]	K2M 1Y3 591-2445	
90 Grigley D & A [2]	K2M 1Y3 599-5813	
11 Wong G [2]	K2M 1Y3 592-8390	
11 Duford Wayne R [2]	K2M 1Y3 592-0301	
12 Beauregard Luc [2]	K2M 1Y3 592-0225	
13 Bennett D L [2]	K2M 1Y8 599-8520	
14 Barry Joe & M [2]	K2M 1Y7 591-1075	
15 Meloche F [2]	K2M 1Y8 591-1512	
16 Jarvis Brent & Lori [2]	K2M 1Y7 599-7714	
17 Battle K [2]	K2M 1Y8 592-6970	
19 Brent C L A [2]	K2M 1Y8 592-3957	
20 Parlee D [2]	K2M 1Y8 592-2641	
21 Anderson James D [2]	K2M 1Y7 592-5068	
22 Williams Alan & Cynthia [2]	K2M 1Y8 592-8297	
23 TRILLIUM TREE EXPERTS [2]	K2M 1Y7 592-3932	
24 Quinlan Andree & Wayne [2]	K2M 1Y8 592-6796	
24 Patterson Ross [2]	K2M 1Y7 592-5306	
25 Schwarz Klaus [2]	K2M 1Y8 592-9011	
26 Lawrence Court [2]	K2M 1Y7 592-0453	
28 Bernard B [2]	K2M 1Y7 592-8955	
30 Brian Edward [2]	K2M 1Y8 599-9442	
32 Brown G & E [2]	K2M 1Y8 592-1753	
34 Fleming Paul T [2]	K2M 1Y8 592-5642	
36 Roberge G [2]	K2M 1Y8 592-2208	
38 Dunn J [2]	K2M 1Y8 592-6800	
42 Burton Richard [2]	K2M 1Y8 591-9952	
46 Goodson John A [2]	K2M 1Y9 592-7006	
48 Seaman Duncan [2]	K2M 1Y9 592-3437	
54 Vankerkhoven Don [2]	K2M 1Y9 592-2719	
56 Griffiths M & C [2]	K2M 1Y9 591-0301	
58 Markell William [2]	K2M 1Y9 592-9445	
61 Mc Lean H [2]	K2M 1Z2 592-8860	
62 Fennelly J R [2]	K2M 1Z2 592-0597	
63 O'Donnell H [2]	K2M 1Y9 592-3811	
63 Arseneault Louis [2]	K2M 1Z2 591-6588	
64 Godin G [2]	K2M 1Z2 599-4203	
64 Morgan William E [2]	K2M 1Z1 591-1640	
65 Odean Lance [2]	K2M 1Z2 599-9593	
66 Tieu P C [2]	K2M 1Z1 599-6214	
67 Rainyako L [2]	K2M 1Z2 592-8209	
68 Rouette L [2]	K2M 1Z2 592-8209	
68 Tierney Anthony G [2]	K2M 1Z1 591-3005	
69 Baxter R D [2]	K2M 1Z2 592-6369	
70 Knight M [2]	K2M 1Z1 599-3228	
71 Van Doormaal G [2]	K2M 1Z1 591-8662	
71 Marsham D J [2]	K2M 1Z2 599-8025	
72 Wilson A [2]	K2M 1Z1 599-5126	
73 Simpson Daniel [2]	K2M 1Z2 599-9602	
74 Tulloch R C [2]	K2M 1Z1 592-3500	
75 Kondric Bruno [2]	K2M 1Z2 592-8219	
76 Ireland W R [2]	K2M 1Z1 591-8631	
77 Smith K [2]	K2M 1Z2 599-7345	
78 Demers R [2]	K2M 1Z1 599-4131	
80 Heikkila T [2]	K2M 1Z1 599-1157	
81 Taylor D [2]	K2M 1Z2 592-1067	
82 Brennan P E [2]	K2M 1Z2 592-3624	
83 Hammond G & C [2]	K2M 1Z2 599-8074	
84 Bechler J [2]	K2M 1Z2 591-7551	
85 Duff A [2]	K2M 1Z2 591-7551	
85 Gilmore Stephen [2]	K2M 1Y5 591-1251	
86 Ferguson Frank & Faydeen [2]	K2M 1Y4 599-9852	
87 Najm B [2]	K2M 1Y5 599-6893	
88 Davies Neal [2]	K2M 1Y5 599-8108	
89 Brooks K [2]	K2M 1Y5 599-5134	
90 Lowe K [2]	K2M 1Y5 592-9693	
90 Durivage Roch [2]	K2M 1Y5 591-8656	
91 Kidd G E [2]	K2M 1Y5 591-5998	
92 Chung C M [2]	K2M 1Y5 592-2622	
93 Mc Intosh R D [2]	K2M 1Y5 591-8619	
94 Johnston P G [2]	K2M 1Y5 591-1211	
95 Bullock S [2]	K2M 1Y5 591-3381	
96 Andolf D M [2]	K2M 1Y5 592-0939	
97 Mida G [2]	K2M 1Y5 599-9388	
98 Girard M J [2]	K2M 1Y5 592-8830	
98 Saveri M [2]	K2M 1Y5 592-8830	

BUSINESSES 1 HOUSEHOLDS 78

WATSON RD (N)

Address	835-3993
2589 Bergeron Luc [2]	835-3993
2595 Cadieux Gilles [2]	K4B 1J1 835-2966
2611 Maxson D [2]	K4B 1J1 835-4090
2611 Maxson Dan & Susan [2]	K4B 1J1 835-3988
2624 Polvin Ovide [2]	K4B 1J1 835-3177
2631 Girard Jim [2]	K4B 1J1 835-3208
2647 Wood Gerald [2]	K4B 1J1 835-2867
2703 Spence David [2]	K4B 1J1 835-2248
2836 Bourgeois Sylvain [2]	K4B 1J1 835-3418
3188 Watson A [2]	835-2644

HOUSEHOLDS 10

WATSON RD (S)

Address	K0A 3E0	Phone
2941 Labreche Robert [2]	K0A 3E0 835-2816	
2950 Egin L [2]	K0A 3E0 835-3626	
3235 Watson W D [2]	K0A 3E0 835-2553	
3314 Gibeault P E [2]	K0A 3E0 835-3228	
3315 Watson W D [2]	K0A 3E0 835-2805	
3444 Miller Darwyn [2]	K0A 3E0 835-2168	
3454 Watson Norman [2]	K0A 3E0 835-2552	

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1976

RIVERBANK COURT

SOURCE: MIGHTS

STREET NOT LISTED

1976

STITTSVILLE MAIN STREET

SOURCE: MIGHTS

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1966

RIVERBANK COURT

SOURCE: MIGHTS

STREET NOT LISTED

1966

STITTSVILLE MAIN STREET

SOURCE: MIGHTS

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

1964

RIVERBANK COURT

SOURCE: MIGHTS

STREET NOT LISTED

1964

STITTSVILLE MAIN STREET

SOURCE: MIGHTS

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

APPENDIX D

Ecolog ERIS Report



DATABASE REPORT

Project Property:	<i>Phase I ESA -1412 Stittsville Main Street 1412 Stittsville Main Street Ottawa ON K2S 1V7</i>
Project No:	<i>240811</i>
Report Type:	<i>Standard Report</i>
Order No:	<i>25010800051</i>
Requested by:	<i>LRL Associates Ltd.</i>
Date Completed:	<i>January 13, 2025</i>

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	14
Map.....	22
Aerial.....	23
Topographic Map.....	24
Detail Report.....	25
Unplottable Summary.....	128
Unplottable Report.....	129
Appendix: Database Descriptions.....	133
Definitions.....	143

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: Phase I ESA -1412 Stittsville Main Street
1412 Stittsville Main Street Ottawa ON K2S 1V7

Project No: 240811

Coordinates:

Latitude: 45.26156
Longitude: -75.92519
UTM Northing: 5,012,423.37
UTM Easting: 427,413.43
UTM Zone: 18T

Elevation: 384 FT
117.10 M

Order Information:

Order No: 25010800051
Date Requested: January 8, 2025
Requested by: LRL Associates Ltd.
Report Type: Standard Report

Historical/Products:

City Directory Search Smart CD Search
ERIS Xplorer [ERIS Xplorer](#)
Insurance Products Fire Insurance Maps/Inspection Reports/Site Plans
Land Title Search Current Land Title Search
Topographic Map Ontario Base Map (OBM)

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	4	4
CA	<i>Certificates of Approval</i>	Y	0	1	1
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	1	1
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	12	13
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	26	26
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPR2	<i>National Pollutant Release Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory - Historic</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PFAS	<i>Ontario PFAS Spills</i>	Y	0	0	0
PFCH	<i>NPRI Reporters - PFAS Substances</i>	Y	0	0	0
PFHA	<i>Potential PFAS Handlers from NPRI</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	1	1
PPHA	<i>Potential PFAS Handlers from EASR</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	3	3
SPL	<i>Ontario Spills</i>	Y	0	3	3
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	24	24

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
<hr/>					
		Total:	1	75	76

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	EHS		1410 Stittsville Main St Stittsville ON K2S 1V7	NNW/2.9	0.00	25

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u>	SCT	DECADENT DELIGHTS LTD.	1408 MAIN ST STITTSVILLE ON K2S 1B8	NNW/22.9	-1.22	<u>25</u>
<u>3</u>	EHS		1418 Stittsville Main Street Ottawa ON Stittsville ON K2S 1V7	SSW/53.7	0.78	<u>25</u>
<u>4</u>	EHS		1 Mulkins Street Stittsville ON K2S 1C3	ESE/54.4	0.39	<u>25</u>
<u>5</u>	GEN	Teraflex Ltd	Stittsville Main & Warner-Colpitts Lane Ottawa ON K2S 1A3	NNW/96.5	-2.22	<u>26</u>
<u>6</u>	SPL	Canadian Waste Services Inc.	MAIN STREET AND WINTERGREEN<UNOFFICIAL> Ottawa ON	ESE/101.8	0.48	<u>26</u>
<u>7</u>	WWIS		lot 23 con 11 ON Well ID: 1502844	NNW/105.6	-2.27	<u>27</u>
<u>8</u>	WWIS		lot 23 con 11 ON Well ID: 1502829	NW/107.7	-1.80	<u>29</u>
<u>9</u>	WWIS		ON Well ID: 1511046	SSW/110.1	1.58	<u>32</u>
<u>10</u>	BORE		ON	SSW/110.1	1.58	<u>35</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>36</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW/114.0	1.58	<u>37</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW/114.0	1.58	<u>37</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW/114.0	1.58	<u>38</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>38</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW/114.0	1.58	<u>38</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>39</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>39</u>
<u>11</u>	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>40</u>
<u>11</u>	GEN	city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>40</u>
<u>11</u>	GEN	city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>41</u>
<u>11</u>	GEN	city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW/114.0	1.58	<u>41</u>
<u>12</u>	WWIS		lot 23 con 11 ON Well ID: 1502842	NW/114.3	-1.80	<u>42</u>
<u>13</u>	WWIS		ON Well ID: 1511620	WNW/118.4	-1.03	<u>44</u>
<u>14</u>	WWIS		ON Well ID: 1509690	WNW/119.5	-1.03	<u>47</u>
<u>15</u>	WWIS		ON	WNW/127.1	-1.03	<u>50</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1510073			
16	WWIS		ON	W/127.3	-1.28	52
			Well ID: 1511018			
17	CA	635372 ONTARIO INC.	RIVERBANK CT./WINTERGREEN DR. GOULBOURN TWP. ON	E/129.7	-0.29	56
18	GEN	city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	WSW/139.4	-1.92	56
19	WWIS		ON	W/149.0	-0.22	59
			Well ID: 1510232			
20	SPL	TRANSPORT TRUCK	MAIN & BEVERLY STS. STITTSVILLE MOTOR VEHICLE (OPERATING FLUID) GOULBOURN TWP. ON	NNW/164.7	-1.22	62
21	WWIS		ON	W/165.1	-0.36	63
			Well ID: 1511192			
22	WWIS		lot 23 con 11 ON	WNW/169.6	-0.22	66
			Well ID: 1502888			
23	WWIS		lot 24 con 11 ON	ESE/173.4	0.78	68
			Well ID: 1502896			
24	BORE		ON	ESE/173.4	0.78	71
25	EHS		1445 Stittsville Main Street Stittsville ON K2S 1E5	ESE/188.8	0.78	72
26	SCT	STITTSVILLE RUBBER STAMP INC.	1450 Main Stn Stittsville ON K2S 1A7	ESE/193.0	2.47	72
26	SCT	Stittsville Rubber Stamp Inc.	1450 Stittsville Main St Stittsville ON K2S 1A7	ESE/193.0	2.47	73
27	WWIS		ON	W/194.0	0.80	73

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1509338			
28	WWIS		ON	N/194.4	-2.94	76
			Well ID: 1509354			
29	WWIS		1370 STITTSVILLE MAW ROAD OTTAWA ON	NW/194.9	-0.14	78
			Well ID: 7242935			
30	EHS		n/a Ottawa ON	SW/197.7	-0.53	81
31	BORE		ON	W/199.6	-0.36	81
32	WWIS		ON	W/199.6	-0.36	83
			Well ID: 1510534			
33	ECA	Bayview Stittsville Inc.	1364 to 1370 Stittsville Main St Stittsville Ottawa ON M5G 1R3	NW/202.8	-1.22	86
34	BORE		ON	NNW/218.0	-1.22	86
35	WWIS		lot 23 con 11 ON	WNW/220.5	1.08	87
			Well ID: 1502873			
36	EHS		1441 Stittsville Main Street Stittsville ON K2S 1E5	E/222.5	1.78	90
37	EHS		1368 Stittsville Main Ottawa ON	NW/222.9	0.78	90
38	WWIS		lot 23 con 11 ON	SSE/223.4	3.50	91
			Well ID: 1502848			
39	WWIS		lot 23 con 11 ON	SE/225.3	2.78	93
			Well ID: 1502849			
40	EHS		1364, 1368, and 1370 Stittsville Main Street Stittsville ON K2S 1V4	NW/226.9	0.78	96

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>41</u>	WWIS		lot 23 con 11 ON Well ID: 1502853	WNW/227.6	1.47	<u>96</u>
<u>42</u>	EHS		1364, 1368, 1370 Stittsville Main Street Stittsville ON K2S 1V4	NW/228.9	0.78	<u>98</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>99</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>99</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>100</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON	ESE/231.1	1.78	<u>101</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>101</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>102</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>103</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>104</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>105</u>
<u>43</u>	GEN	Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/231.1	1.78	<u>107</u>
<u>43</u>	EHS		1453 Stittsville Main St Ottawa ON K2S 1A3	ESE/231.1	1.78	<u>108</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>44</u>	EHS		1441 Stittsville Main St Ottawa ON K2S1E5	E/234.1	1.78	<u>108</u>
<u>44</u>	GEN	Vos Trailers Ltd.	1441 Stittsville Main Street Stittsville ON K2S 1A9	E/234.1	1.78	<u>109</u>
<u>44</u>	EHS		1441 Stittsville Main Street Stittsville ON K2S 1E5	E/234.1	1.78	<u>109</u>
<u>45</u>	WWIS		lot 23 con 11 ON Well ID: 1502851	W/238.0	0.80	<u>109</u>
<u>46</u>	GEN	Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE/241.0	2.78	<u>112</u>
<u>47</u>	WWIS		lot 23 con 11 ON Well ID: 1502870	W/243.5	1.08	<u>117</u>
<u>48</u>	WWIS		ON Well ID: 1510420	W/245.6	-0.22	<u>120</u>
<u>49</u>	PINC	ENBRIDGE GAS INC	15 BEECHFERN DR,,STITTSVILLE,ON, K2S 1E3,CA ON	NE/249.6	4.81	<u>123</u>
<u>49</u>	SPL		15 Beechfern Dr, Stittsville, Ottawa, ON OTTAWA ON	NE/249.6	4.81	<u>124</u>
<u>50</u>	WWIS		lot 24 con 11 ON Well ID: 1502891	E/249.8	1.78	<u>125</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 4 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SSW	110.07	<u>10</u>
	ON	ESE	173.43	<u>24</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	W	199.56	<u>31</u>
	ON	NNW	217.96	<u>34</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
635372 ONTARIO INC.	RIVERBANK CT./WINTERGREEN DR. GOULBOURN TWP. ON	E	129.73	<u>17</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Oct 31, 2024 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Bayview Stittsville Inc.	1364 to 1370 Stittsville Main St Stittsville Ottawa ON M5G 1R3	NW	202.80	<u>33</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 12 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1410 Stittsville Main St Stittsville ON K2S 1V7	NNW	2.88	<u>1</u>
	1418 Stittsville Main Street Ottawa ON Stittsville ON K2S 1V7	SSW	53.74	<u>3</u>
	1 Mulkins Street Stittsville ON K2S 1C3	ESE	54.36	<u>4</u>
	1445 Stittsville Main Street Stittsville ON K2S 1E5	ESE	188.80	<u>25</u>
	1441 Stittsville Main Street Stittsville ON K2S 1E5	E	222.51	<u>36</u>
	1368 Stittsville Main Ottawa ON	NW	222.86	<u>37</u>
	1364, 1368, and 1370 Stittsville Main Street Stittsville ON K2S 1V4	NW	226.94	<u>40</u>
	1364, 1368, 1370 Stittsville Main Street Stittsville ON K2S 1V4	NW	228.93	<u>42</u>
	1453 Stittsville Main St Ottawa ON K2S 1A3	ESE	231.11	<u>43</u>
	1441 Stittsville Main Street Stittsville ON K2S 1E5	E	234.10	<u>44</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1441 Stittsville Main St Ottawa ON K2S1E5	E	234.10	44

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	n/a Ottawa ON	SW	197.68	30

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2022 has found that there are 26 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW	113.99	11
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	11
city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW	113.99	11
city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW	113.99	11
city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	11
city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	11
city of ottawa Real property asset management	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	11
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	11

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	<u>11</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	<u>11</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON	SSW	113.99	<u>11</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	SSW	113.99	<u>11</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board Health & Safety	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	231.11	<u>43</u>
Vos Trailers Ltd.	1441 Stittsville Main Street Stittsville ON K2S 1A9	E	234.10	<u>44</u>
Ottawa-Carleton District School Board	1453 Stittsville Main St. Stittsville ON K2S 1A3	ESE	241.04	<u>46</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Teraflex Ltd	Stittsville Main & Warner-Colpitts Lane Ottawa ON K2S 1A3	NNW	96.46	<u>5</u>
city of ottawa	10 warner-colpitts lane stittsville ottawa ON K2S-1A3	WSW	139.40	<u>18</u>

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ENBRIDGE GAS INC	15 BEECHFERN DR.,,STITTSVILLE, ON,K2S 1E3,CA ON	NE	249.64	<u>49</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 3 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
STITTSVILLE RUBBER STAMP INC.	1450 Main Stn Stittsville ON K2S 1A7	ESE	192.97	26
Stittsville Rubber Stamp Inc.	1450 Stittsville Main St Stittsville ON K2S 1A7	ESE	192.97	26
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
DECADENT DELIGHTS LTD.	1408 MAIN ST STITTSVILLE ON K2S 1B8	NNW	22.89	2

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug 2024; Oct 2024 has found that there are 3 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Canadian Waste Services Inc.	MAIN STREET AND WINTERGREEN<UNOFFICIAL> Ottawa ON	ESE	101.83	6
	15 Beechfern Dr, Stittsville, Ottawa, ON OTTAWA ON	NE	249.64	49
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRANSPORT TRUCK	MAIN & BEVERLY STS. STITTSVILLE MOTOR VEHICLE (OPERATING FLUID) GOULBOURN TWP. ON	NNW	164.66	20

WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 24 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SSW	110.05	9

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1511046			
	lot 24 con 11 ON	ESE	173.40	<u>23</u>
	<i>Well ID:</i> 1502896			
	ON	W	194.02	<u>27</u>
	<i>Well ID:</i> 1509338			
	lot 23 con 11 ON	WNW	220.48	<u>35</u>
	<i>Well ID:</i> 1502873			
	lot 23 con 11 ON	SSE	223.36	<u>38</u>
	<i>Well ID:</i> 1502848			
	lot 23 con 11 ON	SE	225.27	<u>39</u>
	<i>Well ID:</i> 1502849			
	lot 23 con 11 ON	WNW	227.65	<u>41</u>
	<i>Well ID:</i> 1502853			
	lot 23 con 11 ON	W	237.98	<u>45</u>
	<i>Well ID:</i> 1502851			
	lot 23 con 11 ON	W	243.54	<u>47</u>
	<i>Well ID:</i> 1502870			
	lot 24 con 11 ON	E	249.83	<u>50</u>
	<i>Well ID:</i> 1502891			
 <u>Lower Elevation</u>	 <u>Address</u>	 <u>Direction</u>	 <u>Distance (m)</u>	 <u>Map Key</u>
	lot 23 con 11 ON	NNW	105.63	<u>7</u>
	<i>Well ID:</i> 1502844			
	lot 23 con 11 ON	NW	107.67	<u>8</u>

Well ID: 1502829

lot 23 con 11 ON	NW	114.33	<u>12</u>
---------------------	----	--------	---------------------------

Well ID: 1502842

ON	WNW	118.37	<u>13</u>
----	-----	--------	---------------------------

Well ID: 1511620

ON	WNW	119.50	<u>14</u>
----	-----	--------	---------------------------

Well ID: 1509690

ON	WNW	127.15	<u>15</u>
----	-----	--------	---------------------------

Well ID: 1510073

ON	W	127.35	<u>16</u>
----	---	--------	---------------------------

Well ID: 1511018

ON	W	149.00	<u>19</u>
----	---	--------	---------------------------

Well ID: 1510232

ON	W	165.05	<u>21</u>
----	---	--------	---------------------------

Well ID: 1511192

lot 23 con 11 ON	WNW	169.64	<u>22</u>
---------------------	-----	--------	---------------------------

Well ID: 1502888

ON	N	194.39	<u>28</u>
----	---	--------	---------------------------

Well ID: 1509354

1370 STITTSVILLE MAW ROAD OTTAWA ON	NW	194.89	<u>29</u>
--	----	--------	---------------------------


Well ID: 7242935

ON	W	199.58	<u>32</u>
----	---	--------	---------------------------

Well ID: 1510534

ON	W	245.62	<u>48</u>
----	---	--------	---------------------------

Well ID: 1510420




Map: 0.25 Kilometer Radius

Order Number: 25010800051

Address: 1412 Stittville Main Street, Ottawa, ON



★ Project Property	Freeways; Highways	Beach	Shopping & Sports Area
⬡ Buffer Outline	Traffic Circle; Ramp	Airport	University/College
▲ Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
■ Eris Sites with Same Elevation	Local Road	Military Base	Park (National)
▼ Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
○ Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



Aerial Year: 2023

Order Number: 25010800051

Address: 1412 Stittsville Main Street, Ottawa, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

75°57'W

75°55'30"W


75°54'W

45°16'30"N

45°16'30"N

45°15'N

45°15'N



Topographic Map

Address: 1412 Stittsville Main Street, ON

Source: ESRI World Topographic Map

Order Number: 25010800051



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	NNW/2.9	117.1 / 0.00	1410 Stittsville Main St Stittsville ON K2S 1V7	EHS
<div> <div> Order No: 20282400057 Status: C Report Type: Standard Report Report Date: 27-AUG-20 Date Received: 24-AUG-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9251959 Y: 45.2615856 </div> </div>					
2	1 of 1	NNW/22.9	115.9 / -1.22	DECADENT DELIGHTS LTD. 1408 MAIN ST STITTSVILLE ON K2S 1B8	SCOT
<div> Established: 1996 Plant Size (ft²): 0 Employment: 4 </div> <div> --Details-- Description: Chocolate and Confectionery Manufacturing from Cacao Beans SIC/NAICS Code: 311320 Description: Confectionery Manufacturing from Purchased Chocolate SIC/NAICS Code: 311330 </div>					
3	1 of 1	SSW/53.7	117.9 / 0.78	1418 Stittsville Main Street Ottawa ON Stittsville ON K2S 1V7	EHS
<div> <div> Order No: 23073100717 Status: C Report Type: Standard Report Report Date: 03-AUG-23 Date Received: 31-JUL-23 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9254452 Y: 45.2611111 </div> </div>					
4	1 of 1	ESE/54.4	117.5 / 0.39	1 Mulkins Street Stittsville ON K2S 1C3	EHS
<div> <div> Order No: 20200313034 Status: C Report Type: Standard Report Report Date: 18-MAR-20 Date Received: 13-MAR-20 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.9246274 Y: 45.2612745 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
5	1 of 1	NNW/96.5	114.9 / -2.22	Teraflex Ltd Stittsville Main & Warner-Colpitts Lane Ottawa ON K2S 1A3	GEN
<u>Generator Info</u>					
Generator No:	ON9425485			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	237130
Country:	Canada				
Co Admin:	James R Smith				
Phone No Admin:	613 745 2444 Ext.241				
SIC Description:	POWER AND COMMUNICATION LINE AND RELATED STRUCTURES CONSTRUCTION				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
6	1 of 1	ESE/101.8	117.6 / 0.48	Canadian Waste Services Inc. MAIN STREET AND WINTERGREEN<UNOFFICIAL> Ottawa ON	SPL
Ref No:	1563-5RASV8			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	9/11/2003			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	Oil
MOE Reported Dt:	9/11/2003			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	MAIN STREET AND WINTERGREEN<UNOFFICIAL>				
Site Address:					
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:	Canadian Waste Services Inc.				
Client Type:					
Source Type:					
Incident Cause:	Pipe Or Hose Leak				
Incident Preceding Spill:					
Incident Reason:	Equipment Failure - Malfunction of system components				
Incident Summary:	Stittsville: 45 Gal hydraulic oil spill to ground				
Environment Impact:	Not Anticipated				
Health Env Consequence:					
Nature of Impact:	Other Impact(s); Surface Water Pollution				
Contaminant Qty:	204.75 L				
Contaminant Qty 1:	204.75				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Unit:		L			
Contaminant Code:		15			
Contaminant Name:		HYDRAULIC OIL			
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Receiving Medium:		Water			
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:					
SAC Action Class:		Spill to Inland Watercourses; Spill to Land			
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

7	1 of 1	NNW/105.6	114.8 / -2.27	lot 23 con 11 ON	WWIS
Well ID:	1502844			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	11/08/1955
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	4824
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502844.pdf			

Additional Detail(s) (Map)

Well Completed Date:	08/15/1955
Year Completed:	1955
Depth (m):	22.86
Latitude:	45.2624437561514
Longitude:	-75.9256865109661
X:	-75.9256863499403
Y:	45.26244374930263
Path:	150\1502844.pdf

Bore Hole Information

Bore Hole ID:	10024887	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	427375.60
Code OB Desc:		North83:	5012522.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		08/15/1955		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995414			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995415			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961502844			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573457			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042554			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		75.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930042553			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502844			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		24.0			
Recommended Pump Depth:					
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933455653			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			

<u>8</u>	1 of 1	NW/107.7	115.3 / -1.80	lot 23 con 11 ON	WWIS
<hr/>					
Well ID:	1502829			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/04/1950
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	4824
Tag:				Form Version:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:				STITTSVILLE VILLAGE (GOULBOURN)	
Site Info:					
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502829.pdf	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:				01/28/1949	
Year Completed:				1949	
Depth (m):				20.7264	
Latitude:				45.2623056514798	
Longitude:				-75.926066652376	
X:				-75.92606649080345	
Y:				45.26230564471707	
Path:				150\1502829.pdf	
<u>Bore Hole Information</u>					
Bore Hole ID:				10024872	
DP2BR:				Elevation:	
Spatial Status:				Elevrc:	
Code OB:				Zone: 18	
Code OB Desc:				East83: 427345.60	
Open Hole:				North83: 5012507.00	
Cluster Kind:				Org CS:	
Date Completed:				UTMRC: 5	
Remarks:				UTMRC Desc: margin of error : 100 m - 300 m	
Location Method Desc:				Location Method: p5	
Elevrc Desc:				Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m	
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:				930995380	
Layer:				2	
Color:					
General Color:					
Material 1:				15	
Material 1 Desc:				LIMESTONE	
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:				12.0	
Formation End Depth:				68.0	
Formation End Depth UOM:				ft	
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		930995379			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502829			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573442			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042524			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042525			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		68.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502829			
Pump Set At:					
Static Level:		17.0			
Final Level After Pumping:		17.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455635			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933455634			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		55.0			
Water Found Depth UOM:		ft			

<u>9</u>	1 of 1	SSW/110.1	118.7 / 1.58	ON	WWIS
Well ID:	1511046			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Commerical			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/23/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1558
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511046.pdf				

Additional Detail(s) (Map)

Well Completed Date: 12/29/1970
Year Completed: 1970
Depth (m): 19.812

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		45.2606431723795			
Longitude:		-75.9257209781532			
X:		-75.92572081664271			
Y:		45.26064316570295			
Path:		151\1511046.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10033048			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427370.60
Code OB Desc:				North83:	5012322.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/29/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931016549				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	20.0				
Formation End Depth:	65.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931016548				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:	11				
Material 2 Desc:	GRAVEL				
Material 3:	13				
Material 3 Desc:	BOULDERS				
Formation Top Depth:	0.0				
Formation End Depth:	20.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Method Construction ID:		961511046			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10581618			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930058631			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		26.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930058632			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		65.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		991511046			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097591			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		25.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934899661			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934642737			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934380604			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		25.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933466116			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.0			
Water Found Depth UOM:		ft			
<hr/>					
10	1 of 1	SSW/110.1	118.7 / 1.58	ON	BORE
Borehole ID:	609527			Inclin FLG:	No
OGF ID:	215511143			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	DEC-1970			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.260643
Total Depth m:	19.8			Longitude DD:	-75.925721
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	427371
Drill Method:				Northing:	5012322
Orig Ground Elev m:	118			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	118				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Geology Stratum ID:	218383438			Mat Consistency:	
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	19.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE. GREY. 0006200060. 15500. 58ROCK. SEISMIC VELOCITY = 22300. BEDROCK.				
<hr/>					
Geology Stratum ID:	218383437			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Boulders			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND,GRAVEL,BOULDERSBROWN.				
<hr/>					
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 02035 NTS_Sheet:				
Confiden 1:					
<hr/>					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
11	1 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<hr/>					
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	
Approval Years:	05,06,07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	913910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Other Local Municipal and Regional Public Administration				
<hr/>					
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
11	2 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON9619429		Choice of Contact:	
Approval Years:		2009		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 913910	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Other Local Municipal and Regional Public Administration			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
11	3 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON	GEN
<u>Generator Info</u>					
Generator No:		ON9619429		Choice of Contact:	
Approval Years:		2010		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 913910	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Other Local Municipal and Regional Public Administration			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	4 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	
Approval Years:	2011			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	913910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Other Local Municipal and Regional Public Administration				
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
11	5 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	
Approval Years:	2012			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	913910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Other Local Municipal and Regional Public Administration				
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
11	6 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	913910
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				
11	7 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	913910
Country:	Canada				
Co Admin:	Craig Chadwick				
Phone No Admin:	613-836-5941 Ext.				
SIC Description:	913910				
<u>Waste Detail(s)</u>					
Waste Class:	251				
Waste Class Name:	OIL SKIMMINGS & SLUDGES				
<u>Waste Detail(s)</u>					
Waste Class:	145				
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES				
11	8 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:	ON9619429			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	913910
Country:	Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Admin:		Craig Chadwick			
Phone No Admin:		613-836-5941 Ext.			
SIC Description:		913910			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			

<u>11</u>	9 of 12	SSW/114.0	118.7 / 1.58	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
------------------	----------------	------------------	---------------------	---	------------

Generator Info

Generator No:	ON9619429	Choice of Contact:	CO_ADMIN
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	913910
Country:	Canada		
Co Admin:	Craig Chadwick		
Phone No Admin:	613-836-5941 Ext.		
SIC Description:	913910		

Waste Detail(s)

Waste Class:	145
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class:	251
Waste Class Name:	OIL SKIMMINGS & SLUDGES

<u>11</u>	10 of 12	SSW/114.0	118.7 / 1.58	city of ottawa Real property asset management 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
------------------	-----------------	------------------	---------------------	--	------------

Generator Info

Generator No:	ON9619429	Choice of Contact:	
Approval Years:	As of Dec 2018	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
11	11 of 12	SSW/114.0	118.7 / 1.58	city of ottawa Real property asset management 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:		ON9619429		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
11	12 of 12	SSW/114.0	118.7 / 1.58	city of ottawa Real property asset management 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:		ON9619429		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		145 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
Waste Detail(s)					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
Waste Detail(s)					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
12	1 of 1	NW/114.3	115.3 / -1.80	lot 23 con 11 ON	WWIS
Well ID:		1502842		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Public		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502842.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		08/03/1955			
Year Completed:		1955			
Depth (m):		22.86			
Latitude:		45.2624416898535			
Longitude:		-75.9259414019245			
X:		-75.92594124052985			
Y:		45.26244168362718			
Path:		150\1502842.pdf			
Bore Hole Information					
Bore Hole ID:		10024885		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		08/03/1955		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:		margin of error : 100 m - 300 m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930995411			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930995410			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		961502842			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573455			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042550			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		75.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042549			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502842			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455651			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			

<u>13</u>	1 of 1	WNW/118.4	116.1 / -1.03	ON	WWIS
Well ID:	1511620			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/13/1972
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1558
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE			
Site Info:					
PDF URL (Map):				https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511620.pdf	
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/25/1971			
Year Completed:		1971			
Depth (m):		21.336			
Latitude:		45.2620770252778			
Longitude:		-75.9265090503166			
X:		-75.92650888849614			
Y:		45.26207701834821			
Path:		151\1511620.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10033614		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				18	
Code OB Desc:				East83:	
Open Hole:				427310.60	
Cluster Kind:				North83:	
Date Completed:		11/25/1971		5012482.00	
Remarks:				Org CS:	
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m		UTMRC:	
Elevrc Desc:				4	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 30 m - 100 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p4	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931018274			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931018273			
Laver:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961511620			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10582184			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930059714			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		28.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930059715			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		70.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991511620			
Pump Set At:					
Static Level:		11.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934382816			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934098274			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934644532			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934901868			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		40.0			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		933466831			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			
<hr/>					
14	1 of 1	WNW/119.5	116.1 / -1.03	ON	WWIS
Well ID:	1509690			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/08/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1503

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1509690.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		11/20/1968			
Year Completed:		1968			
Depth (m):		12.192			
Latitude:		45.2621675455543			
Longitude:		-75.9264467919276			
X:		-75.92644663076825			
Y:		45.26216753916323			
Path:		150\1509690.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10031722		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		11/20/1968		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931012806			
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931012805			
Layer:		1			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:		13			
Material 3 Desc:		BOULDERS			
Formation Top Depth:		0.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961509690			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10580292			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930056080			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930056081			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991509690			
Pump Set At:					
Static Level:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping:		18.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933464581			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38.0			
Water Found Depth UOM:		ft			

15	1 of 1	WNW/127.1	116.1 / -1.03	ON	WWIS
Well ID:		1510073		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	06/13/1969
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1503
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510073.pdf			

Additional Detail(s) (Map)

Well Completed Date: 03/04/1969
Year Completed: 1969
Depth (m): 19.5072
Latitude: 45.2620759912886
Longitude: -75.9266364949492
X: -75.92663633424009
Y: 45.26207598455537
Path: 151\1510073.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	10032104			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427300.60
Code OB Desc:				North83:	5012482.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	03/04/1969			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931013822				
Layer:	1				
Color:					
General Color:					
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:	09				
Material 2 Desc:	MEDIUM SAND				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	7.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931013823				
Layer:	2				
Color:					
General Color:					
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	7.0				
Formation End Depth:	64.0				
Formation End Depth UOM:	ft				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961510073				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	10580674				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930056827				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	64.0				
Casing Diameter:	5.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930056826				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	14.0				
Casing Diameter:	5.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	991510073				
Pump Set At:					
Static Level:	9.0				
Final Level After Pumping:	24.0				
Recommended Pump Depth:	40.0				
Pumping Rate:	8.0				
Flowing Rate:					
Recommended Pump Rate:	5.0				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933465010				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	62.0				
Water Found Depth UOM:	ft				
<hr/>					
16	1 of 1	W/127.3	115.8 / -1.28	ON	WWIS
Well ID:	1511018			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/23/1971
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1558
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511018.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	12/01/1970				
Year Completed:	1970				
Depth (m):	32.3088				
Latitude:	45.2618499488328				
Longitude:	-75.9267602785223				
X:	-75.92676011757294				
Y:	45.26184994270257				
Path:	151\1511018.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10033020			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427290.60
Code OB Desc:				North83:	5012457.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	12/01/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931016468				
Layer:	2				
Color:	3				
General Color:	BLUE				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		106.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931016467			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961511018			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10581590			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930058580			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		106.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930058579			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		991511018			
Pump Set At:					
Static Level:		7.0			
Final Level After Pumping:		14.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934899633			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		14.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097563			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		14.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934381271			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		14.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934642292			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		14.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933466083			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		47.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933466084			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		105.0			
Water Found Depth UOM:		ft			
17	1 of 1	E/129.7	116.8 / -0.29	635372 ONTARIO INC. RIVERBANK CT./WINTERGREEN DR. GOULBOURN TWP. ON	CA
Certificate #:		7-0073-96-			
Application Year:		96			
Issue Date:		2/19/1996			
Approval Type:		Municipal water			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
18	1 of 1	WSW/139.4	115.2 / -1.92	city of ottawa 10 warner-colpitts lane stittsville ottawa ON K2S-1A3	GEN
<u>Generator Info</u>					
Generator No:		ON9619429		Choice of Contact:	
Approval Years:		As of Oct 2022		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>2017 Generator Info</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen No:	ON9619429			Choice of Contact:	CO_ADMIN
ID:	37580			Phone No Official:	613-880-5720 Ext.
Contaminated Fac:	N			Phone No Admin:	613-836-5941 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	city of ottawa				
Gen Div:	Real property asset management				
Gen Op Name:	City of Ottawa				
Gen Op Div:	RPAM				
Site Adrs1:	10 warner-colpitts lane stittsville				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	ottawa				
Province Out:					
Site Postal Code:	K2S-1A3				
Site Country:	Canada				
Co Official:	Stewart McNaught				
Co Admin:	Craig Chadwick				

Gen No:	ON9619429	Choice of Contact:	CO_ADMIN
ID:	38319	Phone No Official:	613-880-5720 Ext.
Contaminated Fac:	N	Phone No Admin:	613-836-5941 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	city of ottawa		
Gen Div:	Real property asset management		
Gen Op Name:	City of Ottawa		
Gen Op Div:	RPAM		
Site Adrs1:	10 warner-colpitts lane stittsville		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	ottawa		
Province Out:			
Site Postal Code:	K2S-1A3		
Site Country:	Canada		
Co Official:	Stewart McNaught		
Co Admin:	Craig Chadwick		

Gen No:	ON9619429	Choice of Contact:	CO_ADMIN
ID:	38891	Phone No Official:	613-880-5720 Ext.
Contaminated Fac:	N	Phone No Admin:	613-836-5941 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	city of ottawa		
Gen Div:	Real property asset management		
Gen Op Name:	City of Ottawa		
Gen Op Div:	RPAM		
Site Adrs1:	10 warner-colpitts lane stittsville		
Site Bldg:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2S-1A3			
Site Country:		Canada			
Co Official:		Stewart McNaught			
Co Admin:		Craig Chadwick			
<u>2019 Generator Manifest</u>					
ID:	66984			Sum Received Qty:	4800.0
Generator No:	ON9619429			Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035			Count Manifests:	2
Waste Char:	L			District:	402
Waste Code:	251				
<u>2019 Generator Manifest</u>					
ID:	66983			Sum Received Qty:	430.0
Generator No:	ON9619429			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030			Count Manifests:	1
Waste Char:	L			District:	402
Waste Code:	252				
<u>2020 Generator Info</u>					
Gen No:	ON9619429			Choice of Contact:	CO_ADMIN
ID:	38646			Phone No Official:	613-880-5720 Ext.
Contaminated Fac:	N			Phone No Admin:	613-836-5941 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		city of ottawa			
Gen Div:		Real property asset management			
Gen Op Name:		City of Ottawa			
Gen Op Div:		RPAM			
Site Adrs1:		10 warner-colpitts lane stittsville			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2S-1A3			
Site Country:		Canada			
Co Official:		Stewart McNaught			
Co Admin:		Craig Chadwick			
<u>2021 Generator Info</u>					
Gen No:	ON9619429			Choice of Contact:	CO_ADMIN
ID:	39693			Phone No Official:	613-880-5720 Ext.
Contaminated Fac:	N			Phone No Admin:	613-836-5941 Ext.
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	913910			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:		city of ottawa			
Gen Div:		Real property asset management			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Op Name:		City of Ottawa			
Gen Op Div:		RPAM			
Site Adrs1:		10 warner-colpitts lane stittsville			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		ottawa			
Province Out:					
Site Postal Code:		K2S-1A3			
Site Country:		Canada			
Co Official:		Stewart McNaught			
Co Admin:		Craig Chadwick			

[19](#) 1 of 1 W/149.0 116.9 / -0.22 ON WWIS

Well ID:	1510232	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	10/30/1969
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	1503
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510232.pdf

Additional Detail(s) (Map)

Well Completed Date:	06/27/1969
Year Completed:	1969
Depth (m):	18.288
Latitude:	45.2617123579155
Longitude:	-75.9270766914322
X:	-75.92707653017422
Y:	45.261712351359215
Path:	151\1510232.pdf

Bore Hole Information

Bore Hole ID:	10032260	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	427265.60
Code OB Desc:		North83:	5012442.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	06/27/1969	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		931014272			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		931014273			
Layer:		2			
Color:		3			
General Color:		BLUE			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		961510232			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10580830			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930057116			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Depth From:					
Depth To:		20.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930057117			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		991510232			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		8.0			
Recommended Pump Depth:		30.0			
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934379021			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		8.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934897378			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		8.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934640041			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		8.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934096843			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		8.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933465195			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		57.0			
Water Found Depth UOM:		ft			
<u>20</u>	1 of 1	NNW/164.7	115.9 / -1.22	TRANSPORT TRUCK MAIN & BEVERLY STS. STITTSVILLE MOTOR VEHICLE (OPERATING FLUID) GOULBOURN TWP. ON	SPL
Ref No:	975			Municipality No:	20604
Year:				Nature of Damage:	
Incident Dt:	6/14/1988			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	6/14/1988			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:		GOULBOURN TWP.			
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:					
Incident Cause:		OTHER TRANSPORTATION ACCIDENT			
Incident Preceding Spill:					
Incident Reason:		ERROR			
Incident Summary:		TRUCK-AUTO ACCIDENT - MINOR QTY. DIESEL TO ROADWAY.			
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:					
Contaminant Qty 1:					
Contaminant Unit:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		LAND			
21	1 of 1	W/165.1	116.7 / -0.36	ON	WWIS
Well ID: 1511192 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:		Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 07/07/1971 Selected Flag: TRUE Abandonment Rec: Contractor: 1558 Form Version: 1 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511192.pdf			
Additional Detail(s) (Map)					
Well Completed Date: 05/28/1971 Year Completed: 1971 Depth (m): 9.7536 Latitude: 45.2616205956625 Longitude: -75.9272918806376 X: -75.92729171974055 Y: 45.2616205892571 Path: 151\1511192.pdf					
Bore Hole Information					
Bore Hole ID: 10033189 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 05/28/1971 Remarks: Location Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source:		Elevation: Elevrc: Zone: 18 East83: 427248.60 North83: 5012432.00 Org CS: UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: p4			
		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		931016937			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		13			
Material 2 Desc:		BOULDERS			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		23.0			
Formation End Depth:		29.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		931016938			
Layer:		3			
Color:		8			
General Color:		BLACK			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		29.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		931016936			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		13			
Material 2 Desc:		BOULDERS			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		961511192			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10581759			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930058898			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991511192			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		20.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934900768			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934642871			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097725			
Test Type:		Draw Down			
Test Duration:		15			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934381711			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933466281			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			

22	1 of 1	WNW/169.6	116.9 / -0.22	lot 23 con 11 ON	WWIS
Well ID:	1502888			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	05/25/1961
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	GOULBOURN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502888.pdf				

Additional Detail(s) (Map)

Well Completed Date:	11/02/1960
Year Completed:	1960
Depth (m):	18.288
Latitude:	45.2622068588858
Longitude:	-75.9271484709684
X:	-75.92714830999124
Y:	45.26220685253459
Path:	150\1502888.pdf

Bore Hole Information

Bore Hole ID:	10024931	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	427260.60
Code OB Desc:				North83:	5012497.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11/02/1960			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995516			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995515			
Layer:		1			
Color:					
General Color:					
Material 1:		13			
Material 1 Desc:		BOULDERS			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961502888			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573501			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930042642			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042641			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502888			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		14.0			
Recommended Pump Depth:		56.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455697			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
23	1 of 1	ESE/173.4	117.9 / 0.78	lot 24 con 11 ON	WWIS
Well ID:	1502896			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Commerical			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/21/1949

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	4824
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	024
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:				STITTSVILLE VILLAGE (GOULBOURN)	
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502896.pdf			

Bore Hole Information

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995531			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502896			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573509			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042658			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		30.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042659			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		100.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pump Test ID:		991502896			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		12.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933455706			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		50.0			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933455707			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		98.0			
Water Found Depth UOM:		ft			
<hr/>					
<u>24</u>	1 of 1	ESE/173.4	117.9 / 0.78	ON	BORE
Borehole ID:	609528			Inclin FLG:	No
OGF ID:	215511144			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	DEC-1948			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.261024
Total Depth m:	30.5			Longitude DD:	-75.923114
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	427576
Drill Method:				Northing:	5012362
Orig Ground Elev m:	119			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	119				
Concession:					
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218383439			Mat Consistency:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div>Top Depth:0</div><div>Bottom Depth:9.1</div><div>Material Color:</div><div>Material 1:Sand</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:SAND.</div></div><div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div></div></div>					
<div><div><div>Geology Stratum ID:218383440</div><div>Top Depth:9.1</div><div>Bottom Depth:30.5</div><div>Material Color:Grey</div><div>Material 1:Limestone</div><div>Material 2:</div><div>Material 3:</div><div>Material 4:</div><div>Gsc Material Description:</div><div>Stratum Description:LIMESTONE. 00098LIMESTONE. GREY. 0006200060. 15500. 58ROCK. SEISMIC VELOCITY = **Note: Many records provided by the department have a truncated [Stratum Description] field.</div></div><div><div>Mat Consistency:</div><div>Material Moisture:</div><div>Material Texture:</div><div>Non Geo Mat Type:</div><div>Geologic Formation:</div><div>Geologic Group:</div><div>Geologic Period:</div><div>Depositional Gen:</div></div></div>					
<div>Source</div> <div><div><div>Source Type:Data Survey</div><div>Source Orig:Geological Survey of Canada</div><div>Source Date:1956-1972</div><div>Confidence:</div><div>Observatio:</div><div>Source Name:Urban Geology Automated Information System (UGAIS)</div><div>Source Details:File: OTTAWA1.txt RecordID: 02036 NTS_Sheet:</div><div>Confiden 1:</div></div><div><div>Source Appl:Spatial/Tabular</div><div>Source Iden:1</div><div>Scale or Res:Varies</div><div>Horizontal:NAD27</div><div>Verticalda:Mean Average Sea Level</div></div></div>					
<div>Source List</div> <div><div><div>Source Identifier:1</div><div>Source Type:Data Survey</div><div>Source Date:1956-1972</div><div>Scale or Resolution:Varies</div><div>Source Name:Urban Geology Automated Information System (UGAIS)</div><div>Source Originators:Geological Survey of Canada</div></div><div><div>Horizontal Datum:NAD27</div><div>Vertical Datum:Mean Average Sea Level</div><div>Projection Name:Universal Transverse Mercator</div></div></div>					
25	1 of 1	ESE/188.8	117.9 / 0.78	1445 Stittsville Main Street Stittsville ON K2S 1E5	EHS
<div><div><div>Order No:21071200550</div><div>Status:C</div><div>Report Type:Site Report</div><div>Report Date:13-JUL-21</div><div>Date Received:12-JUL-21</div><div>Previous Site Name:</div><div>Lot/Building Size:</div><div>Additional Info Ordered:Fire Insur. Maps and/or Site Plans</div></div><div><div>Nearest Intersection:</div><div>Municipality:</div><div>Client Prov/State:ON</div><div>Search Radius (km):.001</div><div>X:-75.9229837</div><div>Y:45.2608818</div></div></div>					
26	1 of 2	ESE/193.0	119.6 / 2.47	STITTSVILLE RUBBER STAMP INC. 1450 Main Stn Stittsville ON K2S 1A7	SCT
<div><div><div>Established:1989</div><div>Plant Size (ft²):1200</div><div>Employment:4</div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			
Description:		Office Supplies (except Paper) Manufacturing			
SIC/NAICS Code:		339940			
26	2 of 2	ESE/193.0	119.6 / 2.47	Stittsville Rubber Stamp Inc. 1450 Stittsville Main St Stittsville ON K2S 1A7	SCT
Established:		01-JAN-89			
Plant Size (ft²):		1600			
Employment:					
--Details--					
Description:		All Other Plastic Product Manufacturing			
SIC/NAICS Code:		326198			
Description:		Cutlery and Hand Tool Manufacturing			
SIC/NAICS Code:		332210			
Description:		Office Supplies (except Paper) Manufacturing			
SIC/NAICS Code:		339940			
Description:		Office Supplies (except Paper) Manufacturing			
SIC/NAICS Code:		339940			
27	1 of 1	W/194.0	117.9 / 0.80	ON	WWIS
Well ID:	1509338			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/05/1962
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1503
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1509338.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	07/26/1962				
Year Completed:	1962				
Depth (m):	24.384				
Latitude:	45.2619782285298				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-75.9275908637382			
X:		-75.92759070319237			
Y:		45.26197822260644			
Path:		150\1509338.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10031371			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427225.60
Code OB Desc:				North83:	5012472.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/26/1962			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931011972				
Layer:	2				
Color:	3				
General Color:	BLUE				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	10.0				
Formation End Depth:	80.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931011971				
Layer:	1				
Color:					
General Color:					
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961509338				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10579941			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930055394			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		80.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930055393			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991509338			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		35.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933464162			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth UOM:		ft			
28	1 of 1	N/194.4	114.2 / -2.94	ON	WWIS
Well ID: 1509354		Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st: Domestic		Data Entry Status:			
Use 2nd: 0		Data Src:		1	
Final Well Status: Water Supply		Date Received:		09/21/1964	
Water Type:		Selected Flag:		TRUE	
Casing Material:		Abandonment Rec:			
Audit No:		Contractor:		4824	
Tag:		Form Version:		1	
Constructn Method:		Owner:			
Elevation (m):		County:		OTTAWA-CARLETON	
Elevatn Relabilty:		Lot:			
Depth to Bedrock:		Concession:			
Well Depth:		Concession Name:			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:		STITTSVILLE VILLAGE			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1509354.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/01/1964			
Year Completed:		1964			
Depth (m):		21.9456			
Latitude:		45.2633044674609			
Longitude:		-75.9249994465683			
X:		-75.92499928622568			
Y:		45.26330446051708			
Path:		150\1509354.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10031387			
DP2BR:		Elevation:			
Spatial Status:		Elevrc:			
Code OB:		Zone:		18	
Code OB Desc:		East83:		427430.60	
Open Hole:		North83:		5012617.00	
Cluster Kind:		Org CS:			
Date Completed:		UTMRC:		5	
Remarks:		UTMRC Desc:		margin of error : 100 m - 300 m	
Location Method Desc:		Location Method:		p5	
Elevrc Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931012008			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931012007			
Layer:		1			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961509354			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10579957			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930055425			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		27.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930055426			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		72.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991509354			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933464180			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		51.0			
Water Found Depth UOM:		ft			
29	1 of 1	NW/194.9	117.0 / -0.14	1370 STITTSVILLE MAW ROAD OTTAWA ON	WWIS
Well ID:		7242935		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	06/11/2015
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:		Z171330		Contractor:	1844
Tag:		A173491		Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		GOULBOURN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7242935.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		05/08/2015			
Year Completed:		2015			
Depth (m):		3.96			
Latitude:		45.2630584130719			
Longitude:		-75.9264816766987			
X:		-75.92648151585678			
Y:		45.263058406214576			
Path:		724\7242935.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1005407178			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427314.00
Code OB Desc:				North83:	5012591.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	05/08/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005660989				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	84				
Material 2 Desc:	SILTY				
Material 3:	77				
Material 3 Desc:	LOOSE				
Formation Top Depth:	0.9599999785423279				
Formation End Depth:	1.5199999809265137				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005660990				
Layer:	4				
Color:					
General Color:					
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	11				
Material 2 Desc:	GRAVEL				
Material 3:	06				
Material 3 Desc:	SILT				
Formation Top Depth:	1.5199999809265137				
Formation End Depth:	3.9600000381469727				
Formation End Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005660987			
Layer:		1			
Color:		2			
General Color:		GREY			
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.05000000074505806			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005660988			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		84			
Material 2 Desc:		SILTY			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		0.05000000074505806			
Formation End Depth:		0.9599999785423279			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1005660997			
Layer:		1			
Plug From:		0.30000001192092896			
Plug To:		2.0			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1005660996			
Method Construction Code:		F			
Method Construction:		H.S.A.			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005660986			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1005660993					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 2.450000047683716					
Casing Diameter: 5.079999923706055					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1005660994					
Layer: 1					
Slot: 10					
Screen Top Depth: 2.450000047683716					
Screen End Depth: 3.9600000381469727					
Screen Material: 5					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 5.860000133514404					
<u>Water Details</u>					
Water ID: 1005660992					
Layer: 1					
Kind Code: 8					
Kind: Untested					
Water Found Depth: 2.5799999237060547					
Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1005660991					
Diameter: 20.2999999237060547					
Depth From: 0.0					
Depth To: 3.9600000381469727					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>30</u>	1 of 1	SW/197.7	116.6 / -0.53	n/a Ottawa ON	EHS
Order No: 20161004037					
Status: C					
Report Type: Standard Report					
Report Date: 11-OCT-16					
Date Received: 04-OCT-16					
Previous Site Name:					
Lot/Building Size: 165m2					
Additional Info Ordered:					
Nearest Intersection:					
Municipality: Ottawa					
Client Prov/State: QC					
Search Radius (km): .25					
X: -75.92694					
Y: 45.26028					
<u>31</u>	1 of 1	W/199.6	116.7 / -0.36	ON	BORE
Borehole ID: 609532					
OGF ID: 215511148					
Status:					
Type: Borehole					
Use:					
Completion Date: FEB-1970					
Inclin FLG: No					
SP Status: Initial Entry					
Surv Elev: No					
Piezometer: No					
Primary Name:					
Municipality:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 23.5 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 118 Elev Reliabil Note: DEM Ground Elev m: 117 Concession: Location D: Survey D: Comments:				Lot: Township: Latitude DD: 45.261302 Longitude DD: -75.927707 UTM Zone: 18 Easting: 427216 Northing: 5012397 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218383449 Top Depth: 0 Bottom Depth: 4.6 Material Color: Brown Material 1: Sand Material 2: Stones Material 3: Material 4: Gsc Material Description: Stratum Description: SAND,STONES. BROWN.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218383451 Top Depth: 6.1 Bottom Depth: 23.5 Material Color: Grey Material 1: Limestone Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: LIMESTONE. GREY. 000774500. Y. 00107ISMIC VELOCITY = 22300. BEDROCK. SEISMIC VELOC **Note: Many records provided by the department have a truncated [Stratum Description] field.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218383450 Top Depth: 4.6 Bottom Depth: 6.1 Material Color: Grey Material 1: Gravel Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: GRAVEL,SAND. GREY.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
<u>Source</u>					
Source Type: Data Survey Source Orig: Geological Survey of Canada Source Date: 1956-1972 Confidence: Observatio: Source Name: Urban Geology Automated Information System (UGAIS) Source Details: File: OTTAWA1.txt RecordID: 02040 NTS_Sheet: Confiden 1:				Source Appl: Spatial/Tabular Source Iden: 1 Scale or Res: Varies Horizontal: NAD27 Verticalda: Mean Average Sea Level	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

32	1 of 1	W/199.6	116.7 / -0.36	ON	WWIS
Well ID:	1510534			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	04/10/1970
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1503
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510534.pdf

Additional Detail(s) (Map)

Well Completed Date: 02/11/1970
Year Completed: 1970
Depth (m): 23.4696
Latitude: 45.2613021685051
Longitude: -75.9277073138109
X: -75.92770715271992
Y: 45.261302162691244
Path: 151\1510534.pdf

Bore Hole Information

Bore Hole ID: 10032561
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 02/11/1970
Remarks:
Location Method Desc: Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 427215.60
North83: 5012397.00
Org CS:
UTMRC: 5
UTMRC Desc: margin of error : 100 m - 300 m
Location Method: p5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931015141			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		12			
Material 2 Desc:		STONES			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931015142			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931015143			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961510534			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10581131			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930057703			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		24.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930057704			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		77.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		991510534			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		60.0			
Recommended Pump Depth:		70.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097167			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934379485			
Test Type:		Draw Down			
Test Duration:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934640644			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934898543			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		60.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933465551			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		77.0			
Water Found Depth UOM:		ft			

[33](#)

1 of 1

NW/202.8

115.9 / -1.22

Bayview Stittsville Inc.
1364 to 1370 Stittsville Main St Stittsville
Ottawa ON M5G 1R3

ECA

Approval No:	8498-CUJP9Q	MOE District:	Ottawa
Approval Date:	August 15, 2023	City:	
Status:	Approved	Longitude:	
Record Type:	ECA	Latitude:	
Link Source:	IDS	Geometry X:	-8452191.7128999997
SWP Area Name:	Mississippi Valley	Geometry Y:	5663161.3626999985
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Business Name:	Bayview Stittsville Inc.		
Address:	1364 to 1370 Stittsville Main St Stittsville		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2634-CU5JJ5-14.pdf		
PDF Site Location:	Landing on Main 1364 to 1370 Stittsville Main Street City of Ottawa, Ontario		

[34](#)

1 of 1

NNW/218.0

115.9 / -1.22

ON

BORE

Borehole ID:	609540	Inclin FLG:	No
OGF ID:	215511156	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:		Primary Name:	
Completion Date:		Municipality:	
Static Water Level:	4.0	Lot:	
Primary Water Use:		Township:	
Sec. Water Use:		Latitude DD:	45.263432
Total Depth m:	-999	Longitude DD:	-75.926021

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	 117 117 	Ground Surface 	 	UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	 18 427351 5012632 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	 218383468 0 8.2 Gravel GRAVEL.	 	 	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	 218383469 8.2 Brown Bedrock Limestone 	 	 	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
BEDROCK,LIMESTONE. WATER STABLE AT 372.0 FEET.ET.STONE. BROWN. 00101SMIC VELOCITY = 2 **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<u>Source</u>					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	 Data Survey Geological Survey of Canada 1956-1972 M Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 020480 NTS_Sheet: 31G05D Reliable information but incomplete.	 	 	Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	 Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
<u>Source List</u>					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	 1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada	 	 	Horizontal Datum: Vertical Datum: Projection Name:	 NAD27 Mean Average Sea Level Universal Transverse Mercator
35	1 of 1	WNW/220.5	118.2 / 1.08	lot 23 con 11 ON	WWIS
Well ID: Construction Date: Use 1st:	 1502873 Domestic	 	 	Flowing (Y/N): Flow Rate: Data Entry Status:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	09/08/1959
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502873.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		07/10/1959			
Year Completed:		1959			
Depth (m):		21.336			
Latitude:		45.2622011662489			
Longitude:		-75.9278494178326			
X:		-75.92784925709134			
Y:		45.26220115941541			
Path:		150\1502873.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10024916		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427205.60
Code OB Desc:				North83:	5012497.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		07/10/1959		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995480			
Layer:		3			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		29.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995479			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		29.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995478			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502873			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573486			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042612			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		70.0			
Casing Diameter:		4.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042611			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		38.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502873			
Pump Set At:					
Static Level:		7.0			
Final Level After Pumping:		8.0			
Recommended Pump Depth:		8.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455682			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.0			
Water Found Depth UOM:		ft			
<u>36</u>	1 of 1	E/222.5	118.9 / 1.78	1441 Stittsville Main Street Stittsville ON K2S 1E5	EHS
Order No:		23091100001		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		14-SEP-23		Search Radius (km):	.25
Date Received:		11-SEP-23		X:	-75.9223745
Previous Site Name:				Y:	45.2613197
Lot/Building Size:					
Additional Info Ordered:					
<u>37</u>	1 of 1	NW/222.9	117.9 / 0.78	1368 Stittsville Main Ottawa ON	EHS
Order No:		20150415059		Nearest Intersection:	
Status:		C		Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	15-APR-15			Search Radius (km):	.25
Date Received:	15-APR-15			X:	-75.927076
Previous Site Name:				Y:	45.26306
Lot/Building Size:					
Additional Info Ordered:	City Directory; Aerial Photos				

38	1 of 1	SSE/223.4	120.6 / 3.50	lot 23 con 11 ON	WWIS
Well ID:	1502848			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Municipal			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/03/1956
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	4824
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	STITTSVILLE VILLAGE (GOULBOURN)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502848.pdf				

Additional Detail(s) (Map)

Well Completed Date:	03/21/1956
Year Completed:	1956
Depth (m):	19.812
Latitude:	45.259665004987
Longitude:	-75.9242393370316
X:	-75.92423917551194
Y:	45.259664998158506
Path:	150\1502848.pdf

Bore Hole Information

Bore Hole ID:	10024891	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	427485.60
Code OB Desc:		North83:	5012212.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	03/21/1956	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995422			
Layer:		1			
Color:		7			
General Color:		RED			
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995423			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502848			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573461			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042561			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930042562			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		65.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502848			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455657			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		65.0			
Water Found Depth UOM:		ft			
<hr/>					
39	1 of 1	SE/225.3	119.9 / 2.78	lot 23 con 11 ON	WWIS
Well ID:	1502849			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/09/1957
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502849.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		08/07/1956			
Year Completed:		1956			
Depth (m):		23.4696			
Latitude:		45.2601237835351			
Longitude:		-75.9231633956711			
X:		-75.92316323486685			
Y:		45.26012377746281			
Path:		150\1502849.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10024892	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		18
Code OB:			East83:		427570.60
Code OB Desc:			North83:		5012262.00
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		5
Date Completed:		08/07/1956	UTMRC Desc:		margin of error : 100 m - 300 m
Remarks:			Location Method:		p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995424			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995425			
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502849			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573462			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042564			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		77.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042563			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		35.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502849			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		11.0			
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
Water Details					
Water ID:		933455658			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		77.0			
Water Found Depth UOM:		ft			
40	1 of 1	NW/226.9	117.9 / 0.78	1364, 1368, and 1370 Stittsville Main Street Stittsville ON K2S 1V4	EHS
Order No:		22030701024		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		10-MAR-22		Search Radius (km):	.25
Date Received:		07-MAR-22		X:	-75.92708025
Previous Site Name:				Y:	45.26310612
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos			
41	1 of 1	WNW/227.6	118.6 / 1.47	lot 23 con 11 ON	WWIS
Well ID:		1502853		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	10/15/1957
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502853.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		10/03/1957			
Year Completed:		1957			
Depth (m):		15.8496			
Latitude:		45.2626982549505			
Longitude:		-75.9276025898095			
X:		-75.9276024288367			
Y:		45.26269824869068			
Path:		150\1502853.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10024896			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427225.60
Code OB Desc:				North83:	5012552.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/03/1957			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930995434				
Layer:	1				
Color:					
General Color:					
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:	13				
Material 2 Desc:	BOULDERS				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	6.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930995435				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	6.0				
Formation End Depth:	52.0				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	961502853				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pipe ID:		10573466			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930042571			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930042572			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		52.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502853			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		8.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933455662			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		52.0			
Water Found Depth UOM:		ft			
<hr/>					
42	1 of 1	NW/228.9	117.9 / 0.78	1364, 1368, 1370 Stittsville Main Street Stittsville ON K2S 1V4	EHS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Order No:	21102700727			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	04-NOV-21			Search Radius (km):	.25
Date Received:	27-OCT-21			X:	-75.92709812
Previous Site Name:				Y:	45.26311894
Lot/Building Size:					
Additional Info Ordered:	Title Searches				

43	1 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
--------------------	---------	-----------	--------------	--	-----

Generator Info

Generator No:	ON6946466	Choice of Contact:	
Approval Years:	2010	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	611110
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Elementary and Secondary Schools		

Waste Detail(s)

Waste Class:	121
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	146
Waste Class Name:	OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class:	263
Waste Class Name:	ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	112
Waste Class Name:	ACID WASTE - HEAVY METALS

43	2 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
--------------------	---------	-----------	--------------	--	-----

Generator Info

Generator No:	ON6946466	Choice of Contact:	
Approval Years:	2011	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	611110
Country:			
Co Admin:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Phone No Admin:					
SIC Description:		Elementary and Secondary Schools			
 <u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
 <u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
 <u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
 <u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<hr/>					
43	3 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
 <u>Generator Info</u>					
Generator No:		ON6946466		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	
Country:				611110	
Co Admin:					
Phone No Admin:					
SIC Description:		Elementary and Secondary Schools			
 <u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
 <u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
 <u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
 <u>Waste Detail(s)</u>					
Waste Class:		146			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		OTHER SPECIFIED INORGANICS			
43	4 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON	GEN
<u>Generator Info</u>					
Generator No:	ON6946466	Choice of Contact:			
Approval Years:	2013	Contaminated Fac:			
Status:		MHSW Facility:			
PO Box No:		SIC Code: 611110			
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS				
<u>Waste Detail(s)</u>					
Waste Class:	263				
Waste Class Name:	ORGANIC LABORATORY CHEMICALS				
<u>Waste Detail(s)</u>					
Waste Class:	121				
Waste Class Name:	ALKALINE WASTES - HEAVY METALS				
<u>Waste Detail(s)</u>					
Waste Class:	146				
Waste Class Name:	OTHER SPECIFIED INORGANICS				
<u>Waste Detail(s)</u>					
Waste Class:	148				
Waste Class Name:	INORGANIC LABORATORY CHEMICALS				
<u>Waste Detail(s)</u>					
Waste Class:	112				
Waste Class Name:	ACID WASTE - HEAVY METALS				

43

5 of 11

ESE/231.1

118.9 / 1.78

Ottawa-Carleton District School Board
1453 Stittsville Main St.
Stittsville ON K2S 1A3

GEN

Generator Info

Generator No:	ON6946466	Choice of Contact:	CO_OFFICIAL
Approval Years:	2016	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	611110
Country:	Canada		
Co Admin:	Greg Benson		
Phone No Admin:	613-596-8211 Ext.8549		
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			

43

6 of 11

ESE/231.1

118.9 / 1.78

**Ottawa-Carleton District School Board
1453 Stittsville Main St.
Stittsville ON K2S 1A3**

GEN

Generator Info

Generator No:	ON6946466	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	611110
Country:	Canada		
Co Admin:	Greg Benson		
Phone No Admin:	613-596-8211 Ext.8549		
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS		

Waste Detail(s)

Waste Class:	112
Waste Class Name:	ACID WASTE - HEAVY METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>43</u>	7 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN

Generator Info

Generator No:	ON6946466	Choice of Contact:	CO_OFFICIAL
Approval Years:	2014	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	611110
Country:	Canada		
Co Admin:	Greg Benson		
Phone No Admin:	613-596-8211 Ext.8549		
SIC Description:	ELEMENTARY AND SECONDARY SCHOOLS		

Waste Detail(s)

Waste Class:	263
Waste Class Name:	ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	121
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	122
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<hr/>					
43	8 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board Health & Safety 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
<u>Generator Info</u>					
Generator No:	ON6946466			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		212 B			
Waste Class Name:		Aliphatic solvents and residues			
<u>Waste Detail(s)</u>					
Waste Class:		263 B			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		263 I			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		122 C			
Waste Class Name:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
<u>Waste Detail(s)</u>					
Waste Class:		146 C			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		146 R			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		148 C			
Waste Class Name:		Misc. wastes and inorganic chemicals			
 <u>Waste Detail(s)</u>					
Waste Class:		112 C			
Waste Class Name:		Acid solutions - containing heavy metals			
 <u>Waste Detail(s)</u>					
Waste Class:		148 I			
Waste Class Name:		Misc. wastes and inorganic chemicals			
 <u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			

[43](#)

9 of 11

ESE/231.1

118.9 / 1.78

**Ottawa-Carleton District School Board Health & Safety
1453 Stittsville Main St.
Stittsville ON K2S 1A3**

GEN

Generator Info

Generator No: ON6946466
Approval Years: As of Jul 2020
Status: Registered
PO Box No:
Country: Canada
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code:

Waste Detail(s)

Waste Class: 145 I
Waste Class Name: Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class: 146 C
Waste Class Name: Other specified inorganic sludges, slurries or solids

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		212 B		Aliphatic solvents and residues	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 I		Misc. waste organic chemicals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 I		Misc. wastes and inorganic chemicals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		121 C		Alkaline slutions - containing heavy metals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		146 R		Other specified inorganic sludges, slurries or solids	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 C		Misc. wastes and inorganic chemicals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		146 T		Other specified inorganic sludges, slurries or solids	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 I		Waste compressed gases including cylinders	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		112 C		Acid solutions - containing heavy metals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 B		Misc. waste organic chemicals	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		145 L		Wastes from the use of pigments, coatings and paints	
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		122 C			
Waste Class Name:		Alkaline slutions - containing other metals and non-metals (not cyanide)			

43	10 of 11	ESE/231.1	118.9 / 1.78	Ottawa-Carleton District School Board Health & Safety 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
--------------------	----------	-----------	--------------	--	-----

Generator Info

Generator No:	ON6946466	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	263 I
Waste Class Name:	Misc. waste organic chemicals

Waste Detail(s)

Waste Class:	122 C
Waste Class Name:	Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Detail(s)

Waste Class:	331 I
Waste Class Name:	Waste compressed gases including cylinders

Waste Detail(s)

Waste Class:	145 L
Waste Class Name:	Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Waste Class:	148 C
Waste Class Name:	Misc. wastes and inorganic chemicals

Waste Detail(s)

Waste Class:	112 C
Waste Class Name:	Acid solutions - containing heavy metals

Waste Detail(s)

Waste Class:	145 I
Waste Class Name:	Wastes from the use of pigments, coatings and paints

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		146 R			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			
 <u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		148 I			
Waste Class Name:		Misc. wastes and inorganic chemicals			
 <u>Waste Detail(s)</u>					
Waste Class:		212 B			
Waste Class Name:		Aliphatic solvents and residues			
 <u>Waste Detail(s)</u>					
Waste Class:		146 C			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		263 B			
Waste Class Name:		Misc. waste organic chemicals			
<hr/>					
43	11 of 11	ESE/231.1	118.9 / 1.78	1453 Stittsville Main St Ottawa ON K2S 1A3	EHS
Order No:	24032700678			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	02-APR-24			Search Radius (km):	.25
Date Received:	27-MAR-24			X:	-75.9224542
Previous Site Name:				Y:	45.2607891
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
44	1 of 3	E/234.1	118.9 / 1.78	1441 Stittsville Main St Ottawa ON K2S1E5	EHS
Order No:	20140407006			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	10-APR-14			Search Radius (km):	.25
Date Received:	07-APR-14			X:	-75.922879
Previous Site Name:				Y:	45.261265
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
44	2 of 3	E/234.1	118.9 / 1.78	Vos Trailers Ltd. 1441 Stittsville Main Street Stittsville ON K2S 1A9	GEN
<u>Generator Info</u>					
Generator No:	ON3153927			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	441210
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:		RECREATIONAL VEHICLE DEALERS			
<u>Waste Detail(s)</u>					
Waste Class:	221				
Waste Class Name:	LIGHT FUELS				
44	3 of 3	E/234.1	118.9 / 1.78	1441 Stittsville Main Street Stittsville ON K2S 1E5	EHS
Order No:	21011500038			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	20-JAN-21			Search Radius (km):	.25
Date Received:	15-JAN-21			X:	-75.9222192
Previous Site Name:				Y:	45.2613647
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; Aerial Photos			
45	1 of 1	W/238.0	117.9 / 0.80	lot 23 con 11 ON	WWIS
Well ID:	1502851			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/15/1957
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	023
Depth to Bedrock:				Concession:	11
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE (GOULBOURN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502851.pdf			
<u>Additional Detail(s) (Map)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Well Completed Date:		07/25/1957			
Year Completed:		1957			
Depth (m):		16.4592			
Latitude:		45.2616130379544			
Longitude:		-75.9282222186356			
X:		-75.92822205786096			
Y:		45.261613031443105			
Path:		150\1502851.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10024894			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427175.60
Code OB Desc:				North83:	5012432.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07/25/1957			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930995430				
Layer:	2				
Color:					
General Color:					
Material 1:	14				
Material 1 Desc:	HARDPAN				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	17.0				
Formation End Depth:	21.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930995431				
Layer:	3				
Color:	2				
General Color:	GREY				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	21.0				
Formation End Depth:	54.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995429			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961502851			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573464			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042568			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		54.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042567			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502851			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		10.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:					
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455660			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		54.0			
Water Found Depth UOM:		ft			

46	1 of 1	ESE/241.0	119.9 / 2.78	Ottawa-Carleton District School Board 1453 Stittsville Main St. Stittsville ON K2S 1A3	GEN
--------------------	--------	-----------	--------------	--	-----

Generator Info

Generator No:	ON6946466	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	148 C
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	121 C
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	146 C
Waste Class Name:	OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class:	145 L
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:			263 I		
Waste Class Name:			ORGANIC LABORATORY CHEMICALS		
<u>Waste Detail(s)</u>					
Waste Class:			212 B		
Waste Class Name:			ALIPHATIC SOLVENTS		
<u>Waste Detail(s)</u>					
Waste Class:			146 T		
Waste Class Name:			OTHER SPECIFIED INORGANICS		
<u>Waste Detail(s)</u>					
Waste Class:			148 I		
Waste Class Name:			INORGANIC LABORATORY CHEMICALS		
<u>Waste Detail(s)</u>					
Waste Class:			146 R		
Waste Class Name:			OTHER SPECIFIED INORGANICS		
<u>Waste Detail(s)</u>					
Waste Class:			331 I		
Waste Class Name:			WASTE COMPRESSED GASES		
<u>Waste Detail(s)</u>					
Waste Class:			263 B		
Waste Class Name:			ORGANIC LABORATORY CHEMICALS		
<u>Waste Detail(s)</u>					
Waste Class:			112 C		
Waste Class Name:			ACID WASTE - HEAVY METALS		
<u>Waste Detail(s)</u>					
Waste Class:			145 I		
Waste Class Name:			PAINT/PIGMENT/COATING RESIDUES		
<u>Waste Detail(s)</u>					
Waste Class:			122 C		
Waste Class Name:			ALKALINE WASTES - OTHER METALS		
<u>Waste Detail(s)</u>					
Waste Class:			263 L		
Waste Class Name:			ORGANIC LABORATORY CHEMICALS		
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		263 T			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>2017 Generator Info</u>					
Gen No:	ON6946466			Choice of Contact:	CO_OFFICIAL
ID:	27280			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	1453 Stittsville Main St.				
Site Bldg:	Frederick Banting Secondary Alternate Program				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Stittsville				
Province Out:					
Site Postal Code:	K2S 1A3				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				
<u>2017 Generator Manifest</u>					
ID:	53408			Sum Received Qty:	7.0
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	B			District:	201
Waste Code:	263				
<u>2018 Generator Info</u>					
Gen No:	ON6946466			Choice of Contact:	CO_OFFICIAL
ID:	27678			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	1453 Stittsville Main St.				
Site Bldg:	Frederick Banting Secondary Alternate Program				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Stittsville				
Province Out:					
Site Postal Code:	K2S 1A3				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2018 Generator Manifest</u>					
ID:	53389			Sum Received Qty:	8.0
Generator No:	ON6946466			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	C			District:	201
Waste Code:	148				
<u>2018 Generator Manifest</u>					
ID:	53391			Sum Received Qty:	1.0
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	I			District:	201
Waste Code:	263				
<u>2018 Generator Manifest</u>					
ID:	53390			Sum Received Qty:	12.5
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	2
Waste Char:	B			District:	201
Waste Code:	263				
<u>2019 Generator Info</u>					
Gen No:	ON6946466			Choice of Contact:	CO_OFFICIAL
ID:	27943			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	1453 Stittsville Main St.				
Site Bldg:	Frederick Banting Secondary Alternate Program				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Stittsville				
Province Out:					
Site Postal Code:	K2S 1A3				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				
<u>2019 Generator Manifest</u>					
ID:	53331			Sum Received Qty:	6.0
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	B			District:	201
Waste Code:	263				
<u>2019 Generator Manifest</u>					
ID:	53330			Sum Received Qty:	2.0
Generator No:	ON6946466			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char: Waste Code:	C 148			District:	201
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	53332 ON6946466 035 I 331			Sum Received Qty: Waste Class Name: Count Manifests: District:	10.0 WASTE COMPRESSED GASES 1 201
<u>2020 Generator Info</u>					
Gen No: ID: Contaminated Fac: MHSW Facility: NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	ON6946466 27657 N N 611110 Ottawa-Carleton District School Board Health & Safety Ottawa-Carleton District School Board Health & Safety 1453 Stittsville Main St. Frederick Banting Secondary Alternate Program ONTARIO Stittsville K2S 1A3 Canada Clint Vester Greg Benson			Choice of Contact: Phone No Official: Phone No Admin: County Ont: County Out: District:	CO_OFFICIAL 613-596-8211 Ext.8495 613-596-8211 Ext.8549 OTTAWA CARLTON (RM) 402
<u>2020 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	49801 ON6946466 035 I 145			Sum Received Qty: Waste Class Name: Count Manifests: District:	80.0 PAINT/PIGMENT/COATING RESIDUES 1 201
<u>2020 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	49804 ON6946466 035 I 331			Sum Received Qty: Waste Class Name: Count Manifests: District:	2.5 WASTE COMPRESSED GASES 1 201
<u>2020 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	49803 ON6946466 035 I 263			Sum Received Qty: Waste Class Name: Count Manifests: District:	129.0 ORGANIC LABORATORY CHEMICALS 1 201
<u>2020 Generator Manifest</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	49802			Sum Received Qty:	184.0
Generator No:	ON6946466			Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	201
Waste Code:	145				
2021 Generator Info					
Gen No:	ON6946466			Choice of Contact:	CO_OFFICIAL
ID:	28151			Phone No Official:	613-596-8211 Ext.8495
Contaminated Fac:	N			Phone No Admin:	613-596-8211 Ext.8549
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	611110			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	Ottawa-Carleton District School Board				
Gen Div:	Health & Safety				
Gen Op Name:	Ottawa-Carleton District School Board				
Gen Op Div:	Health & Safety				
Site Adrs1:	1453 Stittsville Main St.				
Site Bldg:	Frederick Banting Secondary Alternate Program				
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Stittsville				
Province Out:					
Site Postal Code:	K2S 1A3				
Site Country:	Canada				
Co Official:	Clint Vester				
Co Admin:	Greg Benson				
2021 Generator Manifest					
ID:	51754			Sum Received Qty:	0.5
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	201
Waste Code:	263				
2021 Generator Manifest					
ID:	51753			Sum Received Qty:	5.0
Generator No:	ON6946466			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	B			District:	201
Waste Code:	263				
47	1 of 1	W/243.5	118.2 / 1.08	lot 23 con 11 ON	WWIS
Well ID:	1502870			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12/19/1958
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3114
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevatn Reliability:			Lot:	023	
Depth to Bedrock:			Concession:	11	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			STITTSVILLE VILLAGE (GOULBOURN)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502870.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/31/1958			
Year Completed:		1958			
Depth (m):		16.764			
Latitude:		45.2617025233217			
Longitude:		-75.9282874072171			
X:		-75.92828724587703			
Y:		45.26170251666911			
Path:		150\1502870.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10024913		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427170.60
Code OB Desc:				North83:	5012442.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		10/31/1958		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995471			
Layer:		2			
Color:					
General Color:					
Material 1:		14			
Material 1 Desc:		HARDPAN			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		21.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		930995472			
Layer:		3			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		22.0			
Formation End Depth:		55.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930995470			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		21.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		961502870			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10573483			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930042605			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		33.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930042606			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		55.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991502870			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:		5.0			
Recommended Pump Depth:					
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455679			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		55.0			
Water Found Depth UOM:		ft			
48	1 of 1	W/245.6	116.9 / -0.22	ON	WWIS
Well ID:		1510420		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		STITTSVILLE VILLAGE			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510420.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		10/28/1969			
Year Completed:		1969			
Depth (m):		16.764			
Latitude:		45.2609830148317			
Longitude:		-75.9282119518341			
X:		-75.92821179107248			
Y:		45.2609830084575			
Path:		151\1510420.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10032448			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	427175.60
Code OB Desc:				North83:	5012362.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/28/1969			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931014841				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	09				
Material 1 Desc:	MEDIUM SAND				
Material 2:	13				
Material 2 Desc:	BOULDERS				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	12.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931014842				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	15				
Material 1 Desc:	LIMESTONE				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	12.0				
Formation End Depth:	55.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961510420			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10581018			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930057485			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930057486			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		55.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		991510420			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934096934			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934378416			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934640550			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934897472			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		10.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933465405			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		53.0			
Water Found Depth UOM:		ft			

49	1 of 2	NE/249.6	121.9 / 4.81	ENBRIDGE GAS INC 15 BEECHFERN DR,,STITTSVILLE,ON,K2S 1E3, CA ON	PINC
Incident Id:				Pipe Material:	
Incident No:	3066186			Fuel Category:	
Incident Reported Dt:	6/23/2021			Health Impact:	
Type:	FS-Pipeline Incident			Environment Impact:	
Status Code:				Property Damage:	
Tank Status:	Pipeline Damage Reason Est			Service Interrupt:	
Task No:				Enforce Policy:	
Spills Action Centre:				Public Relation:	
Fuel Type:				Pipeline System:	
Fuel Occurrence Tp:				PSIG:	
Date of Occurrence:				Attribute Category:	
Occurrence Start Dt:				Regulator Location:	
Depth:				Method Details:	
Customer Acct Name:	ENBRIDGE GAS INC				
Incident Address:	15 BEECHFERN DR,,STITTSVILLE,ON,K2S 1E3,CA				
Operation Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
49	2 of 2	NE/249.6	121.9 / 4.81	15 Beechfern Dr, Stittsville, Ottawa, ON OTTAWA ON	SPL
Ref No: 1-LP8YZ Year: Incident Dt: 6/23/2021 6:45:00 AM Dt MOE Arvl on Scn: MOE Reported Dt: 6/23/2021 8:33:00 AM Dt Document Closed: 8/18/2021 1:22:27 PM Site No: MOE Response: Desktop Response Site County/District: Site Geo Ref Meth: Site District Office: Ottawa District Office Nearest Watercourse: Site Name: Site Address: 15 Beechfern Dr, Stittsville, Ottawa, ON Site Region: Site Municipality: OTTAWA Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: ENBRIDGE CONSUMERS GAS Client Type: Private Business Source Type: Pipeline/Components Incident Cause: Incident Preceding Spill: Line Strike Incident Reason: Incident Summary: TSSA- Enbridge: 1/2" plastic service line hit, mae safe Environment Impact: 0 No Impact Health Env Consequence: Nature of Impact: Contaminant Qty: 0 other - see notes Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: NATURAL GAS Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Air Activity Preceding Spill: Construction or repair Property 2nd Watershed: Central Ottawa Property Tertiary Watershed: 02KF-Central Ottawa - Mississippi Sector Type: NATURAL GAS DISTRIBUTION SAC Action Class: Call Report Locatn Geodata: {"integration_ids":["PR00003885204"],"wks":["POINT (-75.923219 45.263488)"],"creation_date":"2021-06-23"} Time Reported: System Facility Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	1 of 1	E/249.8	118.9 / 1.78	lot 24 con 11 ON	WWIS
<div><div><div><div><div>Well ID:</div><div>1502891</div></div><div><div>Construction Date:</div><div></div></div><div><div>Use 1st:</div><div>Public</div></div><div><div>Use 2nd:</div><div>0</div></div><div><div>Final Well Status:</div><div>Water Supply</div></div><div><div>Water Type:</div><div></div></div><div><div>Casing Material:</div><div></div></div><div><div>Audit No:</div><div></div></div><div><div>Tag:</div><div></div></div><div><div>Constructn Method:</div><div></div></div><div><div>Elevation (m):</div><div></div></div><div><div>Elevatn Reliabilty:</div><div></div></div><div><div>Depth to Bedrock:</div><div></div></div><div><div>Well Depth:</div><div></div></div><div><div>Overburden/Bedrock:</div><div></div></div><div><div>Pump Rate:</div><div></div></div><div><div>Static Water Level:</div><div></div></div><div><div>Clear/Cloudy:</div><div></div></div><div><div>Municipality:</div><div>STITTSVILLE VILLAGE (GOULBOURN)</div></div><div><div>Site Info:</div><div></div></div></div><div><div><div>Flowing (Y/N):</div><div></div></div><div><div>Flow Rate:</div><div></div></div><div><div>Data Entry Status:</div><div></div></div><div><div>Data Src:</div><div>1</div></div><div><div>Date Received:</div><div>05/17/1948</div></div><div><div>Selected Flag:</div><div>TRUE</div></div><div><div>Abandonment Rec:</div><div></div></div><div><div>Contractor:</div><div>4824</div></div><div><div>Form Version:</div><div>1</div></div><div><div>Owner:</div><div></div></div><div><div>County:</div><div>OTTAWA-CARLETON</div></div><div><div>Lot:</div><div>024</div></div><div><div>Concession:</div><div>11</div></div><div><div>Concession Name:</div><div>CON</div></div><div><div>Easting NAD83:</div><div></div></div><div><div>Northing NAD83:</div><div></div></div><div><div>Zone:</div><div></div></div><div><div>UTM Reliability:</div><div></div></div></div></div></div> <div>PDF URL (Map):https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1502891.pdf</div>					
<div><div><div><div><div><div>Additional Detail(s) (Map)</div></div></div><div><div><div><div>Well Completed Date:</div><div>03/01/1947</div></div><div><div>Year Completed:</div><div>1947</div></div><div><div>Depth (m):</div><div>25.6032</div></div><div><div>Latitude:</div><div>45.2610325693807</div></div><div><div>Longitude:</div><div>-75.9220947217862</div></div><div><div>X:</div><div>-75.92209456065343</div></div><div><div>Y:</div><div>45.261032562526296</div></div><div><div>Path:</div><div>150\1502891.pdf</div></div></div></div></div></div></div>					
<div><div><div><div><div><div>Bore Hole Information</div></div></div><div><div><div><div>Bore Hole ID:</div><div>10024934</div></div><div><div>DP2BR:</div><div></div></div><div><div>Spatial Status:</div><div></div></div><div><div>Code OB:</div><div></div></div><div><div>Code OB Desc:</div><div></div></div><div><div>Open Hole:</div><div></div></div><div><div>Cluster Kind:</div><div></div></div><div><div>Date Completed:</div><div>03/01/1947</div></div><div><div>Remarks:</div><div></div></div><div><div>Location Method Desc:</div><div>Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m</div></div><div><div>Elevrc Desc:</div><div></div></div><div><div>Location Source Date:</div><div></div></div><div><div>Improvement Location Source:</div><div></div></div><div><div>Improvement Location Method:</div><div></div></div><div><div>Source Revision Comment:</div><div></div></div><div><div>Supplier Comment:</div><div></div></div></div></div></div></div><div><div><div><div>Elevation:</div><div></div></div><div><div>Elevrc:</div><div></div></div><div><div>Zone:</div><div>18</div></div><div><div>East83:</div><div>427655.60</div></div><div><div>North83:</div><div>5012362.00</div></div><div><div>Org CS:</div><div></div></div><div><div>UTMRC:</div><div>5</div></div><div><div>UTMRC Desc:</div><div>margin of error : 100 m - 300 m</div></div><div><div>Location Method:</div><div>p5</div></div></div></div></div>					
<div><div><div><div><div><div>Overburden and Bedrock</div></div></div><div><div><div><div>Materials Interval</div></div></div></div><div><div><div><div>Formation ID:</div><div>930995521</div></div><div><div>Layer:</div><div>1</div></div><div><div>Color:</div><div></div></div></div></div></div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930995522			
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		84.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961502891			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10573504			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930042648			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		84.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930042647			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		30.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		991502891			
Pump Set At:					
Static Level:		16.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933455700			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		16.0			
Water Found Depth UOM:		ft			

Unplottable Summary

Total: 11 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	M. HOLITZNER HOMES LTD.- MANOR HOME DEVEL	PRIVATE RD.-LOT 24, CONC. 11	GOULBOURN TWP. ON	
CA		Lot 24, Concession 11, Amberlakes	Goulbourn ON	
CA	Loblaws	Lot 24, Conc. 11, Block 32, Plan 4M- 1103	Ottawa ON	
CA		Lot 24, Concession 11, Stittsville	Goulbourn ON	
CA	M. HOLITZNER HOMES LTD.- MANOR HOMES DEVE	PRIVATE RD.-LOT 24, CONC. 11	GOULBOURN TWP. ON	
CA	Amberlakes	Lot 24, Concession 11	Goulbourn ON	
CA	Loblaws	Lot 24, Conc. 11, Block 32, Plan 4M- 1103	Ottawa ON	
CA	635372 ONTARIO INC.	WINTERGREEN DRIVE (SWM)	GOULBOURN TWP. ON	
CA	635372 ONTARIO INC.	WINTERGREEN DR./POOLE CREEK	GOULBOURN TWP. ON	
CA		Lot 24, Concession 11, Amberlakes	Goulbourn ON	
SPL	CP BULK SYSTEMS	STITTSVILLE MAIN ST. ESSO SERVICE STATION TANK TRUCK (CARGO)	GOULBOURN TWP. ON	

Unplottable Report

Site: M. HOLITZNER HOMES LTD.-MANOR HOME DEVEL
PRIVATE RD.-LOT 24, CONC. 11 GOULBOURN TWP. ON

Database:
CA

Certificate #: 3-1120-90-
Application Year: 90
Issue Date: 6/26/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Lot 24, Concession 11, Amberlakes Goulbourn ON

Database:
CA

Certificate #: 4724-4NEJHJ
Application Year: 00
Issue Date: 8/22/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: T.L. Properties Iv Ltd.
Client Address: 104 Centrepointhe Drive, #200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: Construction of watermains on Amberlakes Drive, Stowgrass Crescent, and the Easement from 65 m west of Stowgrass Crescent (east).
Contaminants:
Emission Control:

Site: Loblaws
Lot 24, Conc. 11, Block 32, Plan 4M- 1103 Ottawa ON

Database:
CA

Certificate #: 5813-4UUTBU
Application Year: 01
Issue Date: 3/28/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: T. L. Properties IV Ltd.
Client Address: 104 Centrepointhe Drive, Suite 200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: Watermains to be constructed on Easement, Part 24, Plan 4R- 16275
Contaminants:
Emission Control:

Site: Lot 24, Concession 11, Stittsville Goulbourn ON

Database:
CA

Certificate #: 8705-4NQHP3

Application Year: 00
Issue Date: 9/7/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: T.L. Properties Iv Ltd.
Client Address: 104 Centrepoinde Drive, #200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: This application is for the construction of a storm water management pond and outlet for quantity and quality control including a forebay, permanent pool, extended storage, outlet structure and overflow spillway to Poole Creek.
Contaminants:
Emission Control:

Site: **M. HOLITZNER HOMES LTD.-MANOR HOMES DEVE**
PRIVATE RD.-LOT 24, CONC. 11 GOULBOURN TWP. ON

Database:
CA

Certificate #: 7-0909-90-
Application Year: 90
Issue Date: 6/26/1990
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Amberlakes**
Lot 24, Concession 11 Goulbourn ON

Database:
CA

Certificate #: 8052-4NQL6E
Application Year: 00
Issue Date: 9/1/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: T.L. Properties IV Ltd.
Client Address: 104 Centrepoinde Drive, #200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: Storm sewers to be constructed on Amberlakes Drive, Stowgrass Crescent, the Easement from Stowgrass Drive to the Storm Pond, and the Easement from Northeast of Main Street to Southeast of Hazeldean Road
Contaminants:
Emission Control:

Site: **Loblaws**
Lot 24, Conc. 11, Block 32, Plan 4M- 1103 Ottawa ON

Database:
CA

Certificate #: 4714-4UUTU4
Application Year: 01
Issue Date: 3/28/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: T. L. Properties IV Ltd.
Client Address: 104 Centrepoinde Drive, Suite 200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: Sanitary and storm sewers to be constructed on Easement, Part 23, Plan 4R-16275
Contaminants:

Emission Control:

Site: 635372 ONTARIO INC.
WINTERGREEN DRIVE (SWM) GOULBOURN TWP. ON

Database:
CA

Certificate #: 3-0086-96-
Application Year: 96
Issue Date: 4/1/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 635372 ONTARIO INC.
WINTERGREEN DR./POOLE CREEK GOULBOURN TWP. ON

Database:
CA

Certificate #: 3-0085-96-
Application Year: 96
Issue Date: 2/19/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Lot 24, Concession 11, Amberlakes Goulbourn ON

Database:
CA

Certificate #: 5854-4NEJ4U
Application Year: 00
Issue Date: 8/22/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: T.L. Properties Iv Ltd.
Client Address: 104 Centrepoinde Drive, #200
Client City: Nepean
Client Postal Code: K2G 6B1
Project Description: Construction of sanitary sewers on Amberlakes Drive, Stowgrass Crescent and the Easement from 40 m west of Stowgrass Crescent (east), and the Easement from 60 m north of Stowgrass Crescent (east)
Contaminants:
Emission Control:

Site: CP BULK SYSTEMS
STITTSVILLE MAIN ST. ESSO SERVICE STATION TANK TRUCK (CARGO) GOULBOURN TWP. ON

Database:
SPL

Ref No:	32340	Municipality No:	20604
Year:		Nature of Damage:	
Incident Dt:	3/20/1990	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	3/20/1990	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			

MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: GOULBOURN TWP.
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: CONTAINER OVERFLOW
Incident Preceding Spill:
Incident Reason: ERROR
Incident Summary: CP BULK SYSTEMS-MAX200 L.GASOLINE TO GROUND FROM UND-GROUND TANK, DELIVERY
Environment Impact: NOT ANTICIPATED
Health Env Consequence:
Nature of Impact:
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

AGR

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole:

Provincial

BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:Federal [CDRY](#)

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:Provincial [CFOT](#)

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:Private [CHM](#)

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

Compressed Natural Gas Stations:Private [CNG](#)

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -May 2024

Inventory of Coal Gasification Plants and Coal Tar Sites:Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Oct 2024

Certificates of Property Use:Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Nov 30, 2024

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024**Delisted Fuel Tanks:**

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023**Environmental Activity and Sector Registry:**

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Oct 31, 2024**Environmental Registry:**

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Nov 30, 2024**Environmental Compliance Approval:**

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Oct 31, 2024**Environmental Effects Monitoring:**

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024**Environmental Issues Inventory System:**

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022**Environmental Penalty Annual Report:**

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2023**List of Expired Fuels Safety Facilities:**

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023**Federal Convictions:**

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007***Contaminated Sites on Federal Land:**

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2024**Fisheries & Oceans Fuel Tanks:**

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021**Fuel Storage Tank:**

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2022

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2024

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2022

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024**National Pollutant Release Inventory - Historic:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2024**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Nov 30, 2024

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Oct 31, 2024

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Mar 2024; May 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Nov 30, 2024

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2024

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct 2024

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Oct 31, 2024

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX E
MECP Water Well Records

316/5d 7"25

15 No 2829

UTM 18 427315 E

5 R 5012285 N


Elev. 4 R 0387

Basin 25



ONTARIO

The Well Drillers Act
Department of Mines, Province of Ontario



Water Well Record

CONC XI LOT 23

STITTSVILLE

Village, Town or City (Goulbourn)

Stittsville

Date Completed January 28 1949 Cost of Well (excluding pump) \$204.20

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4"	Date Jan 28/49
Length(s) of casing(s) 12'	Static level 17' - 12'
Type of screen	Pumping level no discharge
Length of screen	Pumping rate 200 g.p.h.
Distance from top of screen to ground level	Duration of test 1 1/2 hr
Is well a gravel-wall type? gravel	Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral) fresh	Depth(s) to Water Horizon(s) 55'	Kind of Water hard	No. of Feet Water Rises 38'
Quality (hard, soft, contains iron, sulphur, etc.) hard	65'		53'
Appearance (clear, cloudy, coloured) clear			
For what purpose(s) is the water to be used? house			
How far is well from possible source of contamination? 40 yds			
What is the source of contamination? toilet			
Enclose a copy of any mineral analysis that has been made of water			

Well Log

Overburden and Bedrock Record


From To

0 ft. 12 ft.

12 68

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside? flat

Drilling Firm J.P. Sparks

Address Stittsville

Name of Driller J.P. Sparks

Date Nov 22/52

Address

License Number

Signature of Licensee J.P. Sparks

UTM 18Z 427325 E5 R 5012300 NElev. 4 R 0387Basin 25 1 1 1Con XI

lot 23



ONTARIO

RECEIVED 15

No

2842

73

GEOLOGICAL BRANCH

DEPARTMENT OF MINES

The Well Drillers Act

Department of Mines, Province of Ontario

STITTSVILLE

(Gouldsboro)

Water Well Record

County or Territorial District Carleton Township Stittsville Village or Town or City Stittsville
 Con. 11 Lot 23 Street and Number (if in Village, Town or City) Highway #15
 Owner Presbyterian Church Address Stittsville, Ont.
 Date Completed 3 (day) Aug (month) 55 (year) Cost of Well (excluding pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4"
 Length(s) of casing(s) 25 ft.
 Type of screen No screen
 Length of screen
 Distance from top of screen to ground level
 Is well a gravel-wall type? NO.

Date Aug 3 1955
 Static level 815 ft.
 Pumping level 28 ft.
 Pumping rate 200 g.p.h.
 Duration of test 1/2 hour
 Distance from cylinder or bowls to ground level

Water Record

Kind (fresh or mineral)	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
<u>fresh</u>			
<u>soft</u>			
<u>clear</u>			
For what purpose(s) is the water to be used? <u>church</u>	<u>75 ft.</u>	<u>fresh</u>	<u>60 ft.</u>
How far is well from possible source of contamination? <u>70 ft.</u>			
What is the source of contamination? <u>septic tank</u>			
Enclose a copy of any mineral analysis that has been made of water <u> </u>			

Well Log

Overburden and Bedrock Record

From

To


0 ft.

...ft.

red sand025gray limestone2575

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside? upland
 Drilling Firm H. P. Sparks
 Address Stittsville, Ont.
 Name of Driller Clayton Sparks Address Stittsville, Ont.
 Date Aug 3 1955 Licence Number 396

31G/5d. "A"


UTM ~~10~~² 4 2 7 3 4 5 E

5 R 5 0 1 2 3 0 0 N


Elev. 4 R 0 3 8 6

Basin 2 5

Con. XI



ONTARIO



BW

The Well Drillers Act

Department of Mines, Province of Ontario

STITTSVILLE

(Goulbourn)

Lot 23

Water Well Record

County or Territorial District Carleton Township Stittsville

Con. 11 Lot 23 Street and Number (if in Village, Town or City) Highway #15

Owner [Redacted] Address Stittsville Ont.

Date Completed 15 (day) Aug (month) 55 (year) Cost of Well (excluding pump)

Pipe and Casing Record

Pumping Test

Casing diameter(s) <u>4"</u>	Date <u>Aug. 15 1955</u>
Length(s) of casing(s) <u>25 ft.</u>	Static level <u>18 ft.</u>
Type of screen <u>NO screen</u>	Pumping level <u>24 ft.</u>
Length of screen <u> </u>	Pumping rate <u>250 g.p.h.</u>
Distance from top of screen to ground level <u> </u>	Duration of test <u>12 hours</u>
Is well a gravel-wall type? <u>NO</u>	Distance from cylinder or bowls to ground level <u> </u>

Water Record

Kind (fresh or mineral) <u>fresh</u>	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Quality (hard, soft, contains iron, sulphur, etc.) <u>soft</u>			
Appearance (clear, cloudy, coloured) <u>clear</u>			
For what purpose(s) is the water to be used? <u>private home</u>	<u>75 ft.</u>	<u>fresh</u>	<u>57</u>
How far is well from possible source of contamination? <u>55 ft.</u>			
What is the source of contamination? <u>septic tank</u>			
Enclose a copy of any mineral analysis that has been made of water <u> </u>			

Well Log


Overburden and Bedrock Record

From	To
0 ft.ft.
0	25
25	75

Red sand
gray limestone

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Situation: Is well on upland, in valley, or on hillside? hillside

Drilling Firm F. P. Sparks

Address Stittsville Ont.

Name of Driller F. P. Sparks Address Stittsville Ont.

Date Aug. 15 1955 Licence Number 396

Clayton H. Sparks
Signature of Licensee

BN



5^R | 5 | 0 | 1 | 1 | 9 | 9 | 0 | ^N


Elev. 4R 0 3 9 9

Basın 23

Lot 23

The Water-well Drillers Act, 1954

Department of Mines



STITTSVILLE

(Good Boy)

Water-Well Record

County or Territorial District.....*Orleton*.....Township, Village, Town or City.....*Stationsville Dist.*

Village, Town or City) Alexander Ave
Address Stittsville Ont.

(day)

(month)

(year)

Pipe and Casing Record

Pumping Test

Casing diameter(s)	<u>4 inch</u>	Static level	<u>15 feet</u>
Length(s)	<u>20 feet</u>	Pumping rate	<u>200 g.p.h.</u>
Type of screen	<u>no screen</u>	Pumping level	<u>20 ft.</u>
Length of screen	Duration of test	<u>half hour</u>

Well Log

Water Record

[illegible]

For what purpose(s) is the water to be used?

Summer Cottages

Is water clear or cloudy?.....clear.....

Is well on upland, in valley, or on hillside? valley

Drilling firm F. P. Sparks

Address Stillville

Name of Driller Clayton Sparks

Address 1000 1st St. N.E.

Licence Number 396


I certify that the foregoing
statements of fact are true.

Date: Mar 21st Clayton H. Sparks

Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



AW

15 · № 2849

ONTARIO

The Water-well Drillers Act, 1954
Department of Mines

RECEIVED
80 JAN 9 1957
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

Water-Well Reco

County or Territorial District.....Carleton.....Township, Village, Town or City.....(Laurelton)
Con.....11.....Lot.....523.....Street and Number (if in Village, Town or City).....
Owner[REDACTED].....AddressStittsville.....
Date completed7.....Aug.....1956
(day) (month) (year)

Pipe and Casing Record

Pumping Test

Casing diameter(s)	4"	Static level	8 ft
Length(s)	35 ft	Pumping rate	300
Type of screen		Pumping level	11 ft
Length of screen		Duration of test	1/2 hr.

Well Log

Water Record

[illegible]

For what purpose(s) is the water to be used?

Domestic

Is water clear or cloudy?.....*clear*.....

Is well on upland, in valley, or on hillside? Upland

Drilling firm Walter J. King

Address Britannia Heights P.O.

44 Kempster Ave.

Name of Driller Walter J. King

Address

Licence Number.....733.....

I certify that the foregoing
statements of fact are true.

Date Aug 7/56 Walter J. King
Signature of Licensee

Signature of Licensee

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.

A hand-drawn diagram showing the location of a house relative to a highway and a road. A horizontal line at the bottom is labeled "ALEXANDERS". A vertical line on the right is labeled "Highway #15". A small circle representing a house is located 28 ft north of the horizontal line and 150 ft west of the vertical line. A north arrow points towards the top right.

Form 5

Form 5

316/5d. "A"

UTM 1 8 Z 4 2 7 1 4 0 E

5 R 5 0 1 2 2 2 0 N


Elev. 4 R 9 3 9 3

Basin 1205 23 1



ONTARIO

The Water-well Drillers Act, 1954
Department of Mines



Water-Well Record STITTSVILLE

County or Territorial District CARLTON Township, Village, Town or City (Kouligourn)

Village, Town or City

Address

(day)

(month)

(year)

Pipe and Casing Record

Pumping Test

Casing diameter(s) 4"
Length(s) 33'
Type of screen NO
Length of screen

Static level 4
Pumping rate 350 GPM
Pumping level 5
Duration of test 1/2 hr

Well Log

Water Record

Overburden and Bedrock Record

From
ft.To
ft.Depth (s)
at which
water (s)
foundNo. of feet
water risesKind of water
(fresh, salty,
or sulphur)SAND021HARD PAN2122LIMESTONE22555551FRESH

For what purpose(s) is the water to be used?

HOUSE

Is water clear or cloudy? CLEAR

Is well on upland, in valley, or on hillside?

Drilling firm

Address

Name of Driller W J KING

Address BRITANIA HTS

Licence Number 722


I certify that the foregoing
statements of fact are true.

Date DEC 15 W J King

Signature of Licensee

Location of Well

In diagram below show distances of well from
road and lot line. Indicate north by arrow.



PLAN 683


LOT 36

Form 5
15M-58-4149

316/5d. "A"

C

UTM 182 427120E
5R 5012230N
Elev. 47 0395
Basin 25 23



2874

X

The Ontario Water Resources Commission Act, 1957

WATER WELL RECORD

County or District CARleton Township, Village, Town or City STITTSVILLE (BOULBOURN)
Con. 81 Lot 23 Date completed 22 July 1959
Owner STITTSVILLE LUMBER CO. Address (print in block letters)

Casing and Screen Record

Pumping Test

Inside diameter of casing	4"	Static level	7
Total length of casing	38'	Test-pumping rate	5 G.P.M.
Type of screen	-	Pumping level	8
Length of screen	-	Duration of test pumping	1 HR
Depth to top of screen	-	Water clear or cloudy at end of test	CLEAR
Diameter of finished hole	4"	Recommended pumping rate	5 G.P.M.
		with pumping level of	8

Well Log


Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	No. of feet water rises	Kind of water (fresh, salty, sulphur)
SAND	0	27			
CLAY	27	29			
LIMESTONE	29	70	70	63	FRESH

For what purpose(s) is the water to be used?
House
Is well on upland, in valley, or on hillside?
Upland
Drilling Firm WALTER J KING
Address 48 WEMPESTER
BRITANNIA HTS
Licence Number 70
Name of Driller SAME
Address _____
Date AUG 27/59
W J King
(Signature of Licensed Drilling Contractor)


Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



PLAN 683
LOT 38

UTM 18 2 4 2 7 6 2 5 E
5 R 5 0 1 2 1 4 0 N
Elev. 4 R 0 3 9 5
Basin 2 5



15 No 2891
RECEIVED
51 MAY 17 1948
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

The Well Drillers Act
Department of Mines, Province of Ontario

Water Well Record

County or District *Chilton* Village *STITTSVILLE* *Con. 11*
Owner *S.S. No. 12* *Goulbourne* Address *Stittsville* Acres *1 acre*
Date Completed *Mar 1/47* Cost of Well (not including pump) *\$285.00*

Pipe and Casing Record

Pumping Test

Casing diameter(s) <i>5"</i>	Date <i>1/1/47</i>
Length(s) of casing(s) <i>30 ft.</i>	Developed Capacity <i>114 ft</i>
Length of screen <i>no screen</i>	Duration of Test <i>16 1/2</i>
Type of screen <i>"</i>	Pumping Rate <i>"</i>
Type of pump <i>no pump</i>	Drawdown <i>"</i>
Capacity of pump <i>"</i>	Static level of completed well <i>114 ft</i>
Depth of pump setting <i>"</i>	Is well a gravel-wall type? <i>gravel sand rock</i>

Water Record

Kind (fresh or mineral)	Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
<i>clear</i>	<i>16'</i>	<i>hard</i>	<i>98</i>
Quality (hard, soft, contains iron, sulphur etc.) <i>hard</i>			
Appearance (clear, cloudy, coloured) <i>clear</i>			
For what purpose(s) is the water to be used? <i>school</i>			
How far is well from possible source of contamination? <i>50 yds</i>			
What is source of contamination? <i>septic tank</i>			
Enclose a copy of any mineral analysis that has been made of water			

Well Log

Drift and Bedrock Record

	From	To
<i>sand - fine gravel</i>	<i>0 ft.</i>	<i>30 ft.</i>
<i>limestone - rock</i>	<i>30'</i>	<i>84'</i>
<i>(to see static level)</i>		<i>114'</i>

RECEIVED
MAR 24 1949
GEOLOGICAL BRANCH
DEPARTMENT OF MINES

Location of Well

In diagram below show distances of well from road and lot line

100 yds from Highway 15 east side

S HIGHWAY - 15 N
about 1/4 mi from C.P.R. tracks E Con. 11

Situation: Is well on upland, in valley, or on hillside? *in flat*
Drilling Firm *J.P. Sparks*
Address *Stittsville*
Recorded by *J.P. Sparks* Address *Stittsville*
Date *April 23/48* Licence Number *138*

Situation: Is well on upland, in valley, or on hillside? *lowland*

Drilling Firm *F P Sparks*

Address *Stittsville Ont*

Recorded by *F P Sparks* Address *Stittsville*

Date *Dec 8/49* Licence Number *133*

316/5d. "A"


UTIM ~~58~~ Z 4 2 7 1 1 9 5 F

5 R 5 0 1 1 2 2 5 0 N

The Ontario Water Resources Commission Act

Elev. 4 R 0 3 9 0

WATER WELL RECORD

Basin 2 5
County or DistrictCon. ~~#~~ ~~Belt~~ ~~lot~~ ~~25~~

Township, Village, Town or City

Date completed

(day)

month

year

Owner

(print in block letters)

Address

Casing and Screen Record

Inside diameter of casing 5"
Total length of casing 20'
Type of screen
Length of screen
Depth to top of screen
Diameter of finished hole 5"

Pumping Test

Static level 15'
Test-pumping rate 10 G.P.M.
Pumping level 35'
Duration of test pumping 1/2 hr
Water clear or cloudy at end of test cloudy
Recommended pumping rate 10 G.P.M.
with pump setting of 50' feet below ground surface

Well Log

Overburden and Bedrock Record

sand
blue black lime

From
ft.To
ft.Depth(s) at
which water(s)
foundKind of water
(fresh, salty,
sulphur)0
1010
80

75-80

fresh

For what purpose(s) is the water to be used?

household

Is well on upland, in valley, or on hillside?

upland

Drilling or Boring Firm

Capital Water
Supply

Address

1243 Heron Rd
Ottawa

Licence Number

482

Name of Driller or Borer

S Huff

Address

Date 26 July 1962

Halter Kavanagh
(Signature of Licensed Drilling or Boring Contractor)


Form 7 5M-61-3852

OWRC COPY

Location of Well

In diagram below show distances of well from
road and lot line. Indicate north by arrow.

Village
of
Stittsville



UTM 1182 4274000

316/5d. "A"



15 N°

0354

5R 50112395N

The Ontario Water Resources Commission Act

Elev. 4R 0380

WATER WELL RECORD

Basin 25

County or District

CARLETON

Township, Village, Town or City

STITTSVILLE

Con.

Lot

Date completed

(day)

month

year

1

1966

64

Address

STITTSVILLE

Casing and Screen Record

Inside diameter of casing 4
Total length of casing 27
Type of screen
Length of screen
Depth to top of screen
Diameter of finished hole 4

Pumping Test

Static level 20
Test-pumping rate 5 G.P.M.
Pumping level 25
Duration of test pumping 1 Hr
Water clear or cloudy at end of test CLEAN
Recommended pumping rate 5 G.P.M.
with pump setting of 60 feet below ground surface

Well Log

Overburden and Bedrock Record

GRAVEL

From ft.

To ft.

0

27

Limestone

27

72

Depth(s) at which water(s) found

51-72

Kind of water (fresh, salty, sulphur)

FRESH

For what purpose(s) is the water to be used?

HOUSE

Is well on upland, in valley, or on hillside?

Drilling or Boring Firm

F. P. SPARKS

Address

STITTSVILLE

Licence Number

1543

Name of Driller or Borer

Same

Address

Date

SEP 14/64


F. P. Sparks
(Signature of Licensed Drilling or Boring Contractor)

Form 7 15M-60-4138

OWRC COPY

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



CPS, 58

CODED



Water management in Ontario

1509630

The Ontario Water Resources Commission Act

WATER WELL RECORD

County or District

Con.

Lot

Township, Village, Town or City

Date completed

(day

month

year)

Address

Casing and Screen Record

Inside diameter of casing 5"
 Total length of casing 18'
 Type of screen
 Length of screen
 Depth to top of screen
 Diameter of finished hole 5"

Pumping Test

Static level
 Test-pumping rate 10 G.P.M.
 Pumping level 18
 Duration of test pumping 1 hr
 Water clear or cloudy at end of test
 Recommended pumping rate 5 G.P.M.
 with pump setting of 30 feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record

From
ft.To
ft.Depth(s) at
which water(s)
foundKind of water
(fresh, salty,
sulphur)

sandy gravel & boulders
limestone

011'38'fresh11'40'

For what purpose(s) is the water to be used?

new houseIs well on upland, in valley or on hillside?Drilling or Boring Firm Capital Water Supply Ltd.Address 14 Ashford Dr
Ottawa 6Licence Number 2857Name of Driller or Borer V. Marion

Address

Date 20 Nov-1968

Thalter Kavanagh
 (Signature of Licensed Drilling or Boring Contractor)


Form 7

OWRC COPY

Plan 836Lot 1

Location of Well

In diagram below show distances of well from
 road and lot line. Indicate north by arrow.



C-138

1 8 2 4 2 7 2 7 0
4 5 0 1 2 2 6 0
5 2 0 3 8 5



Water management in Ontario

316/5d

1510073

The Ontario Water Resources Commission Act

WATER WELL RECORD

County or District Carl Township, Village, Town or City Stittsville
Con. 4 Date completed 4 Mar 1969
(day month year)
Address 474 Byron Ave
Ottawa

Casing and Screen Record	Pumping Test
Inside diameter of casing <u>5</u>	Static level <u>9</u>
Total length of casing <u>14'</u>	Test-pumping rate <u>8</u> G.P.M.
Type of screen	Pumping level <u>24'</u>
Length of screen	Duration of test pumping <u>1 hr</u>
Depth to top of screen	Water clear or cloudy at end of test
Diameter of finished hole <u>5"</u>	Recommended pumping rate <u>5</u> G.P.M.
	with pump setting of <u>40</u> feet below ground surface

Well Log

Water Record

Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
<u>sandy gravel</u>	<u>0</u>	<u>7</u>	<u>62</u>	<u>fresh</u>
<u>limestone</u>	<u>7</u>	<u>64</u>		

For what purpose(s) is the water to be used?
new house

Is well on upland, in valley, or on hillside?
Capital Water Supply Ltd.

Drilling or Boring Firm
14 Ashford Dr

Address
Ottawa 6

Licence Number
3216


Name of Driller or Borer
H Brown

Address
4 Mar 1969

Date
Halter Lavanagh
(Signature of Licensed Drilling or Boring Contractor)

Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.





LOT	25-27
-----	-------

DATE COMPLETED	48-53
----------------	-------

4 Byron Ave Ottawa DATE COMPLETED 48-53 DAY 01 MO. 12 YR. 70

12235

RC.	ELEVATION
4	0.285

RC.	BASIN CODE
4	25

The first system of musical notation for 'The Song of the Lark' is shown. It consists of a single staff with a treble clef and a key signature of one flat (B-flat). The melody begins with a quarter rest, followed by a quarter note G4, an eighth note A4, and a quarter note Bb4. Below the staff, there are three measures of a piano accompaniment, each marked with a Roman numeral: II, III, and IV. The first measure of the accompaniment has a quarter note G2, a quarter note A2, and a quarter note Bb2. The second measure has a quarter note G2, a quarter note A2, and a quarter note Bb2. The third measure has a quarter note G2, a quarter note A2, and a quarter note Bb2.

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

31 0014209N 010631ST

41 WATER RECORD

51 CASING & OPEN HOLE RECORD

SCREEN	SIZE(S) OF OPENING (SLOT NO.)	31-33	DIAMETER	34-38	LENGTH	39-40
	INCHES			FEET		
	MATERIAL AND TYPE	DEPTH TO TOP OF SCREEN		41-44	80	
				FEET		


61 PLUGGING & SEALING RECORD

DEPTH SET AT - FEET		MATERIAL AND TYPE (CEMENT GROUT, LEAD PACKER, ETC.)
FROM	TO	
10-13	14-17	
18-21	22-25	
26-29	30-33	80

PUMPING TEST	PUMPING TEST METHOD		10	PUMPING RATE		11-14	DURATION OF PUMPING	
	<input type="checkbox"/> PUMP <input checked="" type="checkbox"/> BAILER			0010		GPM	01 15-16 00 17-18 HOURS MINS.	
	STATIC LEVEL 007 19-21 7		WATER LEVEL END OF PUMPING 22-24 014		25 WATER LEVELS DURING		1 <input checked="" type="checkbox"/> PUMPING 2 <input type="checkbox"/> RECOVERY	
	FEET 15 MINUTES 26-28 014		FEET 30 MINUTES 29-31 014		FEET 45 MINUTES 32-34 014		FEET 60 MINUTES 35-37 014	
	IF FLOWING, GIVE RATE		38-41 GPM.		PUMP INTAKE SET AT		WATER AT END OF TEST 42-43	
RECOMMENDED PUMP TYPE <input checked="" type="checkbox"/> SHALLOW <input type="checkbox"/> DEEP		RECOMMENDED PUMP SETTING 030		43-45 FEET		RECOMMENDED PUMPING RATE 0005		46-49 GPM.
50-53 001.4		GPM./FT. SPECIFIC CAPACITY						

LOCATION OF WELL

IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.



DRILLERS REMARKS:

**FINAL
STATUS
OF WELL**

- 1 ☒ WATER SUPPLY
2 ☒ OBSERVATION WELL
3 ☐ TEST HOLE
4 ☐ RECHARGE WELL
5 ☐ ABANDONED, INSUFFICIENT SUPPLY
6 ☐ ABANDONED, POOR QUALITY
7 ☐ UNFINISHED

WATER USE

- 1 ☒ DOMESTIC
2 ☐ STOCK
3 ☐ IRRIGATION
4 ☐ INDUSTRIAL
5 ☐ COMMERCIAL
6 ☐ MUNICIPAL
7 ☐ PUBLIC SUPPLY
8 ☐ COOLING OR AIR CONDITIONING
9 ☐ NOT USED
10 ☐ OTHER

METHOD OF DRILLING

- 1 ☒ CABLE TOOL 100-106 6 ☐ BORING
2 ☐ ROTARY (CONVENTIONAL) 7 ☐ DIAMOND
3 ☐ ROTARY (REVERSE) 8 ☐ JETTING
4 ☐ ROTARY (AIR) 9 ☐ DRIVING
5 ☒ AIR PERCUSSION 100


CONTRACTOR

NAME OF WELL CONTRACTOR		LICENCE NUMBER
Capital Water Supply		1558
ADDRESS		
14 Ashford Dr Ottawa		
NAME OF DRILLER OR BORE		LICENCE NUMBER
Havanagh & C. Maurice		
SIGNATURE OF CONTRACTOR	SUBMISSION DATE	
Robert Havanagh	MO. _____ YR. _____	


OFFICE USE ONLY

DATA SOURCE	58	CONTRACTOR	59-62	DATE RECEIVED	63-68	80
1		1558		230271		
DATE OF INSPECTION		INSPECTOR				
REMARKS:					P <i>[Signature]</i>	
					WI <i>[Signature]</i>	

OWRC COPY




OWRC COPY



CON

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

61 PLUGGING & SEALING RECORD			
DEPTH SET AT - FEET		MATERIAL AND TYPE (CEMENT GROUT, LEAD PACKER, ETC.)	
FROM	TO		
10-13	14-17		
18-21	22-25		
26-29	30-33	80	

OFFICE USE ONLY	DATA SOURCE	58	CONTRACTOR	59-62	DATE RECEIVED	63-68	BO
	1		1558		P 30172		
	DATE OF INSPECTION		INSPECTOR				
REMARKS:		<div style="text-align: right;">P </div> <div style="text-align: right;">WI</div>					

OWRC COPY



Measurements recorded in: ☒ Metric ☐ Imperial

Address of Well Location (Street Number/Name) 1370 STITTSTVILLE MAW ROAD			Township		Lot		Concession		
County/District/Municipality			City/Town/Village OTTAWA			Province Ontario		Postal Code	
UTM Coordinates NAD 83		Zone 18		Easting 427314		Northing 5012591		Municipal Plan and Sublot Number	
								Other	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GREY	FILL (CRUSHED STONE)			0	0.05
BR/DK GREY	SILTY SAND	TRACE SILT	VERY LOOSE	0.05	0.96
GRAY BROWN	SILTY SAND	TRACE ROOTS	VERY LOOSE	0.96	1.52
	SAND & GRAVEL	TRACE SILT, COBBLES, BOULDER	COMPACT TO DENSE	1.52	3.96

Annular Space		
Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)
0.3	2.0	BENTONITE

Method of Construction		Well Use		
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input checked="" type="checkbox"/> Other, specify	HSA	<input type="checkbox"/> Other, specify		

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To	
5.08	PVC	SCHED 40	0	2.45	<input type="checkbox"/> Water Supply
					<input type="checkbox"/> Replacement Well
					<input type="checkbox"/> Test Hole
					<input type="checkbox"/> Recharge Well
					<input type="checkbox"/> Dewatering Well
					<input checked="" type="checkbox"/> Observation and/or Monitoring Hole
					<input type="checkbox"/> Alteration (Construction)
					<input type="checkbox"/> Abandoned, Insufficient Supply
					<input type="checkbox"/> Abandoned, Poor Water Quality
					<input type="checkbox"/> Abandoned, other, specify
					<input type="checkbox"/> Other, specify

Construction Record - Screen					
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To	
5.86	PVC	10	2.45	3.96	

Water Details		Hole Diameter		
Water found at Depth 2.58 (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested	Depth (m/ft) From	To	Diameter (cm/in)
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	0	3.96	20.3
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested			
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify			
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested			
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify			

Well Contractor and Well Technician Information			
George Downing Estate Drilling #1844		Licence No.	
110 rue Principale Grenville-sur-la-Rouge			
2C J0V 1B0			
downing@hawk.igs.net			
819) 242-6469			
Stephen Downing			
Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted	
2173		20150525	

Results of Well Yield Testing			
After test of well yield, water was:		Draw Down	
<input type="checkbox"/> Clear and sand free		Time (min)	Water Level (m/ft)
<input type="checkbox"/> Other, specify			
If pumping discontinued, give reason:		Static Level	
		1	1
Pump intake set at (m/ft)		2	2
Pumping rate (l/min / GPM)		3	3
Duration of pumping hrs + min		4	4
Final water level end of pumping (m/ft)		5	5
If flowing give rate (l/min / GPM)		10	10
		15	15
Recommended pump depth (m/ft)		20	20
		25	25
Recommended pump rate (l/min / GPM)		30	30
Well production (l/min / GPM)		40	40
Disinfected?		50	50
<input type="checkbox"/> Yes <input type="checkbox"/> No		60	60

Map of Well Location
Please provide a map below following instructions on the back.
Comments: SEE ATTACHED

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	Date Work Completed	
	20150508	Audit No. 3171330
		Received

A173491

Z 171 330



C-1844 Z171330.

JUN 11 2015



A173531

15-4

Measurements recorded in: ☒ Metric ☐ Imperial

Address of Well Location (Street Number/Name) 1364 STITTSVILLE MAIN STREET		Township		Lot		Concession	
County/District/Municipality		City/Town/Village OTTAWA		Province Ontario		Postal Code	
UTM Coordinates NAD 83		Zone Easting 18427277		Northing 5012636		Municipal Plan and Sublot Number	
				Other			

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)					
General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	
From	To				
	TOPSOIL			0	0.05
BR, Dk grey BR	SAND	SOME SILT, TRACE GRAVEL	VERY LOOSE TO LOOSE	0.05	1.07
BROWN	SAND	TRACE SILT	VERY LOOSE	1.07	1.52
GRY BROWN	SANDY SILT	SOME SAND SEAMS	LOOSE, WET	1.52	2.29
GRY BROWN	SAND & GRAVEL	TRACE SILT, (COBBLE), BOULDERS	COMPACT TO VERY DENSE	2.29	5.79
	PROBABLE WEATHERED BEDROCK			5.79	6.0

Annular Space			
Depth Set at (m/ft)		Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
From	To		
0.3	0.9	BENTONITE	
3.05	3.35	BENTONITE	

Method of Construction		Well Use		
<input type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input checked="" type="checkbox"/> Other, specify	HSA	<input type="checkbox"/> Other, specify		

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
			From	To	
5.08	PVC	SCHED 40	0	4.48	<input type="checkbox"/> Water Supply
					<input type="checkbox"/> Replacement Well
					<input type="checkbox"/> Test Hole
					<input type="checkbox"/> Recharge Well
					<input type="checkbox"/> Dewatering Well
					<input checked="" type="checkbox"/> Observation and/or Monitoring Hole
					<input type="checkbox"/> Alteration (Construction)
					<input type="checkbox"/> Abandoned, Insufficient Supply
					<input type="checkbox"/> Abandoned, Poor Water Quality
					<input type="checkbox"/> Abandoned, other, specify
					<input type="checkbox"/> Other, specify

Construction Record - Screen				
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	
			From	To
5.80	PVC	10	4.48	6.00

Water Details		Hole Diameter		
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, <i>specify</i> _____	Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested	Depth (m/ft)		Diameter (cm/in)
		From	To	
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, <i>specify</i> _____	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	0	6.0	20.3
Water found at Depth (m/ft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, <i>specify</i> _____	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested			

Well Contractor and Well Technician Information			
us	George Downing Estate Drilling	# 1844	ce No.
us	410 rue Principale	Grenville-sur-la-Rouge	
ro	QC J0V 1B0	downing@hawk.igs.net	
us	(819) 242-6469	Bruce Downing	
Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted	
2173		20150525	

Results of Well Yield Testing			
After test of well yield, water was:		Draw Down	
<input type="checkbox"/> Clear and sand free		Time (min)	Water Level (m/ft)
<input type="checkbox"/> Other, specify		Static Level	
If pumping discontinued, give reason:		1	1
Pump intake set at (m/ft)		2	2
Pumping rate (l/min / GPM)		3	3
Duration of pumping hrs + min		4	4
Final water level end of pumping (m/ft)		5	5
If flowing give rate (l/min / GPM)		10	10
Recommended pump depth (m/ft)		15	15
Recommended pump rate (l/min / GPM)		20	20
Well production (l/min / GPM)		25	25
Disinfected?		30	30
<input type="checkbox"/> Yes <input type="checkbox"/> No		40	40
		50	50
		60	60

Map of Well Location	
Please provide a map below following instructions on the back.	
Comments: SEE ATTACHED	
Well owner's information package delivered	Date Package Delivered
<input type="checkbox"/> Yes	Y Y Y Y M M D D
<input type="checkbox"/> No	Date Work Completed
	20150507
Ministry Use Only	
Audit No.	
2171329	
JUN 11 2015	

A173531

2171329




C-1844 2171329

JUN 11 2015

APPENDIX F

Topographic Mapping



Ontario Base Mapping (OBM) Data

Order No. 25010800051

+	Spot Height (metre)	—	Transportation Structure	—	Contour Line	■	Wooded Area
■	Building Point	—	Utility Line	■	Pit or Quarry	■	Conservation Authority
⚡	Towers	—	Water Structure	■	Waterbody	■	Conservation Area
●	Utility Site Point	—	Drainage Line Feature	■	Wetlands	■	Municipal Park
—	Misc. Line	—	River or Stream	■	Concession	■	Provincial Park
—+—	Railroads	■	Airports	■	Lots	■	National Park
—	Roads	■	Tanks	■	Municipality	■	Nature Reserve
- - -	Trail	■	Building to Scale	■	Land Ownership		

APPENDIX G

Aerial Photographs



LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 1932
A4432-35
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP1





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 1945
A9610-112
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP2





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 1963
A18155-74
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP3





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 1976
SOURCE: GEOOTTAWA
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP4





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 1991
SOURCE: GEOOTTAWA
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE


FEBRUARY 2025

PROJECT

240811

AP5





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE - 2005
SOURCE: GEOOTTAWA
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP6





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSTOWN MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE 2015
SOURCE: GEOOTTAWA
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.

DATE

FEBRUARY 2025

PROJECT

240811

AP7





LRL

ENGINEERING | INGÉNIERIE

5430 Canotek Road | Ottawa, ON, K1J 9G2
www.lrl.ca | (613) 842-3434

PROJECT

PHASE ONE
ENVIRONMENTAL SITE ASSESSMENT
1412 STITTSVILLE MAIN STREET
OTTAWA, ONTARIO

DRAWING TITLE

AERIAL IMAGE 2022
SOURCE: GEOOTTAWA
(NOT TO SCALE)

CLIENT

ELITE LIVING DEVELOPMENTS INC.


DATE

FEBRUARY 2025

PROJECT

240811

AP8



APPENDIX H

Site Visit Photographs





SITE VISIT PHOTOGRAPHS

Our File Ref.: 240811

Client: Elite Living Developments

Project: Phase One Environmental Site Assessment

Site Location: 1412 Stittsville Main Street, Ottawa, Ontario

Photograph No. 1	
Date: 1/27/2025	
Description From east facing west across entirety of the Site.	
Photograph No. 2	
Date: 1/27/2025	
Description From west facing east across entirety of the Site.	



Photograph No. 3

Date: 1/27/2025

Description

Western extent of the Site facing west towards Commercial – personal care facility. Overgrown vegetation present along western extent of the Site.



Photograph No. 4

Date: 1/27/2025

Description

Pad mounted generator – dated 2015.



Photograph No. 5

Date: 1/23/2025

Description

Facing south towards
the adjacent
Residential
development
immediately south of
the Site.



Photograph No. 6

Date: 1/23/2025

Description

From west facing east
along the northern
extent of the Site.
Adjacent property
Commercial
development visible in
photograph.



Photograph No. 7

Date: 1/23/2025

Description

Facing east of the Site. Stittsville Main Street followed by Residential development.



Photograph No. 8

Date: 1/23/2025

Description

From northwest to east along the northern extent of the adjacent Commercial development to the north of the Site.



Photograph No. 9

Date: 1/23/2025

Description

Community centre and arena to the west of the Site – registered waste generator.



Photograph No. 10

Date: 1/23/2025

Description

Waste collection dumpsters and used cooking oil collection container observed on the adjacent property to the north.



Photograph No. 11

Date: 1/23/2025

Description

From east facing west along the southern extent of the adjacent property to the north. Food cooking oil drum present in the photograph.



Photograph No. 12

Date: 1/23/2025

Description

Facing south from the approximate south-central limit of the Site. Commercial – Densit Office and Residential developments are present in the background.



APPENDIX I

Table 2 of Schedule D of O. Reg. 153/04

Ontario Regulation 153/04 – Schedule D
Summary of Potentially Contaminating Activities & Areas of Potential Environmental Concern

Acid and Alkali Manufacturing, Processing and Bulk Storage	Explosives and Firing Range	Petroleum-derived Gas Refining, Manufacturing, Processing and Bulk Storage
Adhesives and Resins Manufacturing, Processing and Bulk Storage	Fertilizer Manufacturing, Processing and Bulk Storage	Pharmaceutical Manufacturing and Processing
Airstrips and Hangars Operation	Fire Retardant Manufacturing, Processing and Bulk Storage	Plastics (including Fibreglass) Manufacturing and Processing
Antifreeze and De-icing Manufacturing and Bulk Storage	Fire Training	Port Activities, including Operation and Maintenance of Wharves and Docks
Asphalt and Bitumen Manufacturing	Flocculants Manufacturing, Processing and Bulk Storage	Pulp, Paper and Paperboard Manufacturing and Processing
Battery Manufacturing, Recycling and Bulk Storage	Foam and Expanded Foam Manufacturing and Processing	Rail Yards, Tracks and Spurs
Boat Manufacturing	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	Rubber Manufacturing and Processing
Chemical Manufacturing, Processing and Bulk Storage	Gasoline and Associated Products Storage in Fixed Tanks	Salt Manufacturing, Processing and Bulk Storage
Coal Gasification	Glass Manufacturing	Salvage Yard, including automobile wrecking
Commercial Autobody Shops	Importation of Fill Material of Unknown Quality	Soap and Detergent Manufacturing, Processing and Bulk Storage
Commercial Trucking and Container Terminals	Ink Manufacturing, Processing and Bulk Storage	Solvent Manufacturing, Processing and Bulk Storage
Concrete, Cement and Lime Manufacturing	Iron and Steel Manufacturing and Processing	Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
Cosmetics Manufacturing, Processing and Bulk Storage	Metal Treatment, Coating, Plating and Finishing	Tannery
Crude Oil Refining, Processing and Bulk Storage	Metal Fabrication	Textile Manufacturing and Processing
Discharge of Brine related to oil and gas production	Mining, Smelting and Refining; Ore Processing; Tailings Storage	Transformer Manufacturing, Processing and Use
Drum and Barrel and Tank Reconditioning and Recycling	Oil Production	Treatment of Sewage equal to or greater than 10,000 litres per day
Dye Manufacturing, Processing and Bulk Storage	Operation of Dry Cleaning Equipment (where chemicals are used)	Vehicles and Associated Parts Manufacturing
Electricity Generation, Transformation and Power Stations	Ordnance Use	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
Electronic and Computer Equipment Manufacturing	Paints Manufacturing, Processing and Bulk Storage	Wood Treating and Preservative Facility and Bulk Storage of Treated and Preserved Wood Products
Explosives and Ammunition Manufacturing, Production and Bulk Storage	Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	