


TOPOGRAPHIC SKETCH OF SHEET 1 OF 5

**PART OF LOT 3
CONCESSION 3
GEOGRAPHIC TOWNSHIP OF MARCH
CITY OF OTTAWA**

FARLEY, SMITH & DENIS SURVEYING LTD. 2024

Scale 1: 250



Metric Note

Distances and/or coordinates on this plan are in metres and can be converted to feet by dividing by 0.3048.

Boundary Note

This Sketch is to be read in conjunction with a Plan of Survey dated January 17, 2024 (FSD Ref. 464-23)

Elevation Notes

- Elevations shown are geodetic and are referred to Geodetic Datum CGVD-1928 :1978, (Monument No. 19770765)
- It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

Utility Notes

- This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
- Only visible surface utilities were located.
- A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

Caution Note

- This is NOT a Plan of Survey and shall not be used except for the purpose indicated in the title block.
- This Sketch is protected by Copyright ©.

Notes & Legend

○ MH-ST	Denotes	Maintenance Hole (Storm)
○ MH-S	"	Maintenance Hole (Sanitary)
○ MH-B	"	Maintenance Hole (Bell)
○ MH-H	"	Maintenance Hole (Hydro)
○ MH-W	"	Maintenance Hole (Water)
○ MH	"	Maintenance Hole (Unidentified)
— ST —	"	Underground Storm Sewer
— S —	"	Underground Sanitary Sewer
— W —	"	Underground Water
— P —	"	Underground Hydro
— G —	"	Underground Gas
— B —	"	Underground Bell
— FO —	"	Underground Fibre Optic
— OHW —	"	Overhead Wires
○ UP	"	Utility Pole
○ AN	"	Anchor
○ LS	"	Light Standard
□ CB	"	Catch Basin
○ FH	"	Fire Hydrant
□ TB-C	"	Cable Terminal Box
□ TB-B	"	Bell Terminal Box
○ DP	"	Disabled Parking
○ H-T	"	Hydro Transformer
○ Inv.	"	Invert
○ T/G	"	Top of Grate
— U/Eave —	"	Underside of Eave
— T/Fdn —	"	Top of Foundation
— El —	"	Elevation
— C/L —	"	Centreline
— W —	"	Water Valve
— G —	"	Gas Meter
— B —	"	Bollard
— S —	"	Sign
— Ø —	"	Diameter
— SRW —	"	Stone Retaining Wall
+ 65.00	"	Location of Elevations
+ 65.00	"	Top of Concrete Curb / Retaining Wall Elevation
—	"	Deciduous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.
—	"	Coniferous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.

TOPOGRAPHIC DATA WAS COLLECTED UNDER WINTER CONDITIONS. SNOW COVER AND ICE PRECLUDE DETERMINING LOCATION AND ELEVATION OF SOME TOPOGRAPHICAL DATA THAT IS OTHERWISE VISIBLE.

WARNING: NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FARLEY, SMITH & DENIS SURVEYING LTD. © FARLEY, SMITH & DENIS SURVEYING LTD., 2024.

Fieldwork was completed on the 11th day of January, 2024.

January 17th, 2024
Date

[Signature]
Daniel Robinson
Ontario Land Surveyor

FARLEY, SMITH & DENIS SURVEYING LTD.

ONTARIO LAND SURVEYORS
CANADA LAND SURVEYORS



Unit 275, 30 COLONNADE ROAD, OTTAWA, ONTARIO K2E 7J6
TEL: (613) 727-8226 E-mail: fdsurveys@belnet.ca

REVISION NOTE:

This plan was revised to show inverts and diameters of storm pipes.

March 15th, 2024
Date

[Signature]
Daniel Robinson
Ontario Land Surveyor



TOPOGRAPHIC SKETCH OF SHEET 2 OF 5

**PART OF LOT 3
CONCESSION 3
GEOGRAPHIC TOWNSHIP OF MARCH
CITY OF OTTAWA**

FARLEY, SMITH & DENIS SURVEYING LTD. 2024
Scale 1: 250

Metric Note
Distances and/or coordinates on this plan are in metres and can be converted to feet by dividing by 0.3048.

Boundary Note
This Sketch is to be read in conjunction with a Plan of Survey dated January 17, 2024 (FSD Ref. 464-23)

Elevation Notes
1. Elevations shown are geodetic and are referred to Geodetic Datum CGVD-1928 -1978. (Monument No. 19770765)
2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

Utility Notes
1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
2. Only visible surface utilities were located.
3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

Caution Note
a) This is NOT a Plan of Survey and shall not be used except for the purpose indicated in the title block.
b) This Sketch is protected by Copyright ©.

Notes & Legend

○ MH-ST	Denotes Maintenance Hole (Storm)
○ MH-S	Maintenance Hole (Sanitary)
○ MH-B	Maintenance Hole (Bell)
○ MH-H	Maintenance Hole (Hydro)
○ MH-W	Maintenance Hole (Water)
○ MH	Maintenance Hole (Unidentified)
— ST	Underground Storm Sewer
— S	Underground Sanitary Sewer
— W	Underground Water
— P	Underground Hydro
— G	Underground Gas
— B	Underground Bell
— FO	Underground Fibre Optic
— OHW	Overhead Wires
○ UP	Utility Pole
○ AN	Anchor
○ LS	Light Standard
□ CB	Catch Basin
○ FH	Fire Hydrant
□ TB-C	Cable Terminal Box
□ TB-B	Bell Terminal Box
○ D	Disabled Parking
○ H-T	Hydro Transformer
Inv.	Invert
T/G	Top of Grate
U/Eave	Underside of Eave
TpFdn	Top of Foundation
Elev	Elevation
C/L	Centreline
W	Water Valve
GM	Gas Meter
○ B	Bollard
○ S	Sign
○ D	Diameter
SRW	Stone Retaining Wall
+65.00	Location of Elevations
+65.00	Top of Concrete Curb / Retaining Wall Elevation
○	Deciduous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.
○	Coniferous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.



TOPOGRAPHIC DATA WAS COLLECTED UNDER WINTER CONDITIONS. SNOW COVER AND ICE PRECLUDE DETERMINING LOCATION AND ELEVATION OF SOME TOPOGRAPHICAL DATA THAT IS OTHERWISE VISIBLE.

WARNING: NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FARLEY, SMITH & DENIS SURVEYING LTD.
© FARLEY, SMITH & DENIS SURVEYING LTD., 2024.

Fieldwork was completed on the 11th day of January, 2024.
Date: January 17th, 2024
Daniel Robinson
Ontario Land Surveyor

FARLEY, SMITH & DENIS SURVEYING LTD.
ONTARIO LAND SURVEYORS
CANADA LAND SURVEYORS
Unit 275, 30 COLONNADE ROAD, OTTAWA, ONTARIO K2E 7J6
TEL: (613) 727-8226 E-mail: fdsurveys@bellnet.ca

REVISION NOTE:
This plan was revised to show inverts and diameters of storm pipes.
March 15th, 2024
Date: _____
Daniel Robinson
Ontario Land Surveyor




TOPOGRAPHIC SKETCH OF SHEET 3 OF 5

**PART OF LOT 3
CONCESSION 3
GEOGRAPHIC TOWNSHIP OF MARCH
CITY OF OTTAWA**

FARLEY, SMITH & DENIS SURVEYING LTD. 2024

Scale 1: 250



Metric Note
Distances and/or coordinates on this plan are in metres and can be converted to feet by dividing by 0.3048.

Boundary Note
This Sketch is to be read in conjunction with a Plan of Survey dated January 17, 2024 (FSD Ref. 464-23)

Elevation Notes
1. Elevations shown are geodetic and are referred to Geodetic Datum CGVD-1928 -1978, (Monument No. 19770765)
2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

Utility Notes
1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
2. Only visible surface utilities were located.
3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

Caution Note
a) This is NOT a Plan of Survey and shall not be used except for the purpose indicated in the title block.
b) This Sketch is protected by Copyright ©.

Notes & Legend

○ MH-ST	Denotes	Maintenance Hole (Storm)
○ MH-S	"	Maintenance Hole (Sanitary)
○ MH-B	"	Maintenance Hole (Bell)
○ MH-H	"	Maintenance Hole (Hydro)
○ MH-W	"	Maintenance Hole (Water)
○ MH	"	Maintenance Hole (Unidentified)
— ST	"	Underground Storm Sewer
— S	"	Underground Sanitary Sewer
— W	"	Underground Water
— P	"	Underground Hydro
— G	"	Underground Gas
— B	"	Underground Bell
— FO	"	Underground Fibre Optic
— OHW	"	Overhead Wires
○ UP	"	Utility Pole
○ AN	"	Anchor
○ LS	"	Light Standard
□ CB	"	Catch Basin
○ FH	"	Fire Hydrant
□ TB-C	"	Cable Terminal Box
□ TB-B	"	Bell Terminal Box
○ DP	"	Disabled Parking
○ H-T	"	Hydro Transformer
Inv.	"	Invert
T/G	"	Top of Grate
U/Eave	"	Underside of Eave
TpFdn	"	Top of Foundation
EI	"	Elevation
C/L	"	Centreline
○ W	"	Water Valve
○ G	"	Gas Meter
○ B	"	Bollard
○ S	"	Sign
○ D	"	Diameter
SRW	"	Stone Retaining Wall
+ 65.00	"	Location of Elevations
+ 65.00	"	Top of Concrete Curb / Retaining Wall Elevation
○	"	Deciduous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.
○	"	Coniferous Tree - The symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.

TOPOGRAPHIC DATA WAS COLLECTED UNDER WINTER CONDITIONS. SNOW COVER AND ICE PRECLUDE DETERMINING LOCATION AND ELEVATION OF SOME TOPOGRAPHICAL DATA THAT IS OTHERWISE VISIBLE.



WARNING NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FARLEY, SMITH & DENIS SURVEYING LTD.
© FARLEY, SMITH & DENIS SURVEYING LTD., 2024.

Fieldwork was completed on the 11th day of January, 2024.
January 17th, 2024
Date
Daniel Robinson
Ontario Land Surveyor

FARLEY, SMITH & DENIS SURVEYING LTD.
ONTARIO LAND SURVEYORS
CANADA LAND SURVEYORS
Unit 275, 30 COLONNADE ROAD, OTTAWA, ONTARIO K2E 7J6
TEL: (613) 727-8226 E-mail: fdsurveys@belnet.ca

REVISION NOTE:
This plan was revised to show inverts and diameters of storm pipes.
March 15th, 2024
Date
Daniel Robinson
Ontario Land Surveyor

PART 20 PLAN 4R-1505
PIN 04513 -- 0443



TOPOGRAPHIC SKETCH OF SHEET 4 OF 5

PART OF LOT 3 CONCESSION 3
GEOGRAPHIC TOWNSHIP OF MARCH
CITY OF OTTAWA
 FARLEY, SMITH & DENIS SURVEYING LTD. 2024

Scale 1: 250
 0 2.5 5 7.5 10 12.5 15 20 25 metres

Metric Note
 Distances and/or coordinates on this plan are in metres and can be converted to feet by dividing by 0.3048.

Boundary Note
 This Sketch is to be read in conjunction with a Plan of Survey dated January 17, 2024 (FSD Ref. 464-23)

Elevation Notes
 1. Elevations shown are geodetic and are referred to Geodetic Datum CGVD-1928 -1978. (Monument No. 19770765)
 2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

Utility Notes
 1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
 2. Only visible surface utilities were located.
 3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

Cautions Note
 a) This is NOT a Plan of Survey and shall not be used except for the purpose indicated in the title block.
 b) This Sketch is protected by Copyright ©.

Notes & Legend

○ MH-ST	Denotes	Maintenance Hole (Storm)
○ MH-S	"	Maintenance Hole (Sanitary)
○ MH-B	"	Maintenance Hole (Bell)
○ MH-H	"	Maintenance Hole (Hydro)
○ MH-W	"	Maintenance Hole (Water)
○ MH	"	Maintenance Hole (Unidentified)
— ST —	"	Underground Storm Sewer
— S —	"	Underground Sanitary Sewer
— W —	"	Underground Water
— P —	"	Underground Hydro
— G —	"	Underground Gas
— B —	"	Underground Bell
— FO —	"	Underground Fibre Optic
— OHW —	"	Overhead Wires
○ UP	"	Utility Pole
○ AN	"	Anchor
○ LS	"	Light Standard
□ CB	"	Catch Basin
○ FH	"	Fire Hydrant
□ TB-C	"	Cable Terminal Box
□ TB-B	"	Bell Terminal Box
○ DP	"	Disabled Parking
○ H-T	"	Hydro Transformer
Inv.	"	Invert
T/G	"	Top of Grate
U/Eave	"	Underside of Eave
El	"	Top of Foundation
Elevation	"	Elevation
C/L	"	Centreline
○ W	"	Water Valve
○ GM	"	Gas Meter
○ B	"	Bollard
○ S	"	Sign
○ Ø	"	Diameter
SRW	"	Stone Retaining Wall
+ 65.00	"	Location of Elevations
+ 65.00	"	Top of Concrete Curb / Retaining Wall Elevation
○	"	Deciduous Tree - The Symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.
★	"	Coniferous Tree - The Symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.

REVISION NOTE:
 This plan was revised to show inverts and diameters of storm pipes.
 March 15th, 2024
 Date
 Daniel Robinson
 Ontario Land Surveyor


TOPOGRAPHIC DATA WAS COLLECTED UNDER WINTER CONDITIONS. SNOW COVER AND ICE PRECLUDE DETERMINING LOCATION AND ELEVATION OF SOME TOPOGRAPHICAL DATA THAT IS OTHERWISE VISIBLE.



WARNING NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FARLEY, SMITH & DENIS SURVEYING LTD.
 © FARLEY, SMITH & DENIS SURVEYING LTD., 2024.

Fieldwork was completed on the 11th day of January, 2024.
 January 17th, 2024
 Date
 Daniel Robinson
 Ontario Land Surveyor

FARLEY, SMITH & DENIS SURVEYING LTD.
 ONTARIO LAND SURVEYORS
 CANADA LAND SURVEYORS
 Unit 275, 30 COLONNADE ROAD, OTTAWA, ONTARIO K2E 7J6
 TEL: (613) 727-8226 E-mail: fdsurveys@belnet.ca

CARLETON CONDOMINIUM PLAN 394





TOPOGRAPHIC SKETCH OF SHEET 5 OF 5

PART OF LOT 3 CONCESSION 3
GEOGRAPHIC TOWNSHIP OF MARCH
CITY OF OTTAWA
FARLEY, SMITH & DENIS SURVEYING LTD. 2024

Scale 1: 250
 0 2.5 5 7.5 10 12.5 15 20 25 metres

Metric Note
 Distances and/or coordinates on this plan are in metres and can be converted to feet by dividing by 0.3048.

Boundary Note
 This Sketch is to be read in conjunction with a Plan of Survey dated January 17, 2024 (FSD Ref. 464-23)

Elevation Notes
 1. Elevations shown are geodetic and are referred to Geodetic Datum CGVD-1928 -1978. (Monument No. 19770765)
 2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.

Utility Notes
 1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
 2. Only visible surface utilities were located.
 3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

Caution Note
 a) This is NOT a Plan of Survey and shall not be used except for the purpose indicated in the title block.
 b) This Sketch is protected by Copyright © .

Notes & Legend

○ MH-ST	Denotes	Maintenance Hole (Storm)
○ MH-S		Maintenance Hole (Sanitary)
○ MH-B		Maintenance Hole (Bell)
○ MH-H		Maintenance Hole (Hydro)
○ MH-W		Maintenance Hole (Water)
○ MH-U		Maintenance Hole (Unidentified)
— ST —		Underground Storm Sewer
— S —		Underground Sanitary Sewer
— W —		Underground Water
— P —		Underground Hydro
— G —		Underground Gas
— B —		Underground Bell
— FO —		Underground Fibre Optic
— OW —		Overhead Wires
○ UP		Utility Pole
○ AN		Anchor
○ LS		Light Standard
□ CB		Catch Basin
○ FH		Fire Hydrant
○ TB-C		Cable Terminal Box
○ TB-B		Bell Terminal Box
○ DP		Disabled Parking
○ H-T		Hydro Transformer
Inv.		Invert
T/G		Top of Grate
U/Eave		Underside of Eave
Ei		Elevation
C/L		Centreline
WV		Water Valve
GM		Gas Meter
○ B		Bollard
○ S		Sign
○ D		Diameter
SRW		Stone Retaining Wall
+65.00		Location of Elevations
+65.00		Top of Concrete Curb / Retaining Wall Elevation
		Deciduous Tree - The Symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.
		Coniferous Tree - The Symbol shown denotes location and trunk diameter only. Size of its' root system/overhead canopy may be smaller/larger than the symbol size depicted on this plan.

TOPOGRAPHIC DATA WAS COLLECTED UNDER WINTER CONDITIONS. SNOW COVER AND ICE PRECLUDE DETERMINING LOCATION AND ELEVATION OF SOME TOPOGRAPHICAL DATA THAT IS OTHERWISE VISIBLE.

WARNING NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FARLEY, SMITH & DENIS SURVEYING LTD.
 © FARLEY, SMITH & DENIS SURVEYING LTD., 2024.

Fieldwork was completed on the 11th day of January, 2024.
 January 17th, 2024
 Date
 Daniel Robinson
 Ontario Land Surveyor

FARLEY, SMITH & DENIS SURVEYING LTD.

ONTARIO LAND SURVEYORS
 CANADA LAND SURVEYORS
 Unit 275, 30 COLONNADE ROAD, OTTAWA, ONTARIO K2E 7J6
 TEL: (613) 727-8226 E-mail: fdsurveys@bellnet.ca

REVISION NOTE:
 This plan was revised to show inverts and diameters of storm pipes.
 March 15th, 2024
 Date
 Daniel Robinson
 Ontario Land Surveyor