Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Paterson Group Inc.

Consulting Engineers
154 Colonnade Road South
Ottawa (Nepean), Ontario
Canada K2E 7J5

Tel: (613) 226-7381
Fax: (613) 226-6344
www.patersongroup.ca

patersongroup

Phase I Environmental Site Assessment

168 and 174 Murray Street
Ottawa, Ontario

Prepared For

Mr. Changwan Yoo

June 9, 2022

Report: PE5717-1

TABLE OF CONTENTS

EXECUTIVE SUMMARY ..... **ii**
1.0 INTRODUCTION **1**
2.0 PHASE I PROPERTY INFORMATION **2**
3.0 SCOPE OF INVESTIGATION **3**
4.0 RECORDS REVIEW **4**
4.1 General 4
4.2 Environmental Source Information 9
4.3 Physical Setting Sources 12
5.0 INTERVIEWS **15**
6.0 SITE RECONNAISSANCE **15**
6.1 General Requirements 15
6.2 Specific Observations at the Phase I Property 15
7.0 REVIEW AND EVALUATION OF INFORMATION **21**
7.1 Land Use History 21
7.2 Conceptual Site Model 27
8.0 CONCLUSIONS **30**
9.0 STATEMENT OF LIMITATIONS **32**
10.0 REFERENCES **33**

List of Figures

Figure 1 - Key Plan
Figure 2 - Topographic Map
Drawing PE5717-1 – Site Plan
Drawing PE5717-2 – Surrounding Land Use Plan

List of Appendices

Appendix 1 Survey Plan
Aerial Photographs
Site Photographs

Appendix 2 MECP Freedom of Information Search
City of Ottawa Historical Land Use Inventory Search
MECP Well Records
TSSA Correspondence
ERIS Database Report

Appendix 3 Qualifications of Assessors

EXECUTIVE SUMMARY

Paterson Group was retained by Mr. Fernando Matos, on behalf of Mr. Changwan Yoo, to conduct a Phase I Environmental Site Assessment (Phase I-ESA) of the property addressed 168 and 174 Murray Street, in the City of Ottawa, Ontario. The purpose of this Phase I – Environmental Site Assessment was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

The Phase I Property was first developed with the existing residential structures prior to 1878. Between approximately 1888 and 1912, building additions were constructed along the south building face of both original structures. According to the historical research, the Phase I Property has been used exclusively for residential purposes following development, up to the present day.

Adjacent and neighbouring properties were historically used for commercial and residential purposes, with some institutional, parkland or community land use also present within the 250m study area. Several potentially contaminating activities, including former industrial operations, retail fuel outlets, body shops, automotive service garages, dry cleaners and a former landfill, were identified within the Phase I-ESA Study Area. Based on their respective distances and/or orientations with respect to the Phase I Property, in combination with redevelopment and/or information contained in our files, none of the PCAs are considered to have resulted in areas of potential environmental concern (APECs) on the Phase I Property.

Following the historical review, a site visit was conducted. The site is currently occupied by two 2-storey residential dwellings fronting onto Murray Street. The remainder of the site is occupied by a gravel laneway extending between the dwellings, and grassed area to the south of the dwellings. Wood fencing and a frame shed were also present on the Phase I Property. Neighbouring properties are used for primarily residential purposes, with commercial and community buildings present to the north of Murray Street, and fronting Cumberland Street, Clarence Street, and Dalhousie Street.

Based on the results of the Phase I - Environmental Site Assessment, it is our opinion that **a Phase II - Environmental Site Assessment is not required for the Phase I Property.**

Recommendations

It is our understanding that the Phase I Property is to be redeveloped in the future. Based on the potential presence of hazardous building materials and designated substances within the Phase I Property buildings, a designated substance survey must be conducted prior to any demolition/renovation activities, in accordance with Ontario Regulation 490/09, under the Occupational Health and Safety Act, if one has not already been completed.

1.0 INTRODUCTION

At the request of Mr. Fernando Matos, Paterson Group (Paterson) conducted a Phase I Environmental Site Assessment (Phase I ESA) for the property addressed 168 and 174 Murray Street, in the City of Ottawa, Ontario, herein referred to as the Phase I Property. The purpose of this Phase I ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

Paterson was engaged to conduct this Phase I ESA by Mr. Fernando Matos, on behalf of Mr. Changwan Yoo. Mr. Matos can be reached by phone 613-852-1616.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with the requirements of Ontario Regulation 153/04, as amended, under the Environmental Protection Act, and also complies with the requirements of CSA Z768-01 (reaffirmed 2016). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

2.0 PHASE I PROPERTY INFORMATION

Address:	168 and 174 Murray Street, Ottawa, Ontario.
Legal Description:	Lot 23 (South Murray Street), Registered Plan No. 42482, City of Ottawa
Property Identification Numbers:	04214-0040 and 04214-0041
Location:	The Phase I Property is located south of Murray Street, approximately 120 m east of Dalhousie Street, in the City of Ottawa, Ontario.
Latitude and Longitude:	45° 25' 50.5" N, 75° 41' 27" W;
Site Description:	
Configuration:	Irregular
Site Area:	0.65 ha (approximate)
Zoning:	R4UD – Residential Fourth Density Zone
Current Use:	The Phase I Property is currently occupied by two (2) 2-storey residential dwellings and one (1) frame shed.
Services:	The Phase I Property is located in a municipally serviced area.

3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the Phase I Property and Phase I Study Area by conducting a review of readily available records, reports, photographs, plans, mapping, databases and regulatory agencies;
- Investigate the existing conditions present at the Phase I Property and Phase I Study Area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the Phase I Property, and if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of O.Reg. 153/04 as amended under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01 (reaffirmed 2016);
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.

4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I ESA study area for this assignment. Properties outside the 250 m radius are not considered to have impacted the Phase I Property, based on their significant distance from the site.

First Developed Use Determination

Based on a review of 1878 Fire Insurance Plans (FIPs) for the Phase I Study Area, the Phase I Property was developed at this time with two (2) residential dwellings consisting of three (3) municipal addresses (168, 172 and 174 Murray Street). The 1912 FIP shows the two (2) residential dwellings on the Phase I Property have additions added to the southern portion of each respective building. For the purposes of this Phase I-ESA, the Phase I Property is considered to have been first developed prior to 1878 for residential purposes.

Fire Insurance Plans

Fire Insurance Plans dated 1878, 1888, 1912 and 1956 were reviewed for the Phase I Property and properties within the Phase I Study Area. The 1878 and 1888 FIPs show the Phase I Property was developed at this time with two (2) residential dwellings with three (3) municipal addresses (168, 172 and 174 Murray Street). The 1912 FIP shows the two (2) residential dwellings on the Phase I Property, now addressed 168 and 174 Murray Street, have had additions constructed onto the southern portion of each respective building. An apparent shed structure is present at the rear of the building addressed 168 Murray Street. The 1956 FIPs show a similar building configuration with two (2) shed buildings to the south of each dwelling, respectively.

According to the reviewed FIPs, properties adjacent to the Phase I Property were generally used for residential purposes (dwellings and apartment buildings) with the exception of a commercial building approximately 20 m east of the Phase I Property, as shown on the 1956 FIP.

Based on the reviewed FIPs, PCAs identified within the Phase I Study Area include:

- A former retail fuel outlet at 215 Dalhousie Street (205 m NW)
- A former retail fuel outlet at 321-325 Dalhousie Street (170 m S)
- A former retail fuel outlet and automotive service garage at 351 Dalhousie Street (200 m S)
- A former retail fuel outlet at 354-360 St. Patrick Street (170 m NE)
- An underground storage tank at 126 York Street (150 m SE)
- An underground storage tank at 113-119 Murray Street (150 m SE)
- An automotive service garage with an underground storage tank at 107 Murray Street (165 m E)
- A former lumber merchant at 232 Church Street (195 m N)
- An existing car rental and former retail fuel outlet at 349-355 St. Patrick Street (200 m NE)

Based on their distances and/or cross gradient or down gradient orientations with respect to the Phase I Property, these PCAs are not considered to have had the potential to impact the Phase I Property.

A commercial building was identified on the 1956 FIP, located approximately 20 m east of the Phase I Property. According to the FIP the building is labelled as J. Hammond Washing Machine Manufacturing. Based on available information, the nature of this activity is not considered to represent a PCA with respect to the Phase I Property.

It should be noted that based on topography in combination with previous work conducted by Paterson, the groundwater flow in the vicinity of the Phase I Property is interpreted to flow in a northwesterly direction.

City of Ottawa Street Directories

City directories at the National Archives were reviewed in approximate 10-year intervals from 1888 to 2010 as part of the Phase I ESA. According to the directories, the Phase I Property was first listed in 1892 as residential use and has been listed as residential up to the most recent listing in 2011. Based on the information contained in the directories for the Phase I Property, no potentially contaminating activities were identified on the Phase I Property.

Various PCAs were identified in the directories within the Phase I Study Area. PCAs identified within the Phase I Study Area are listed in Table 1 below.

Table 2: City Directories - PCAs in Phase I Study Area				
Address	**Listed Activity**	**Years Listed**	**Approximate Distance / Orientation from Site**	**Potential Environmental Concern (Y/N)**
Murray Street				
109	Public Works Warehouse	1941, 1931, 1921	165 m E	N
107-111	Brisbois Motors Ordnance Workshop Plant FH General Auto Repairs	1951 1941, 1931, 1921 1930	130 m W	N
111 to 119	Ordnance Workshop and Ordnance Spare Parts Depot	1945	130 m W	N
136	Thomas Costello Tanner	1880	55 m W	N
140	Star Taxi, Molloy's Washing Station	1941, 1936	45 m SW	N
216	Jones Photo Engravers	1960	120 m NE	N
219	Nichol Advertising Printing	1970	140 m NE	N
Clarence Street				
104	Gervais Garage	1950	170 m SW	N
110	Spot Cleaning Services Inc.	2011	160 m SW	N
111	Champagne Auto Garage	1970, 1960, 1950	140 m SW	N
202	Gervais Printers	1984	95 m E	N
Dalhousie Street				
263	Ottawa Valet Service Dry Cleaners	1963	90 m W	N
272	Spic and Span Cleaners	1963	120 m WSW	N
286 1/2	Market Cleaners and Laundry	2010, 1993	120 m WSW	N
291	Tremblay Cleaners	1945	80 m WSW	N
309	Spic and Span Cleaners	1968, 1978, 1984, 1986	115 m SSW	N
339-341	Robert Tire and Battery co. Ottawa Re-tinning	1928, 1934, 1940 1946	80 m E	N
343	Dry Cleaners	1924, 1928	80 m E	N
351	Imperial Oil Ltd. Service Station, Musty's Service Station	1931, 1946 1948	200 m S	N

Table 2: City Directories - PCAs in Phase I Study Area				
Address	**Listed Activity**	**Years Listed**	**Approximate Distance / Orientation from Site**	**Potential Environmental Concern (Y/N)**
Cumberland Street				
305	Cumberland Auto Center Ottawa Taxi Gas Bar Auto Garage Shell Oil Co., Dundas Battery and Ignition	1973, 2000, 2010 1974, 1984, 1993, 2000, 2010 1984, 1993 1963, 1954 1954	80 m E	N
335	Rideau Printers	1970	105 m SE	N
380	Rogers Imperial Service Station Shadid's Auto Sales	1975, 1965 1984	205 m SE	N

The PCAs identified in the directory search are not considered to represent APECs on the Phase I Property based on their separation distances and/or orientations relative to the Phase I Property, in combination with information in our files and/or redevelopment of the associated land.

Other off-site PCAs identified within the Phase I Study Area (not presented in the table above) are not considered to represent APECs on the Phase I Property based on their significant separation distances.

Plan of Survey

A plan of survey prepared by Annis, O'Sullivan, Vollebekk Ltd., dated January 12, 2021, was provided to Paterson. The survey plan shows the Phase I Property as it currently exists.

ERIS Database Report

An ERIS (Environmental Risk Information Service) Report was obtained for the Phase I Property and properties within the Phase I Study Area.

Based on the ERIS search, no records were identified for the Phase I Property.

A total of 239 off-site records from various databases were identified in the ERIS search within the 250 m search radius, which included existing and historical dry cleaning facilities, fuel storage tank records, Scott's Manufacturing directories,

Certificates of Approval (CAs), Environmental Compliance Approvals (ECAs), Ontario Waste Generators, Ontario Well Records, and Ontario Spills Registry.

Certificates of Approval (CA) and Environmental Compliance Approval (ECA) records were limited to sewer, water and air works applications and are not considered to pose a concern to the Phase I Property.

Fuel tank records within the search area were limited to previously identified historical RFOs and UST locations. Historical incidents and spills identified in the Phase I Study Area were limited to previously identified RFO sites, off-site gaseous emissions, and small quantity off-site oil spills.

The ERIS search identified an additional commercial dry cleaner at 261 St. Patrick Street, approximately 115 metres northwest of the Phase I Property, as well as a commercial publisher at 260 St. Patrick Street, approximately 65 m northwest of the Phase I Property. Due to the separation distance and downgradient orientation from the Phase I Property, these off-site PCAs are not considered to represent APECs on the Phase I Property.

The remainder of the items identified in the ERIS report were previously identified or are not considered to pose an environmental risk to the Phase I Property.

A copy of the ERIS report is included in Appendix 2.

Chain of Title

Based on the historical records review, the property was used exclusively for residential purposes following development prior to 1878. As a result, information from the records review satisfies the objectives of the records review and a title search back to the date of the first developed use would not contribute to obtaining information about the environmental condition of the phase one property.

Previous Engineering Reports

Previous engineering reports for the Phase I Property were requested from the property owner, however Mr. Yoo indicated that he was unaware of any previous reports.

A review of previous Paterson reports in the vicinity of the Phase I Property did not identify any potential concerns to the Phase I Property.

4.2 Environmental Source Information

Environment and Climate Change Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on April 26, 2022. The Phase I Property was not listed in the NPRI database. No records of pollutant release were listed in the database for properties located within the Phase I Study Area.

PCB Inventory

A search of provincial PCB waste storage sites was conducted on April 26, 2022. No records of PCB waste storage sites were identified for the Phase I Property or for properties within the Phase I Study Area.

Ontario Ministry of Environment, Conservation and Parks (MECP) Instruments

A request was submitted to the MECP Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the site. A response from the MECP had not been received prior to the issuance of this report; due to the COVID-19 pandemic, responses to FOI requests have been significantly delayed. A copy of the MECP request is provided in Appendix 2.

As noted above, the ERIS report database summary provided records of Certificates of Approval (CA) and Environmental Compliance Approval (ECA) records which were limited to sewer, water and air works applications and are not considered to pose a concern to the Phase I Property.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the Phase I Property. A former coal gasification plant site was identified within the Phase I Study Area at the southwest corner of King Edward Avenue and York Street (approximately 220 m southeast of the Phase I Property). Based on its separation distance from the Phase I Property, it is not considered to pose an environmental concern to the Phase I Property.

MECP Incident Reports

A request was submitted to the MECP Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the site or adjacent properties. A response from the MECP had not been received prior to the issuance of this report; due to the COVID-19 pandemic, responses to FOI requests have been significantly delayed. A copy of the MECP request is provided in Appendix 2.

MECP Waste Management Records

A request was submitted to the MECP Freedom of Information office for information with respect to waste management records. A response from the MECP had not been received prior to the issuance of this report; due to the COVID-19 pandemic, responses to FOI requests have been significantly delayed. A copy of the MECP request is provided in Appendix 2.

MECP Submissions

A request was submitted to the MECP Freedom of Information office for information with respect to reports related to environmental conditions have been submitted to the MECP. A response from the MECP had not been received prior to the issuance of this report; due to the COVID-19 pandemic, responses to FOI requests have been significantly delayed. A copy of the MECP request is provided in Appendix 2.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry (ESR) was conducted as part of this assessment, for properties within the Phase I Study Area. No RSCs have been filed for the Phase I Property.

One (1) RSC record (RSC# 219027) was filed in October of 2015 for a property within the Phase I Study Area addressed 325 Dalhousie Street, approximately 170 m south of the Phase I Property. Based on the separation distance and orientation of this property relative to the Phase I Property, in combination with information provided in the ESR, the RSC property is not considered to represent an APEC on the Phase I Property. No other RSCs were identified for properties within the Phase I Study Area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. Based on this document, a former municipal coal gasification plant was identified at the southwest corner of King Edward Avenue and York Street between 1854 to 1915. Based on the significant separation distance from the Phase I Property (approximately 220 m southeast of the Phase I Property), it is not considered to pose an environmental concern to the Phase I Property.

Areas of Natural Significance Interest (ANSI)

A search for areas of natural significance and features within the Phase I Study Area was conducted on the web site of the Ontario Ministry of Natural Resources (MNR) on April 26, 2022. The search did not reveal any natural features or areas of natural significance on the Phase I Property or within the Phase I Study Area.

Technical Standards and Safety Authority (TSSA)

The TSSA Fuels Safety Branch was contacted by email on May 6, 2022. The response indicated that there are no underground storage tanks recorded in the TSSA registry for the Phase I Property or adjacent properties.

Based on the ERIS report, three (3) historic incidents were recorded within the Phase I Study Area, consisting of off-site natural gas pipeline strikes. Based on the gaseous nature of these offsite incidents, they are not considered to represent PCAs on the Phase I Property.

TSSA records obtained from the ERIS report within the Phase I Study Area also included small off-site oil and fluid spills, ranging from 63 to 247 m from the Phase I Property. Based on the separation distance and small volume of discharge, these historical incidents are not considered to represent environmental concerns with respect to the Phase I Property.

Fuel tank records were recovered within the search area; however, they were limited to previously identified historical RFOs and UST locations.

City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. One (1) former waste disposal site was located within the Phase I Study Area at the southwest corner of King Edward Avenue and York Street (ID: Ur-37), approximately 220 m southeast of the Phase I Property. According to the document, the site was in operation prior to 1925 (early 1900's or before). Based on the separation distance with respect to the Phase I Property, and the age of the landfill, the presence of this former landfill is not considered to have the potential to impact the Phase I Property.

No other former or current waste disposal sites were identified in the Phase I Study Area.

City of Ottawa Historical Land Use Inventory

A requisition was sent to the City of Ottawa to request information from the City's Historical Land Use Inventory (HLUI 2011) database for the Phase I Property. A response had not been received at the time of issuing this report. A copy of the HLUI search results will be forwarded to the client upon receipt. A copy of the HLUI request form is provided in Appendix 2.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. The review period dates back to the first available air photos for the site. Based on the review, the following observations have been made:

1922 The Phase I Property appears to be occupied by the two existing residential dwellings. Adjacent and neighbouring properties appear to be used for residential purposes.

1931 No significant changes appear to have been made to the Phase I Property or neighbouring lands since the previous photo.

1951 (Poor Quality) No significant changes appear to have been made to the Phase I Property or neighbouring lands since the previous photo.

1960 No significant changes appear to have been made to the Phase I Property or neighbouring lands since the previous photo.

1973 No significant changes appear to have been made to the Phase I Property. Several buildings to the west of the Phase I Property have been demolished, with the land now consisting of an asphaltic parking area. The property immediately east of the Phase I Property appears to be redeveloped with a residential apartment building.

1984 No significant changes appear to have been made in the Phase I Property or neighbouring lands since the previous photo.

1991 No significant changes appear to have been made to the Phase I Property. Residential buildings to the southeast and southwest of the Phase I Property have been redeveloped with a health centre (residential) and a residential apartment building, respectively.

2002 (City of Ottawa Website) No significant changes appear to have been made to the Phase I Property. The parking lot area to the west of the Phase I Property appears to have been developed with a residential apartment building.

2011 (City of Ottawa Website) No significant changes appear to have been made to the Phase I Property. The residential dwelling immediately west of the Phase I Property has been redeveloped with the present residential apartment building.

2019 (City of Ottawa Website) No significant changes appear to have been made to the Phase I Property or Phase I Study Area since the previous photo.

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada - The Atlas of Canada website. The topographic maps indicate that the Phase I Property and immediately surrounding area is generally flat with an elevation of approximately 60 m above sea level (ASL). The topographic maps indicate that the regional topography gently slopes down to the west and northwest. An illustration of the referenced topographic map is present on Figure 2 - Topographic Map following the body of this report.

Based on the regional topography, in combination with previous work conducted by Paterson within the Phase I Study Area, the groundwater flow beneath the Phase I Property is considered to be in a northwesterly direction.

Physiographic Maps

A Physiographic Map was reviewed from the Natural Resources Canada - The Atlas of Canada website. According to this physiographic map, the site is located in the St. Lawrence Lowlands. According to the mapping description provided: "The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets."

The Phase I Property is located in the Central St. Lawrence Lowland, "where the land is rarely more than 150 m above sea level, except for the Monteregion Hills, which consist of intrusive igneous rocks".

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the information from NRCAN, bedrock in the area of the Phase I Property reportedly consists of interbedded limestone and shale of the Verulam Formation. Based on the maps, overburden is reported to consist of offshore marine sediments with a drift thickness of 5 to 10 m.

Water Well Records

A search of the MECP's web site for all drilled well records within 250m of the Phase I Property was conducted on April 27, 2022. No well records were identified for the Phase I Property.

The search identified records of 29 monitoring wells for the following properties within the Phase I Study Area: 360 King Edward Avenue, 207-209 Guigues Avenue, 137 George Street, 325 Dalhousie Street, 333 King Edward Avenue, 307 St. Patrick Street, 274 Dalhousie Street, 210 Dalhousie Street, 117 Parent Avenue, 35 William Street, 41 William Street, 222 Cumberland Street, 227 Cumberland Street, 380 Cumberland Street, and 216 Murray Street. The monitoring wells were installed between 2009 and 2019, in the native silt, sand, clay or glacial till overburden or within the underlying limestone bedrock. Water levels were not provided on the well records.

Based on the separation distances, orientations relative to the Phase I Property and/or information contained in our files, the aforementioned properties are not considered to represent APECs on the Phase I Property. The monitoring well records have been attached in Appendix 2.

Water Bodies and Areas of Natural Significance

There are no waterbodies or areas of natural and scientific interest on the Phase I Property or within the Phase I Study Area. The closest significant bodies of water include the Ottawa River, approximately 700 m west, and the Rideau Canal, approximately 620 m north, with respect to the Phase I Property.

5.0 INTERVIEWS

Mr. Changwan Yoo, the current property owner, was interviewed at the time of the site assessment. Mr. Yoo purchased the property in 2018. According to Mr. Yoo, both of the residential dwellings were occupied prior to purchase, for residential use. Mr. Yoo stated that the dwelling addressed 174 Murray Street was used as a short-term rental unit, while the dwelling addressed 168 Murray Street has been vacant since 2018.

Mr. Yoo indicated that to his knowledge, the property was always used for residential purposes. Mr. Yoo was unaware of any chemical bulk storage, historical USTs or ASTs on the property, or any other environmental concerns relating to the Phase I Property. Both of the dwellings were heated via natural gas forced air furnaces at the time of purchase.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site assessment was conducted on May 3, 2022. Weather conditions were overcast, with a temperature of approximately 14°C. Mr. Jesse Andrechek from the Environmental Department of Paterson Group conducted the site visit. In addition to the Phase I Property, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site reconnaissance, from publicly accessible areas.

6.2 Specific Observations at the Phase I Property

Buildings and Structures

The Phase I Property is occupied by two 2-storey residential dwellings, addressed 168 and 174 Murray Street, as well as a wood frame shed building in the southeast portion of the Phase I Property.

168 Murray Street

The original building structure was constructed with a stone and mortar foundation prior to 1878 and consists of a two-storey dwelling with a basement crawl space. The roof consists of a sloped (main building portion) and flat (1-storey southern addition) modified bituminous style roof, and the dwelling is finished on the exterior with vinyl siding and masonry stone. The addition was constructed adjacent to the south of the original structure, at some time between 1888 and 1912, with a slab-on-grade foundation. The exterior of the building addition is finished with vinyl siding. The building is heated with a natural gas forced air furnace.

174 Murray Street

The original building structure was constructed with a stone and mortar foundation prior to 1878, and consists of a two-storey dwelling with a basement crawl space. The original building exterior is finished with brick. The roof consists of a flat modified bituminous style roof. An addition was constructed adjacent to the south of the original structure, at some time between 1888 and 1912, with a slab-on-grade foundation. The exterior of the building addition is finished with vinyl siding. The building is heated with a natural gas forced air furnace.

As noted above, a wood frame shed was present on the southern portion of the 174 Murray Street property and was empty at the time of the site visit.

No other buildings or structures were present on the Phase I Property at the time of the Phase I ESA site visit.

Underground Utilities and Below Grade Structures

Underground utilities present on the Phase I Property include natural gas, municipal water and sewer services, and electrical; these services enter the property from Murray Street. Underground telephone and cable service utilities are also present, running between 168 and 174 Murray Street, and extending along the southern portion of the Phase I Property.

Site Features

The Phase I Property residential dwellings are situated on the northern portion of the Phase I Property, while the wood frame shed occupies the southeastern corner of the Phase I Property. The remainder of the site is covered with a gravel driveway (extending between the two dwellings), as well as grassed and landscaped areas.

The Phase I Property is relatively flat with a slight slope down towards Murray Street and is at a similar grade as the adjacent properties. Site drainage consists of sheet drainage to catch basins on Murray Street. No standing water or evidence of surficial staining was noted on the ground surface at the time of the site visit.

No aboveground storage tanks (ASTs) or evidence of underground storage tanks (USTs) or other below ground structures were observed on the Phase I Property at the time of the site visit. No evidence of recent excavation, fill material, current or former railway or spur lines or unidentified substances was observed on the Phase I Property at the time of the site visit.

The Phase I Property is situated in a municipally serviced area. There were no potable wells observed on the Phase I Property or on other properties within the Phase I Study Area, at the time of the site visit.

Domestic waste and recycling generated at the Phase I Property is collected at the curbside on a regular basis by the municipality.

The above-noted site features are shown on Drawing PE5717-1 - Site Plan.

Interior Assessment

A brief description of the interior building materials is provided below:

168 Murray Street

- Floor materials consist of a combination of hardwood, laminate, carpet, ceramic tile, and 300 x 300 mm vinyl tiles;
- Wall materials observed consist of drywall and lathe and plaster. Stone and mortar exterior walls were present in the basement crawl space;
- Ceiling materials consist of drywall and plaster, with some stippled finishing;
- Lighting is provided by incandescent and LED fixtures.

As noted previously, the dwelling is heated with a natural gas-fired forced-air furnace, located in the crawl space of the dwelling. No ASTs or signs of USTs were noted on the interior of the dwelling at the time of the site visit. No visual or olfactory indications of leaks or stains were observed on the crawl space floor at the time of the site visit.

Chemical storage within the dwelling was limited to small quantities of commercially available cleaning and maintenance products, which were property stored in sealed containers at the time of the site visit.

No sump pits or floor drains were noted at the time of the site visit.

174 Murray Street

A brief description of the interior building materials is provided below:

- Floor materials consisted of a combination of parquet, 300 x 300 mm vinyl tiles, linoleum, carpet, and hardwood, with a poured concrete basement floor;
- Wall materials observed consisted of drywall. Stone and mortar exterior walls were present in the basement area;
- Ceiling materials consisted of drywall, with some stippled finishing;
- Lighting is provided by incandescent and LED fixtures.

As noted previously, the dwelling is heated with a natural-gas fired forced air furnace, located in the basement of the dwelling. No ASTs or signs of USTs were noted on the interior of the building at the time of the site visit. No visual or olfactory indications of leaks or stains were observed on the concrete basement floor slab at the time of the site visit.

Chemical storage within the dwelling was limited to small quantities of commercially available cleaning and maintenance products, which were property stored in sealed containers at the time of the site visit.

No sump pits or floor drains were noted at the time of the site visit.

Hazardous Building Materials

168 Murray Street

Based on the original date of construction (pre-1878) and building addition (pre-1912) asbestos containing materials are potentially present. Potential asbestos containing materials observed at the time of the site visit include drywall joint compound, plaster walls and ceilings, stipple ceiling finish, and vinyl floor tiles. Potential ACMs were observed to be in fair to poor condition at the time of the site visit.

Based on the age the dwelling, lead-based paint may be present on any original or older painted surfaces. Painted surfaces were generally observed to be in fair to poor condition at the time of the site visit.

Potential sources of polychlorinated biphenyls (PCBs) were not observed on the interior of the dwelling at the time of the site visit.

Based on the age of the building, urea formaldehyde foam insulation (UFFI) may be present. UFFI was not observed at the time of the site visit, however wall and ceiling cavities were not inspected.

Sources of ozone depleting substances (ODSs) observed at the time of the site visit include refrigerators and fire extinguishers. These appliances should be regularly maintained by a contractor licenced for these works.

No excessive water damage or mould growth was noted on the interior of the building at the time of the site visit.

174 Murray Street

Based on the original date of construction (pre-1878) and likely date of the southern addition (1888 to 1912) asbestos containing materials are potentially present. Potential asbestos containing materials observed at the time of the site visit include drywall joint compound, stipple ceiling finish, and linoleum and vinyl floor tiles. Potential ACMs were observed to be in good condition at the time of the site visit.

Based on the age the dwelling, lead-based paint may be present on any original or older painted surfaces. Painted surfaces were generally observed to be in good condition at the time of the site visit.

Potential sources of polychlorinated biphenyls (PCBs) were not observed on the interior of the dwelling at the time of the site visit.

Based on the age of the building, urea formaldehyde foam insulation (UFFI) may be present. UFFI was not observed at the time of the site visit, however wall and ceiling cavities were not inspected.

Sources of ozone depleting substances (ODSs) observed at the time of the site visit include refrigerators and fire extinguishers. These appliances should be regularly maintained by a contractor licenced for these works.

No water damage or mould growth was noted on the interior of the building at the time of the site visit.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site visit. Land use adjacent to the Phase I Property was as follows:

- North – Murray Street, followed by a commercial recording studio, art gallery, and cultural centre, with commercial offices and retail further north;
- South – Commercial hotel, and residential buildings, with commercial retail, offices, restaurants and studios further south;
- East – Residential and health centre (southeast), followed by commercial retail along Cumberland Street; and
- West – Residential, followed by a parking garage and commercial retail, offices and restaurants along Dalhousie Street.

Off-site potentially contaminating activities (PCAs) identified within the Phase I Study Area at the time of the site visit were limited to PCAs previously identified in historical records, including an existing dry-cleaning facility at 286 Dalhousie Street, an automotive service garage at 305 Cumberland Street, a car rental agency at 355 St. Patrick Street.

As previously discussed, based on the separation distance from the Phase I Property, and/or the downgradient or cross gradient location relative to the Phase I Property, PCAs observed within the Phase I Study area are not considered to represent APECs on the Phase I Property.

Land use within the Phase I Study Area is primarily used for residential and commercial purposes, with several properties used for institutional or community purposes, and parkland. Land use is depicted on Drawing PE5717-2 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

According to the historical records, the Phase I Property was always used for residential purposes following development prior to 1878.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

No historical or existing potentially contaminating activities were identified on the Phase I Property.

The following historical and/or existing PCAs were identified within the Phase I study area:

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
1	**28** (Gasoline and Associated Products Storage in Fixed Tanks) **31** (Ink Manufacturing, Processing and Bulk Storage)	321 to 325 Dalhousie Street	Former Retail Fuel Outlet, Former Commercial Printers (Previously addressed 327 Dalhousie Street)
2	**31** (Ink Manufacturing, Processing and Bulk Storage)	137 George Street	Former Printers (Previously addressed 125-127 George Street)
3	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems) **34** (Metal Fabrication) **37** (Operation of Dry Cleaning Equipment (where chemicals are used)	343 to 349 Dalhousie Street	Former Automotive Parts and Service, Former Ottawa Re-Tinning and Former Dry Cleaners (Previously included addresses 339 and 341 Dalhousie Street)
4	**37** (Operation of Dry Cleaning Equipment (where chemicals are used)	261 St Patrick Street	Former Dry Cleaners

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
5	**53** (Tannery)	95 York Street	Former Leather and Allied Product Industries
6	**28** (Gasoline and Associated Products Storage in Fixed Tanks) **52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	305 Cumberland Street	Existing Auto Sales and Service, Former Retail Fuel Outlet, Automotive Service Garage and Taxi Stand
7	**31** (Ink Manufacturing, Processing and Bulk Storage)	260 St Patrick Street	Former Publisher
8	**31** (Ink Manufacturing, Processing and Bulk Storage)	202 Clarence Street	Former Printers
9	**9** (Coal Gasification) **58** (Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners)	350 King Edward Street	Former Coal Gasification Plant, Former Landfill
10	**28** (Gasoline and Associated Products Storage in Fixed Tanks) **52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	380 Cumberland Street	Former Retail Fuel Outlet and Auto Sales
11	**8** (Chemical Manufacturing, Processing and Bulk Storage)	95 Clarence Street	Chemical and Chemical Products Industries (Previously addressed 97 Clarence Street)

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
12	**28** (Gasoline and Associated Products Storage in Fixed Tanks) **52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems) **20** (Explosives and Ammunition Manufacturing, Production and Bulk Storage)	111 Parent Avenue	Former Retail Fuel Outlet, Automotive Service Garage and Ordnance Workshop (Previously addressed 113 Parent Avenue and 67 Murray Street)
13	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	113 Murray Street and 232 St. Patrick Street	Former Furniture Warehouse, One UST (Previously addressed 111 Murray Street)
14	**37** (Operation of Dry Cleaning Equipment (where chemicals are used) **8** (Chemical Manufacturing, Processing and Bulk Storage) **14** (Crude Oil Refining, Processing and Bulk Storage) **39** (Paints Manufacturing, Processing and Bulk Storage)	272 Dalhousie Street	Former Industrial Site #153: Former Chemical and Chemical Products Industries, Retailer, Paints and Oils, Former Dry Cleaners
15	**37** (Operation of Dry Cleaning Equipment (where chemicals are used)	286 ½ Dalhousie Street	Existing Dry Cleaners
16	**37** (Operation of Dry Cleaning Equipment (where chemicals are used)	291 Dalhousie Street	Former Dry Cleaners

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
17	**37** (Operation of Dry Cleaning Equipment (where chemicals are used)	261 Dalhousie Street	Former Dry Cleaners (Previously addressed 263 Dalhousie Street)
18	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	255 Dalhousie Street	Former Taxi Service
19	**37** (Operation of Dry Cleaning Equipment (where chemicals are used)	307 Dalhousie Street	Former Dry Cleaners (Previously addressed 309 Dalhousie Street)
20	**31** (Ink Manufacturing, Processing and Bulk Storage) **28** (Gasoline and Associated Products Storage in Fixed Tanks)	350 Dalhousie Street	Former Printers and Industrial Use, One UST (Previously addressed 78 to 82 York Street)
21	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	134 York Street	Former UST Associated with A Former Warehouse on Adjacent Property
22	**20** (Explosives and Ammunition Manufacturing, Production and Bulk Storage) **33** (Metal Treatment, Coating, Plating and Finishing)	113 to 119 Murray Street	Former Ordnance Workshop and Spare Parts Depot, Former Aluminum Manufacturing Industry, Former Jeweler (Previously included address 111 Murray Street)
23	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	104 Clarence Street	Former Automotive Service Garage

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
24	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	290 Dalhousie Street	Former Automotive Service Garage (Previously addressed 111 Clarence Street)
25	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems)	109 Murray Street	Former Public Works Warehouse
26	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	255-257 Cumberland Street	Former Taxi Service With 1 UST
27	**53** (Tannery)	145 Clarence Street	Former Tanner (Previously addressed 136 Murray Street)
28	**59** (Wood Treating and Preservative Facility and Bulk Storage of Treated and Preserved Wood Products) **28** (Gasoline and Associated Products Storage in Fixed Tanks)	232-234 Guigues Avenue	Former Lumber Merchant, Former Warehouse With 1 UST
29	**8** (Chemical Manufacturing, Processing and Bulk Storage) **14** (Crude Oil Refining, Processing and Bulk Storage) **39** (Paints Manufacturing, Processing and Bulk Storage)	97 Clarence Street	Former Industrial Site #152: Former Chemical and Chemical Products Industries, Retailer, Paints and Oils
30	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	360 St Patrick Street	Former Retail Fuel Outlet With 3 USTs, Former Oil Changers
31	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	355 St Patrick Street	Existing Car Rental, Former Retail Fuel Outlet With 4 USTs

Table 3: PCAs in Phase I Study Area

ID	PCA ID	Address	Description
32	**28** (Gasoline and Associated Products Storage in Fixed Tanks)	215 Dalhousie Street	Former Retail Fuel Outlet With 2 USTs
33	**50** (Soap and Detergent Manufacturing, Processing and Bulk Storage)	110 Clarence Street	Former Commercial Cleaners
34	**31** (Ink Manufacturing, Processing and Bulk Storage)	335 Cumberland Street	Rideau Printers
35	**31** (Ink Manufacturing, Processing and Bulk Storage)	216 Murray Street	Former Photo Engraving
36	**31** (Ink Manufacturing, Processing and Bulk Storage)	219 Murray Street	Former Printer
37	**52** (Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems) **50** (Soap and Detergent Manufacturing, Processing and Bulk Storage)	140 Murray Street	Former Taxi Service and Cleaners
38	**31** (Ink Manufacturing, Processing and Bulk Storage) **33** (Metal Treatment, Coating, Plating and Finishing)	222 Guigues Avenue	Former Industrial Site #162: Former Printing, Publishing and Allied Industries

PCAs identified within the Phase I Study Area are outlined in green on Drawing: PE5712-2 - Surrounding Land Use Plan.

No historical or existing potentially contaminating activities (PCAs) were identified on the Phase I Property. PCAs identified within the Phase I Study Area, outlined in green on Drawing PE5717-2 – Surrounding Land use, are not considered to represent areas of potential environmental concern (APECs) on the Phase I Property, based on the respective separation distances and/or orientations with

respect to the Phase I Property, in combination with redevelopment and/or information contained in our files.

No APECs are present on the Phase I Property.

Contaminants of Potential Concern (CPCs)

There are no contaminants of potential concern on the Phase I Property.

7.2 Conceptual Site Model

Existing Buildings and Structures

The Phase I Property features two 2-storey residential dwellings fronting on to Murray Street, addressed 168 and 174 Murray Street, as well as a wood frame shed building in the southeast corner of the Phase I Property. No other buildings or structures are present on the Phase I Property.

Subsurface Structures and Utilities

Underground utilities present on the Phase I Property include natural gas, municipal water and sewer services, and electrical; these services enter the property from Murray Street. Underground telephone and cable service utilities are also present, running between 168 and 174 Murray Street, and extending along the southern portion of the Phase I Property.

In the absence of potentially contaminating activities (PCAs), areas of potential environmental concern (APECs) and contaminants of potential concern (CPCs), underground utilities are not considered to have had the potential to affect contaminant distribution and transport at the Phase I Property.

Geological and Hydrogeological Setting

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the information from NRCAN, bedrock in the area of the Phase I Property reportedly consists of interbedded limestone and shale of the Verulam Formation. Based on the maps, overburden is reported to consist of offshore marine sediments with a drift thickness of 5 to 10 m.

Based on the regional topography, in combination with previous work conducted by Paterson within the Phase I Study Area, the groundwater flow beneath the Phase I Property is considered to be in a northwesterly direction.

Water Bodies

There are no waterbodies or areas of natural and scientific interest on the Phase I Property or within the Phase I Study Area. The closest significant bodies of water include the Ottawa River, approximately 700 m west, and the Rideau Canal, approximately 620 m north, with respect to the Phase I Property.

Areas of Natural Significance

No areas of natural significance were identified on the Phase I Property or within the Phase I Study Area.

Potable Water Well Records

No domestic potable well records were identified on the MECP well record mapping website, for the Phase I Property or for other properties within the Phase I Study Area. Properties within the Phase I Study Area are provided with municipal services.

Monitoring Well Records

A search of the MECP's web site for all drilled well records within 250m of the Phase I Property was conducted on April 27, 2022. No well records were identified for the Phase I Property. The search identified records of 29 monitoring wells for the following properties within the Phase I Study Area: 360 King Edward Avenue, 207-209 Guigues Avenue, 137 George Street, 325 Dalhousie Street, 333 King Edward Avenue, 307 St. Patrick Street, 274 Dalhousie Street, 210 Dalhousie Street, 117 Parent Avenue, 35 William Street, 41 William Street, 222 Cumberland Street, 227 Cumberland Street, 380 Cumberland Street, and 216 Murray Street. The monitoring wells were installed between 2009 and 2019, in the native silt, sand, clay or glacial till overburden or within the underlying limestone bedrock. Water levels were not provided on the well records.

Based on the separation distances, orientations relative to the Phase I Property and/or information contained in our files, the aforementioned properties are not considered to represent APECs on the Phase I Property. The monitoring well records have been attached in Appendix 2.

Neighbouring Land Use

Neighbouring land use within the 250m study area was historically used for residential and commercial purposes with occasional community, parkland and institutional purposes.

Current land use within the Phase I Study Area is a combination of residential and commercial, with occasional institutional and community purposes, as well as parkland use. Current land use is depicted on Drawing PE5717-2 – Surrounding Land Use Plan.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

No historical or existing potentially contaminating activities (PCAs) were identified on the Phase I Property. PCAs identified within the Phase I Study Area, outlined in green on Drawing PE5717-2 – Surrounding Land use, are not considered to represent areas of potential environmental concern (APECs) on the Phase I Property, based on the respective separation distances and/or orientations with respect to the Phase I Property, in combination with redevelopment and/or information contained in our files.

Contaminants of Potential Concern (CPCs)

There are no contaminants of potential concern on the Phase I Property.

Assessment of Uncertainty and/or Absence of Information

There were no material deviations to the Phase I ESA requirements set out in O.Reg. 153/04 that would cause uncertainty or absence of information that would affect the validity of the findings of the Phase I ESA or this Phase I CSM. It is the opinion of the qualified person (QP_{ESA}) that based on the information obtained and reviewed as part of this Phase I ESA, no PCAs or APECs were identified in association with the Phase I Property.

8.0 CONCLUSIONS

Assessment

Paterson Group was retained by Mr. Fernando Matos, on behalf of Mr. Changwan Yoo, to conduct a Phase I Environmental Site Assessment (Phase I-ESA) of the property addressed 168 and 174 Murray Street, in the City of Ottawa, Ontario. The purpose of this Phase I – Environmental Site Assessment was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

The Phase I Property was first developed with the existing residential structures prior to 1878. Between approximately 1888 and 1912, building additions were constructed along the south building face of both original structures. According to the historical research, the Phase I Property has been used exclusively for residential purposes following development, up to the present day.

Adjacent and neighbouring properties were historically used for commercial and residential purposes, with some institutional, parkland or community land use also present within the 250m study area. Several potentially contaminating activities, including former industrial operations, retail fuel outlets, body shops, automotive service garages, dry cleaners and a former landfill, were identified within the Phase I-ESA Study Area. Based on their respective distances and/or orientations with respect to the Phase I Property, in combination with redevelopment and/or information contained in our files, none of the PCAs are considered to have resulted in areas of potential environmental concern (APECs) on the Phase I Property.

Following the historical review, a site visit was conducted. The site is currently occupied by two 2-storey residential dwellings fronting onto Murray Street. The remainder of the site is occupied by a gravel laneway extending between the dwellings, and grassed area to the south of the dwellings. Wood fencing and a frame shed were also present on the Phase I Property. Neighbouring properties are used for primarily residential purposes, with commercial and community buildings present to the north of Murray Street, and fronting Cumberland Street, Clarence Street, and Dalhousie Street.

Based on the results of the Phase I - Environmental Site Assessment, it is our opinion that **a Phase II - Environmental Site Assessment is not required for the Phase I Property.**

Recommendations

It is our understanding that the Phase I Property is to be redeveloped in the future. Based on the potential presence of hazardous building materials and designated substances within the Phase I Property buildings, a designated substance survey must be conducted prior to any demolition/renovation activities, in accordance with Ontario Regulation 490/09, under the Occupational Health and Safety Act, if one has not already been completed.

9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, under the Environmental Protection Act, and meets the requirements of CSA Z768-01 (reaffirmed 2016). The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the Phase I Property and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Mr. Changwan Yoo. Permission and notification from the above noted parties and Paterson will be required to release this report to any other party.

Paterson Group Inc.



Jesse Andrechek, BASc.





Karyn Munch, P.Eng., QP$_{ESA}$

Report Distribution:

- ❑ Mr. Changwan Yoo c/o Fernando Matos
- ❑ Paterson Group

10.0 REFERENCES

Federal Records
Air photos at the Energy Mines and Resources Air Photo Library.
National Archives.
Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).
Natural Resources Canada – The Atlas of Canada.
Environment Canada, National Pollutant Release Inventory.
PCB Waste Storage Site Inventory.

Provincial Records
MECP Freedom of Information and Privacy Office.
MECP Municipal Coal Gasification Plant Site Inventory, 1991.
MECP document titled “Waste Disposal Site Inventory in Ontario”.
MECP Brownfields Environmental Site Registry.
Office of Technical Standards and Safety Authority, Fuels Safety Branch.
MNR Areas of Natural Significance.
MECP Water Well Inventory.

Municipal Records
The City of Ottawa Historical Land Use Inventory.
The City of Ottawa geoOttawa website.

Local Information Sources
Survey Plan prepared by Arpentage Payette Surveying Ltd., dated July 3, 2018.
Personal Interviews.

Public Information Sources
ERIS Database Report
Google Earth.
Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE5717-1 – SITE PLAN

DRAWING PE5717-2 – SURROUNDING LAND USE PLAN




Figure 1

KEY PLAN




Figure 2

TOPOGRAPHIC MAP

179 MURRAY STREET
THE RECTORY ART HOUSE
(COMMERCIAL)

159 MURRAY STREET
U-BOAT STUDIOS
(COMMERCIAL RECORDING STUDIO)

SIDEWALK

MURRAY STREET

SIDEWALK

180 MURRAY STREET
RESIDENTIAL

179 CLARENCE STREET
SEXUAL HEALTH CENTRE
RESIDENTIAL

GRAVEL DRIVEWAY

GATE

INTERLOCKING
PAVEMENT

SHED

LANDSCAPED

WOODEN
STEPS

WOODEN
DECK

**174 MURRAY STREET
RESIDENTIAL**

LANDSCAPED

169 CLARENCE STREET
RESIDENTIAL

WOODEN
FENCE

LANDSCAPED

GRAVEL DRIVEWAY

WOODEN
STEPS

ASPHALTIC PAVEMENT

LANDSCAPED

CONCRETE
SLOPE

**168 MURRAY STREET
RESIDENTIAL**

LANDSCAPED

LANDSCAPED

165 CLARENCE STREET
RESIDENTIAL

162 MURRAY STREET
RESIDENTIAL

157 CLARENCE STREET
BYWARD BLUE INN
(COMMERCIAL HOTEL)

SCALE: 1:200

0 1 2 3 4 5 10m

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

MR. CHANGWAN YOO

PHASE I - ENVIRONMENTAL SITE ASSESSMENT
168 & 174 MURRAY STREET

OTTAWA, ONTARIO


Title:

SITE PLAN

Scale: 1:200	**Date:** 05/2022
Drawn by: GK	**Report No.:** PE5717-1
Checked by: JA	**Dwg. No.:** PE5717-1
Approved by: MSD	**Revision No.:**

11x17

p:\autocad drawings\environmental\pe57xx\pe5717\pe5717-1 site plan.dwg



POTENTIALLY CONTAMINATING ACTIVITIES:

ID	PCA ID	ADDRESS	DESCRIPTION
1	28,31	321 TO 325 DALHOUSIE ST.	FORMER RETAIL FUEL OUTLET, FORMER COMMERCIAL PAINTERS (PREV. #327 DALHOUSIE ST.).
2	31	137 GEORGE ST.	FORMER PRINTERS (PREV. #125-127 GEORGE ST.).
3	34,52,37	343 TO 349 DALHOUSIE ST.	FORMER AUTOMOTIVE PARTS AND SERVICE, FORMER OTTAWA RE-TINNING AND FORMER DRY CLEANERS (PREV. #339 , 341 DALHOUSIE ST.).
4	37	261 ST. PATRICK ST.	FORMER DRY CLEANERS.
5	53	95 YORK ST.	FORMER LEATHER AND ALLIED PRODUCT INDUSTRIES.
6	28,52	305 CUMBERLAND ST.	EXISTING AUTO SALES AND SERVICE, FORMER RETAIL FUEL OUTLET, AUTOMOTIVE SERVICE GARAGE,TAXI STAND.
7	31	260 ST. PATRICK ST.	FORMER PUBLISHER.
8	31	202 CLARENCE ST.	FORMER PRINTERS.
9	9,58	350 KING EDWARD ST.	FORMER COAL GASIFICATION PLANT, FORMER LANDFILL.
10	28,52	380 CUMBERLAND ST.	FORMER RETAIL FUEL OUTLET AND AUTO SALES.
11	8	95 CLARENCE ST.	CHEMICAL AND CHEMICAL PRODUCTS INDUSTRIES PREVIOUSLY #97 CLARENCE ST.).
12	28,52,20	111 PARENT AVENUE	FORMER RETAIL FUEL OUTLET, AUTOMOTIVE SERVICE GARAGE AND ORDINANCE WORKSHOP. (PREV. #113 PARENT AVE 67 MURRAY ST).
13	28	113 MURRAY ST. & 232 ST. PATRICK ST	FORMER FURNITURE WAREHOUSE, ONE UNDERGROUND STORAGE TANK (PREV.#111 MURRAY ST.).
14	37,8,14,39	272 DALHOUSIE ST	FORMER INDUSTRIAL SITE,# 153:FORMER CHEMICAL AND CHEMICAL PRODUCTS INDUSTRIES, RETAILER, PAINTS AND OIL, FORMER DRY CLEANERS.
15	37	286(½) DALHOUSIE ST.	EXISTING DRY CLEANERS.
16	37	291 DALHOUSIE ST.	FORMER DRY CLEANERS.
17	37	261 DALHOUSIE ST.	FORMER DRY CLEANERS.(PREV #263 DALHOUSIE ST.)
18	52	255 DALHOUSIE ST.	FORMER TAXI SERVICE.
19	37	307 DALHOUSIE ST.	FORMER DRY CLEANERS (PREV. #309 DALHOUSIE ST.)
20	31,28	350 DALHOUSIE ST.	FORMER PRINTERS AND INDUSTRIAL USE, ONE UNDER GROUND STORAGE TANK (PREV. #78 - 82 YORK ST.).
21	28	134 YORK ST.	FORMER UNDERGROUND STORAGE TANK ASSOCIATED WITH FORMER WAREHOUSE ON ADJACENT PROPERTY.
22	20,33	113 - 119 MURRAY ST.	FORMER ORDNANCE WORKSHOP AND SPARE PARTS DEPOT, FORMER ALUMINUM MANUFACTURING INDUSTRY, FORMER JEWELER(PREV. #111 MURRAY ST.).
23	52	104 CLARENCE ST.	FORMER AUTOMOTIVE SERVICE GARAGE.
24	52	290 DALHOUSIE ST.	FORMER AUTOMOTIVE SERVICE GARAGE. (PREV.#111 MURRAY STREET)
25	52	109 MURRAY ST.	FORMER PUBLIC WORKS WAREHOUSE.
26	28	255-257 CUMBERLAND ST.	FORMER TAXI SERVICE WITH ONE UNDERGROUND STORAGE TANK.
27	53	145CLARENCE ST.	FORMER TANNER(PREV. #136 MURRAY STREET)
28	59,28	232-234 GUIGUES AVENUE	FORMER LUMBER MERCHANT, FORMER WAREHOUSE WITH 1 UNDERGROUND STORAGE TANK.
29	8,14,39	97 CLARENCE ST.	FORMER INDUSTRIAL SITE#152, FORMER CHEMICAL AND CHEMICAL PRODUCT INDUSTRIES,RETAILERS, PAINTS AND OILS
30	28	360 ST. PATRICK ST.	FORMER RETAIL FUEL OUTLET WITH 3 UNDERGROUND STORAGE TANKS, FORMER OIL CHANGERS.
31	28	355 ST. PATRICK ST.	EXISTING CAR RENTALS, FORMER RETAIL FUEL OUTLET - 4 UNDERGROUND STORAGE TANKS.
32	28	215 DALHOUSIE ST.	FORMER RETAIL FUEL OUTLET - 2 UNDERGROUND STORAGE TANKS.
33	50	110 CLARENCE ST.	FORMER COMMERCIAL CLEANERS.
34	31	335 CUMBERLAND ST.	RIDEAU PRINTERS.
35	31	216 MURRAY ST.	FORMER PHOTO ENGRAVING.
36	31	219 MURRAY ST.	FORMER PRINTERS.
37	52	140 MURRAY ST.	FORMER TAXI SERVICE AND CLEANERS.
38	31,33	222 GUIGUES AVENUE	FORMER INDUSTRIAL SITE#162, FORMER PRINTERS, PUBLISHING AND ALLIED INDUSTRIES.

patersongroup
consulting engineers

154 Colonnade Road South
Ottawa, Ontario K2E 7J5
Tel: (613) 226-7381 Fax: (613) 226-6344

NO.	REVISIONS	DATE	INITIAL

MR. CHANGWAN YOO

PHASE I - ENVIRONMENTAL SITE ASSESSMENT
168 & 174 MURRAY STREET

OTTAWA, ONTARIO

Title:

SURROUNDING LAND USE PLAN

Scale: 1:3000	Date: 05/2022
Drawn by: GK	Report No.: PE5717-1
Checked by: JA	Dwg. No.: PE5717-2
Approved by: MSD	Revision No.:

p:\autocad drawings\environmental\pe57xx\pe5717\pe5717-2 stup.dwg

11x17

APPENDIX 1

SURVEY PLAN

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS

TOPOGRAPHIC PLAN OF SURVEY OF

LOT 23 (South Murray Street)
REGISTERED PLAN 42482
CITY OF OTTAWA

Surveyed by Annis, O'Sullivan, Vollebekk Ltd.

Scale 1 : 150

6 4.5 3.0 1.5 0 3 6 Metres

Metric

DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

Surveyor's Certificate

I CERTIFY THAT :

1. This survey and plan are correct and in accordance with the Surveys Act and the Surveyors Act and the regulations made under them.
2. The survey was completed on the 7th day of January, 2021.

Jan 12/21
Date

T. Hartwick
Ontario Land Surveyor

Notes & Legend

	Denotes	
-□-	"	Survey Monument Planted
-■-	"	Survey Monument Found
SIB	"	Standard Iron Bar
SSIB	"	Short Standard Iron Bar
IB	"	Iron Bar
CC	"	Cut Cross
CP	"	Concrete Pin
(WIT)	"	Witness
Meas.	"	Measured
(AOG)	"	Annis, O'Sullivan, Vollebekk Ltd.
(OU)	"	Oirigin Unknown
(PI)	"	Registered Plan 42482
(P2)	"	(1692) Plan dated February 3, 2004
(P3)	"	Plan 4R-11560
(P4)	"	Plan 5R-5546
(P5)	"	Plan 5R-14850
	"	Deciduous Tree
FH	"	Fire Hydrant
MH-S	"	Maintenance Hole (Sanitary)
MH	"	Maintenance Hole (Unidentified)
CB	"	Catch Basin
T\G	"	Top of Grate
GM	"	Gas Meter
TB-B	"	Bell Terminal Box
B	"	Bollard
BF	"	Board Fence
SWC	"	Concrete Sidewalk
LS	"	Light Standard
AC	"	Air Conditioner
Ø	"	Diameter
+ 65.00	"	Location of Elevations
+ 65.00*	"	Top of Concrete Curb Elevation
C/L	"	Centreline
	"	Property Line

Bearings are astronomic and are referred to the southerly limit of Murray Street, shown to be N59°05'00"E on Registered Plan 42482.

ELEVATION NOTES

1. Elevations shown are geodetic and are referred to the CGVD28 geodetic datum.
2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that it's relative elevation and description agrees with the information shown on this drawing.

UTILITY NOTES

1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
2. Only visible surface utilities were located.
3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

ASSOCIATION OF ONTARIO LAND SURVEYORS
PLAN SUBMISSION FORM
2150043

THIS PLAN IS NOT VALID UNLESS IT IS AN EMBOSSED ORIGINAL COPY ISSUED BY THE SURVEYOR In accordance with Regulation 1026, Section 29 (3).

© Annis, O'Sullivan, Vollebekk Ltd. 2021. "THIS PLAN IS PROTECTED BY COPYRIGHT"


ANNIS, O'SULLIVAN, VOLLEBEKK LTD.
14 Concourse Gate, Suite 500
Nepean, Ont. K2E 7S6
Phone: (613) 727-0850 / Fax: (613) 727-1079
Email: Nepean@aovltd.com
Ontario Land Surveyors

Job No. 21122-20 Yoo Pt Lt 23 PL42482 T F AR

Y:\2020\21122-20_David Yoo_168 Murray Street_Plan of Survey_THURNA\21122-20 Yoo Pt Lt23 PL42482 T F.dwg, 2021-01-12 10:51:35 AM



AERIAL PHOTOGRAPH
1922



AERIAL PHOTOGRAPH
1931



AERIAL PHOTOGRAPH
1951



AERIAL PHOTOGRAPH
1960




AERIAL PHOTOGRAPH
1973




AERIAL PHOTOGRAPH
1984




AERIAL PHOTOGRAPH
1991



AERIAL PHOTOGRAPH
2002



AERIAL PHOTOGRAPH
2011



AERIAL PHOTOGRAPH
2019

Photo 1: On the north side of Murray Street, facing south towards the Phase I Property dwellings.



Photo 2: In the centre of the Phase I Property, facing southwest towards the 168 Murray Street building addition.



Photo 3: East building face of 174 Murray Street, with fenced yard.



Photo 4: Back yard of 168 Murray Street, facing south towards a masonry block wall on adjacent property.



Photo 5: Main floor interior of 168 Murray Street.




Photo 6: Second story interior of 168 Murray Street.



Photo 7: Basement crawl space of 168 Murray Street, and masonry foundation.



Photo 8: Interior main floor of 174 Murray Street building.



Photo 9: Interior basement of 174 Murray Street, with poured concrete floor and natural gas forced air furnace.



APPENDIX 2

MECP FREEDOM OF INFORMATION SEARCH

CITY OF OTTAWA HISTORICAL LAND USE INVENTORY SEARCH

WATER WELL RECORDS

TSSA CORRESPONDENCE

ERIS DATABASE REPORT

Ontario

Ministry of the Environment and Climate Change

Freedom of Information and
Protection of Privacy Office
40 St. Clair Avenue West, 12th Floor
Toronto ON M4V 1M2
Telephone 416 314-4075

Freedom of Information Request

Instructions

Use this form to request records that are in the Ministry's files on environmental concerns related to properties. Our fax number is 416 314-4285.

For Ministry Use Only

FOI Request Number	Date Request Received (yyyy/mm/dd)
Fee Paid	☐ Cheque ☐ VISA/MC ☐ Cash/Money Order

☐ CNR ☐ ER ☐ NOR ☐ SWR ☐ WCR ☐ IEB ☐ EAA ☐ EMR ☐ SCB ☐ SDW

1. Requester Data

Last Name	First Name	Middle Initial
Andrechek	Jesse	J
Title	**Company Name**	
Environmental Technician	Paterson Group	

Mailing Address

Unit Number	Street Number	Street Name	PO Box
	154	Colonnade Road South	
City/Town	**Province**	**Postal Code**	
Ottawa	Ontario	K2E 7J5	
Email Address	**Telephone Number**	**Fax Number**	
jandrechek@patersongroup.ca	613 226-7381 ext.		
Project/Reference Number	**Signature of Requester**		
PE 5717	J. Andrechek		

2. Request Parameters

Municipal Address (Municipal address mandatory for cities, towns or regions)

Unit Number	Street Number	Street Name	PO Box
[redacted]	168-174	Murray Street	
Lot Number	**Concession**	**Geographic Township**	
Lot 23, registered plan 42482		Ottawa	
City/Town/Village	**Province**	**Postal Code**	
Ottawa	ON	K1N 5M8	

Present Property

1. Owner: Changwan Yoo — Date of Ownership (yyyy/mm/dd)

Tenant (if applicable)

Previous Property

1. Owner — Date of Ownership (yyyy/mm/dd)

Tenant (if applicable)

 © Queen's Printer for Ontario, 2016 Disponible en français

3. Search Parameters

Search Parameters	Specify Year(s) Requested
Environmental concerns (General correspondence, occurrence reports, abatement)	All
Orders	All
Spills	All
Investigations/prosecutions ► Owner and tenant information must be provided	2003-Present
Waste Generator number/classes	All

Files older than 2 years may require $60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.

4. Environmental Compliance Approvals/Certificates of Approval

Environmental Compliance Approvals/Certificates of Approval	SD	Specify Year(s) Requested
air - emissions	☑	1986- Present
renewable energy	☑	1986- Present
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)	☑	1986- Present
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations	☑	1986- Present
waste water - industrial discharge	☑	1986- Present
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites	☑	1986- Present
waste systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, PCB destruction	☑	1986- Present

Proponent information must be provided and Environmental Compliance Approval/Certificate of Approval number(s) (if known). 1985 and prior records are searched manually. Search fees in excess of $300.00 may be incurred, depending on the types and years to be searched. Specify Approval number(s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.

TOPOGRAPHIC PLAN OF SURVEY OF
LOT 23 (South Murray Street)
REGISTERED PLAN 42482
CITY OF OTTAWA

Surveyed by Annis, O'Sullivan, Vollebekk Ltd.

Scale 1 : 150

6 4.5 3.0 1.5 0 3 6 Metres

Metric

DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

Surveyor's Certificate

I CERTIFY THAT :

1. This survey and plan are correct and in accordance with the Surveys Act and the Surveyors Act and the regulations made under them.
2. The survey was completed on the 7th day of January, 2021.

Jan 12/21
Date

T. Hartwick
Ontario Land Surveyor

Notes & Legend

Denotes		
—□—	"	Survey Monument Planted
—■—	"	Survey Monument Found
SIB	"	Standard Iron Bar
SSIB	"	Short Standard Iron Bar
IB	"	Iron Bar
CC	"	Cut Cross
CP	"	Concrete Pin
(WIT)	"	Witness
Meas.	"	Measured
(AOG)	"	Annis, O'Sullivan, Vollebekk Ltd.
(OU)	"	Origin Unknown
(PI)	"	Registered Plan 42482
(P2)	"	(1692) Plan dated February 3, 2004
(P3)	"	Plan 4R-11560
(P4)	"	Plan 5R-5546
(P5)	"	Plan 5R-14850
	"	Deciduous Tree
FH	"	Fire Hydrant
MH-S	"	Maintenance Hole (Sanitary)
MH	"	Maintenance Hole (Unidentified)
CB	"	Catch Basin
T\G	"	Top of Grate
GM	"	Gas Meter
TB-B	"	Bell Terminal Box
B	"	Bollard
BF	"	Board Fence
SWC	"	Concrete Sidewalk
LS	"	Light Standard
AC	"	Air Conditioner
Ø	"	Diameter
+65.00	"	Location of Elevations
+65.00*	"	Top of Concrete Curb Elevation
C/L	"	Centreline
	"	Property Line

Bearings are astronomic and are referred to the southerly limit of Murray Street, shown to be N59°05'00"E on Registered Plan 42482.

ELEVATION NOTES

1. Elevations shown are geodetic and are referred to the CGVD28 geodetic datum.
2. It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that it's relative elevation and description agrees with the information shown on this drawing.

UTILITY NOTES

1. This drawing cannot be accepted as acknowledging all of the utilities and it will be the responsibility of the user to contact the respective utility authorities for confirmation.
2. Only visible surface utilities were located.
3. A field location of underground plant by the pertinent utility authority is mandatory before any work involving breaking ground, probing, excavating etc.

ASSOCIATION OF ONTARIO LAND SURVEYORS
PLAN SUBMISSION FORM
2150043

THIS PLAN IS NOT VALID UNLESS IT IS AN EMBOSSED ORIGINAL COPY ISSUED BY THE SURVEYOR In accordance with Regulation 1026, Section 29 (3).

© Annis, O'Sullivan, Vollebekk Ltd. 2021. "THIS PLAN IS PROTECTED BY COPYRIGHT"

ANNIS, O'SULLIVAN, VOLLEBEKK LTD.
14 Concourse Gate, Suite 500
Nepean, Ont. K2E 7S6
Phone: (613) 727-0850 / Fax: (613) 727-1079
Email: Nepean@aovlet.com
Ontario Land Surveyors

Job No. 21122-20 Yoo Pt\123 Pt.42482 T. F AR

YOU2021\122-20_Dwfd Yoo - 168 Murray Street, Plan of Survey, TWP\Work\21122-20 Yoo Pt\123 Pt.42482 T.dwg, 2021-01-12 10:51:15 AM

Office Use Only		
Application Number:	Ward Number:	Application Received: (dd/mm/yyyy):
Client Service Centre Staff:		Fee Received: $

Historic Land Use Inventory

Application Form

Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning Infrastructure and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

Background Information

***Site Address or Location:** 168 and 174 Murray Street, Ottawa

** Mandatory Field*

Applicant/Agent Information:

Name:	*Paterson Group Inc*		
Mailing Address:	*154 Colonnade Rd S, Nepean, ON K2E 7J5*		
Telephone:	*613-226-7381*	Email Address:	*jandrechek@patersongroup.ca*

Registered Property Owner Information: ☐ Same as above

Name:	Mr. Changwan Yoo		
Mailing Address:	331 Iona Street		
Telephone:		Email Address:	davidglobal123@gmail.com

Site Details

Legal Description and PIN: Lot 23 (South Murray Street) REGISTERED PLAN 42482, CITY OF OTTAWA PINs: 04214-0040 , 04214-0041

What is the land currently used for? Residential

Lot frontage: ____ m Lot depth: ____ m Lot area: ____ m²

OR Lot area: (irregular lot) 653.7 m²

Does the site have Full Municipal Services: (X) Yes ( ) No

Required Fees

Please don't hesitate to visit the Historic Land Use Inventory website more information. Fees must be paid in full at the time of application submission.

Planning Fee $128.00

Submittal Requirements

The following are required to be submitted with this application:

1. **Consent to Disclose Information:** Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, **the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner.** This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
2. **Disclaimer:** Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Infrastructure and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
3. **A site plan or key plan of the property, its location and particular features.**
4. **Any significant dates or time frames that you would like researched.**

Disclaimer
For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Paterson Group ("the Requester") does so only under the following conditions and understanding:

1. The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.


3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.

4. Copyright is reserved to the City.

5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.

6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.

7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed: 

Dated (dd/mm/yyyy): 29-04-2022

Per: Jesse Andrechek

(Please print name)

Title: Environmental Consultant

Company: Paterson Group Inc

patersongroup

Consulting Engineers

154 Colonnade Road South
Ottawa, Ontario
Canada, K2E 7J5
Tel: (613) 226-7381
Fax: (613) 226-6344

Geotechnical Engineering
Environmental Engineering
Hydrogeology
Geological Engineering
Materials Testing
Building Science

www.patersongroup.ca

April 29, 2022
File: PE5717-LET.01

City of Ottawa
110 Laurier Avenue W
Ottawa, Ontario
K1P 1J1

Subject: **Authorization Letter, HLUI Search**
Phase I-Environmental Site Assessment
168-174 Murray Street
Ottawa, Ontario


Dear Sir or Madame,

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I-Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner: Changhwan Yoo

Name of Representative: Fernando Matos

Authorization of Representative: 

Date: MAY 2, 2022

Ontario — Ministry of the Environment

Measurements recorded in: ☐ Metric ☐ Imperial

Well T A 032223 (Print Below)
A032223

Well Record

Regulation 903 Ontario Water Resources Act

[redacted]

Address of Well Location (Street Number/Name): 360 King Edward Avenue
Township: Ottawa
Lot:
Concession:
County/District/Municipality: Ottawa Carleton
City/Town/Village: Ottawa
Province: Ontario
Postal Code:
UTM Coordinates: NAD 83 Zone 18 Easting 446250 Northing 5030947
Municipal Plan and Sublot Number:
Other:

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
			fill; silty sand, some clay	0	2.0
grey			silty clay, some sand	2.0	7.0
grey			glacial till; gravelly sand, some silt	7.0	9.0
			Limestone bedrock	9.0	12.95

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	9.6	bentonite pellets & holeplug	1 bag
9.6	12.95	filter sand	½ bag

Method of Construction

☐ Cable Tool ☑ Diamond ☐ Jetting ☐ Driving ☐ Digging ☐ Rotary (Conventional) ☐ Rotary (Reverse) ☐ Boring ☐ Air percussion ☐ Other, specify

Well Use

☐ Public ☐ Commercial ☐ Not used ☐ Domestic ☐ Municipal ☐ Dewatering ☐ Livestock ☐ Test Hole ☐ Monitoring ☐ Irrigation ☐ Cooling & Air Conditioning ☐ Industrial ☐ Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To
3.5	plastic	0.4	0	9.9

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To
4.1	plastic	10	9.9	12.95

Status of Well

☐ Water Supply ☐ Replacement Well ☑ Test Hole ☐ Recharge Well ☐ Dewatering Well ☐ Observation and/or Monitoring Hole ☐ Alteration (Construction) ☐ Abandoned, Insufficient Supply ☐ Abandoned, Poor Water Quality ☐ Abandoned, other, specify ☐ Other, specify

Water Details

Water found at Depth (m/ft)	Kind of Water	Gas	Other, specify
	☐ Fresh ☐ Untested	☐	
	☐ Fresh ☐ Untested	☐	
	☐ Fresh ☐ Untested	☐	

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	9.1	7.5
9.1	12.95	5.6

Results of Well Yield Testing

After test of well yield, water was: ☐ Clear and sand free ☐ Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)

Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.

Site plan and area Map are enclosed.

Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor: OGS INC
Well Contractor's Licence No.: 6964
Business Address (Street Number/Name): 5518 Appleton Side Road
Municipality: Almonte
Province: Ontario
Postal Code: K0A 1A0
Business E-mail Address: ogsinc@bellnet.ca
Bus. Telephone No. (inc. area code): 6132567666
Name of Well Technician (Last Name, First Name): Echlin, Chad
Well Technician's Licence No.: 3299
Signature of Technician and/or Contractor:
Date Submitted: 2009/11/27

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered: Y Y Y Y M M D D

Date Work Completed: 2009/11/24

Ministry Use Only

Audit No. Z 106954
DEC 03 2009
Received

0506E (12/2007)

Ministry's Copy

© Queen's Printer for Ontario, 2007


→ Well that was replaced

C-6964
2106954

DEC 03 2009

RAND McNALLY

Ottawa MA


GATINEAU
Île Kettle
QUEBEC
ONTARIO
OUTAOUAIS
RIVIERE DES OTTAWA
RIVER
Upper Duck I.
ROCKCLIFFE PARK
VANIER
OTTAWA
Rockcliffe Airport
Canada Aviation Museum
Canadian Police College
National Research Council of Canada
Rideau Hall
Montfort
Lynx Stadium
RCMP Headquarters
Ottawa City Hall
Ottawa (Riverside Campus)
Children's Hospital of E. Ont.
Ottawa (General Campus)
Canada Science and Technology Museum
Rideau River Park
Lynda Lane Park
Parc de la Baie
Jacques-Cartier
Club de Golf Tecumseh
To Masson-Angers
BOUL. MALONEY OUEST
BOUL. MALONEY EST.
ROCKCLIFFE PKWY.
MONTREAL
PRINCESS AVE.
HEMLOCK RD.
BEECHWOOD
VANIER PKWY.
McARTHUR
COVENTRY RD.
CYRVILLE RD.
INDUSTRIAL AVE
RUSSELL
WALKLEY RD.
OGILVIE RD.
ST. LAURENT
AVIATION PKWY.
RIVERSIDE DR.
MAIN ST.
ST. LOUIS
SMYTH RD.
Sandridge Rd.
Eastbourne Ave.
Cottage Row
Bishop Blvd.
Brittany Dr.
Montreal Rd.
Beechwood Ave.
Granville St.
Blake Blvd.
Guy St.
Gardenvale Rd.
Tremblay Rd.
Terminal Ave.
Belfast Rd.
Coronation Ave.
Shelley Ave.
Browning Ave.
Portage Ave.
Chapman Blvd.
Pleasant Park Rd.
Mountbatten Ave.
Cunningham Ave.
Wood-crest Rd.
Playfair Dr.
Canterbury Ave.
Juno Ave.
Orchard Ave.
Grace St.
Randall Ave.
Featherston Dr.
Lees Ave.
Queen St.
Somerset St. E.
Templeton St.
Donald St.
Queen Mary St.
Presland Rd.
Parisien St.
Tremblay Rd.
Meadowbrook Rd.
Beaverford Dr.
Stonehenge Cr.
Palmerston Dr.
Meadowlands Dr.
Massey Ln.
Quincy Ave.
Rothwell Dr.
Davidson Dr.
Naskapi Dr.
Seguin St.
Elmridge Dr.
Applegrove St.
Bathgate Dr.
Clubhaven Dr.
Mathieson Dr.
Castlefrank Rd.
Hemlock Rd.
Venus Dr.
Dubbe Ct.
Via Dr.
Burma Rd.
Cedar Rd.
Blair Rd.
Rebecca Cr.
Kolmar Dr.
Delong Dr.
La Verendrye Dr.
Ogilvie Rd.
Filmore Cr.
Lamarche Rd.
Lanark Rd.
Lancaster Rd.
Southvale Cr.
Tenney Rd.
Joliffe St.
Valley Dr.
Arch St.
Haig Dr.
Halifax Dr.
Hardeep Rd.
Uplands Dr.
Ryder St.
Aurele St.
Bearbrook Rd.
Maxime St.
Algoma Rd.
Comstock Rd.
Star Top Rd.
Kenaston St.
Marchand St.
Michael St.
Labrie Ave.
Old Innes Rd.
Innes Rd.
Boarne St.
Sheffield Rd.
Blvd.
Russell Rd.
Dunbarton Dr.
Highland Cres.
Highbridge Dr.
Fairbanks Ave.
Roger Rd.
Homewood Ave.
Riverdale Ave.
Sunnyside Ave.
Cameron Ave.
Blossom Dr.
Niagara Dr.
Kilborn Ave.
Bingham Ave.
Hillary Ave.
Prospect Ave.
Camborne Cr.
Louisiana Ave.
Virginia Dr.
Dorval Ave.
Colonial Rd.
Thessaly Cir.
Delmar Dr.
Harding Rd.
Urbandale Dr.
Ages Dr.
Lorraine Dr.
Mapleview Dr.
Mapleridge Dr.
Mapleglen Dr.
Mapleton Dr.
Mapleleaf Dr.
Mapleheights Dr.
Mapleshade Dr.
Mapleside Dr.
Mapleplain Dr.
Mapleplace Dr.
Mapleplain Dr.
Mapleplace Dr.
Mapleplain Dr.
Mapleplace

Ontario — Ministry of the Environment

Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☐ Metric ☒ Imperial

Well Tag No. (Place Sticker and/or Print Below): A107685 A107685

7820 Page 1 of 1

[redacted]

Address of Well Location (Street Number/Name)	Township	Lot	Concession
207 & 209 Guigues Avenue			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 8 3	18	445946	5031240		WKQ-003035 A0 - A01

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Brown	Clay	Sand		0	4
Gray	Clay	Sand		4	8
Gray	Clay		moist	8	20

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
8	20	Sand	
0	8	Benseal	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, specify: Direct Push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☒ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.25	PVC		0	9

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.5	PVC		9	19

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify
☐ Other, specify

Water Details

Water found at Depth (m/ft)	Gas	Kind of Water: Fresh	Untested	Other, specify
	☐	☐	☐	
	☐	☐	☐	
	☐	☐	☐	

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0'	19'	12.5"

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)


Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: General contractor: Pinchin Environmental

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Soil Sampling Inc.	7241

Business Address (Street Number/Name)	Municipality
147-2 West Beaver Creek Road	Richmond Hill

Province	Postal Code	Business E-mail Address
Ontario	L4B 1C6	wrecords@stratasoil.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
905-764-9304	Muir, Mike

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3448		2010/09/10

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☒ No		2010/09/17

Ministry Use Only

Audit No. Z122054

NOV 04 2010 Received

0506E (2007/12) © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. *(Place Sticker and/or Print Below)* **Tag#: A135181** A135181

S-12803

Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☑ Metric ☐ Imperial

Page _____ of _____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
[redacted]	Grant thornton Ltd		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
9 Fl S. Tower 200 Bay st. Box55	Toronto	ON	M5J2P9	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
137 George st.			

County/District/Municipality	City/Town/Village	Province	Postal Code
	ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	446010	5030758		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (*m/ft*) From	Depth (*m/ft*) To
Brn	Sand	Gravel	soft, dry	0	2.74
Brn	Sand	Cobbles	Hard, wet	2.74	4.57

Annular Space

Depth Set at (*m/ft*) From	To	Type of Sealant Used *(Material and Type)*	Volume Placed (m^3/ft^3)
0	.31	Concrete / flushmount	
.31	1.22	Benseal	
1.22	4.57	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* D.P

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☐ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (*cm/in*)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (*cm/in*)	Depth (*m/ft*) From	To
4.03	PVC	.368	0	1.5

Construction Record - Screen

Outside Diameter (*cm/in*)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (*m/ft*) From	To
4.82	PVC	10	1.5	4.57

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*
Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*
Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*

Hole Diameter

Depth (*m/ft*) From	To	Diameter (*cm/in*)
0	4.57	8.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at (*m/ft*)

Pumping rate (*l/min / GPM*)

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (*m/ft*)

If flowing give rate (*l/min / GPM*)

Recommended pump depth (*m/ft*)

Recommended pump rate (*l/min / GPM*)


Well production (*l/min / GPM*)

Disinfected? ☐ Yes ☐ No

Draw Down Time (*min*)	Draw Down Water Level (*m/ft*)	Recovery Time (*min*)	Recovery Water Level (*m/ft*)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Soil Sampling Inc.	7241

Business Address (Street Number/Name)	Municipality
147-2 West Beaver Creek road	Richmond Hill

Province	Postal Code	Business E-mail Address
Ontario	L4B1C6	Wrecords@StrataSoil.com

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)
9057649304	Beatty, Brian

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3616		2012 07 20

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	YYYY MM DD	2012 07 20

Ministry Use Only

Audit No. Z152891

SEP 04 2012 Received

 © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. *(Place Sticker and/or Print Below)*

Tag#: A135180 A135180

S-12803 **Well Record**

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☑ Metric ☐ Imper

Page _____ of _____

Well Owner's Information

[redacted] / Organization: Grant Thornton Ltd

E-mail Address:

☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name): 9TH Fl S. Tower 200 Bay St Box 55

Municipality: Toronto

Province: ON

Postal Code: M5J2P9

Telephone No. *(inc. area code)*:

Well Location

Address of Well Location (Street Number/Name): 137 George St.

Township:

Lot:

Concession:

County/District/Municipality:

City/Town/Village: Ottawa

Province: Ontario

Postal Code:

UTM Coordinates NAD 83: Zone 18 Easting 446021 Northing 5030741

Municipal Plan and Sublot Number:

Other:

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Brn	Sand	Gravel	soft, dry	0	2.44
Brn	Sand	Cobbles silt	Hard, wet	2.44	4.27

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0	.31	Concrete / flushmount	
.31	1.22	Benseal	
1.22	4.27	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* D.P.

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
4.03	PVC	.368	0	1.22

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
4.82	PVC	10	1.22	4.27

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☐ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
Water found at Depth (m/ft) ☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
Water found at Depth (m/ft) ☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0	4.27	8.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: George St.

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Soil Sampling Inc.

Well Contractor's Licence No.: 7241

Business Address (Street Number/Name): 147-2 West Beaver Creek Road

Municipality: Richmond Hill

Province: Ontario

Postal Code: L4B1C6

Business E-mail Address: Wrecords@stratasoil.com

Bus. Telephone No. *(inc. area code)*: 9057649308

Name of Well Technician (Last Name, First Name): Beatty, Brian

Well Technician's Licence No.: 3616

Signature of Technician and/or Contractor:

Date Submitted: 20120720

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered: YYYY MM DD

Date Work Completed: 20120720

Ministry Use Only

Audit No. Z152893

Rec'd SEP 04 2012

0506E (2007/12) © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Measurements recorded in: ☑ Metric ☐ Impe

Well Tag No. *(Place Sticker and/or Print Below)* **Tag#: A135182** A135182

S-12803

Well Record

Regulation 903 Ontario Water Resources Act

Page _____ of _____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
[redacted]	Grant Thornton Ltd		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
19 Fl S. Tower 200 Bay st. Box 5	Toronto	ON	M5J2P9	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
325 Dalhousie st			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445975	5080796		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (*m/ft*) From	To
Brn	Sand	Gravel	soft, dry	0	3.1
Brn	Clay	Sand / cobbles	hard, wet	3.1	4.57

Annular Space

Depth Set at (*m/ft*) From	To	Type of Sealant Used *(Material and Type)*	Volume Placed (m^3/ft^3)
0	.31	Concrete / flushmount	
.31	1.22	Bensal	
1.22	4.57	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* D. P.

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (*cm/in*)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (*cm/in*)	Depth (*m/ft*) From	To
4.03	PVC	.368	0	1.5

Construction Record - Screen

Outside Diameter (*cm/in*)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (*m/ft*) From	To
4.82	PVC	10	1.5	4.57

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*
Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*
Water found at Depth (*m/ft*)	Kind of Water: ☐ Fresh ☐ Untested ☐ Gas ☐ Other, *specify*

Hole Diameter

Depth (*m/ft*) From	To	Diameter (*cm/in*)
0	4.57	8.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify* _____

If pumping discontinued, give reason:

Pump intake set at (*m/ft*)

Pumping rate (*l/min / GPM*)

Duration of pumping _____ hrs + _____ min

Final water level end of pumping (*m/ft*)

If flowing give rate (*l/min / GPM*)

Recommended pump depth (*m/ft*)

Recommended pump rate (*l/min / GPM*)


Well production (*l/min / GPM*)

Disinfected? ☐ Yes ☐ No

Draw Down Time (*min*)	Water Level (*m/ft*)	Recovery Time (*min*)	Water Level (*m/ft*)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Soil Sampling Inc.	7241

Business Address (Street Number/Name)	Municipality
147-2 West Beaver Creek road	Richmond Hill

Province	Postal Code	Business E-mail Address
Ontario	L4B1C6	Wrecords@stratasoil.com

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)
9057649304	Beatty Brian

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3616		20120720

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No		20120726

Ministry Use Only

Audit No. Z152890

Received SEP 04 2012

 © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. (Place Sticker and/or Print Below)

Tag#: A135183 A135183

S-128103

Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☑ Metric ☐ Imp

Page _____ of _____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
[redacted]	Grant Thornton Ltd		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
19 Fl S. Tower 200 Bay St. Box 5	Toronto	ON	M5J2P9	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
325 Dalhousie st			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445933	5030792		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Brn	Sand	Gravel	hard, dry	0	3.35
Brn	Sand	Cobbles	hard, wet	3.35	5.18

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0	.31	Concrete / flushmount	
.31	1.83	Bensea l	
1.83	5.18	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* D.P

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
4.03	PVC	.368	0	2.13

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
4.82	PVC	10	2.13	5.18

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0	5.18	825

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241

Business Address (Street Number/Name)	Municipality
147-2 W. Beaver creek	Richmond Hill

Province	Postal Code	Business E-mail Address
ON	L4B1C6	wrecords@stratasoil.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
9057649304	Beatty Brian

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3616		20120720

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No		20120720

Ministry Use Only

Audit No. Z152892

Rec'd SEP 04 2012

 © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. *(Place Sticker and/or Print Below)* **Tag#: A141925** A141925

S-13484

Well Record

Regulation 903 Ontario Water Resources Act

Page _____ of _____

Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

[redacted]

Last Name / Organization: La Nouvelle Scène

E-mail Address:

☐ Well Constructed by Well Owner

Mailing Address (Street Number/Name): 333 King Edward

Municipality: OTTAWA

Province: ON

Postal Code: K1N7M5 [redacted]

Well Location

Address of Well Location (Street Number/Name): 333 King Edward.

Township:

Lot:

Concession:

County/District/Municipality:

City/Town/Village: OTTAWA.

Province: Ontario

Postal Code:

UTM Coordinates — NAD 83 — Zone: 18 — Easting: 446306 — Northing: 5030982

Municipal Plan and Sublot Number:

Other:

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Blk	Asphalt	gravel	Hard.	0	.31
Brown	Fill		Loose	.31	1.83
Grey	Clay.		moist.	1.83	4.27

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	.31	Flushmount/Concrete	
.31	.91	Bensal.	
.91	4.27	sand.	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, *specify* Direct push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☒ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
3.45	plastic	.356	0	1.22

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
4.21	plastic	10	1.22	4.27

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	Hole Diameter Depth From	Hole Diameter Depth To	Diameter (cm/in)
☐ Gas ☐ Other, *specify*	☐ Fresh ☐ Untested	0	4.27	5.71
☐ Gas ☐ Other, *specify*	☐ Fresh ☐ Untested			
☐ Gas ☐ Other, *specify*	☐ Fresh ☐ Untested			

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*

Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: King Edward

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata drilling Group

Well Contractor's Licence No.: 7241

Business Address (Street Number/Name): 2-147 west beaver creek Rd.

Municipality: Richmond Hill

Province: ON

Postal Code: L4B1C6

Business E-mail Address: wreed@stratadrilling.com

Bus. Telephone No. *(inc. area code)*: 905 764 9309

Name of Well Technician (Last Name, First Name): Reed, Paul

Well Technician's Licence No.: 3722

Signature of Technician and/or Contractor:

Date Submitted: 2012 12 21

Well owner's information package delivered: ☐ Yes ☐ No

Date Package Delivered: Y Y Y Y M M D D

Date Work Completed: 2012 12 18

Ministry Use Only

Audit No. Z153001

Received JAN 28 2013

 © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Measurements recorded in: [X] Metric [ ] Imperial

Well Tag No. (Place Sticker and/or Print Below) Tag#: A141928 A141928

5-13484

Well Record

Regulation 903 Ontario Water Resources Act

Page ____ of ____

Well Owner's Information

[redacted]

Last Name / Organization: La Nouvelle Scène

E-mail Address:

[ ] Well Constructed by Well Owner

Mailing Address (Street Number/Name): 333 King Edward

Municipality: OTTAWA

Province: ON

Postal Code: K1N7M[redacted]

Well Location

Address of Well Location (Street Number/Name): 333 King Edward Ave.

Township:

Lot:

Concession:

County/District/Municipality:

City/Town/Village:

Province: Ontario

Postal Code:

UTM Coordinates NAD 83: Zone 18 Easting 446279 Northing 5030992

Municipal Plan and Sublot Number:

Other:

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Blk	Asphalt			0	.31
Brn	Fill			.31	1.83
Gry	Clay			1.83	4.27

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	.31	Flushmount/Concrete	
.31	.91	Bensel	
.91	4.27	Sand	

Method of Construction

[ ] Cable Tool [ ] Diamond
[ ] Rotary (Conventional) [ ] Jetting
[ ] Rotary (Reverse) [ ] Driving
[ ] Boring [ ] Digging
[ ] Air percussion
[X] Other, specify: Direct push

Well Use

[ ] Public [ ] Commercial [ ] Not used
[ ] Domestic [ ] Municipal [ ] Dewatering
[ ] Livestock [X] Test Hole [X] Monitoring
[ ] Irrigation [ ] Cooling & Air Conditioning
[ ] Industrial
[ ] Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
3.45	plastic	.356	0	1.22

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
4.21	plastic	10	1.22	4.27

Status of Well

[ ] Water Supply
[ ] Replacement Well
[X] Test Hole
[ ] Recharge Well
[ ] Dewatering Well
[X] Observation and/or Monitoring Hole
[ ] Alteration (Construction)
[ ] Abandoned, Insufficient Supply
[ ] Abandoned, Poor Water Quality
[ ] Abandoned, other, specify
[ ] Other, specify

Water Details

Water found at Depth (m/ft)	Kind of Water	Hole Diameter Depth From (m/ft)	Hole Diameter Depth To (m/ft)	Diameter (cm/in)
[ ] Gas	[ ] Fresh [ ] Untested [ ] Other, specify	0	4.21	5.71
[ ] Gas	[ ] Fresh [ ] Untested [ ] Other, specify			
[ ] Gas	[ ] Fresh [ ] Untested [ ] Other, specify			

Results of Well Yield Testing

After test of well yield, water was:
[ ] Clear and sand free
[ ] Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)


Well production (l/min / GPM)

Disinfected? [ ] Yes [ ] No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor: Strata Drilling Group

Well Contractor's Licence No.: 7241

Business Address (Street Number/Name): 2-147 West Beaver Creek Rd.

Municipality: Richmond Hill

Province: ON

Postal Code: L4B1G[redacted]

Business E-mail Address: records@stratasol[redacted]

Bus. Telephone No. (inc. area code): 905764934

Name of Well Technician (Last Name, First Name): Parsons, Robert

Well Technician's Licence No.: 3722

Signature of Technician and/or Contractor:

Date Submitted: 2012/12/21

Well owner's information package delivered: [ ] Yes [ ] No

Date Package Delivered: YYYY MM DD

Date Work Completed: 2012/12/17

Ministry Use Only

Audit No. Z154352

Received JAN 2 8 2013

0506E (2007/12) © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. (Place Sticker and/or Print Below)
Tag#: A142278

Well Record
Regulation 903 Ontario Water Resources Act

Measurements recorded in: [X] Metric [ ] Imperial

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	
	CITY OF OTTAWA	TREEDER ASSOCIATES	[ ] Well Constructed by Well Owner

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
110 LAURIER AVE	OTTAWA	ON	K1P1J1	(613) 580-2400

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
ST. PATRICK & CUMBERLAND ST.S			

County/District/Municipality	City/Town/Village	Province	Postal Code
OTTAWA	OTTAWA	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 8 3	18	445 946	5025 157		GTC BH 13-217.

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GREY/BROWN	SOIL			0.00	0.90
GREY	SILT	CLAY/BRICK/STONE		0.90	3.10
GREY	CLAY			3.10	7.32
GREY	TILL	GRAVEL, BOULDERS		7.32	8.24
GREY	LIMESTONE		X BROKEN TOP 1m X WATER.	8.24	19.22 (63')

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0.00	8.24	BENTONITE HOLEPLUG & SAKRETE	0.22

Method of Construction

[ ] Cable Tool [ ] Diamond
[ ] Rotary (Conventional) [ ] Jetting
[ ] Rotary (Reverse) [ ] Driving
[ ] Boring [ ] Digging
[X] Air percussion
[ ] Other, specify

Well Use

[ ] Public [ ] Commercial [ ] Not used
[ ] Domestic [ ] Municipal [ ] Dewatering
[ ] Livestock [X] Test Hole [ ] Monitoring
[ ] Irrigation [ ] Cooling & Air Conditioning
[ ] Industrial
[ ] Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
15.88	STEEL/ABS	0.48	0.00	0.54
12.70	PVC (SLOT 32)	0.6	5.49	19.22

Status of Well

[ ] Water Supply
[ ] Replacement Well
[X] Test Hole
[ ] Recharge Well
[ ] Dewatering Well
[X] Observation and/or Monitoring Hole
[ ] Alteration (Construction)
[ ] Abandoned, Insufficient Supply
[ ] Abandoned, Poor Water Quality
[ ] Abandoned, other, specify
[ ] Other, specify

Construction Record - Screen N/A.

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To

Water Details

Water found at Depth (m/ft)	Gas	Kind of Water	
9m	[ ]	[ ] Fresh [ ] Untested	[ ] Other, specify GTC
	[ ]	[ ] Fresh [ ] Untested	[ ] Other, specify
	[ ]	[ ] Fresh [ ] Untested	[ ] Other, specify

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0.00	8.24	15.24
8.24	19.22	15.24

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
STANTON DRILLING INC	4875

Business Address (Street Number/Name)	Municipality
BOX 29, 15 FIVE ROADS DR	PAKENHAM

Province	Postal Code	Business E-mail Address
ON	K0A 2X0	Stanton.drilling@bell.net

Business Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
(613) 624-5062	STANTON, PETER

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
0056		2013/12/12

Results of Well Yield Testing

After test of well yield, water was:
[X] Clear and sand free
[ ] Other, specify

If pumping discontinued, give reason: N/A.

Pump intake set at (m/ft): 15.3m

Pumping rate (l/min / GPM): 59 lpm.

Duration of pumping: 1 hrs + 0 min

Final water level end of pumping (m/ft): 8.81m

If flowing give rate (l/min / GPM): N/A.

Recommended pump depth (m/ft): 15.3m

Recommended pump rate (l/min / GPM): GTC


Well production (l/min / GPM): GTC

Disinfected?
[X] Yes [ ] No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level	6.12			8.81
1	6.51	1		8.81
2	6.75	2		8.55
3	6.89	3		8.46
4	7.01	4		8.40
5	7.09	5		8.36
10	7.45	10		8.23
15	7.69	15		8.14
20	7.88	20		8.08
25	8.02	25		8.03
30	8.13	30		7.99
40	8.31	40		7.93
50	8.44	50		7.87
60	8.53	60		7.85

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well owner's information package delivered	Date Package Delivered	Date Work Completed
[ ] Yes [X] No		2013/11/08

Ministry Use Only
Audit No. Z 163816
Received

0506E (2007/12) © Queen's Printer for Ontario, 2007

Ministry's Copy

Ontario — Ministry of the Environment

Well Tag No. *(Place Sticker and/or Print Below)*: A173509 MW4

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Measurements recorded in: ☒ Metric ☐ Imperial

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	GROUPE CLAUDE LAUZON		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
274 DALHOUSIE STREET	OTTAWA	ONTARIO	K1N7E6	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
272 DALHOUSIE STREET			

County/District/Municipality	City/Town/Village	Province	Postal Code
OTTAWA	OTTAWA	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445828	5030957		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
	FILL			0	0.91
	LIMESTONE BEDROCK			0.91	4.27

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0	0.6	BENTONITE	

Method of Construction

☐ Cable Tool ☒ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, *specify* HSA

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☐ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
5.08	PVC	SCHED 40	0	1.22

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
5.88	PVC	10	1.22	4.27

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	Gas	Other, specify
3.3	☐ Fresh ☒ Untested	☐	
	☐ Fresh ☐ Untested	☐	
	☐ Fresh ☐ Untested	☐	

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0	0.91	20.3
0.9	4.27	10.16

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping ____ hrs + ____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor: George Downing Estate Drilling # 1844
Business Address (Street Number/Name): 410 rue Principale Grenville-sur-la-Rouge
Province: QC Postal Code: J0V 1B0 E-mail Address: downing@hawk.igs.net
Business Telephone No. *(inc. area code)*: (819) 242-6469
Name of Well Technician (Last Name, First Name): Bruce Downing
Well Technician's Licence No.: 2173
Signature of Technician and/or Contractor:
Date Submitted: 2015/06/11

Well owner's information package delivered: ☐ Yes ☐ No
Date Package Delivered: YYYY MM DD
Date Work Completed: 2015/03/15

Ministry Use Only
Audit No. Z 163985
Received JUN 25 2015

0506E (2007/12) © Queen's Printer for Ontario, 2007 Ministry's Copy

Ontario — Ministry of the Environment and Climate Change

Measurements recorded in: ☑ Metric ☐ Imperial

Well Tag No. (Place Sticker and/or Print Below) A164350 Tag #: A164350

Well Record

Regulation 903 Ontario Water Resources Act

S-18624 Page ____ of ____

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	44th Avenue Inc		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
330 Brantwen Ave.	Ottawa	ON	K1A0H1	

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
210 Dalhousie St.			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445718	5031138		

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
BLK	asphalt	gravel	dense	0	.31
BRN	Sand	gravel	soft	.31	1.52
GRY	silt	sand	soft	1.52	2.44
GRY	limestone		layered	2.44	7.32

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	.31	concrete/Cushmont	
.31	3.96	bentonite	
3.96	7.32	Filter Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☑ Air percussion
☐ Other, specify

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
4.03	PVC	.368	0	4.27

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
4.82	PVC	10	4.27	7.32

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify
☐ Other, specify

Water Details

Water found at Depth (m/ft)	Gas	Kind of Water: Fresh	Untested	Other, specify
	☐	☐	☐	
	☐	☐	☐	
	☐	☐	☐	

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	3.1	12.95
3.1	7.32	7.62

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)

Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.

MW1
See Map

Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241

Business Address (Street Number/Name)	Municipality
165 Shields Court	Markham

Province	Postal Code	Business E-mail Address
ON	L3R8V2	wrecords@stratagoil.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
9059407919	McCoy, James

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3656		2016 05 24

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	Y Y Y Y M M D D	2016 05 20

Ministry Use Only

Audit No. Z222244


Received JUL 04 2016

0506E (2014/11)

Ministry's Copy

© Queen's Printer for Ontario, 2014

S-18624



C-7241 Z222244

JUL 04 2016

Ontario

Ministry of the Environment and Climate Change

Measurements recorded in: ☑ Metric ☐ Imperial

We Tag#: A191203 (Use Print Below)

A191203

Well Record

Regulation 903 Ontario Water Resources Act

5-18856 Page ____ of ____

[redacted]

Address of Well Location (Street Number/Name)	Township	Lot	Concession
209 Guigues Ave			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445940	5031244		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
~~Grey~~ Brn	fill		soft	0	.31
gry	clay	silt	soft	.31	1.52
gry	clay		soft	1.52	3.2

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0	.31	Concrete/flushmount	
.31	0.91	Bentonite	
.91	3.2	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* Direct Push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☑ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To
3.45	PVC	.356	0	1.06

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To
4.21	PVC	10	1.06	3.2

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping ____ hrs + ____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: Hole in basement

Water Details

Water found at Depth (m/ft)	Gas	Kind of Water	Other, *specify*
	☐	☐ Fresh ☐ Untested	
	☐	☐ Fresh ☐ Untested	
	☐	☐ Fresh ☐ Untested	

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	3.2	5.08

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241

Business Address (Street Number/Name)	Municipality
165 Sheids Crt	Markham

Province	Postal Code	Business E-mail Address
ON	L3R8V2	wrecords@stratasoil.ca

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
9059407919	Beatty Brian

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3616		2016 07 11

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered: ____

Date Work Completed: 2016 07 08

Ministry Use Only

Audit No Z222498

AUG 17 2016

Received

0506E (2014/11)

Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario — Ministry of the Environment and Climate Change

Measurements recorded in: ☑ Metric ☐ Imperial

Well Tag No. *(Place Sticker and/or Print Below)* A191205

Well Record

Regulation 903 Ontario Water Resources Act

S-18856 Page ____ of ____

[redacted]

Address of Well Location (Street Number/Name)	Township	Lot	Concession
209 Guigues Ave			
County/District/Municipality	**City/Town/Village**	**Province**	**Postal Code**
	Ottawa	Ontario	
UTM Coordinates NAD 83 — Zone	Easting	Northing	**Municipal Plan and Sublot Number** / **Other**
18	459371	5031270	

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Brn	Gravel	Sand	Soft, dry	0	1.22
Gry	Silt	clay	Soft, dry	1.22	2.44
Gry	Silt	clay	Soft, wet	2.44	3.~~66~~ 7.5

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	.31	Concrete / flush mount	
.31	.75	Bensea l	
.75	3.75	Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* D.P.

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To
3.45	PVC	.356	0	.75

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To
4.21	PVC	10	.75	3.75

Status of Well

☐ Water Supply
☐ Replacement Well
☑ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
Water found at Depth (m/ft) ☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
Water found at Depth (m/ft) ☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	3.75	5.71

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping ____ hrs + ____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241
Business Address (Street Number/Name)	**Municipality**
165 Shields crt	Markham
Province	**Postal Code**	**Business E-mail Address**
ON	L3R8V2	wrecords@stratasoil.com
Bus. Telephone No. *(inc. area code)*	**Name of Well Technician (Last Name, First Name)**
9059407919	Beatty Brian
Well Technician's Licence No.	**Signature of Technician and/or Contractor**	**Date Submitted**
3616		20160708

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No		20160708

Ministry Use Only

Audit No Z222499

AUG 17 2016

Received

0506E (2014/11)

Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario

Ministry of the Environment and Climate Change

Measurements recorded in: ☐ Metric ☑ Imperial

Well Tag (Sticker and/or Print Below)

Tag#: A189963

A189963

Well Record

Regulation 903 Ontario Water Resources Act

S-20873 Page ____ of ____

[redacted]

Address of Well Location (Street Number/Name)	Township	Lot	Concession
210 Dalhousie St			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445733	5031194		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GRY	Concrete		hard	0	1
BRN	Fine Sand	bricks	hard, packed	1	3
BRN	fine sand	S,I	soft	3	9

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0	1	Concrete / flushmount	
1	3	bentonite	
3	9	Filter Sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☑ Other, *specify* direct push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	To
1.38.	PVC	.14	0	4

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	To
16.6	PVC	10	4	9

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	9	3.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping ____ hrs + ____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: Geofirma General Contractor

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241

Business Address (Street Number/Name)	Municipality
165 Steelcase Cres.	Markham

Province	Postal Code	Business E-mail Address
On	L3R8V2	wrecords@stratasol.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
9057649304	~~McCoy~~ ~~Jones~~ Vandenberg, Andrew

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3614	Andrew Vandenberg	2017/04/12

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
☐ Yes ☐ No	Y Y Y Y M M D D	Audit No. Z250708
	Date Work Completed 2017/04/12	MAY 11 2017 Received

0506E (2014/11) Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario

Ministry of the Environment and Climate Change

Tag#: A189962

Well Tag No. *(Place Sticker and/or Print Below)* A189962

Well Record

Regulation 903 Ontario Water Resources Act

5-20073 Page ____ of ____

Measurements recorded in: ☐ Metric ☒ Imperial

[redacted]

Address of Well Location (Street Number/Name)	Township	Lot	Concession
210 Dalhousie St			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445711	5031148		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GRY	Concrete		hard	0	1
BRN	Fine Sand	bricks	hard, packed	1	4
BRN	Fine Sand	Silt	Soft	4	9

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	1	Concrete / flushmount	
1	3	bentonite	
3	9	filter sand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, *specify* direct push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☒ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
0.824	PVC	.133	0	4

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.050	PVC	10	4	9

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0	9	2.375

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)


Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: Geofirma General Contractor

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7141

Business Address (Street Number/Name)	Municipality
165 Shields Court	Markham

Province	Postal Code	Business E-mail Address
On	L3R 8V2	wrecords@stratagroup.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
905 764 9303	[redacted] Vanderkooy, Andrew

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3614	Andrew Vanderkooy	2017/05/12

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered: ____/____/____

Date Work Completed: 2017/05/12

Ministry Use Only

Audit No. Z250709

Received MAY 11 2017

0506E (2014/11) Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario

Ministry of the Environment and Climate Change

Tag#: A189964

Well (Place Sticker and/or Print Below)

A189964

Well Record

Regulation 903 Ontario Water Resources Act

S-2873 Page _____ of _____

[redacted]

Measurements recorded in: ☐ Metric ☒ Imperial

Address of Well Location (Street Number/Name)	Township	Lot	Concession
210 Dalhousie st			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Dalhousie SH	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445723	5031146		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GRY	Concrete		hard	0	1
BRN	Fine Sand	bricks	hard	1	9
BRN	Fine Sand	Silt	Soft	4	9

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	1	Concrete flushmount	
1	3	bentonite	
3	9	filtersand	

Method of Construction

☐ Cable Tool ☐ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, *specify* direct push

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☒ Test Hole ☐ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.32	PVC	.14	0	4

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.66	PVC	10	4	9

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	Kind of Water	
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*
☐ Gas	☐ Fresh ☐ Untested	☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0	9	3.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected?
☐ Yes ☐ No

Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
50		50	
60		60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:
Geofirma General Contractor

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Strata Drilling Group	7241

Business Address (Street Number/Name)	Municipality
165 Shields Court	Markham

Province	Postal Code	Business E-mail Address
ON	L3R8V2	wrecords@stratas.ca

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)	Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
905 764 9304	Vanderkaay, Andrew	7164	Andrew Vanderkaay	2017/04/12

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No		2017/04/12

Ministry Use Only

Audit No. Z250707

MAY 11 2017

Received

0506E (2014/11) Ministry's Copy

© Queen's Printer for Ontario, 2014

7335215

Ontario — Ministry of the Environment and Climate Change

Measurements recorded in: ☐ Metric ☒ Imperial

Well Tag No. (Place Sticker and/or Print Below) A257381

Well Record

Regulation 903 Ontario Water Resources Act

8-22875 Page of

KOBLE COMMERCIAL REAL ESTATE & BROKERAGE

Well Location

(Koble)

Address of Well Location (Street Number/Name)	Township	Lot	Concession
117 Parent St			

County/District/Municipality	City/Town/Village	Province	Postal Code
	Ottawa	Ontario	

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445779	5039850		

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
GRY	Concrete	gravel	hard	0	.5
GRY	Limestone	Shale	hard, fractured	.5	14.5

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0	1	Concrete / flushmount	
1	3.5	Time Release Bentonite Pellets	
3.5	14.5	Filter Sand	

Method of Construction

☐ Cable Tool ☒ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☒ Other, specify hand dig

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☒ Test Hole ☒ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.38	PVC	.14	0	4.5

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.66	PVC	10	4.5	14.5

Status of Well

☐ Water Supply
☐ Replacement Well
☒ Test Hole
☐ Recharge Well
☐ Dewatering Well
☒ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify
☐ Other, specify

Water Details

Water found at Depth (m/ft)	Gas	Kind of Water: Fresh	Untested	Other, specify
	☐	☐	☐	☐
	☐	☐	☐	☐
	☐	☐	☐	☐

Hole Diameter

Depth (m/ft) From	To	Diameter (cm/in)
0	1	7
1	14.5	2.25

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)


Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments: EXP General Contractors

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
Stratea Drilling Group	7214

Business Address (Street Number/Name)	Municipality
165 Shields Court	Markham

Province	Postal Code	Business E-mail Address
ON	L3R 8V2	wrecords@stratasol.com

Bus. Telephone No. (inc. area code)	Name of Well Technician (Last Name, First Name)
905 940 9119	Beatty Brian

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3161		2019/02/15

Well owner's information package delivered ☐ Yes ☐ No

Date Package Delivered: YYYY MM DD

Date Work Completed: 2018/11/08

Ministry Use Only

Audit No. Z302785

MAR 0 8 2019

Received

0506E (2014/11) Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario

Ministry of the Environment, Conservation and Parks

Measurements recorded in: ☐ Metric ☑ Imperial

Well Tag No. *(Place Sticker and/or Print Below)* A256031

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	Vittoria Trattoria		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
35 William st.	Ottawa	ON	K1N6Z9	6157898959

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
35 William st.	Ottawa	11	

County/District/Municipality	City/Town/Village	Province	Postal Code
City of Ottawa	Ottawa	Ontario	K1N6Z9

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445853	5030720	PLAN 42482 Lot 11 PT YORK S, 4944 PI2	

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Grey	fill	Gravel	Dense	0'	6"
Brown	Sand	silt	Loose	6"	4'10"

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m^3/ft^3)
0'	8"	Hole Plug.	.20
8"	4'10"	Silica Sand	1.18

Method of Construction

☐ Cable Tool ☑ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☐ Other, specify

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☐ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, specify

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.25"	Plastic	.140	0"	1'8"

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.66"	Plastic	10	1'8"	4'10"

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, specify
☐ Other, specify

Water Details

Water found at Depth (m/ft)	Kind of Water	Hole Diameter Depth From (m/ft)	Depth To (m/ft)	Diameter (cm/in)
☐ Gas	☐ Fresh ☐ Untested ☐ Other, specify	0"	4'10"	3"
☐ Gas	☐ Fresh ☐ Untested ☐ Other, specify			
☐ Gas	☐ Fresh ☐ Untested ☐ Other, specify			

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft)

Pumping rate (l/min / GPM)

Duration of pumping ____ hrs + ____ min

Final water level end of pumping (m/ft)

If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft)

Recommended pump rate (l/min / GPM)


Well production (l/min / GPM)

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
OGS Inc.	6964

Business Address (Street Number/Name)	Municipality
5518 Appleton side Rd	Ramsay

Province	Postal Code	Business E-mail Address
ON	K0A1A0	ogsinc@bellnet.ca

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)
6132567666	Turgeon Michael

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3635		2019 07 03

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	2019 07 03	2019 05 24

Ministry Use Only

Audit No. Z315206

Received JUL 08 2019

0506E (2018/12)

Ministry's Copy

© Queen's Printer for Ontario, 2018

Ontario

Ministry of the Environment, Conservation and Parks

Measurements recorded in: ☐ Metric ☑ Imperial

Well Tag No. *(Place Sticker and/or Print Below)* A256011

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	The Shakespeare on William		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
41 William st.	Ottawa.	ON	K1N6Z9	6132204955

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
41 William st	Ottawa	11	

County/District/Municipality	City/Town/Village	Province	Postal Code
City of Ottawa.	Ottawa	Ontario	K1N6Z9

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD	18	445862	5030717	Plan 42482 NPT Plan 11 Yorks	

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Grey	fill	Gravel	Dense	0'	6"
Brown	sand	silt	Loose	6"	4'8"

Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0'	8"	Hole Plug.	.20
8"	4'8"	Silica Sand	1.12.

Method of Construction

☐ Cable Tool ☑ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☐ Other, *specify*

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify*

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.25"	Plastic	.140	0'	1'8"

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.66"	Plastic	10	1'8"	4'8"

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Water Details

Water found at Depth (m/ft)	☐ Gas	Kind of Water: ☐ Fresh ☐ Untested ☐ Other, *specify*

Hole Diameter

Depth (m/ft) From	Depth (m/ft) To	Diameter (cm/in)
0'	4'8"	3

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify*

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping ____ hrs + ____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
OGS Inc.	6964

Business Address (Street Number/Name)	Municipality
5518 Appleton Side Rd	Ramsay

Province	Postal Code	Business E-mail Address
ON	K0A1K0	ogsinc@bellnet.ca.

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)
6132567666	Turgeon Michael

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3635		2019 07 03

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	2019 07 03	2019 05 24

Ministry Use Only

Audit No. Z315207

Received JUL 08 2019

0506E (2018/12)

Ministry's Copy

© Queen's Printer for Ontario, 2018

Ontario

Ministry of the Environment, Conservation and Parks

Measurements recorded in: ☐ Metric ☑ Imperial

Well Tag No. *(Place Sticker and/or Print Below)* A256010

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	The Shakespeare on William		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
41 William st.	Ottawa	ON	K1W6Z9	6132204955

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
41 William st.	Ottawa	11	

County/District/Municipality	City/Town/Village	Province	Postal Code
City of Ottawa	Ottawa	Ontario	K1W6Z9

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445855	5030714	Plan 42482 NPT Lot 11 York S	

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Grey	fill	Gravel	Dense	0'	6"
Brown	sand	silt	Loose	6"	4'8"

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0'	8"	Hole Plug.	.20
8"	4'8"	Silica Sand	1.12

Method of Construction

☐ Cable Tool ☑ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☐ Other, *specify* _____

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify* _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.25"	Plastic	.140	0'	1'8"

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
1.66"	Plastic	10	1'8"	4'8"

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify*
☐ Other, *specify*

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify* _____

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Water Details

Water found at Depth (m/ft)	Kind of Water	Hole Diameter Depth From	Hole Diameter Depth To	Hole Diameter (cm/in)
(m/ft) ☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*			
(m/ft) ☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*			
(m/ft) ☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*			

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
OGS Inc.	6964

Business Address (Street Number/Name)	Municipality	Province	Postal Code	Business E-mail Address
5518 Appleton Side Rd	Ramsay	ON	K0A1A0	ogsinc@bellnet.ca

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)	Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
6132567666	Turgeon Michael	3635		2019 07 03

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	2019 07 03	2019 05 24

Ministry Use Only

Audit No. Z315208

Received JUL 08 2019

© Queen's Printer for Ontario, 2018

Ontario — Ministry of the Environment and Climate Change

Measurements recorded in: ☐ Metric ☑ Imperial

Well Tag No. *(Place Sticker and/or Print Below)* A256008

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Well Owner's Information

First Name	Last Name / Organization	E-mail Address	☐ Well Constructed by Well Owner
	THE Shakespeare on William		

Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. *(inc. area code)*
41 William st	Ottawa.	ON.	K1W6Z9	6132204955

Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
41 William st.	Ottawa	11	

County/District/Municipality	City/Town/Village	Province	Postal Code
City of Ottawa.	Ottawa.	Ontario	K1W6Z9.

UTM Coordinates	Zone	Easting	Northing	Municipal Plan and Sublot Number	Other
NAD 83	18	445854	5030716	PLAN 42482 NPT LOT 11 YORK S	

Overburden and Bedrock Materials/Abandonment Sealing Record *(see instructions on the back of this form)*

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft) From	Depth (m/ft) To
Grey	fill	gravel	DENSE	0'	6"
Brown	sand	silt	loose	6"	4'8"

Annular Space

Depth Set at (m/ft) From	Depth Set at (m/ft) To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
0'	~~8~~ 8"	Holeplug.	.20
~~8~~ 8"	4'8"	silica sand.	1.12

Method of Construction

☐ Cable Tool ☑ Diamond
☐ Rotary (Conventional) ☐ Jetting
☐ Rotary (Reverse) ☐ Driving
☐ Boring ☐ Digging
☐ Air percussion
☐ Other, *specify* _____

Well Use

☐ Public ☐ Commercial ☐ Not used
☐ Domestic ☐ Municipal ☐ Dewatering
☐ Livestock ☑ Test Hole ☑ Monitoring
☐ Irrigation ☐ Cooling & Air Conditioning
☐ Industrial
☐ Other, *specify* _____

Construction Record - Casing

Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft) From	Depth (m/ft) To
1.25"	Plastic	.140	0'	1'8"

Construction Record - Screen

Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft) From	Depth (m/ft) To
~~1.315~~ 1.66"	Plastic	10	1'8"	4'8"

Status of Well

☐ Water Supply
☐ Replacement Well
☐ Test Hole
☐ Recharge Well
☐ Dewatering Well
☑ Observation and/or Monitoring Hole
☐ Alteration (Construction)
☐ Abandoned, Insufficient Supply
☐ Abandoned, Poor Water Quality
☐ Abandoned, other, *specify* _____
☐ Other, *specify* _____

Water Details

Water found at Depth (m/ft)	Kind of Water	Hole Diameter Depth From	Hole Diameter Depth To	Hole Diameter (cm/in)
☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*	0'	4'8"	3"
☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*			
☐ Gas	☐ Fresh ☐ Untested ☐ Other, *specify*			

Results of Well Yield Testing

After test of well yield, water was:
☐ Clear and sand free
☐ Other, *specify* _____

If pumping discontinued, give reason:

Pump intake set at *(m/ft)*

Pumping rate *(l/min / GPM)*

Duration of pumping _____ hrs + _____ min

Final water level end of pumping *(m/ft)*

If flowing give rate *(l/min / GPM)*

Recommended pump depth *(m/ft)*

Recommended pump rate *(l/min / GPM)*


Well production *(l/min / GPM)*

Disinfected? ☐ Yes ☐ No

	Draw Down Time (min)	Draw Down Water Level (m/ft)	Recovery Time (min)	Recovery Water Level (m/ft)
Static Level				
1			1	
2			2	
3			3	
4			4	
5			5	
10			10	
15			15	
20			20	
25			25	
30			30	
40			40	
50			50	
60			60	

Map of Well Location

Please provide a map below following instructions on the back.



Comments:

Well Contractor and Well Technician Information

Business Name of Well Contractor	Well Contractor's Licence No.
OGS Inc.	6964.

Business Address (Street Number/Name)	Municipality
5518 Appleton Side Rd.	Ramsay

Province	Postal Code	Business E-mail Address
ON	K0A1A0	ogsinc@bellnet.ca

Bus. Telephone No. *(inc. area code)*	Name of Well Technician (Last Name, First Name)
6132567666	Michael Turgeon.

Well Technician's Licence No.	Signature of Technician and/or Contractor	Date Submitted
3635.		2019/07/03

Well owner's information package delivered	Date Package Delivered	Date Work Completed
☐ Yes ☐ No	2019/07/03	2019/05/24

Ministry Use Only

Audit No. Z296630

Received JUL 08 2019

0506E (2014/11)

Ministry's Copy

© Queen's Printer for Ontario, 2014

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7195092
Well Audit Number: *Z150541*
Well Tag Number: *A132265*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	227 CUMBERLAND STREET
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445915.00 Northing: 5031280.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
				0 m	.15 m
	SAND	GRVL		.15 m	.3 m
BRWN	SAND	GRVL		.3 m	.6 m
BRWN	SAND			.6 m	1.15 m
BRWN	SILT	SAND		1.15 m	1.23 m
	SILT	CLAY		1.23 m	2.43 m
GREY	GRVL	CLAY		2.43 m	3.05 m
GREY	CLAY			3.05 m	4.3 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.6 m	BENTONITE PELLETS	
.6 m	4.3 m	FILTER SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Driving	
	Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
3.5 cm	PLASTIC	0 m	1.2 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.1 cm	PLASTIC	1.2 m	4.3 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 6964

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	

10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind
1.37 m	

Hole Diameter

Depth From	Depth To	Diameter
0 m	4.3 m	5.6 cm

Audit Number: Z150541

Date Well Completed: August 16, 2012

Date Well Record Received by MOE: January 10, 2013

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7197258
Well Audit Number: *Z156999*
Well Tag Number: *A142658*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	222 CUMBERLAND RD.
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445900.00 Northing: 5031270.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	GRVL	LOOS	0 m	.61 m
BRWN	CLAY	SILT	SOFT	.61 m	3.1 m
GREY	CLAY	SILT	SOFT	3.1 m	7.62 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.3 m	FLUSHMOUHT/ CONCRETE	
.3 m	4.27 m	BENTONITE	
4.27 m	7.62 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use

Direct Push	
	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	4.57 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	4.57 m	7.62 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	

45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 m	7.62 m	8.25 cm

Audit Number: Z156999

Date Well Completed: December 18, 2012

Date Well Record Received by MOE: February 14, 2013

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7197259
Well Audit Number: *Z157000*
Well Tag Number: *A142691*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	222 CUMBERLAND ROAD
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445900.00 Northing: 5031267.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	FILL	SAND	GRVL	0 m	.61 m
BRWN	CLAY	SILT	SOFT	.61 m	3.1 m
GREY	CLAY	SILT	SOFT	3.1 m	6.1 m

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 m	.3 m	FLUSHMOUNT/ CONCRETE	
.3 m	2.74 m	BENTONITE	
2.74 m	6.1 m	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	

	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
4.03 cm	PLASTIC	0 m	3.1 m

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
4.82 cm	PLASTIC	3.1 m	6.1 m

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	

Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	

50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 m	6.1 m	8.25 cm

Audit Number: Z157000

Date Well Completed: December 18, 2012

Date Well Record Received by MOE: February 14, 2013

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7278563
Well Audit Number: *C28646*
Well Tag Number: *A149805*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 445911.00 Northing: 5031299.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed

Method of Construction & Well Use

Method of Construction	Well Use

Status of Well

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 6964

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	

Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter

Audit Number: C28646

Date Well Completed: June 21, 2016

Date Well Record Received by MOE: January 09, 2017

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7305786
Well Audit Number: *Z277505*
Well Tag Number: *A189911*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	216 MURRAY
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 446087.00 Northing: 5031072.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	SAND	GRVL	SOFT	0 ft	4 ft
BRWN	CLAY	SILT	SOFT	4 ft	8 ft
GREY	CLAY	SILT	SOFT	8 ft	13.5 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	1 ft	CONCRETE	
1 ft	2.5 ft	BENSEAL	
2.5 ft	13.5 ft	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring

	Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
1.38 inch	PLASTIC	0 ft	3.5 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
1.66 inch	PLASTIC	3.5 ft	13.5 ft

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	

Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	

50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 ft	13.5 ft	2.375 inch

Audit Number: Z277505

Date Well Completed: January 09, 2018

Date Well Record Received by MOE: February 13, 2018

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7305787
Well Audit Number: *Z277504*
Well Tag Number: *A199213*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	216 MURRAY ST
Township	OTTAWA CITY
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	OTTAWA
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 446082.00 Northing: 5031104.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BRWN	SAND		SOFT	0 ft	5 ft
BRWN	CLAY	SILT	SOFT	5 ft	9 ft
GREY	CLAY	SILT	SOFT	9 ft	20 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	1 ft	CONCRETE	
1 ft	9 ft	BENSEAL	
9 ft	20 ft	SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Direct Push	Monitoring

	Test Hole

Status of Well

Observation Wells

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
1.38 inch	PLASTIC	0 ft	10 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
1.66 inch	PLASTIC	10 ft	20 ft

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	

Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	
45		45	

50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 ft	20 ft	2.375 inch

Audit Number: Z277504

Date Well Completed: January 09, 2018

Date Well Record Received by MOE: February 13, 2018

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7353987
Well Audit Number: *Z324455*
Well Tag Number: *A282389*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	380 CUMBERLAND ST
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 446174.00 Northing: 5030799.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
GREY	CONG	GRVL	HARD	0 ft	1 ft
GREY	GRVL	SILT	STNS	1 ft	2.5 ft
BRWN	MSND	GRVL	HARD	2.5 ft	4 ft
BRWN	MSND			4 ft	9 ft
BRWN	TILL	STNS		9 ft	18 ft
GREY	LMSN	HARD	LYRD	18 ft	21 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	1 ft	CONCRETE FLUSHMOUNT	
1 ft	3 ft	BENSEAL	
3 ft	10 ft	BENTONITE PELLETS	

10 ft	21 ft	FILTER SAND	

Method of Construction & Well Use

Method of Construction	Well Use
Diamond	
	Monitoring and Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
1.38 Inch	PLASTIC	0 ft	11 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
1.66 inch	PLASTIC	11 ft	21 ft

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	
Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	

20		20	
25		25	
30		30	
40		40	
45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
18 ft	2 ft	
0 ft	18 ft	2.875 Inch

Audit Number: Z324455

Date Well Completed: December 23, 2019

Date Well Record Received by MOE: February 19, 2020

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen’s Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Ontario (https://www.ontario.ca/page/government-ontario)

Map: Well records

This map allows you to search and view well record information from reported wells in Ontario.

Full dataset is available in the Open Data catalogue (https://data.ontario.ca/dataset/well-records) .

Go Back to Map

Well ID

Well ID Number: 7354064
Well Audit Number: *Z324451*
Well Tag Number: *A282388*
This table contains information from the original well record and any subsequent updates.

Well Location

Address of Well Location	380 cumberland st.
Township	NEPEAN TOWNSHIP
Lot	
Concession	
County/District/Municipality	OTTAWA-CARLETON

City/Town/Village	Ottawa
Province	ON
Postal Code	n/a
UTM Coordinates	NAD83 — Zone 18 Easting: 446123.00 Northing: 5030850.00
Municipal Plan and Sublot Number	
Other	

Overburden and Bedrock Materials Interval

General Colour	Most Common Material	Other Materials	General Description	Depth From	Depth To
BLCK	----	GRVL	HARD	0 ft	1 ft
GREY	GRVL	MSND	HARD	1 ft	2 ft
BRWN	CLAY	SILT	SAND	2 ft	6 ft
BRWN	TILL	STNS	HARD	6 ft	16 ft

Annular Space/Abandonment Sealing Record

Depth From	Depth To	Type of Sealant Used (Material and Type)	Volume Placed
0 ft	1 ft	CONCRETE FLUSHMOUNT	
1 ft	5 ft	BENSEAL	
5 ft	16 ft	FILTER SAND	

Method of Construction & Well Use

Method of Construction	Well Use

Direct Push	Monitoring
	Test Hole

Status of Well

Monitoring and Test Hole

Construction Record - Casing

Inside Diameter	Open Hole or material	Depth From	Depth To
1.38 Inch	PLASTIC	0 ft	6 ft

Construction Record - Screen

Outside Diameter	Material	Depth From	Depth To
1.66 inch	PLASTIC	6 ft	16 ft

Well Contractor and Well Technician Information

Well Contractor's Licence Number: 7241

Results of Well Yield Testing

After test of well yield, water was	
If pumping discontinued, give reason	
Pump intake set at	
Pumping Rate	

Duration of Pumping	
Final water level	
If flowing give rate	
Recommended pump depth	
Recommended pump rate	
Well Production	
Disinfected?	

Draw Down & Recovery

Draw Down Time(min)	Draw Down Water level	Recovery Time(min)	Recovery Water level
SWL			
1		1	
2		2	
3		3	
4		4	
5		5	
10		10	
15		15	
20		20	
25		25	
30		30	
40		40	

45		45	
50		50	
60		60	

Water Details

Water Found at Depth	Kind

Hole Diameter

Depth From	Depth To	Diameter
0 ft	14 ft	2.875 Inch
14 ft	16 ft	2.375 Inch

Audit Number: Z324451

Date Well Completed: December 20, 2019

Date Well Record Received by MOE: February 19, 2020

Related

How to use a Ministry of the Environment map (https://www.ontario.ca/page/how-use-ministry-environment-map#wells)

Technical documentation: Metadata record (https://data.ontario.ca/dataset/well-records/resource/3031344e-e3f2-48d5-888c-c1deadfd2f77)

Updated: October 18, 2021
Published: March 20, 2014

about Ontario (https://www.ontario.ca/page/about-ontario)

accessibility (https://www.ontario.ca/page/accessibility)

news (http://news.ontario.ca/newsroom/en)

privacy (https://www.ontario.ca/page/privacy-statement)

terms of use (https://www.ontario.ca/page/terms-use)

© Queen's Printer for Ontario, 2012–22 (https://www.ontario.ca/page/copyright-information-c-queens-printer-ontario)

Jesse Andrechek

From: Public Information Services <publicinformationservices@tssa.org>
Sent: May 6, 2022 9:01 AM
To: Jesse Andrechek
Subject: RE: Search Records Request: PE5717

Follow Up Flag: Flag for follow up
Flag Status: Flagged

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

NO RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationservices@tssa.org along with a fee of $56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Mariah

Public Information Agent
Facilities and Business Services
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org
www.tssa.org

From: Jesse Andrechek <JAndrechek@patersongroup.ca>
Sent: May 5, 2022 12:14 PM
To: Public Information Services <publicinformationservices@tssa.org>
Subject: Search Records Request: PE5717

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Good afternoon,

Could you please complete a search of your records for underground/aboveground storage tanks, historical spills or other incidents/infractions for the following addresses in Ottawa, ON:

Murray Street: 168, 172, 174, 180, 159, 162, 179
Clarence Street: 157, 179, 143, 145

Thank you,

Best regards,
Jesse Andrechek, BASc

patersongroup
solution oriented engineering
over 60 years serving our clients

154 Colonnade Road South
Ottawa, Ontario, K2E 7J5
Tel: (613) 226-7381 Ext. 228
Cell: (613) 913-3381

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

DATABASE REPORT

Project Property:	*PE5717 - 168-174 Murray Street* *168-174 Murray Street* *Ottawa ON K1N 5M8*
Project No:	*PE5717*
Report Type:	*Standard Report*
Order No:	*22042000304*
Requested by:	*Paterson Group Inc.*
Date Completed:	*April 25, 2022*

Environmental Risk Information Services
A division of Glacier Media Inc.
1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....2
Executive Summary.....3
Executive Summary: Report Summary.....4
Executive Summary: Site Report Summary - Project Property.....6
Executive Summary: Site Report Summary - Surrounding Properties.....7
Executive Summary: Summary By Data Source.....26
Map.....49
Aerial.....50
Topographic Map.....51
Detail Report.....52
Unplottable Summary.....171
Unplottable Report.....174
Appendix: Database Descriptions.....191
Definitions.....200

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property:	*PE5717 - 168-174 Murray Street* *168-174 Murray Street Ottawa ON K1N 5M8*
Project No:	*PE5717*

Coordinates:

Latitude:	*45.4306527*
Longitude:	*-75.6908474*
UTM Northing:	*5,031,024.37*
UTM Easting:	*445,960.10*
UTM Zone:	*18T*

Elevation: *206 FT*
62.64 M

Order Information:

Order No:	*22042000304*
Date Requested:	*April 20, 2022*
Requested by:	*Paterson Group Inc.*
Report Type:	*Standard Report*

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	5	5
CA	Certificates of Approval	Y	0	6	6
CDRY	Dry Cleaning Facilities	Y	0	4	4
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	21	21
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	1	1
ECA	Environmental Compliance Approval	Y	0	2	2
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	0	0
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	11	11
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	125	125
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	3	3
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	Fuel Oil Spills and Leaks	Y	0	2	2
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	2	2
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	5	5
PTTW	Permit to Take Water	Y	0	1	1
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	2	2
RST	Retail Fuel Storage Tanks	Y	0	1	1
SCT	Scott's Manufacturing Directory	Y	0	22	22
SPL	Ontario Spills	Y	0	16	16
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	10	10
	Total:		0	239	239

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	GEN	Cityview Rental Services	180 Murray Street Ottawa ON K1N 5M8	ENE/21.2	-0.79	52
2	GEN	Capital Elevator Ltd.	159 Murray St Ottawa ON K1N 5M7	WNW/46.0	-0.79	52
3	GEN	City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	52
3	GEN	City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	53
3	GEN	City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	53
3	GEN	City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	53
3	GEN	City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	53
3	GEN	City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E/56.4	-0.75	54
4	SPL	Mark Mikhael	308 Cumberland St Ottawa ON K1N 7H9	ENE/63.4	-0.64	54
5	SPL	Mark Mikehale<UNOFFICIAL>	310 Cumberland Street Ottawa ON K1N 7H9	E/64.8	-0.64	55
6	INC		302 CUMBERLAND STREET, OTTAWA ON	ENE/66.2	-1.84	55
7	GEN	CITY OF OTTAWA	141 Clarence Stree Ottawa ON K1N 1B7	SW/67.0	0.24	56

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
7	GEN	CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW/67.0	0.24	56
7	GEN	CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW/67.0	0.24	56
7	GEN	CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW/67.0	0.24	57
7	GEN	City of Ottawa	141 Clarence Street Ottawa ON	SW/67.0	0.24	57
7	GEN	City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	57
7	GEN	City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	57
7	GEN	City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	58
7	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	58
7	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	58
7	GEN	Badger Daylighting	141 Clarence St Ottawa ON K1N 5P9	SW/67.0	0.24	58
7	GEN	City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW/67.0	0.24	59
8	SPL	Societe de Transport de L'Outaouais	Murray and Cumberland Ottawa ON	NE/82.6	-1.75	59
9	GEN	Ottawa Community Housing Corp.	312 Cumberland Ottawa ON K1N 1B3	E/82.8	-1.19	59

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
10	SCT	Dubé Marcel	164 Clarence St Ottawa ON K1N 5P8	SSE/89.8	0.24	60
11	SCT	COMPUTER PAPER (THE)	303-260 ST PATRICK ST OTTAWA ON K1N 5K5	WNW/96.4	-0.76	60
11	SCT	IDEAL STAMPS	260 ST PATRICK ST OTTAWA ON K1N 5K5	WNW/96.4	-0.76	60
11	SCT	THE COMPUTER PAPER	260 St Patrick St Suite 303 Ottawa ON K1N 5K5	WNW/96.4	-0.76	60
11	SCT	The Computer Paper Inc.	260 St Patrick St Suite 303 Ottawa ON K1N 5K5	WNW/96.4	-0.76	61
11	SCT	Maison Antoine & Taillefer	201-260 St. Patrick St Ottawa ON K1N 5K5	WNW/96.4	-0.76	61
12	PRT	G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON K1N7J1	ENE/100.7	-1.76	61
12	PRT		305 CUMBERLAND ST. OTTAWA ON	ENE/100.7	-1.76	61
12	GEN	G - N TAXI LIMITED	305 CUMBERLAND STREET, OTTAWA, ON K1N 7J1	ENE/100.7	-1.76	61
12	GEN	G - N TAXI LIMITED	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE/100.7	-1.76	62
12	GEN	G - N (OUT OF BUS) 16-202	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE/100.7	-1.76	62
12	GEN	G - N TAXI LIMITED 16-202	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE/100.7	-1.76	62
12	FST	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/100.7	-1.76	63

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
12	FST	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/100.7	-1.76	63
12	FST	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/100.7	-1.76	64
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON K1N 7J1	ENE/103.5	-1.76	64
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON	ENE/103.5	-1.76	65
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON	ENE/103.5	-1.76	65
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/103.5	-1.76	66
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/103.5	-1.76	66
13	DTNK	G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE/103.5	-1.76	67
14	SCT	DNA13 Inc.	283 Dalhousie St Suite 300 Ottawa ON K1N 7E5	WSW/109.8	0.57	68
15	BORE		ON	NNW/111.8	-1.68	68
16	SCT	Spade Media Inc.	267 Dalhousie St Suite 2 Ottawa ON K1N 7E3	W/112.4	-0.84	70
17	GEN	HepCURE Inc	332 Cumberland Street Ottawa ON K1N 7J2	ESE/125.1	-1.07	70

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
18	GEN	Canadian National Institute of Health	303 Dalhousie Street Ottawa ON K1N7E8	SSW/127.0	0.93	70
18	GEN	Canadian National Institute of Health	303 Dalhousie Street Ottawa ON K1N7E8	SSW/127.0	0.93	70
19	GEN	LA BOUTIQUE DU NETTOYEUR	261 ST-PATRICK OTTAWA ON K1N 5K4	WNW/130.3	-1.72	71
19	GEN	BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW/130.3	-1.72	71
19	GEN	BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW/130.3	-1.72	71
19	GEN	BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW/130.3	-1.72	72
19	GEN	2221092 Ontario Ltd	261 Saint Patrick Street Ottawa ON K1N 5K4	WNW/130.3	-1.72	72
19	GEN	2221092 Ontario Ltd	261 Saint Patrick Street Ottawa ON K1N 5K4	WNW/130.3	-1.72	72
19	GEN	Mallika International Limited	261,St. Patrick Street Ottawa ON K1N 5K4	WNW/130.3	-1.72	72
19	GEN	Mallika International Limited	261,St. Patrick Street Ottawa ON K1N 5K4	WNW/130.3	-1.72	73
19	GEN	Mallika International Limited	261,St. Patrick Street Ottawa ON	WNW/130.3	-1.72	73
19	GEN	Mallika International Limited	261,St. Patrick Street Ottawa ON K1N5K4	WNW/130.3	-1.72	73
19	GEN	Mallika International Limited	261,St. Patrick Street Ottawa ON K1N5K4	WNW/130.3	-1.72	73

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
19	CDRY	E-Cleaner	261 St. Patrick Street Ottawa ON K1N5K4	WNW/130.3	-1.72	74
19	CDRY	Brown's Cleaners	261 rue St Patrick Ottawa ON K1N5K4	WNW/130.3	-1.72	74
20	SCT	Dive Tech	305 St Patrick St Ottawa ON K1N 5K4	NNW/132.2	-2.76	75
20	SCT	Les Éditions du Vermilion	305 rue St Patrick Ottawa ON K1N 5K4	NNW/132.2	-2.76	75
20	SCT	Les Éditions du Vermillion	305 St Patrick St Ottawa ON K1N 5K4	NNW/132.2	-2.76	75
21	SCT	Les Éditions du Vermillon Inc.	305 St. Patrick St Ottawa ON K1N 5K4	NNW/132.2	-2.76	75
22	WWIS		ST. PATRICK CUMBERLAND ST. S OTTAWA ON ***Well ID:*** 7215436	N/133.4	-2.76	76
23	SCT	MARIGOLD JEWELLERS	266 DALHOUSIE ST OTTAWA ON K1N 7E4	WSW/134.6	-0.84	83
23	GEN	PHARMACIE BRISSON LTEE	270 DALHOUSIE STREET OTTAWA ON K1N 7E4	WSW/134.6	-0.84	83
23	SCT	Marigold Design Studio Ltd.	266 Dalhousie St Ottawa ON K1N 7E4	WSW/134.6	-0.84	84
23	GEN	Pharmacie Brisson Pharmacy Limited	270 Dalhousie street Ottawa ON K1N7E4	WSW/134.6	-0.84	84
24	WWIS		216 MURRAY OTTAWA ON ***Well ID:*** 7305786	ENE/135.5	-1.73	84
25	SCT	Tea Party	119 York St Unit 1 Ottawa ON K1N 5T4	S/135.6	1.32	87

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
26	GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	286 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SW/137.7	0.21	87
26	GEN	MARKET (SEE & USE ON1349900)	286 DALHOUSE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	88
26	GEN	MARKET (SEE & USE ON1349900) 26-412	286 DALHOUSE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	88
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	88
26	GEN	MARKET CLEANERS LTD. 26-412	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	89
26	GEN	MARKET CLEANERS LTD	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	89
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	89
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	89
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	90
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	90
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON	SW/137.7	0.21	90
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	91
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	91

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	91
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	91
26	CDRY	Market Cleaners Limited	286 Dalhosie St Ottawa ON K1N7E6	SW/137.7	0.21	92
26	CDRY	Market Cleaners Limited	286 Dalhousie St Ottawa ON K1N7E6	SW/137.7	0.21	92
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	92
26	GEN	MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW/137.7	0.21	93
27	GEN	RACINE ROBERT & GAUTHIER	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW/139.8	-1.72	93
27	GEN	RACINE ROBERT & GAUTHIER 44-276	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW/139.8	-1.72	93
27	GEN	RACINE, ROBERT & GAUTHIER	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW/139.8	-1.72	94
27	GEN	Service Corporation International Canada	259 St. Patrick Street Ottawa ON K1N 5K4	WNW/139.8	-1.72	94
27	GEN	Service Corporation International Canada	259 St. Patrick Street Ottawa ON	WNW/139.8	-1.72	94
27	GEN	Service Corporation International Canada	259 St. Patrick Street Ottawa ON	WNW/139.8	-1.72	94
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW/139.8	-1.72	95

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW/139.8	-1.72	95
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW/139.8	-1.72	95
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON	WNW/139.8	-1.72	95
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	96
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	96
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	96
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	96
27	SPL		259 St Patrick St Ottawa ON	WNW/139.8	-1.72	97
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	97
27	GEN	Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW/139.8	-1.72	98
28	SCT	Regroupement des Éditeurs	265 St. Patrick St Unit B Ottawa ON K1N 5K4	WNW/141.5	-1.72	98
29	GEN	Domeron Inc.	333-335 Cumberland Avenue Ottawa ON K1N 7J3	E/143.2	-1.73	98
29	GEN	LivingEasy Homes Inc.	333-335 Cumberland ave Ottawa ON K1N 7J3	E/143.2	-1.73	98

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
29	SCT	Les Éditions David Inc.	335B Cumberland St Ottawa ON K1N 7J3	E/143.2	-1.73	98
30	WWIS		216 MURRAY ST OTTAWA ON ***Well ID:*** 7305787	ENE/145.6	-1.74	99
31	WWIS		272 DALHOUSE STREET OTTAWA ON ***Well ID:*** 7243416	WSW/148.3	0.24	102
32	GEN	LABCARE INC.	260 DALHOUSE STREET OTTAWA ON K1N 2E4	W/151.4	-0.84	104
32	GEN	LABCARE INC.	260 DALHOUSIE STREET OTTAWA ON K1N 2E4	W/151.4	-0.84	105
32	GEN	CANADIAN MEDICAL LABORATORIES LIMITED	260 DALHOUSIE STREET OTTAWA ON K1N 7E4	W/151.4	-0.84	105
32	GEN	ORLEANS RADIOLOGY SERVICES LIMITED	PATRICK RDLGY. 260 DALHOUSIE ST. SUIT205 OTTAWA, C/O 2555 ST. JOSEPH BLVD. ORLEANS ON K1N 7E4	W/151.4	-0.84	105
32	GEN	ORLEANS RADIOLOGY SERVICES LIMITED29-203	PATRICK RDLGY. 260 DALHOUSIE ST. SUIT205 OTTAWA, C/O 2555 ST. JOSEPH BLVD. ORLEANS ON K1N 7E4	W/151.4	-0.84	105
32	GEN	Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W/151.4	-0.84	106
32	GEN	Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W/151.4	-0.84	106
32	GEN	Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W/151.4	-0.84	106
32	GEN	Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W/151.4	-0.84	106
32	GEN	Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W/151.4	-0.84	107

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
33	GEN	SPIC & SPAN-VALETOR-CASH CLEANERS	309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SSW/152.3	1.24	107
33	GEN	SPIC & SPAN-VALETOR-CASH CLEANERS 35-136	309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SSW/152.3	1.24	107
34	SCT	DALHOUSIE CANDIES & GIFTS	258 DALHOUSIE ST OTTAWA ON K1N 7E4	W/154.6	-0.68	107
35	CA	OTTAWA CITY	DALHOUSIE ST./ST. PATRICK ST. OTTAWA CITY ON	W/155.5	-1.76	108
35	CA	R.M. OF OTTAWA-CARLETON	DALHOUSIE ST./ST. PATRICK ST. OTTAWA CITY ON	W/155.5	-1.76	108
36	SPL	Enbridge Gas Distribution Inc.	York & Cumberland Ottawa ON	ESE/162.0	-1.71	108
36	HINC		INTERSECTION OF CUMBERLAND STREET & YORK STREET OTTAWA ON	ESE/162.0	-1.71	109
37	GEN	CONSEIL DES ECOLES CATHOLIQUES DE LANGUE	ROUTHIER SCHOOL 172 GUIGUES STREET OTTAWA ON K1N 5H9	NNW/165.1	-2.73	109
38	GEN	DESJARDINS PHARMACY LIMITED	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	110
38	GEN	Pharmacie Desjardins Ltd.	298 Dalhousie Street Ottawa ON K1N 7E7	SW/167.7	1.24	110
38	GEN	J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	110
38	GEN	J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	110

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
38	GEN	J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	111
38	GEN	J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	111
38	GEN	J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW/167.7	1.24	111
39	SPL	PDCL<UNOFFICIAL>	101 York St. Ottawa ON	SSW/169.0	1.55	112
40	PRT	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON K1N8W6	N/169.7	-2.73	112
40	PRT	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON K1N8W6	N/169.7	-2.73	112
40	RSC		257 Cumberland St Ottawa ON K1N 8W6	N/169.7	-2.73	113
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N/169.7	-2.73	113
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N/169.7	-2.73	114
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N/169.7	-2.73	114
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N/169.7	-2.73	115
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N/169.7	-2.73	115
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	116

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	117
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	117
40	DTNK	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	118
40	FST	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	119
40	FST	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	119
40	FST	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	120
40	FST	EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N/169.7	-2.73	120
41	SCT	Animal Nutrition Assn Cda	109 Murray St Unit 2 Ottawa ON K1N 5M5	WSW/174.6	0.24	121
42	GEN	Shepherds of good hope	256 King Edward ottawa ON K1N 7M1	ENE/183.3	-2.84	121
42	GEN	We Care Home Health Services	256 King Edward Avenue Ottawa ON K1N 7M1	ENE/183.3	-2.84	121
42	GEN	We Care Home Health Services	256 King Edward Avenue Ottawa ON K1N 7M1	ENE/183.3	-2.84	121
42	GEN	CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE/183.3	-2.84	122
42	GEN	CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE/183.3	-2.84	122

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
42	GEN	Shepherds of Good Hope	256 King Edward St Ottawa ON K1N5M9	ENE/183.3	-2.84	122
42	GEN	CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE/183.3	-2.84	123
42	GEN	Shepherds of Good Hope	256 King Edward St Ottawa ON K1N5M9	ENE/183.3	-2.84	123
43	NPCB	CHEZ FM	126 YORK STREET OTTAWA ON K1N 5T5	SSE/183.9	0.28	123
43	NPCB	CHEZ FM	126 YORK STREET YORK STREET OTTAWA ON K1N 5T5	SSE/183.9	0.28	123
43	SCT	VMI Medical Inc.	126 York St Floor 4 Ottawa ON K1N 5T5	SSE/183.9	0.28	124
43	SCT	Aviation Publishers Co. Ltd.	126 York St Unit B11 Ottawa ON K1N 5T5	SSE/183.9	0.28	124
43	SCT	Magmic Games Inc.	126 York St Floor 4 Ottawa ON K1N 5T5	SSE/183.9	0.28	124
44	GEN	Apollo Property Management	134 York Street Ottawa ON K1N 1K8	SE/194.3	0.24	124
45	CA	360Lofts Inc.	356 to 358Q Cumberland St Ottawa ON	ESE/199.3	-0.90	125
46	ECA	360Lofts Inc.	356 to 358Q Cumberland St Ottawa ON K1S 1A3	ESE/199.3	-0.90	125
47	BORE		ON	W/200.6	-0.84	125
48	BORE		ON	S/202.3	1.67	127

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
49	RST	OIL CHANGERS	360 ST PATRICK ST OTTAWA ON K1N 5K7	NE/203.6	-2.62	128
49	SPL	Sylvain Mathot, operating as Oil Changers<UNOFFICIAL>	360 St. Patrick Street Ottawa ON K1N 5K7	NE/203.6	-2.62	128
49	HINC		360 ST. PATRICK STREET OTTAWA ON K1N 5K7	NE/203.6	-2.62	129
50	PTTW	Urban Capital (York) Inc.	180 York Street, Ottawa CITY OF OTTAWA ON	ESE/211.6	-1.91	129
50	EBR	Urban Capital (York) Inc.	180 York Street Ottawa Ontario Ottawa ON	ESE/211.6	-1.91	130
50	CA	Urban Capital (York) Inc.	180 York Street Ottawa ON	ESE/211.6	-1.91	130
50	ECA	Urban Capital (York) Inc.	180 York St Ottawa ON M5C 1C3	ESE/211.6	-1.91	130
51	BORE		ON	ENE/215.2	-2.76	131
52	SPL	S.21<UNOFFICIAL>	157 GUIGUES AVENUE<UNOFFICIAL> Ottawa ON K1N 5J1	NW/216.0	-3.07	132
53	WWIS		207 & 209 GUIGUES AVE. OTTAWA ON ***Well ID:*** 7154142	N/216.1	-3.76	133
54	SPL	360Lofts Inc.<UNOFFICIAL>	358 Cumerland St Ottawa ON	ESE/217.2	-0.76	135
55	SPL		347 St. Patrick's ROAD<UNOFFICIAL> Ottawa ON	NNE/220.0	-2.68	136
56	WWIS		209 GUIGUES AVENUE Ottawa ON	N/220.5	-3.76	136

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7269079			
57	GEN	AVELON MEWS LTD.	325 DALHOUSIE ST. OTTAWA ON K1N 7G2	S/221.0	1.12	139
57	GEN	Regency hair centre	325 Dalhousie Ottawa ON K1N 7G2	S/221.0	1.12	140
57	GEN	Regency hair centre	325 Dalhousie Ottawa ON K1N 7G2	S/221.0	1.12	140
57	GEN	PRIESTLY DEMOLITION INC.	325 DALHOUSIE STREET OTTAWA ON	S/221.0	1.12	140
57	RSC	CLARIDGE HOMES (325 DALHOUSIE) INC.	325 DALHOUSIE STREET, OTTAWA, ON K1N 7G1 Ottawa ON	S/221.0	1.12	140
57	SPL	HLS Linen Services<UNOFFICIAL>	325 Dalhousie St. Ottawa ON	S/221.0	1.12	141
57	SPL		325 Dalhousie St CP 717 Ottawa ON K1P 5P8	S/221.0	1.12	142
57	GEN	Claridge Homes	325 Dalhousie Street Ottawa ON K1N7G1	S/221.0	1.12	142
58	INC		85 Clarence Street, Ottawa, Sygon ON	WSW/226.5	1.24	143
59	CA	OTTAWA CITY - DALHOUSIE ST.	CLARENCE ST./KING EDWARD AVE. OTTAWA CITY ON	E/228.5	-2.76	143
59	CA	OTTAWA CITY - SUSSEX DRIVE	CLARENCE ST./KING EDWARD AVE. OTTAWA CITY ON	E/228.5	-2.76	144
59	SPL	TRANSPORT TRUCK	KINGEDWARD STREET & CLARENCE ST. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	E/228.5	-2.76	144

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
60	WWIS		325 DALHOUSIE ST OTTAWA ON ***Well ID:*** 7186511	S/228.9	2.32	144
61	BORE		ON	ESE/229.8	-2.45	147
62	WWIS		325 DALHOUSIE ST OTTAWA ON ***Well ID:*** 7186512	S/233.9	2.24	149
63	PRT	SUNOCO INC - THROUGH AGENT PIONEER PETROLEUMS MANA	355 ST PATRICK ST OTTAWA ON K1N5K6	NE/234.3	-3.76	152
63	DTNK	PIONEER ENERGY MANAGEMENT INC.	355 ST PATRICK ST OTTAWA ON K1N 5K6	NE/234.3	-3.76	152
63	DTNK	PIONEER ENERGY MANAGEMENT INC.	355 ST PATRICK ST OTTAWA ON	NE/234.3	-3.76	152
63	DTNK	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.3	-3.76	153
63	DTNK	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.3	-3.76	154
63	DTNK	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.3	-3.76	154
63	DTNK	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.3	-3.76	155
64	FST	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.4	-3.76	155
64	FST	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.4	-3.76	156
64	FST	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.4	-3.76	156

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
64	FST	PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE/234.4	-3.76	157
65	GEN	Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON	S/237.1	2.24	157
65	GEN	Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON	S/237.1	2.24	158
65	GEN	Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON K1N 7E9	S/237.1	2.24	158
65	GEN	Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON K1N 7E9	S/237.1	2.24	158
65	SPL	Clean Water Works Inc.	350 Dalhousie St. Ottawa ON	S/237.1	2.24	158
66	WWIS		380 cumberland st. Ottawa ON ***Well ID:*** 7354064	SE/238.6	-0.79	159
67	GEN	Ottawa Community Housing	380 Cumberland Street Ottawa ON K1N 1J8	SE/241.8	-0.79	163
67	GEN	Regional Elevator	380 Cumberland Ottawa ON K1S 0S8	SE/241.8	-0.79	163
67	GEN	Jemcor Elevating Inc - 380	380 Cumberland St Ottawa ON K1N 9P3	SE/241.8	-0.79	163
68	SPL	City of Ottawa	King Edward Ave and Murray St Ottawa ON	ENE/245.8	-2.76	164
69	GEN	SALVATION ARMY, THE	171 GEORGE ST. OTTAWA ON K1N 5W5	SE/246.6	0.27	164
69	GEN	SALVATION ARMY, THE 35-445	171 GEORGE ST. OTTAWA ON K1N 5W5	SE/246.6	0.27	164

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
69	GEN	The Salvation Army Booth Centre	171 George Street Ottawa ON K1N 5W5	SE/246.6	0.27	165
69	GEN	Salvation Army of Canada	171 George street Ottawa ON K1Z 8K9	SE/246.6	0.27	165
69	GEN	Salvation Army of Canada	171 George street Ottawa ON K1Z 8K9	SE/246.6	0.27	165
69	GEN	Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE/246.6	0.27	165
69	GEN	Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE/246.6	0.27	166
69	GEN	Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE/246.6	0.27	166
70	WWIS		209 GUIGUES AVENUE Ottawa ON ***Well ID:*** 7269080	N/246.7	-4.07	166
71	SPL	PRIVATE OWNER	LOW RATE PUBLIC PARKING LOT AT 85 MURRAY ST. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1N 5M5	WSW/247.2	0.55	169
72	HINC		208 KING EDWARD AVENUE OTTAWA ON K1N 7L7	NNE/249.2	-3.76	170

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 5 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
	ON	S	202.32	48

Lower Elevation	Address	Direction	Distance (m)	Map Key
	ON	NNW	111.77	15
	ON	W	200.63	47
	ON	ENE	215.15	51
	ON	ESE	229.80	61

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 6 CA site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
R.M. OF OTTAWA-CARLETON	DALHOUSIE ST./ST. PATRICK ST. OTTAWA CITY ON	W	155.52	35
OTTAWA CITY	DALHOUSIE ST./ST. PATRICK ST. OTTAWA CITY ON	W	155.52	35

360Lofts Inc.	356 to 358Q Cumberland St Ottawa ON	ESE	199.29	45
Urban Capital (York) Inc.	180 York Street Ottawa ON	ESE	211.57	50
OTTAWA CITY - SUSSEX DRIVE	CLARENCE ST./KING EDWARD AVE. OTTAWA CITY ON	E	228.51	59
OTTAWA CITY - DALHOUSIE ST.	CLARENCE ST./KING EDWARD AVE. OTTAWA CITY ON	E	228.51	59

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2019 has found that there are 4 CDRY site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
Market Cleaners Limited	286 Dalhosie St Ottawa ON K1N7E6	SW	137.67	26
Market Cleaners Limited	286 Dalhousie St Ottawa ON K1N7E6	SW	137.67	26

Lower Elevation	Address	Direction	Distance (m)	Map Key
Brown's Cleaners	261 rue St Patrick Ottawa ON K1N5K4	WNW	130.31	19
E-Cleaner	261 St. Patrick Street Ottawa ON K1N5K4	WNW	130.31	19

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Feb 28, 2022 has found that there are 21 DTNK site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key

G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON K1N 7J1	ENE	103.46	13
G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON	ENE	103.46	13
G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON	ENE	103.46	13
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	103.46	13
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	103.46	13
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	103.46	13
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N	169.70	40

EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON	N	169.70	40
PIONEER ENERGY MANAGEMENT INC.	355 ST PATRICK ST OTTAWA ON K1N 5K6	NE	234.29	63
PIONEER ENERGY MANAGEMENT INC.	355 ST PATRICK ST OTTAWA ON	NE	234.29	63
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.29	63
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.29	63
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.29	63
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.29	63

EBR - Environmental Registry

A search of the EBR database, dated 1994 - Mar 31, 2022 has found that there are 1 EBR site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
Urban Capital (York) Inc.	180 York Street Ottawa Ontario Ottawa ON	ESE	211.57	50

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Mar 31, 2022 has found that there are 2 ECA site(s) within approximately 0.25

kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
360Lofts Inc.	356 to 358Q Cumberland St Ottawa ON K1S 1A3	ESE	199.35	46
Urban Capital (York) Inc.	180 York St Ottawa ON M5C 1C3	ESE	211.57	50

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 11 FST site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	100.70	12
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	100.70	12
G N TAXI LTD	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	ENE	100.70	12
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	N	169.70	40
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.43	64

PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.43	64
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.43	64
PIONEER ENERGY MANAGEMENT INC	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	NE	234.43	64

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 125 GEN site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
CITY OF OTTAWA	141 Clarence Stree Ottawa ON K1N 1B7	SW	67.05	7
CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW	67.05	7
CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW	67.05	7
CITY OF OTTAWA	141 Clarence Street Ottawa ON	SW	67.05	7
City of Ottawa	141 Clarence Street Ottawa ON	SW	67.05	7
City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7
City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
City of Ottawa	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7
City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7
City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7
Badger Daylighting	141 Clarence St Ottawa ON K1N 5P9	SW	67.05	7
City of Ottawa Parks, Bldg & Grounds Services Branch	141 Clarence Street Ottawa ON K1N 7E5	SW	67.05	7
Canadian National Institute of Health	303 Dalhousie Street Ottawa ON K1N7E8	SSW	127.03	18
Canadian National Institute of Health	303 Dalhousie Street Ottawa ON K1N7E8	SSW	127.03	18
SPIC & SPAN-VALETOR-CASH CLEANERS	286 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SW	137.67	26
MARKET (SEE & USE ON1349900)	286 DALHOUSE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET (SEE & USE ON1349900) 26-412	286 DALHOUSE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD. 26-412	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
MARKET CLEANERS LTD	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
MARKET CLEANERS LTD.	286 DALHOUSIE STREET OTTAWA ON K1N 7E6	SW	137.67	26
SPIC & SPAN-VALETOR-CASH CLEANERS	309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SSW	152.28	33
SPIC & SPAN-VALETOR-CASH CLEANERS 35-136	309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE OTTAWA ON K2C 0P8	SSW	152.28	33
DESJARDINS PHARMACY LIMITED	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
Pharmacie Desjardins Ltd.	298 Dalhousie Street Ottawa ON K1N 7E7	SW	167.67	38
J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
J. L. Mulley Pharmacy Inc.	298 DALHOUSIE STREET OTTAWA ON K1N 7E7	SW	167.67	38
Apollo Property Management	134 York Street Ottawa ON K1N 1K8	SE	194.31	44
AVELON MEWS LTD.	325 DALHOUSIE ST. OTTAWA ON K1N 7G2	S	221.02	57

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
Regency hair centre	325 Dalhousie Ottawa ON K1N 7G2	S	221.02	57
Regency hair centre	325 Dalhousie Ottawa ON K1N 7G2	S	221.02	57
PRIESTLY DEMOLITION INC.	325 DALHOUSIE STREET OTTAWA ON	S	221.02	57
Claridge Homes	325 Dalhousie Street Ottawa ON K1N7G1	S	221.02	57
Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON	S	237.06	65
Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON	S	237.06	65
Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON K1N 7E9	S	237.06	65
Market Square Inn Limited Partnership	350 Dalhousie Ottawa ON K1N 7E9	S	237.06	65
SALVATION ARMY, THE	171 GEORGE ST. OTTAWA ON K1N 5W5	SE	246.57	69
SALVATION ARMY, THE 35-445	171 GEORGE ST. OTTAWA ON K1N 5W5	SE	246.57	69
The Salvation Army Booth Centre	171 George Street Ottawa ON K1N 5W5	SE	246.57	69

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
Salvation Army of Canada	171 George street Ottawa ON K1Z 8K9	SE	246.57	69
Salvation Army of Canada	171 George street Ottawa ON K1Z 8K9	SE	246.57	69
Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE	246.57	69
Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE	246.57	69
Salvation Army of Canada Ottawa Booth centre	171 George street Ottawa ON K1Z 8K9	SE	246.57	69

Lower Elevation	Address	Direction	Distance (m)	Map Key
Cityview Rental Services	180 Murray Street Ottawa ON K1N 5M8	ENE	21.18	1
Capital Elevator Ltd.	159 Murray St Ottawa ON K1N 5M7	WNW	45.98	2
City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3
City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3
City of Ottawa, Public Health	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3
City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3

City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3
City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	179 Clarence Street Ottawa ON K1N 5P7	E	56.43	3
Ottawa Community Housing Corp.	312 Cumberland Ottawa ON K1N 1B3	E	82.79	9
G - N TAXI LIMITED	305 CUMBERLAND STREET, OTTAWA, ON K1N 7J1	ENE	100.70	12
G - N TAXI LIMITED	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE	100.70	12
G - N (OUT OF BUS) 16-202	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE	100.70	12
G - N TAXI LIMITED 16-202	305 CUMBERLAND STREET OTTAWA ON K1N 7J1	ENE	100.70	12
HepCURE Inc	332 Cumberland Street Ottawa ON K1N 7J2	ESE	125.13	17
LA BOUTIQUE DU NETTOYEUR	261 ST-PATRICK OTTAWA ON K1N 5K4	WNW	130.31	19
BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW	130.31	19
BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW	130.31	19
BROWNS CLEANERS AND TAILORS LTD.	261 ST. PATRICK ST. OTTAWA ON K1N 5K4	WNW	130.31	19
2221092 Ontario Ltd	261 Saint Patrick Street Ottawa ON K1N 5K4	WNW	130.31	19

2221092 Ontario Ltd	261 Saint Patrick Street Ottawa ON K1N 5K4	WNW	130.31	19
Mallika International Limited	261,St. Patrick Street Ottawa ON K1N 5K4	WNW	130.31	19
Mallika International Limited	261,St. Patrick Street Ottawa ON K1N 5K4	WNW	130.31	19
Mallika International Limited	261,St. Patrick Street Ottawa ON	WNW	130.31	19
Mallika International Limited	261,St. Patrick Street Ottawa ON K1N5K4	WNW	130.31	19
Mallika International Limited	261,St. Patrick Street Ottawa ON K1N5K4	WNW	130.31	19
PHARMACIE BRISSON LTEE	270 DALHOUSIE STREET OTTAWA ON K1N 7E4	WSW	134.63	23
Pharmacie Brisson Pharmacy Limited	270 Dalhousie street Ottawa ON K1N7E4	WSW	134.63	23
RACINE ROBERT & GAUTHIER	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW	139.82	27
RACINE ROBERT & GAUTHIER 44-276	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW	139.82	27
RACINE, ROBERT & GAUTHIER	259 ST. PATRICK OTTAWA ON K1N 5K4	WNW	139.82	27
Service Corporation International Canada	259 St. Patrick Street Ottawa ON K1N 5K4	WNW	139.82	27

Service Corporation International Canada	259 St. Patrick Street Ottawa ON	WNW	139.82	27
Service Corporation International Canada	259 St. Patrick Street Ottawa ON	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N 5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Service Corporation International	259 St Patrick Street Ottawa ON K1N5K4	WNW	139.82	27
Domeron Inc.	333-335 Cumberland Avenue Ottawa ON K1N 7J3	E	143.18	29

LivingEasy Homes Inc.	333-335 Cumberland ave Ottawa ON K1N 7J3	E	143.18	29
LABCARE INC.	260 DALHOUSE STREET OTTAWA ON K1N 2E4	W	151.40	32
LABCARE INC.	260 DALHOUSIE STREET OTTAWA ON K1N 2E4	W	151.40	32
CANADIAN MEDICAL LABORATORIES LIMITED	260 DALHOUSIE STREET OTTAWA ON K1N 7E4	W	151.40	32
ORLEANS RADIOLOGY SERVICES LIMITED	PATRICK RDLGY. 260 DALHOUSIE ST.SUIT205 OTTAWA, C/O 2555 ST. JOSEPH BLVD. ORLEANS ON K1N 7E4	W	151.40	32
ORLEANS RADIOLOGY SERVICES LIMITED29-203	PATRICK RDLGY. 260 DALHOUSIE ST.SUIT205 OTTAWA, C/O 2555 ST. JOSEPH BLVD. ORLEANS ON K1N 7E4	W	151.40	32
Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W	151.40	32
Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W	151.40	32
Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W	151.40	32
Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W	151.40	32
Dr Roland Leger & Dr Michele Lariviere	260 Dalhousie, suite 208 Ottawa ON K1N7G2	W	151.40	32
CONSEIL DES ECOLES CATHOLIQUES DE LANGUE	ROUTHIER SCHOOL 172 GUIGUES STREET OTTAWA ON K1N 5H9	NNW	165.07	37

Shepherds of good hope	256 King Edward ottawa ON K1N 7M1	ENE	183.28	42
We Care Home Health Services	256 King Edward Avenue Ottawa ON K1N 7M1	ENE	183.28	42
We Care Home Health Services	256 King Edward Avenue Ottawa ON K1N 7M1	ENE	183.28	42
CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE	183.28	42
CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE	183.28	42
Shepherds of Good Hope	256 King Edward St Ottawa ON K1N5M9	ENE	183.28	42
CBI Home Health formerly We Care Home Health	256 King Edward Avenue Ottawa ON K1N 7M1	ENE	183.28	42
Shepherds of Good Hope	256 King Edward St Ottawa ON K1N5M9	ENE	183.28	42
Ottawa Community Housing	380 Cumberland Street Ottawa ON K1N 1J8	SE	241.80	67
Regional Elevator	380 Cumberland Ottawa ON K1S 0S8	SE	241.80	67
Jemcor Elevating Inc - 380	380 Cumberland St Ottawa ON K1N 9P3	SE	241.80	67

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 3 HINC site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
	INTERSECTION OF CUMBERLAND STREET & YORK STREET OTTAWA ON	ESE	161.99	36
	360 ST. PATRICK STREET OTTAWA ON K1N 5K7	NE	203.55	49
	208 KING EDWARD AVENUE OTTAWA ON K1N 7L7	NNE	249.21	72

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Feb 28, 2022 has found that there are 2 INC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
	85 Clarence Street, Ottawa, Sygon ON	WSW	226.45	58

Lower Elevation	Address	Direction	Distance (m)	Map Key
	302 CUMBERLAND STREET, OTTAWA ON	ENE	66.24	6

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 2 NPCB site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
CHEZ FM	126 YORK STREET OTTAWA ON K1N 5T5	SSE	183.91	43
CHEZ FM	126 YORK STREET YORK STREET OTTAWA ON K1N 5T5	SSE	183.91	43

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 5 PRT site(s) within approximately 0.25 kilometers of the

project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
	305 CUMBERLAND ST. OTTAWA ON	ENE	100.70	12
G N TAXI LTD	305 CUMBERLAND ST OTTAWA ON K1N7J1	ENE	100.70	12
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON K1N8W6	N	169.70	40
EAST WAY TAXI 727825 ONT LTD	257 CUMBERLAND ST OTTAWA ON K1N8W6	N	169.70	40
SUNOCO INC - THROUGH AGENT PIONEER PETROLEUMS MANA	355 ST PATRICK ST OTTAWA ON K1N5K6	NE	234.29	63

PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - Mar 31, 2022 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
Urban Capital (York) Inc.	180 York Street, Ottawa CITY OF OTTAWA ON	ESE	211.57	50

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Mar 2022 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
CLARIDGE HOMES (325 DALHOUSIE) INC.	325 DALHOUSIE STREET, OTTAWA, ON K1N 7G1 Ottawa ON	S	221.02	57

Lower Elevation	Address	Direction	Distance (m)	Map Key
	257 Cumberland St Ottawa ON K1N 8W6	N	169.70	40

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Sep 30, 2021 has found that there are 1 RST site(s) within approximately 0.25 kilometers of the project property.

Lower Elevation	Address	Direction	Distance (m)	Map Key
OIL CHANGERS	360 ST PATRICK ST OTTAWA ON K1N 5K7	NE	203.55	49

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 22 SCT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
Dubé Marcel	164 Clarence St Ottawa ON K1N 5P8	SSE	89.85	10
DNA13 Inc.	283 Dalhousie St Suite 300 Ottawa ON K1N 7E5	WSW	109.81	14
Tea Party	119 York St Unit 1 Ottawa ON K1N 5T4	S	135.62	25
Animal Nutrition Assn Cda	109 Murray St Unit 2 Ottawa ON K1N 5M5	WSW	174.57	41
VMI Medical Inc.	126 York St Floor 4 Ottawa ON K1N 5T5	SSE	183.91	43
Aviation Publishers Co. Ltd.	126 York St Unit B11 Ottawa ON K1N 5T5	SSE	183.91	43
Magmic Games Inc.	126 York St Floor 4 Ottawa ON K1N 5T5	SSE	183.91	43

Lower Elevation	Address	Direction	Distance (m)	Map Key
IDEAL STAMPS	260 ST PATRICK ST OTTAWA ON K1N 5K5	WNW	96.45	11
COMPUTER PAPER (THE)	303-260 ST PATRICK ST OTTAWA ON K1N 5K5	WNW	96.45	11
Maison Antoine & Taillefer	201-260 St. Patrick St Ottawa ON K1N 5K5	WNW	96.45	11
The Computer Paper Inc.	260 St Patrick St Suite 303 Ottawa ON K1N 5K5	WNW	96.45	11
THE COMPUTER PAPER	260 St Patrick St Suite 303 Ottawa ON K1N 5K5	WNW	96.45	11
Spade Media Inc.	267 Dalhousie St Suite 2 Ottawa ON K1N 7E3	W	112.38	16
Les Éditions du Vermillion	305 St Patrick St Ottawa ON K1N 5K4	NNW	132.22	20
Les Éditions du Vermilion	305 rue St Patrick Ottawa ON K1N 5K4	NNW	132.22	20
Dive Tech	305 St Patrick St Ottawa ON K1N 5K4	NNW	132.22	20
Les Éditions du Vermillon Inc.	305 St. Patrick St Ottawa ON K1N 5K4	NNW	132.24	21
MARIGOLD JEWELLERS	266 DALHOUSIE ST OTTAWA ON K1N 7E4	WSW	134.63	23
Marigold Design Studio Ltd.	266 Dalhousie St Ottawa ON K1N 7E4	WSW	134.63	23

Regroupement des Éditeurs	265 St. Patrick St Unit B Ottawa ON K1N 5K4	WNW	141.48	28
Les Éditions David Inc.	335B Cumberland St Ottawa ON K1N 7J3	E	143.18	29
DALHOUSIE CANDIES & GIFTS	258 DALHOUSIE ST OTTAWA ON K1N 7E4	W	154.56	34

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 16 SPL site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
PDCL<UNOFFICIAL>	101 York St. Ottawa ON	SSW	169.01	39
	325 Dalhousie St CP 717 Ottawa ON K1P 5P8	S	221.02	57
HLS Linen Services<UNOFFICIAL>	325 Dalhousie St. Ottawa ON	S	221.02	57
Clean Water Works Inc.	350 Dalhousie St. Ottawa ON	S	237.06	65
PRIVATE OWNER	LOW RATE PUBLIC PARKING LOT AT 85 MURRAY ST. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON K1N 5M5	WSW	247.17	71

Lower Elevation	Address	Direction	Distance (m)	Map Key
Mark Mikhael	308 Cumberland St Ottawa ON K1N 7H9	ENE	63.43	4
Mark Mikehale<UNOFFICIAL>	310 Cumberland Street Ottawa ON K1N 7H9	E	64.84	5

Societe de Transport de L'Outaouais	Murray and Cumberland Ottawa ON	NE	82.63	8
	259 St Patrick St Ottawa ON	WNW	139.82	27
Enbridge Gas Distribution Inc.	York & Cumberland Ottawa ON	ESE	161.99	36
Sylvain Mathot, operating as Oil Changers<UNOFFICIAL>	360 St. Patrick Street Ottawa ON K1N 5K7	NE	203.55	49
S.21<UNOFFICIAL>	157 GUIGUES AVENUE<UNOFFICIAL> Ottawa ON K1N 5J1	NW	215.98	52
360Lofts Inc.<UNOFFICIAL>	358 Cumerland St Ottawa ON	ESE	217.21	54
	347 St. Patrick's ROAD<UNOFFICIAL> Ottawa ON	NNE	220.01	55
TRANSPORT TRUCK	KINGEDWARD STREET & CLARENCE ST. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON	E	228.51	59
City of Ottawa	King Edward Ave and Murray St Ottawa ON	ENE	245.79	68


WWIS - Water Well Information System

A search of the WWIS database, dated Sep 30, 2021 has found that there are 10 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
	272 DALHOUSE STREET OTTAWA ON ***Well ID:*** 7243416	WSW	148.29	31

Equal/Higher Elevation	Address	Direction	Distance (m)	Map Key
	325 DALHOUSIE ST OTTAWA ON ***Well ID:*** 7186511	S	228.86	60
	325 DALHOUSIE ST OTTAWA ON ***Well ID:*** 7186512	S	233.95	62

Lower Elevation	Address	Direction	Distance (m)	Map Key
	ST. PATRICK CUMBERLAND ST. S OTTAWA ON ***Well ID:*** 7215436	N	133.38	22
	216 MURRAY OTTAWA ON ***Well ID:*** 7305786	ENE	135.54	24
	216 MURRAY ST OTTAWA ON ***Well ID:*** 7305787	ENE	145.60	30
	207 & 209 GUIGUES AVE. OTTAWA ON ***Well ID:*** 7154142	N	216.09	53
	209 GUIGUES AVENUE Ottawa ON ***Well ID:*** 7269079	N	220.55	56
	380 cumberland st. Ottawa ON ***Well ID:*** 7354064	SE	238.62	66
	209 GUIGUES AVENUE Ottawa ON ***Well ID:*** 7269080	N	246.71	70



Map: 0.25 Kilometer Radius

Order Number: 22042000304

Address: 168-174 Murray Street, Ottawa, ON

- Project Property
- Buffer Outline
- Eris Sites with Higher Elevation
- Eris Sites with Same Elevation
- Eris Sites with Lower Elevation
- Eris Sites with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major Arterial; Minor Arterial
- Local Road
- Service Road; Traffic Circle; Ramp
- Rail
- Beach
- Airport
- Industrial Area
- Military Base
- Aircraft Roads
- Native Reservation
- Hospital
- Shopping & Sports Area
- University/College
- Cemetery; Golf Course
- Parkt (National)
- Park (City/County)

Source: © 2021 ESRI StreetMap Premium.

© ERIS Information Limited Partnership

75°42'W

45°25'30"N



45°25'30"N

Aerial


Year: 2021

Order Number: 22042000304

Address: 168-174 Murray Street, Ottawa, ON

Source: ESRI World Imagery

© ERIS Information Limited Partnership



Topographic Map

Order Number: 22042000304

Address: 168-174 Murray Street, ON

Source: ESRI World Topographic Map

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	ENE/21.2	61.8 / -0.79	Cityview Rental Services 180 Murray Street Ottawa ON K1N 5M8	GEN

Generator No: ON7688117
SIC Code: 531111
SIC Description: Lessors of Residential Buildings and Dwellings (except Social Housing Projects)
Approval Years: 07,08
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 145
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
2	1 of 1	WNW/46.0	61.8 / -0.79	Capital Elevator Ltd. 159 Murray St Ottawa ON K1N 5M7	GEN

Generator No: ON3667784
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	1 of 6	E/56.4	61.9 / -0.75	City of Ottawa, Public Health 179 Clarence Street Ottawa ON K1N 5P7	GEN

Generator No: ON3786043
SIC Code: 621494, 621499
SIC Description: 621494, ALL OTHER OUT-PATIENT CARE CENTRES
Approval Years: 2016
PO Box No:
Country: Canada
Status:
Co Admin: Ashley Levasseur
Choice of Contact: CO_OFFICIAL
Phone No Admin: 613-580-2424 Ext.12576
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	2 of 6	E/56.4	61.9 / -0.75	City of Ottawa, Public Health 179 Clarence Street Ottawa ON K1N 5P7	GEN

Generator No: ON3786043
SIC Code: 621494, 621499
SIC Description: 621494, ALL OTHER OUT-PATIENT CARE CENTRES
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin: Ashley Levasseur
Choice of Contact: CO_OFFICIAL
Phone No Admin: 613-580-2424 Ext.12576
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	3 of 6	E/56.4	61.9 / -0.75	City of Ottawa, Public Health 179 Clarence Street Ottawa ON K1N 5P7	GEN

Generator No: ON3786043
SIC Code: 621494, 621499
SIC Description: 621494, ALL OTHER OUT-PATIENT CARE CENTRES
Approval Years: 2014
PO Box No:
Country: Canada

Status:
Co Admin: Ashley Levasseur
Choice of Contact: CO_OFFICIAL
Phone No Admin: 613-580-2424 Ext.12576
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 263
Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	4 of 6	E/56.4	61.9 / -0.75	City of Ottawa, Public Health Clinical Programs (Sexual Health Center) 179 Clarence Street Ottawa ON K1N 5P7	GEN

Generator No: ON3786043
SIC Code:
SIC Description:
Approval Years: As of Dec 2018
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212 B
Waste Class Desc: Aliphatic solvents and residues

Waste Class: 263 L
Waste Class Desc: Misc. waste organic chemicals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
3	5 of 6	E/56.4	61.9 / -0.75	City of Ottawa, Public Health Clinical Programs (Sexual Health Center)	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

179 Clarence Street
Ottawa ON K1N 5P7

Generator No:	ON3786043	***Status:***	Registered
SIC Code:		***Co Admin:***	
SIC Description:		***Choice of Contact:***	
Approval Years:	As of Jul 2020	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:	Canada	***MHSW Facility:***	

Detail(s)

Waste Class:	263 L
Waste Class Desc:	Misc. waste organic chemicals
Waste Class:	212 B
Waste Class Desc:	Aliphatic solvents and residues

---

3 ***6 of 6*** ***E/56.4*** ***61.9 / -0.75*** ***GEN***

City of Ottawa, Public Health Clinical Programs
(Sexual Health Center)
179 Clarence Street
Ottawa ON K1N 5P7

Generator No:	ON3786043	***Status:***	Registered
SIC Code:		***Co Admin:***	
SIC Description:		***Choice of Contact:***	
Approval Years:	As of Nov 2021	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:	Canada	***MHSW Facility:***	

Detail(s)

Waste Class:	212 B
Waste Class Desc:	Aliphatic solvents and residues
Waste Class:	263 L
Waste Class Desc:	Misc. waste organic chemicals

---

4 ***1 of 1*** ***ENE/63.4*** ***62.0 / -0.64*** ***SPL***

Mark Mikhael
308 Cumberland St
Ottawa ON K1N 7H9

Ref No:	8364-A2VK5C	***Discharger Report:***	
Site No:	3450-A3RQEL	***Material Group:***	
Incident Dt:	9/24/2015	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:		***Sector Type:***	Miscellaneous Industrial
Incident Event:		***Agency Involved:***	
Contaminant Code:	13	***Nearest Watercourse:***	
Contaminant Name:	FURNACE OIL	***Site Address:***	308 Cumberland St
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site Postal Code:***	K1N 7H9
Contaminant UN No 1:		***Site Region:***	
Environment Impact:		***Site Municipality:***	Ottawa
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	NA
MOE Response:	No	***Easting:***	NA
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	NA
MOE Reported Dt:	10/1/2015	***Site Map Datum:***	NA
Dt Document Closed:		***SAC Action Class:***	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Operator/Human Error	***Source Type:***	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Site Name: 308 Cumberland Street
Site County/District:
Site Geo Ref Meth: NA
Incident Summary: TSSA FSB: furnace oil spill during removal of tank
Contaminant Qty: 75 L

---

5 | **1 of 1** | **E/64.8** | **62.0 / -0.64** | **Mark Mikehale<UNOFFICIAL>**
310 Cumberland Street
Ottawa ON K1N 7H9 | **SPL**

Ref No: 3507-A2TQNA
Site No: NA
Incident Dt: 9/29/2015
Year:
Incident Cause:
Incident Event:
Contaminant Code: 13
Contaminant Name: FURNACE OIL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: Yes
Dt MOE Arvl on Scn: 10/1/2015
MOE Reported Dt: 9/29/2015
Dt Document Closed:
Incident Reason: Operator/Human Error
Site Name: Sidewalk<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Cumberland - oil to land
Contaminant Qty: 10 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address: 310 Cumberland Street
Site District Office:
Site Postal Code: K1N 7H9
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Primary Assessment of Spills
Source Type:

---

6 | **1 of 1** | **ENE/66.2** | **60.8 / -1.84** | **302 CUMBERLAND STREET, OTTAWA ON** | **INC**

Incident No: 1566258
Incident ID:
Instance No:
Status Code:
Attribute Category: FS-Perform L1 Incident Insp
Context:
Date of Occurrence: 2015/01/29 00:00:00
Time of Occurrence: NULL
Incident Created On:
Instance Creation Dt:
Instance Install Dt:
Occur Insp Start Date: 2015/01/29 00:00:00
Approx Quant Rel:
Tank Capacity:
Fuels Occur Type: CO Release
Fuel Type Involved: Natural Gas
Enforcement Policy: NULL
Prc Escalation Req: NULL
Tank Material Type:
Tank Storage Type:
Tank Location Type:
Pump Flow Rate Cap:
Task No: 5346233

Any Health Impact: No
Any Enviro Impact: No
Service Interrupted: Yes
Was Prop Damaged: Yes
Reside App. Type:
Commer App. Type:
Indus App. Type:
Institut App. Type:
Venting Type:
Vent Conn Mater:
Vent Chimney Mater:
Pipeline Type:
Pipeline Involved:
Pipe Material:
Depth Ground Cover:
Regulator Location:
Regulator Type:
Operation Pressure:
Liquid Prop Make:
Liquid Prop Model:
Liquid Prop Serial No:
Liquid Prop Notes:
Equipment Type:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Notes:
Drainage System:
Sub Surface Contam.:
Aff Prop Use Water:
Contam. Migrated:
Contact Natural Env:
Incident Location: 302 CUMBERLAND STREET, OTTAWA - CO RELEASE
Occurence Narrative: plugged boiler, corroded vent connector, partially collapsed chimney
Operation Type Involved: Commercial (e.g. restaurant, business unit, etc)
Item:
Item Description:
Device Installed Location:
Equipment Model:
Serial No:
Cylinder Capacity:
Cylinder Cap Units:
Cylinder Mat Type:
Near Body of Water:

7	1 of 12	SW/67.0	62.9 / 0.24	CITY OF OTTAWA 141 Clarence Stree Ottawa ON K1N 1B7	GEN

Generator No: ON7219048
SIC Code:
SIC Description:
Approval Years: 02,03,04,05,06,07,08
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

7	2 of 12	SW/67.0	62.9 / 0.24	CITY OF OTTAWA 141 Clarence Street Ottawa ON	GEN

Generator No: ON7219048
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2009
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

7	3 of 12	SW/67.0	62.9 / 0.24	CITY OF OTTAWA 141 Clarence Street Ottawa ON	GEN

Generator No: ON7219048
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2010
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

---

7 **4 of 12** **SW/67.0** **62.9 / 0.24** **CITY OF OTTAWA** **GEN**
141 Clarence Street
Ottawa ON

Generator No: ON7219048
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 121
Waste Class Desc: ALKALINE WASTES - HEAVY METALS

---

7 **5 of 12** **SW/67.0** **62.9 / 0.24** **City of Ottawa** **GEN**
141 Clarence Street
Ottawa ON

Generator No: ON6428958
SIC Code: 913910
SIC Description: Other Local Municipal and Regional Public Administration
Approval Years: 2012
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

7 **6 of 12** **SW/67.0** **62.9 / 0.24** **City of Ottawa** **GEN**
141 Clarence Street
Ottawa ON K1N 7E5

Generator No: ON5246898
SIC Code: 913910
SIC Description: 913910
Approval Years: 2016
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

---

7 **7 of 12** **SW/67.0** **62.9 / 0.24** **City of Ottawa** **GEN**
141 Clarence Street
Ottawa ON K1N 7E5

Generator No: ON5246898
SIC Code: 913910
SIC Description: 913910
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

---

7 **8 of 12** **SW/67.0** **62.9 / 0.24**

City of Ottawa
141 Clarence Street
Ottawa ON K1N 7E5

GEN

Generator No: ON5246898
SIC Code: 913910
SIC Description: 913910
Approval Years: 2014
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

---

7 **9 of 12** **SW/67.0** **62.9 / 0.24**

City of Ottawa Parks, Bldg & Grounds Services Branch
141 Clarence Street
Ottawa ON K1N 7E5

GEN

Generator No: ON5246898
SIC Code:
SIC Description:
Approval Years: As of Dec 2018
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

7 **10 of 12** **SW/67.0** **62.9 / 0.24**

City of Ottawa Parks, Bldg & Grounds Services Branch
141 Clarence Street
Ottawa ON K1N 7E5

GEN

Generator No: ON5246898
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

7 **11 of 12** **SW/67.0** **62.9 / 0.24**

Badger Daylighting
141 Clarence St
Ottawa ON K1N 5P9

GEN

Generator No: ON6159589
SIC Code:

Status: Registered
Co Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

SIC Description:		**Choice of Contact:**	
Approval Years:	As of Oct 2019	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	251 L
Waste Class Desc:	Waste oils/sludges (petroleum based)

---

7 | ***12 of 12*** | ***SW/67.0*** | ***62.9 / 0.24*** | ***City of Ottawa Parks, Bldg & Grounds Services Branch***
141 Clarence Street
Ottawa ON K1N 7E5 | ***GEN***

Generator No:	ON5246898	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Nov 2021	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	251 L
Waste Class Desc:	Waste oils/sludges (petroleum based)

---

8 | ***1 of 1*** | ***NE/82.6*** | ***60.9 / -1.75*** | ***Societe de Transport de L'Outaouais***
Murray and Cumberland
Ottawa ON | ***SPL***

Ref No:	5554-ATDJPL	**Discharger Report:**	
Site No:	NA	**Material Group:**	
Incident Dt:	2017/11/23	**Health/Env Conseq:**	0 - No Impact
Year:		**Client Type:**	Corporation
Incident Cause:		**Sector Type:**	Unknown / N/A
Incident Event:	Leak/Break	**Agency Involved:**	
Contaminant Code:	27	**Nearest Watercourse:**	
Contaminant Name:	COOLANT N.O.S.	**Site Address:**	Murray and Cumberland
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:	n/a	**Site Region:**	Eastern
Environment Impact:		**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Land	**Northing:**	
MOE Response:	No	**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	2017/11/23	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Land Spills
Incident Reason:	Unknown / N/A	**Source Type:**	Motor Vehicle
Site Name:	CIty of Ottawa Road<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Societe de Transport de L'Outaouais: bus leaked coolant on rd.		
Contaminant Qty:	25 L		

---

9 | ***1 of 1*** | ***E/82.8*** | ***61.4 / -1.19*** | ***Ottawa Community Housing Corp.***
312 Cumberland
Ottawa ON K1N 1B3 | ***GEN***

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Generator No: ON4920762
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

10	1 of 1	SSE/89.8	62.9 / 0.24	**Dubé Marcel** **164 Clarence St** **Ottawa ON K1N 5P8**	SCT

Established:
Plant Size (ft²):
Employment:

11	1 of 5	WNW/96.4	61.9 / -0.76	**COMPUTER PAPER (THE)** **303-260 ST PATRICK ST** **OTTAWA ON K1N 5K5**	SCT

Established: 1988
Plant Size (ft²): 0
Employment: 6

--Details--
Description: Newspaper Publishers
SIC/NAICS Code: 511110

11	2 of 5	WNW/96.4	61.9 / -0.76	**IDEAL STAMPS** **260 ST PATRICK ST** **OTTAWA ON K1N 5K5**	SCT

Established: 1993
Plant Size (ft²): 0
Employment: 1

--Details--
Description: MARKING DEVICES
SIC/NAICS Code: 3953

11	3 of 5	WNW/96.4	61.9 / -0.76	**THE COMPUTER PAPER** **260 St Patrick St Suite 303** **Ottawa ON K1N 5K5**	SCT

Established: 1988
Plant Size (ft²): 0
Employment: 6

--Details--
Description: Newspaper Publishers
SIC/NAICS Code: 511110

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	4 of 5	WNW/96.4	61.9 / -0.76	The Computer Paper Inc. 260 St Patrick St Suite 303 Ottawa ON K1N 5K5	SCT

Established: 1988
Plant Size (ft²):
Employment: 6

--Details--
Description: Newspaper Publishers
SIC/NAICS Code: 511110

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	5 of 5	WNW/96.4	61.9 / -0.76	Maison Antoine & Taillefer 201-260 St. Patrick St Ottawa ON K1N 5K5	SCT

Established: 01-OCT-02
Plant Size (ft²): 1800
Employment:

--Details--
Description: Other Women's and Girls' Cut and Sew Clothing Manufacturing
SIC/NAICS Code: 315239

Description: Other Men's and Boys' Cut and Sew Clothing Manufacturing
SIC/NAICS Code: 315229

Description: Other Specialized Design Services
SIC/NAICS Code: 541490

Description: All Other Cut and Sew Clothing Manufacturing
SIC/NAICS Code: 315299

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	1 of 9	ENE/100.7	60.9 / -1.76	G N TAXI LTD 305 CUMBERLAND ST OTTAWA ON K1N7J1	PRT

Location ID: 23673
Type: retail
Expiry Date: 1995-06-30
Capacity (L): 44000
Licence #: 0048996001

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	2 of 9	ENE/100.7	60.9 / -1.76	305 CUMBERLAND ST. OTTAWA ON	PRT

Location ID: 10929
Type: retail
Expiry Date:
Capacity (L):
Licence #:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
12	3 of 9	ENE/100.7	60.9 / -1.76	G - N TAXI LIMITED 305 CUMBERLAND STREET, OTTAWA, ON K1N 7J1	GEN

Generator No: ON0976900
SIC Code: 0000
SIC Description: *** NOT DEFINED ***
Approval Years: 86,87
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

12 **4 of 9** **ENE/100.7** **60.9 / -1.76**

G - N TAXI LIMITED
305 CUMBERLAND STREET
OTTAWA ON K1N 7J1

GEN

Generator No: ON0976900
SIC Code: 4581
SIC Description: TAXICAB INDUSTRY
Approval Years: 88,89,90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

---

12 **5 of 9** **ENE/100.7** **60.9 / -1.76**

G - N (OUT OF BUS) 16-202
305 CUMBERLAND STREET
OTTAWA ON K1N 7J1

GEN

Generator No: ON0976900
SIC Code: 4581
SIC Description: TAXICAB INDUSTRY
Approval Years: 92,93,96,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

---

12 **6 of 9** **ENE/100.7** **60.9 / -1.76**

G - N TAXI LIMITED 16-202
305 CUMBERLAND STREET
OTTAWA ON K1N 7J1

GEN

Generator No: ON0976900
SIC Code: 4581
SIC Description: TAXICAB INDUSTRY
Approval Years: 94,95
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 213
Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

---

12 **7 of 9** **ENE/100.7** **60.9 / -1.76** **G N TAXI LTD** **FST**
305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
ON

Instance No: 11141054
Status:
Cont Name:
Instance Type:
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 10/2/1989
Install Year: NULL
Years in Service:
Model: NULL
Description:
Capacity: 0
Tank Material: Other
Corrosion Protect: NULL
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: G N TAXI LTD
Item: FS LIQUID FUEL TANK

---

12 **8 of 9** **ENE/100.7** **60.9 / -1.76** **G N TAXI LTD** **FST**
305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
ON

Instance No: 11205682
Status:
Cont Name:
Instance Type:
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 10/2/1989
Install Year: 1985
Years in Service:
Model: NULL
Description:
Capacity: 22000
Tank Material: Steel
Corrosion Protect: Sacrificial anode
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Owner Account Name: G N TAXI LTD
Item: FS LIQUID FUEL TANK

---

12 | **9 of 9** | **ENE/100.7** | **60.9 / -1.76** | **G N TAXI LTD**
305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
ON | **FST**

Instance No: 11205636
Status:
Cont Name:
Instance Type:
Item:
Item Description: FS Liquid Fuel Tank
Tank Type: Liquid Fuel Single Wall UST
Install Date: 4/15/1992
Install Year: 1985
Years in Service:
Model: NULL
Description:
Capacity: 22000
Tank Material: Steel
Corrosion Protect: Sacrificial anode
Overfill Protect:
Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA

Manufacturer:
Serial No:
Ulc Standard:
Quantity:
Unit of Measure:
Fuel Type: Gasoline
Fuel Type2: NULL
Fuel Type3: NULL
Piping Steel:
Piping Galvanized:
Tanks Single Wall St:
Piping Underground:
No Underground:
Panam Related:
Panam Venue:

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: G N TAXI LTD
Item: FS LIQUID FUEL TANK

---

13 | **1 of 6** | **ENE/103.5** | **60.9 / -1.76** | **G N TAXI LTD**
305 CUMBERLAND ST
OTTAWA ON K1N 7J1 | **DTNK**

Delisted Expired Fuel Safety Facilities

Instance No: 10038840
Status: EXPIRED
Instance ID:
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:

Expired Date: 7/17/1996
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description:
Original Source: EXP
Record Date: Up to May 2013

---

13 | ***2 of 6*** | ***ENE/103.5*** | ***60.9 / -1.76*** | ***G N TAXI LTD***
305 CUMBERLAND ST
OTTAWA ON | ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No: 11205661
Status: EXPIRED
Instance ID: 72920
Instance Type: FS Piping
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Piping
Original Source: EXP
Record Date: Up to Mar 2012

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

---

13 | ***3 of 6*** | ***ENE/103.5*** | ***60.9 / -1.76*** | ***G N TAXI LTD***
305 CUMBERLAND ST
OTTAWA ON | ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No: 11205698
Status: EXPIRED
Instance ID: 73421
Instance Type: FS Piping
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Model:		**External Identifier:**	
Serial No:		**Item:**	
ULC Standard:		**Piping Steel:**	
Quantity:		**Piping Galvanized:**	
Unit of Measure:		**Tank Single Wall St:**	
Overfill Prot Type:		**Piping Underground:**	
Creation Date:		**Tank Underground:**	
Next Periodic Str DT:		**Source:**	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

13	*4 of 6*	*ENE/103.5*	*60.9 / -1.76*	***G N TAXI LTD*** ***305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA*** ***ON***	***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No:	11141054	**Expired Date:**	
Status:	EXPIRED	**Max Hazard Rank:**	NULL
Instance ID:		**Facility Location:**	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
Instance Type:		**Facility Type:**	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	**Fuel Type 2:**	NULL
Instance Install Dt:	10/2/1989	**Fuel Type 3:**	NULL
Item Description:	FS Liquid Fuel Tank	**Panam Related:**	NULL
Manufacturer:	NULL	**Panam Venue Nm:**	NULL
Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:23:58 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	2000 LB UNDERGROUND ABANDONED TANK		
Original Source:	EXP		
Record Date:	31-JUL-2020		

13	*5 of 6*	*ENE/103.5*	*60.9 / -1.76*	***G N TAXI LTD*** ***305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA***	***DTNK***

ON

Delisted Expired Fuel Safety Facilities

Instance No:	11205636	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	4/15/1992	***Fuel Type 2:***	NULL
Instance Install Dt:	4/15/1992	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL
Model:	NULL	***External Identifier:***	NULL
Serial No:	NULL	***Item:***	
ULC Standard:	NULL	***Piping Steel:***	
Quantity:	1	***Piping Galvanized:***	
Unit of Measure:	EA	***Tank Single Wall St:***	
Overfill Prot Type:	NULL	***Piping Underground:***	
Creation Date:	7/5/2009 1:24:17 AM	***Tank Underground:***	
Next Periodic Str DT:	NULL	***Source:***	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	UNDERGROUND TANK		
Original Source:	EXP		
Record Date:	31-JUL-2020		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
13	6 of 6	ENE/103.5	60.9 / -1.76	G N TAXI LTD 305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11205682	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	305 CUMBERLAND ST OTTAWA K1N 7J1 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	***Fuel Type 2:***	NULL
Instance Install Dt:	10/2/1989	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL
Model:	NULL	***External Identifier:***	NULL
Serial No:	NULL	***Item:***	
ULC Standard:	NULL	***Piping Steel:***	
Quantity:	1	***Piping Galvanized:***	
Unit of Measure:	EA	***Tank Single Wall St:***	
Overfill Prot Type:	NULL	***Piping Underground:***	
Creation Date:	7/5/2009 1:24:18 AM	***Tank Underground:***	
Next Periodic Str DT:	NULL	***Source:***	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		

TSSAMax Hazard Rank 1:	NULL
TSSA Risk Based Periodic Yn:	NULL
TSSA Volume of Directives:	NULL
TSSA Periodic Exempt:	NULL
TSSA Statutory Interval:	NULL
TSSA Recd Insp Interva:	NULL
TSSA Recd Tolerance:	NULL
TSSA Program Area:	NULL
TSSA Program Area 2:	NULL
Description:	UNDERGROUND TANK
Original Source:	EXP
Record Date:	31-JUL-2020

---

14 ***1 of 1*** ***WSW/109.8*** ***63.2 / 0.57*** ***DNA13 Inc.***
283 Dalhousie St Suite 300
Ottawa ON K1N 7E5 ***SCT***

Established:	01-AUG-01
Plant Size (ft²):	
Employment:	

--Details--

Description:	Software Publishers
SIC/NAICS Code:	511210
Description:	Manufacturing and Reproducing Magnetic and Optical Media
SIC/NAICS Code:	334610
Description:	Computer Systems Design and Related Services
SIC/NAICS Code:	541510

---

15 ***1 of 1*** ***NNW/111.8*** ***61.0 / -1.68*** ***ON*** ***BORE***

Borehole ID:	613605	***Inclin FLG:***	No
OGF ID:	215514847	***SP Status:***	Initial Entry
Status:		***Surv Elev:***	No
Type:	Borehole	***Piezometer:***	No
Use:		***Primary Name:***	
Completion Date:	FEB-1965	***Municipality:***	
Static Water Level:	4.0	***Lot:***	
Primary Water Use:		***Township:***	
Sec. Water Use:		***Latitude DD:***	45.431621
Total Depth m:	-999	***Longitude DD:***	-75.691235
Depth Ref:	Ground Surface	***UTM Zone:***	18
Depth Elev:		***Easting:***	445931
Drill Method:		***Northing:***	5031132
Orig Ground Elev m:	58.1	***Location Accuracy:***	
Elev Reliabil Note:		***Accuracy:***	Not Applicable
DEM Ground Elev m:	57.9		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218395807	***Mat Consistency:***	Stiff
Top Depth:	1.2	***Material Moisture:***	
Bottom Depth:	4.9	***Material Texture:***	
Material Color:	Grey	***Non Geo Mat Type:***	
Material 1:	Clay	***Geologic Formation:***	

Material 2:	Silt	**Geologic Group:**	
Material 3:	Silt	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	CLAY. GREY,STIFF.		

Geology Stratum ID:	218395808	**Mat Consistency:**	Stiff
Top Depth:	4.9	**Material Moisture:**	
Bottom Depth:	7.5	**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Silt	**Geologic Formation:**	
Material 2:	Clay	**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	SILT. GREY,STIFF, WATER STABLE AT 177.6 FEET.		

Geology Stratum ID:	218395809	**Mat Consistency:**	Compact
Top Depth:	7.5	**Material Moisture:**	
Bottom Depth:	8	**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Till	**Geologic Formation:**	
Material 2:	Sand	**Geologic Group:**	
Material 3:	Silt	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	TILL. GREY,COMPACT.		

Geology Stratum ID:	218395806	**Mat Consistency:**	Compact
Top Depth:	0	**Material Moisture:**	
Bottom Depth:	1.2	**Material Texture:**	
Material Color:	Brown	**Non Geo Mat Type:**	
Material 1:	Sand	**Geologic Formation:**	
Material 2:	Silt	**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	SAND,SILT. BROWN,COMPACT.		

Geology Stratum ID:	218395810	**Mat Consistency:**	
Top Depth:	8	**Material Moisture:**	
Bottom Depth:		**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Bedrock	**Geologic Formation:**	
Material 2:	Limestone	**Geologic Group:**	
Material 3:	Shale	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	BEDROCK,LIMESTONE, SHALE. GREY,FOSSILIFEROUS,CRYSTALINE.0 00075 012 00100 009 00125 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Source

Source Type:	Data Survey	**Source Appl:**	Spatial/Tabular
Source Orig:	Geological Survey of Canada	**Source Iden:**	1
Source Date:	1956-1972	**Scale or Res:**	Varies
Confidence:		**Horizontal:**	NAD27
Observatio:		**Verticalda:**	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 061130 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Source Identifier: 1
Source Type: Data Survey
Source Date: 1956-1972
Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)
Source Originators: Geological Survey of Canada
Horizontal Datum: NAD27
Vertical Datum: Mean Average Sea Level
Projection Name: Universal Transverse Mercator

---

16 | **1 of 1** | **W/112.4** | **61.8 / -0.84** | **Spade Media Inc.**
267 Dalhousie St Suite 2
Ottawa ON K1N 7E3 | **SCT**

Established: 01-JUN-07
Plant Size (ft²):
Employment:

--Details--
Description: Periodical Publishers
SIC/NAICS Code: 511120

---

17 | **1 of 1** | **ESE/125.1** | **61.6 / -1.07** | **HepCURE Inc**
332 Cumberland Street
Ottawa ON K1N 7J2 | **GEN**

Generator No: ON6954484
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

18 | **1 of 2** | **SSW/127.0** | **63.6 / 0.93** | **Canadian National Institute of Health**
303 Dalhousie Street
Ottawa ON K1N7E8 | **GEN**

Generator No: ON8763503
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

18 | **2 of 2** | **SSW/127.0** | **63.6 / 0.93** | **Canadian National Institute of Health**
303 Dalhousie Street
Ottawa ON K1N7E8 | **GEN**

Generator No: ON8763503
Status: Registered

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

19 | ***1 of 13*** | ***WNW/130.3*** | ***60.9 / -1.72*** | ***LA BOUTIQUE DU NETTOYEUR***
261 ST-PATRICK
OTTAWA ON K1N 5K4 | ***GEN***

Generator No: ON1951800
SIC Code: 2499
SIC Description: OTHER CLOTHING ETC.
Approval Years: 94,95,96,97,98,99,00,01
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 | ***2 of 13*** | ***WNW/130.3*** | ***60.9 / -1.72*** | ***BROWNS CLEANERS AND TAILORS LTD.***
261 ST. PATRICK ST.
OTTAWA ON K1N 5K4 | ***GEN***

Generator No: ON9910333
SIC Code: 812320
SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated)
Approval Years: 04,05,06,07,08
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 | ***3 of 13*** | ***WNW/130.3*** | ***60.9 / -1.72*** | ***BROWNS CLEANERS AND TAILORS LTD.***
261 ST. PATRICK ST.
OTTAWA ON K1N 5K4 | ***GEN***

Generator No: ON9910333
SIC Code: 812320
SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated)
Approval Years: 2009
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 **4 of 13** **WNW/130.3** **60.9 / -1.72**

BROWNS CLEANERS AND TAILORS LTD.
261 ST. PATRICK ST.
OTTAWA ON K1N 5K4

GEN

Generator No: ON9910333
SIC Code: 812320
SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated)
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 **5 of 13** **WNW/130.3** **60.9 / -1.72**

2221092 Ontario Ltd
261 Saint Patrick Street
Ottawa ON K1N 5K4

GEN

Generator No: ON7655446
SIC Code: 812310
SIC Description: Coin-Operated Laundries and Dry Cleaners
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 **6 of 13** **WNW/130.3** **60.9 / -1.72**

2221092 Ontario Ltd
261 Saint Patrick Street
Ottawa ON K1N 5K4

GEN

Generator No: ON7655446
SIC Code: 812310
SIC Description: Coin-Operated Laundries and Dry Cleaners
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 **7 of 13** **WNW/130.3** **60.9 / -1.72**

Mallika International Limited
261,St. Patrick Street
Ottawa ON K1N 5K4

GEN

Generator No: ON7929404
SIC Code: 812320
SIC Description:

Status:
Co Admin:
Choice of Contact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Approval Years: 2011
PO Box No:
Country:

Phone No Admin:
Contam. Facility:
MHSW Facility:

---

19 ***8 of 13*** ***WNW/130.3*** ***60.9 / -1.72***

Mallika International Limited
261,St. Patrick Street
Ottawa ON K1N 5K4

GEN

Generator No: ON7929404
SIC Code: 812320
SIC Description: Dry Cleaning and Laundry Services (except Coin-Operated)
Approval Years: 2012
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

19 ***9 of 13*** ***WNW/130.3*** ***60.9 / -1.72***

Mallika International Limited
261,St. Patrick Street
Ottawa ON

GEN

Generator No: ON7929404
SIC Code: 812320
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)
Approval Years: 2013
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 ***10 of 13*** ***WNW/130.3*** ***60.9 / -1.72***

Mallika International Limited
261,St. Patrick Street
Ottawa ON K1N5K4

GEN

Generator No: ON7929404
SIC Code: 812320
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

19 ***11 of 13*** ***WNW/130.3*** ***60.9 / -1.72***

Mallika International Limited
261,St. Patrick Street
Ottawa ON K1N5K4

GEN

Generator No: ON7929404
SIC Code: 812320
SIC Description: DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)
Approval Years: 2014
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

19	12 of 13	WNW/130.3	60.9 / -1.72	**E-Cleaner** **261 St. Patrick Street** **Ottawa ON K1N5K4**	CDRY

Legal Name of Company:
Region:

Waste Quantity by Year

Reporting Year: 2015
Quantity of PERC (kg): -
Total Waste Water (kg): -
Total Waste Water (L): -
Total Residue (kg): -
Total Residue (L): -
Total Mix (kg): -
Total Mix (L): -
Request for Confidentiality: No
Reason for Confidentiality:

Reporting Year: 2013
Quantity of PERC (kg): -
Total Waste Water (kg): -
Total Waste Water (L): -
Total Residue (kg): -
Total Residue (L): -
Total Mix (kg): -
Total Mix (L): -
Request for Confidentiality: No
Reason for Confidentiality:

Reporting Year: 2011
Quantity of PERC (kg): 288
Total Waste Water (kg): 0
Total Waste Water (L): -
Total Residue (kg): 0
Total Residue (L): -
Total Mix (kg): -
Total Mix (L): 460
Request for Confidentiality: No
Reason for Confidentiality:

19	13 of 13	WNW/130.3	60.9 / -1.72	**Brown's Cleaners** **261 rue St Patrick** **Ottawa ON K1N5K4**	CDRY

Legal Name of Company:
Region:

Waste Quantity by Year

Reporting Year: 2008
Quantity of PERC (kg): 944
Total Waste Water (kg): 0
Total Waste Water (L): -
Total Residue (kg): 186

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Total Residue (L): -
Total Mix (kg): 0
Total Mix (L): -
Request for Confidentiality: No
Reason for Confidentiality:

Reporting Year: 2005
Quantity of PERC (kg): 354
Total Waste Water (kg): 0
Total Waste Water (L): -
Total Residue (kg): 186
Total Residue (L): -
Total Mix (kg): 0
Total Mix (L): -
Request for Confidentiality: No
Reason for Confidentiality: N/A

20	1 of 3	NNW/132.2	59.9 / -2.76	**Dive Tech** **305 St Patrick St** **Ottawa ON K1N 5K4**	SCT

Established: 1993
Plant Size (ft²): 900
Employment: 1

--Details--
Description: Sporting and Athletic Goods Manufacturing
SIC/NAICS Code: 339920

20	2 of 3	NNW/132.2	59.9 / -2.76	**Les Éditions du Vermilion** **305 rue St Patrick** **Ottawa ON K1N 5K4**	SCT

Established:
Plant Size (ft²):
Employment:

--Details--
Description: Book Publishers
SIC/NAICS Code: 511130

20	3 of 3	NNW/132.2	59.9 / -2.76	**Les Éditions du Vermillion** **305 St Patrick St** **Ottawa ON K1N 5K4**	SCT

Established: 1982
Plant Size (ft²):
Employment: 3

--Details--
Description: Book Publishers
SIC/NAICS Code: 511130

21	1 of 1	NNW/132.2	59.9 / -2.76	**Les Éditions du Vermillon Inc.** **305 St. Patrick St** **Ottawa ON K1N 5K4**	SCT

Established: 01-AUG-82
Plant Size (ft²):
Employment:

--Details--
Description: Book Publishers
SIC/NAICS Code: 511130

---

22 | ***1 of 1*** | ***N/133.4*** | ***59.9 / -2.76*** | ***ST. PATRICK CUMBERLAND ST. S OTTAWA ON*** | ***WWIS***

Well ID: 7215436
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use:
Final Well Status: Monitoring and Test Hole
Water Type:
Casing Material:
Audit No: Z163816
Tag: A142278
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 1/27/2014
Selected Flag: TRUE
Abandonment Rec:
Contractor: 4875
Form Version: 7
Owner:
Street Name: ST. PATRICK CUMBERLAND ST. S
County: OTTAWA
Municipality: NEPEAN TOWNSHIP
Site Info: GAL BH-13-217
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7215436.pdf

Additional Detail(s) (Map)

Well Completed Date: 2013/11/08
Year Completed: 2013
Depth (m): 19.22
Latitude: 45.4318453549124
Longitude: -75.691042249553
Path: 721\7215436.pdf

Bore Hole Information

Bore Hole ID: 1004698475
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 08-Nov-2013 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 445946.00
North83: 5031157.00
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock Materials Interval

Formation ID:	1005038098
Layer:	2
Color:	2
General Color:	GREY
Mat1:	01
Most Common Material:	FILL
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	12
Mat3 Desc:	STONES
Formation Top Depth:	0.8999999761581421
Formation End Depth:	3.0999999046325684
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1005038097
Layer:	1
Color:	2
General Color:	GREY
Mat1:	28
Most Common Material:	SAND
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	0.8999999761581421
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1005038099
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	3.0999999046325684
Formation End Depth:	7.320000171661377
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1005038100
Layer:	4
Color:	2
General Color:	GREY
Mat1:	34
Most Common Material:	TILL
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	13

Mat3 Desc: BOULDERS
Formation Top Depth: 7.320000171661377
Formation End Depth: 8.239999771118164
Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1005038101
Layer: 5
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 8.239999771118164
Formation End Depth: 19.219999313354492
Formation End Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1005038136
Layer: 1
Plug From: 0.0
Plug To: 8.239999771118164
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005038135
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 1005038095
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005038106
Layer: 2
Material: 5
Open Hole or Material: PLASTIC
Depth From: 5.489999771118164
Depth To: 19.219999313354492
Casing Diameter: 12.699999809265137
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 1005038105

Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From: 0.0
Depth To: 8.539999961853027
Casing Diameter: 15.880000114440918
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1005038107
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1005038096
Pump Set At: 15.300000190734863
Static Level: 6.119999885559082
Final Level After Pumping: 8.8100004196167
Recommended Pump Depth: 15.300000190734863
Pumping Rate: 59.0
Flowing Rate:
Recommended Pump Rate:
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 24
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 1005038110
Test Type: Draw Down
Test Duration: 2
Test Level: 6.75
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038113
Test Type: Recovery
Test Duration: 3
Test Level: 8.460000038146973
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038111
Test Type: Recovery
Test Duration: 2
Test Level: 8.550000190734863

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038120
Test Type: Draw Down
Test Duration: 15
Test Level: 7.690000057220459
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038128
Test Type: Draw Down
Test Duration: 40
Test Level: 8.3100004196167
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038130
Test Type: Draw Down
Test Duration: 50
Test Level: 8.4399995803833
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038112
Test Type: Draw Down
Test Duration: 3
Test Level: 6.889999866485596
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038132
Test Type: Draw Down
Test Duration: 60
Test Level: 8.529999732971191
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038108
Test Type: Draw Down
Test Duration: 1
Test Level: 6.510000228881836
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038109
Test Type: Recovery
Test Duration: 1
Test Level: 8.8100004196167
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038118
Test Type: Draw Down
Test Duration: 10
Test Level: 7.449999809265137
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038121
Test Type: Recovery
Test Duration: 15
Test Level: 8.140000343322754
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038126
Test Type: Draw Down
Test Duration: 30
Test Level: 8.130000114440918
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038122
Test Type: Draw Down
Test Duration: 20
Test Level: 7.880000114440918
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038131
Test Type: Recovery
Test Duration: 50
Test Level: 7.869999885559082
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038133
Test Type: Recovery
Test Duration: 60
Test Level: 7.849999904632568
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038117
Test Type: Recovery
Test Duration: 5
Test Level: 8.359999656677246
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038127
Test Type: Recovery
Test Duration: 30

Test Level: 7.989999771118164
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038115
Test Type: Recovery
Test Duration: 4
Test Level: 8.399999618530273
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038116
Test Type: Draw Down
Test Duration: 5
Test Level: 7.090000152587891
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038123
Test Type: Recovery
Test Duration: 20
Test Level: 8.800000190734863
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038125
Test Type: Recovery
Test Duration: 25
Test Level: 8.300000190734863
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038129
Test Type: Recovery
Test Duration: 40
Test Level: 7.929999828338623
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038114
Test Type: Draw Down
Test Duration: 4
Test Level: 7.010000228881836
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1005038119
Test Type: Recovery
Test Duration: 10
Test Level: 8.229999542236328
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:	1005038124
Test Type:	Draw Down
Test Duration:	25
Test Level:	8.020000457763672
Test Level UOM:	m

Water Details

Water ID:	1005038104
Layer:	1
Kind Code:	
Kind:	
Water Found Depth:	9.0
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005038102
Diameter:	22.860000610351562
Depth From:	0.0
Depth To:	8.239999771118164
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Hole Diameter

Hole ID:	1005038103
Diameter:	15.239999771118164
Depth From:	8.239999771118164
Depth To:	19.219999313354492
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

23 ***1 of 4*** ***WSW/134.6*** ***61.8 / -0.84*** ***MARIGOLD JEWELLERS***
266 DALHOUSIE ST
OTTAWA ON K1N 7E4 ***SCT***

Established:	1985
Plant Size (ft²):	0
Employment:	2

--Details--

Description:	Jewellery and Silverware Manufacturing
SIC/NAICS Code:	339910

---

23 ***2 of 4*** ***WSW/134.6*** ***61.8 / -0.84*** ***PHARMACIE BRISSON LTEE***
270 DALHOUSIE STREET
OTTAWA ON K1N 7E4 ***GEN***

Generator No:	ON2538100	***Status:***	
SIC Code:	6031	***Co Admin:***	
SIC Description:	PHARMACIES	***Choice of Contact:***	
Approval Years:	99,00,01	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:		***MHSW Facility:***	

Detail(s)

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

23 | ***3 of 4*** | ***WSW/134.6*** | ***61.8 / -0.84*** | ***Marigold Design Studio Ltd.***
266 Dalhousie St
Ottawa ON K1N 7E4 | ***SCT***

Established: 6/1/1985
Plant Size (ft²): 600
Employment:

--Details--
Description: Jewellery and Silverware Manufacturing
SIC/NAICS Code: 339910

---

23 | ***4 of 4*** | ***WSW/134.6*** | ***61.8 / -0.84*** | ***Pharmacie Brisson Pharmacy Limited***
270 Dalhousie street
Ottawa ON K1N7E4 | ***GEN***

Generator No: ON7015749
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

---

24 | ***1 of 1*** | ***ENE/135.5*** | ***60.9 / -1.73*** | ***216 MURRAY***
OTTAWA ON | ***WWIS***

Well ID: 7305786
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use: Monitoring
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z277505
Tag: A189911
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/13/2018
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7241
Form Version: 7
Owner:
Street Name: 216 MURRAY
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2018/01/09
Year Completed: 2018
Depth (m): 4.1148
Latitude: 45.4310911954192
Longitude: -75.6892304831123
Path:

Bore Hole Information

Bore Hole ID: 1006986058
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 09-Jan-2018 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 446087.00
North83: 5031072.00
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock Materials Interval

Formation ID: 1007151920
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1007151922
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 8.0
Formation End Depth: 13.5

Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1007151921
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 06
Mat2 Desc: SILT
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 4.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1007151932
Layer: 3
Plug From: 2.5
Plug To: 13.5
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1007151930
Layer: 1
Plug From: 0.0
Plug To: 1.0
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1007151931
Layer: 2
Plug From: 1.0
Plug To: 2.5
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1007151929
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1007151919
Casing No: 0
Comment:
Alt Name:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Construction Record - Casing

Casing ID:	1007151925
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	3.5
Casing Diameter:	1.3799999952316284
Casing Diameter UOM:	inch
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1007151926
Layer:	1
Slot:	10
Screen Top Depth:	3.5
Screen End Depth:	13.5
Screen Material:	5
Screen Depth UOM:	ft
Screen Diameter UOM:	inch
Screen Diameter:	1.659999966621399

Water Details

Water ID:	1007151924
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	ft

Hole Diameter

Hole ID:	1007151923
Diameter:	2.375
Depth From:	0.0
Depth To:	13.5
Hole Depth UOM:	ft
Hole Diameter UOM:	inch

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
25	*1 of 1*	*S/135.6*	*64.0 / 1.32*	***Tea Party*** ***119 York St Unit 1*** ***Ottawa ON K1N 5T4***	*SCT*

Established:	01-SEP-05
Plant Size (ft²):	
Employment:	

--Details--

Description:	Coffee and Tea Manufacturing
SIC/NAICS Code:	311920
Description:	Coffee and Tea Manufacturing
SIC/NAICS Code:	311920

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	*1 of 19*	*SW/137.7*	*62.8 / 0.21*	***SPIC & SPAN-VALETOR-CASH CLEANERS*** ***286 DALHOUSE STREET C/O 1764 WOODWARD***	*GEN*

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				DRIVE OTTAWA ON K2C 0P8	

Generator No: ON0573415
SIC Code: 9721
SIC Description: POWER LAUND./CLEANERS
Approval Years: 86,87,88,89
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	2 of 19	SW/137.7	62.8 / 0.21	MARKET (SEE & USE ON1349900) 286 DALHOUSE STREET OTTAWA ON K1N 7E6	GEN

Generator No: ON0573415
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER
Approval Years: 90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	3 of 19	SW/137.7	62.8 / 0.21	MARKET (SEE & USE ON1349900) 26-412 286 DALHOUSE STREET OTTAWA ON K1N 7E6	GEN

Generator No: ON0573415
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER
Approval Years: 92,93,94,95,96,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	4 of 19	SW/137.7	62.8 / 0.21	MARKET CLEANERS LTD. 286 DALHOUSIE STREET OTTAWA ON K1N 7E6	GEN

Generator No: ON1349900
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER
Approval Years: 90,99,00,01,02,03,04,05,07,08
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class: 252
Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

26 **5 of 19** **SW/137.7** **62.8 / 0.21**

MARKET CLEANERS LTD. 26-412
286 DALHOUSIE STREET
OTTAWA ON K1N 7E6

GEN

Generator No: ON1349900
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER
Approval Years: 92,93,94,95,96
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

26 **6 of 19** **SW/137.7** **62.8 / 0.21**

MARKET CLEANERS LTD
286 DALHOUSIE STREET
OTTAWA ON K1N 7E6

GEN

Generator No: ON1349900
SIC Code: 9721
SIC Description: POWER LAUND./CLEANERS
Approval Years: 97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

26 **7 of 19** **SW/137.7** **62.8 / 0.21**

MARKET CLEANERS LTD.
286 DALHOUSIE STREET
OTTAWA ON K1N 7E6

GEN

Generator No: ON1349900
SIC Code: 812310
SIC Description: Coin-Operated Laundries and Dry Cleaners
Approval Years: 2009
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

26 **8 of 19** **SW/137.7** **62.8 / 0.21**

MARKET CLEANERS LTD.
286 DALHOUSIE STREET
OTTAWA ON K1N 7E6

GEN

Generator No: ON1349900
SIC Code: 812310

Status:
Co Admin:

SIC Description:	Coin-Operated Laundries and Dry Cleaners	**Choice of Contact:**	
Approval Years:	2010	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

---

26 ***9 of 19*** ***SW/137.7*** ***62.8 / 0.21*** ***MARKET CLEANERS LTD.*** ***286 DALHOUSIE STREET*** ***OTTAWA ON K1N 7E6*** ***GEN***

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	
SIC Description:	Coin-Operated Laundries and Dry Cleaners	**Choice of Contact:**	
Approval Years:	2011	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

---

26 ***10 of 19*** ***SW/137.7*** ***62.8 / 0.21*** ***MARKET CLEANERS LTD.*** ***286 DALHOUSIE STREET*** ***OTTAWA ON K1N 7E6*** ***GEN***

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	
SIC Description:	Coin-Operated Laundries and Dry Cleaners	**Choice of Contact:**	
Approval Years:	2012	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

---

26 ***11 of 19*** ***SW/137.7*** ***62.8 / 0.21*** ***MARKET CLEANERS LTD.*** ***286 DALHOUSIE STREET*** ***OTTAWA ON*** ***GEN***

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	
SIC Description:	COIN-OPERATED LAUNDRIES AND DRY CLEANERS	**Choice of Contact:**	
Approval Years:	2013	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	12 of 19	SW/137.7	62.8 / 0.21	MARKET CLEANERS LTD. 286 DALHOUSIE STREET OTTAWA ON K1N 7E6	GEN

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	Natasha Khan
SIC Description:	COIN-OPERATED LAUNDRIES AND DRY CLEANERS	**Choice of Contact:**	CO_ADMIN
Approval Years:	2016	**Phone No Admin:**	6132416222 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	13 of 19	SW/137.7	62.8 / 0.21	MARKET CLEANERS LTD. 286 DALHOUSIE STREET OTTAWA ON K1N 7E6	GEN

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	Natasha Khan
SIC Description:	COIN-OPERATED LAUNDRIES AND DRY CLEANERS	**Choice of Contact:**	CO_ADMIN
Approval Years:	2015	**Phone No Admin:**	6132416222 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	14 of 19	SW/137.7	62.8 / 0.21	MARKET CLEANERS LTD. 286 DALHOUSIE STREET OTTAWA ON K1N 7E6	GEN

Generator No:	ON1349900	**Status:**	
SIC Code:	812310	**Co Admin:**	Natasha Khan
SIC Description:	COIN-OPERATED LAUNDRIES AND DRY CLEANERS	**Choice of Contact:**	CO_ADMIN
Approval Years:	2014	**Phone No Admin:**	6132416222 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	241
Waste Class Desc:	HALOGENATED SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
26	15 of 19	SW/137.7	62.8 / 0.21	MARKET CLEANERS LTD. 286 DALHOUSIE STREET OTTAWA ON K1N 7E6	GEN

Generator No:	ON1349900	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Dec 2018	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Detail(s)

Waste Class: 241 H
Waste Class Desc: Halogenated solvents and residues

26	16 of 19	SW/137.7	62.8 / 0.21	**Market Cleaners Limited** **286 Dalhosie St** **Ottawa ON K1N7E6**	CDRY

Legal Name of Company:
Region:

Contact Info (2016)

Postal Address: 286 Dalhosie St
Postal City: Ottawa
Postal Province: ON
Postal Postal Code: K1N7E6
Telephone No:
Fax No:
Email Address:

Waste Quantity by Year

Reporting Year: 2016
Quantity of PERC (kg): 678
Total Waste Water (kg): 0
Total Waste Water (L): 0
Total Residue (kg): 0
Total Residue (L): 0
Total Mix (kg): 0
Total Mix (L): 278
Request for Confidentiality: No
Reason for Confidentiality:

26	17 of 19	SW/137.7	62.8 / 0.21	**Market Cleaners Limited** **286 Dalhousie St** **Ottawa ON K1N7E6**	CDRY

Legal Name of Company: Market Cleaners Limited
Region:

Waste Quantity by Year

Reporting Year: 2018
Quantity of PERC (kg): 262.5
Total Waste Water (kg): 0
Total Waste Water (L): 0
Total Residue (kg): 0
Total Residue (L): 0
Total Mix (kg): 0
Total Mix (L): 456
Request for Confidentiality: no
Reason for Confidentiality:

26	18 of 19	SW/137.7	62.8 / 0.21	**MARKET CLEANERS LTD.** **286 DALHOUSIE STREET** **OTTAWA ON K1N 7E6**	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Generator No: ON1349900
SIC Code:
SIC Description:
Approval Years: As of Oct 2019
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212 L
Waste Class Desc: Aliphatic solvents and residues

---

26 | **19 of 19** | **SW/137.7** | **62.8 / 0.21** | **MARKET CLEANERS LTD.**
286 DALHOUSIE STREET
OTTAWA ON K1N 7E6 | **GEN**

Generator No: ON1349900
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212 L
Waste Class Desc: Aliphatic solvents and residues

---

27 | **1 of 17** | **WNW/139.8** | **60.9 / -1.72** | **RACINE ROBERT & GAUTHIER**
259 ST. PATRICK
OTTAWA ON K1N 5K4 | **GEN**

Generator No: ONF027600
SIC Code: 9731
SIC Description: FUNERAL HOMES
Approval Years: 88,89,90
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 | **2 of 17** | **WNW/139.8** | **60.9 / -1.72** | **RACINE ROBERT & GAUTHIER 44-276**
259 ST. PATRICK
OTTAWA ON K1N 5K4 | **GEN**

Generator No: ONF027600
SIC Code: 9731
SIC Description: FUNERAL HOMES
Approval Years: 92,93,94,95,96,97,98,99
PO Box No:
Country:
Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	3 of 17	WNW/139.8	60.9 / -1.72	RACINE, ROBERT & GAUTHIER 259 ST. PATRICK OTTAWA ON K1N 5K4	GEN

Generator No: ONF027600
SIC Code: 9731
SIC Description: FUNERAL HOMES
Approval Years: 00,01
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	4 of 17	WNW/139.8	60.9 / -1.72	Service Corporation International Canada 259 St. Patrick Street Ottawa ON K1N 5K4	GEN

Generator No: ON2761970
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 02,03,04,07,08
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	5 of 17	WNW/139.8	60.9 / -1.72	Service Corporation International Canada 259 St. Patrick Street Ottawa ON	GEN

Generator No: ON2761970
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 2009
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	6 of 17	WNW/139.8	60.9 / -1.72	Service Corporation International Canada 259 St. Patrick Street Ottawa ON	GEN

Generator No: ON2761970
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 | ***7 of 17*** | ***WNW/139.8*** | ***60.9 / -1.72*** | ***Service Corporation International*** ***259 St Patrick Street*** ***Ottawa ON K1N 5K4*** | ***GEN***

Generator No: ON5624267
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 2010
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 | ***8 of 17*** | ***WNW/139.8*** | ***60.9 / -1.72*** | ***Service Corporation International*** ***259 St Patrick Street*** ***Ottawa ON K1N 5K4*** | ***GEN***

Generator No: ON5624267
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 | ***9 of 17*** | ***WNW/139.8*** | ***60.9 / -1.72*** | ***Service Corporation International*** ***259 St Patrick Street*** ***Ottawa ON K1N 5K4*** | ***GEN***

Generator No: ON5624267
SIC Code: 812210
SIC Description: Funeral Homes
Approval Years: 2012
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 | ***10 of 17*** | ***WNW/139.8*** | ***60.9 / -1.72*** | ***Service Corporation International*** ***259 St Patrick Street*** ***Ottawa ON*** | ***GEN***

Generator No: ON5624267
SIC Code: 812210
SIC Description:

Status:
Co Admin:
Choice of Contact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Approval Years: 2013
PO Box No:
Country:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 ***11 of 17*** ***WNW/139.8*** ***60.9 / -1.72*** ***Service Corporation International*** ***GEN***
259 St Patrick Street
Ottawa ON K1N5K4

Generator No: ON5624267
SIC Code: 812210
SIC Description: 812210
Approval Years: 2016
PO Box No:
Country: Canada
Status:
Co Admin: Stefanie McLean
Choice of Contact: CO_ADMIN
Phone No Admin: 613-860-2424 Ext.
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 ***12 of 17*** ***WNW/139.8*** ***60.9 / -1.72*** ***Service Corporation International*** ***GEN***
259 St Patrick Street
Ottawa ON K1N5K4

Generator No: ON5624267
SIC Code: 812210
SIC Description: 812210
Approval Years: 2015
PO Box No:
Country: Canada
Status:
Co Admin: Stefanie McLean
Choice of Contact: CO_ADMIN
Phone No Admin: 613-860-2424 Ext.
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 ***13 of 17*** ***WNW/139.8*** ***60.9 / -1.72*** ***Service Corporation International*** ***GEN***
259 St Patrick Street
Ottawa ON K1N5K4

Generator No: ON5624267
SIC Code: 812210
SIC Description: 812210
Approval Years: 2014
PO Box No:
Country: Canada
Status:
Co Admin: Stefanie McLean
Choice of Contact: CO_ADMIN
Phone No Admin: 613-860-2424 Ext.
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

27 ***14 of 17*** ***WNW/139.8*** ***60.9 / -1.72*** ***Service Corporation International*** ***GEN***
259 St Patrick Street

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				Ottawa ON K1N5K4	

Generator No: ON5624267
SIC Code:
SIC Description:
Approval Years: As of Dec 2018
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

27 | **15 of 17** | **WNW/139.8** | **60.9 / -1.72** | **259 St Patrick St Ottawa ON** | **SPL**

Ref No: 0330-B43TRU
Site No: NA
Incident Dt: 2018/08/28
Year:
Incident Cause:
Incident Event: Leak/Break
Contaminant Code: 13
Contaminant Name: DIESEL FUEL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1: 1202
Environment Impact:
Nature of Impact:
Receiving Medium:
Receiving Env: Surface Water
MOE Response: No
Dt MOE Arvl on Scn:
MOE Reported Dt: 2018/08/28
Dt Document Closed: 2018/09/04
Incident Reason: Equipment Failure
Site Name: catch basin<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth: 10 -100 metres eg. Topographic Map
Incident Summary: STO bus line: 3L diesel to catch basin
Contaminant Qty: 3 L

Discharger Report:
Material Group:
Health/Env Conseq: 2 - Minor Environment
Client Type:
Sector Type: Unknown / N/A
Agency Involved:
Nearest Watercourse:
Site Address: 259 St Patrick St
Site District Office: Ottawa
Site Postal Code:
Site Region: Eastern
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing: 5031067.55
Easting: 445825.11
Site Geo Ref Accu: Map
Site Map Datum:
SAC Action Class: Watercourse Spills
Source Type: Motor Vehicle

---

27 | **16 of 17** | **WNW/139.8** | **60.9 / -1.72** | **Service Corporation International 259 St Patrick Street Ottawa ON K1N5K4** | **GEN**

Generator No: ON5624267
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	17 of 17	WNW/139.8	60.9 / -1.72	Service Corporation International 259 St Patrick Street Ottawa ON K1N5K4	GEN

Generator No: ON5624267
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
28	1 of 1	WNW/141.5	60.9 / -1.72	Regroupement des Éditeurs 265 St. Patrick St Unit B Ottawa ON K1N 5K4	SCT

Established: 01-AUG-90
Plant Size (ft²):
Employment:

--Details--
Description: Book Publishers
SIC/NAICS Code: 511130

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	1 of 3	E/143.2	60.9 / -1.73	Domeron Inc. 333-335 Cumberland Avenue Ottawa ON K1N 7J3	GEN

Generator No: ON1028690
SIC Code: 531390
SIC Description: Other Activities Related to Real Estate
Approval Years: 03,04
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	2 of 3	E/143.2	60.9 / -1.73	LivingEasy Homes Inc. 333-335 Cumberland ave Ottawa ON K1N 7J3	GEN

Generator No: ON9307089
SIC Code: 551113
SIC Description: Holding Companies
Approval Years: 05
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	3 of 3	E/143.2	60.9 / -1.73	Les Éditions David Inc. 335B Cumberland St Ottawa ON K1N 7J3	SCT

Established: 01-JAN-93
Plant Size (ft²):
Employment:

--Details--
Description: Book Publishers
SIC/NAICS Code: 511130

---

30 | ***1 of 1*** | ***ENE/145.6*** | ***60.9 / -1.74*** | ***216 MURRAY ST OTTAWA ON*** | ***WWIS***

Well ID: 7305787
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use: Monitoring
Final Well Status: Observation Wells
Water Type:
Casing Material:
Audit No: Z277504
Tag: A199213
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 2/13/2018
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7241
Form Version: 7
Owner:
Street Name: 216 MURRAY ST
County: OTTAWA
Municipality: OTTAWA CITY
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2018/01/09
Year Completed: 2018
Depth (m): 6.096
Latitude: 45.4313788286632
Longitude: -75.6892979051763
Path:

Bore Hole Information

Bore Hole ID: 1006986067
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 09-Jan-2018 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 446082.00
North83: 5031104.00
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock Materials Interval

Formation ID:	1007151965
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	5.0
Formation End Depth:	9.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1007151964
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	
Mat2 Desc:	
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.0
Formation End Depth:	5.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1007151966
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	9.0
Formation End Depth:	20.0
Formation End Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1007151976
Layer:	3
Plug From:	9.0
Plug To:	20.0
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID: 1007151974
Layer: 1
Plug From: 0.0
Plug To: 1.0
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1007151975
Layer: 2
Plug From: 1.0
Plug To: 9.0
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1007151973
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1007151963
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1007151969
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 10.0
Casing Diameter: 1.3799999952316284
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007151970
Layer: 1
Slot: 10
Screen Top Depth: 10.0
Screen End Depth: 20.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.659999966621399

Water Details

Water ID: 1007151968
Layer:
Kind Code:
Kind:

Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007151967
Diameter: 2.375
Depth From: 0.0
Depth To: 20.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

---

31 | ***1 of 1*** | ***WSW/148.3*** | ***62.9 / 0.24*** | ***272 DALHOUSE STREET OTTAWA ON*** | ***WWIS***

Well ID:	7243416	***Data Entry Status:***	
Construction Date:		***Data Src:***	
Primary Water Use:	Monitoring	***Date Received:***	6/25/2015
Sec. Water Use:		***Selected Flag:***	TRUE
Final Well Status:	Observation Wells	***Abandonment Rec:***	
Water Type:		***Contractor:***	1844
Casing Material:		***Form Version:***	7
Audit No:	Z163985	***Owner:***	
Tag:	A173509	***Street Name:***	272 DALHOUSE STREET
Construction Method:		***County:***	OTTAWA
Elevation (m):		***Municipality:***	NEPEAN TOWNSHIP
Elevation Reliability:		***Site Info:***	
Depth to Bedrock:		***Lot:***	
Well Depth:		***Concession:***	
Overburden/Bedrock:		***Concession Name:***	
Pump Rate:		***Easting NAD83:***	
Static Water Level:		***Northing NAD83:***	
Flowing (Y/N):		***Zone:***	
Flow Rate:		***UTM Reliability:***	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/724\7243416.pdf

Additional Detail(s) (Map)

Well Completed Date: 2015/03/15
Year Completed: 2015
Depth (m): 4.27
Latitude: 45.4300361014786
Longitude: -75.6925286695523
Path: 724\7243416.pdf

Bore Hole Information

Bore Hole ID:	1005438735	***Elevation:***	
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	18
Code OB:		***East83:***	445828.00
Code OB Desc:		***North83:***	5030957.00
Open Hole:		***Org CS:***	UTM83
Cluster Kind:		***UTMRC:***	4
Date Completed:	15-Mar-2015 00:00:00	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID:	1005658424
Layer:	2
Color:	
General Color:	
Mat1:	15
Most Common Material:	LIMESTONE
Mat2:	26
Mat2 Desc:	ROCK
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.9100000262260437
Formation End Depth:	4.269999980926514
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1005658423
Layer:	1
Color:	
General Color:	
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	0.9100000262260437
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1005658432
Layer:	1
Plug From:	0.0
Plug To:	0.6000000238418579
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1005658431
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	HSA

Pipe Information

Pipe ID:	1005658422
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1005658428
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	1.2200000286102295
Casing Diameter:	5.079999923706055
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1005658429
Layer:	1
Slot:	10
Screen Top Depth:	1.2200000286102295
Screen End Depth:	4.269999980926514
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	5.880000114440918

Water Details

Water ID:	1005658427
Layer:	1
Kind Code:	8
Kind:	Untested
Water Found Depth:	3.299999952316284
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1005658426
Diameter:	10.15999984741211
Depth From:	0.8999999761581421
Depth To:	4.269999980926514
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Hole Diameter

Hole ID:	1005658425
Diameter:	20.299999237060547
Depth From:	0.0
Depth To:	0.9100000262260437
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

32 ***1 of 10*** ***W/151.4*** ***61.8 / -0.84*** ***LABCARE INC.***
260 DALHOUSE STREET
OTTAWA ON K1N 2E4 ***GEN***

Generator No:	ON0245152	***Status:***	
SIC Code:	8681	***Co Admin:***	
SIC Description:	MEDICAL LABORATORIES	***Choice of Contact:***	
Approval Years:	99	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:		***MHSW Facility:***	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

32 **2 of 10** **W/151.4** **61.8 / -0.84**

LABCARE INC.
260 DALHOUSIE STREET
OTTAWA ON K1N 2E4

GEN

Generator No: ON0245152
SIC Code: 8681
SIC Description: MEDICAL LABORATORIES
Approval Years: 00
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

32 **3 of 10** **W/151.4** **61.8 / -0.84**

CANADIAN MEDICAL LABORATORIES LIMITED
260 DALHOUSIE STREET
OTTAWA ON K1N 7E4

GEN

Generator No: ON0245152
SIC Code: 8681
SIC Description: MEDICAL LABORATORIES
Approval Years: 01
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

32 **4 of 10** **W/151.4** **61.8 / -0.84**

ORLEANS RADIOLOGY SERVICES LIMITED
PATRICK RDLGY. 260 DALHOUSIE ST.SUIT205
OTTAWA, C/O 2555 ST. JOSEPH BLVD.
ORLEANS ON K1N 7E4

GEN

Generator No: ON0718801
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 86,87,88,89,90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

32 **5 of 10** **W/151.4** **61.8 / -0.84**

ORLEANS RADIOLOGY SERVICES LIMITED29-203
PATRICK RDLGY. 260 DALHOUSIE ST.SUIT205
OTTAWA, C/O 2555 ST. JOSEPH BLVD.
ORLEANS ON K1N 7E4

GEN

Generator No: ON0718801
SIC Code: 0007
SIC Description: LETTER ACKNOWLEDG.
Approval Years: 92,93,94
PO Box No:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:				**MHSW Facility:**	

32 **6 of 10** **W/151.4** **61.8 / -0.84** **Dr Roland Leger & Dr Michele Lariviere** **GEN**
260 Dalhousie, suite 208
Ottawa ON K1N7G2

Generator No:	ON9055218	**Status:**	
SIC Code:	621111	**Co Admin:**	Laura Vasconcelos
SIC Description:	621111	**Choice of Contact:**	CO_OFFICIAL
Approval Years:	2016	**Phone No Admin:**	6132410888 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

32 **7 of 10** **W/151.4** **61.8 / -0.84** **Dr Roland Leger & Dr Michele Lariviere** **GEN**
260 Dalhousie, suite 208
Ottawa ON K1N7G2

Generator No:	ON9055218	**Status:**	
SIC Code:	621111	**Co Admin:**	Laura Vasconcelos
SIC Description:	621111	**Choice of Contact:**	CO_OFFICIAL
Approval Years:	2015	**Phone No Admin:**	6132410888 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

32 **8 of 10** **W/151.4** **61.8 / -0.84** **Dr Roland Leger & Dr Michele Lariviere** **GEN**
260 Dalhousie, suite 208
Ottawa ON K1N7G2

Generator No:	ON9055218	**Status:**	
SIC Code:	621111	**Co Admin:**	Laura Vasconcelos
SIC Description:	621111	**Choice of Contact:**	CO_OFFICIAL
Approval Years:	2014	**Phone No Admin:**	6132410888 Ext.
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

32 **9 of 10** **W/151.4** **61.8 / -0.84** **Dr Roland Leger & Dr Michele Lariviere** **GEN**
260 Dalhousie, suite 208
Ottawa ON K1N7G2

Generator No:	ON9055218	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Dec 2018	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

32 | ***10 of 10*** | ***W/151.4*** | ***61.8 / -0.84*** | ***Dr Roland Leger & Dr Michele Lariviere***
260 Dalhousie, suite 208
Ottawa ON K1N7G2 | ***GEN***

Generator No: ON9055218
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

33 | ***1 of 2*** | ***SSW/152.3*** | ***63.9 / 1.24*** | ***SPIC & SPAN-VALETOR-CASH CLEANERS***
309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE
OTTAWA ON K2C 0P8 | ***GEN***

Generator No: ON0573410
SIC Code: 9721
SIC Description: POWER LAUND./CLEANERS
Approval Years: 86,87,88,89,90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

33 | ***2 of 2*** | ***SSW/152.3*** | ***63.9 / 1.24*** | ***SPIC & SPAN-VALETOR-CASH CLEANERS 35-136***
309 DALHOUSE STREET C/O 1764 WOODWARD DRIVE
OTTAWA ON K2C 0P8 | ***GEN***

Generator No: ON0573410
SIC Code: 9721
SIC Description: POWER LAUND./CLEANER
Approval Years: 92,93,94,95,96,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 241
Waste Class Desc: HALOGENATED SOLVENTS

---

34 | ***1 of 1*** | ***W/154.6*** | ***62.0 / -0.68*** | ***DALHOUSIE CANDIES & GIFTS***
258 DALHOUSIE ST | ***SCT***

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				OTTAWA ON K1N 7E4	

Established: 1990
Plant Size (ft²): 0
Employment: 6

--Details--
Description: Non-Chocolate Confectionery Manufacturing
SIC/NAICS Code: 311340

---

35 | 1 of 2 | W/155.5 | 60.9 / -1.76 | OTTAWA CITY
DALHOUSIE ST./ST. PATRICK ST.
OTTAWA CITY ON | CA

Certificate #: 3-0033-94-
Application Year: 94
Issue Date: 1/24/1994
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

---

35 | 2 of 2 | W/155.5 | 60.9 / -1.76 | R.M. OF OTTAWA-CARLETON
DALHOUSIE ST./ST. PATRICK ST.
OTTAWA CITY ON | CA

Certificate #: 7-0020-94-
Application Year: 94
Issue Date: 1/24/1994
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

---

36 | 1 of 2 | ESE/162.0 | 60.9 / -1.71 | Enbridge Gas Distribution Inc.
York & Cumberland
Ottawa ON | SPL

Ref No: 2144-7N8NQP
Site No:
Incident Dt:
Year:
Incident Cause: Pipe Or Hose Leak
Incident Event:
Contaminant Code:
Contaminant Name: NATURAL GAS (METHANE)
Contaminant Limit 1:
Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Pipeline
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:		**Site Region:**	
Environment Impact:	Not Anticipated	**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
MOE Response:	Not MOE mandate	**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	1/12/2009	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Air Spills - Gases and Vapours
Incident Reason:	Other - Reason not otherwise defined	**Source Type:**	
Site Name:	York & Cumberland<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Natural Gas: Ottawa, 5 " line strike		
Contaminant Qty:			

---

36 | ***2 of 2*** | ***ESE/162.0*** | ***60.9 / -1.71*** | ***INTERSECTION OF CUMBERLAND STREET & YORK STREET OTTAWA ON*** | ***HINC***

External File Num:	FS INC 0901-00191
Fuel Occurrence Type:	Pipeline Strike
Date of Occurrence:	1/12/2009
Fuel Type Involved:	Natural Gas
Status Desc:	Completed - Causal Analysis(End)
Job Type Desc:	Incident/Near-Miss Occurrence (FS)
Oper. Type Involved:	Construction Site (pipeline strike)
Service Interruptions:	Yes
Property Damage:	Yes
Fuel Life Cycle Stage:	Transmission, Distribution and Transportation
Root Cause:	Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:Yes Management:No Human Factors:Yes
Reported Details:	
Fuel Category:	Gaseous Fuel
Occurrence Type:	Incident
Affiliation:	Safety Authorities (MOL, ESA, Insurers, etc.)
County Name:	Ottawa
Approx. Quant. Rel:	
Nearby body of water:	
Enter Drainage Syst.:	
Approx. Quant. Unit:	
Environmental Impact:	

---

37 | ***1 of 1*** | ***NNW/165.1*** | ***59.9 / -2.73*** | ***CONSEIL DES ECOLES CATHOLIQUES DE LANGUE ROUTHIER SCHOOL 172 GUIGUES STREET OTTAWA ON K1N 5H9*** | ***GEN***

Generator No:	ON1285760	**Status:**	
SIC Code:	8511	**Co Admin:**	
SIC Description:	ELEMT./SECON. EDUC.	**Choice of Contact:**	
Approval Years:	95,96,97,98	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	243
Waste Class Desc:	PCB'S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	1 of 7	SW/167.7	63.9 / 1.24	DESJARDINS PHARMACY LIMITED 298 DALHOUSIE STREET OTTAWA ON K1N 7E7	GEN

Generator No: ON2554600
SIC Code: 6031
SIC Description: PHARMACIES
Approval Years: 00,01
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	2 of 7	SW/167.7	63.9 / 1.24	Pharmacie Desjardins Ltd. 298 Dalhousie Street Ottawa ON K1N 7E7	GEN

Generator No: ON8343089
SIC Code: 414510
SIC Description: Pharmaceuticals and Pharmacy Supplies Wholesaler-D
Approval Years: 06
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	3 of 7	SW/167.7	63.9 / 1.24	J. L. Mulley Pharmacy Inc. 298 DALHOUSIE STREET OTTAWA ON K1N 7E7	GEN

Generator No: ON4379197
SIC Code: 446110
SIC Description: 446110
Approval Years: 2016
PO Box No:
Country: Canada

Status:
Co Admin: NASTRAN NAJAFI-FARD
Choice of Contact: CO_ADMIN
Phone No Admin: 4164931120 Ext.3218
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	4 of 7	SW/167.7	63.9 / 1.24	J. L. Mulley Pharmacy Inc. 298 DALHOUSIE STREET OTTAWA ON K1N 7E7	GEN

Generator No:	ON4379197	**Status:**	
SIC Code:	446110	**Co Admin:**	NASTRAN NAJAFI-FARD
SIC Description:	446110	**Choice of Contact:**	CO_ADMIN
Approval Years:	2015	**Phone No Admin:**	4164931120 Ext.3218
PO Box No:		**Contam. Facility:**	No
Country:	Canada	**MHSW Facility:**	No

Detail(s)

Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES

---

38 ***5 of 7*** ***SW/167.7*** ***63.9 / 1.24*** ***J. L. Mulley Pharmacy Inc.***
298 DALHOUSIE STREET
OTTAWA ON K1N 7E7 ***GEN***

Generator No:	ON4379197	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Dec 2018	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals
Waste Class:	312 P
Waste Class Desc:	Pathological wastes

---

38 ***6 of 7*** ***SW/167.7*** ***63.9 / 1.24*** ***J. L. Mulley Pharmacy Inc.***
298 DALHOUSIE STREET
OTTAWA ON K1N 7E7 ***GEN***

Generator No:	ON4379197	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Jul 2020	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	312 P
Waste Class Desc:	Pathological wastes
Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals

---

38 ***7 of 7*** ***SW/167.7*** ***63.9 / 1.24*** ***J. L. Mulley Pharmacy Inc.***
298 DALHOUSIE STREET
OTTAWA ON K1N 7E7 ***GEN***

Generator No:	ON4379197	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	

Approval Years:	As of Nov 2021	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	312 P
Waste Class Desc:	Pathological wastes
Waste Class:	261 A
Waste Class Desc:	Pharmaceuticals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
39	1 of 1	SSW/169.0	64.2 / 1.55	PDCL<UNOFFICIAL> 101 York St. Ottawa ON	SPL

Ref No:	2144-97CPDY	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	03-MAY-13	**Health/Env Conseq:**	
Year:		**Client Type:**	
Incident Cause:	Operator/Human error	**Sector Type:**	Container/Drum/Tote
Incident Event:		**Agency Involved:**	
Contaminant Code:	14	**Nearest Watercourse:**	
Contaminant Name:	GREASE (N.O.S.)	**Site Address:**	101 York St.
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:		**Site Region:**	
Environment Impact:	Confirmed	**Site Municipality:**	Ottawa
Nature of Impact:	Other Impact(s)	**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
MOE Response:	No Field Response	**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	03-MAY-13	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Land Spills
Incident Reason:	Operator/Human Error	**Source Type:**	
Site Name:	101 York St.<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	PDCL: Approx. 180 L of grease to sidewalk, rd, 2 cb		
Contaminant Qty:	180 L		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	1 of 16	N/169.7	59.9 / -2.73	EAST WAY TAXI 727825 ONT LTD 257 CUMBERLAND ST OTTAWA ON K1N8W6	PRT

Location ID:	18317
Type:	retail
Expiry Date:	1993-11-30
Capacity (L):	45400
Licence #:	0000019995

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	2 of 16	N/169.7	59.9 / -2.73	EAST WAY TAXI 727825 ONT LTD 257 CUMBERLAND ST OTTAWA ON K1N8W6	PRT

Location ID:	18317
Type:	retail
Expiry Date:	
Capacity (L):	45460
Licence #:	0001048243

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	3 of 16	N/169.7	59.9 / -2.73	257 Cumberland St Ottawa ON K1N 8W6	RSC

RSC ID:
RA No:
RSC Type:
Curr Property Use:
Ministry District: Ottawa
Filing Date: 10/05/00
Date Ack: 10/18/00
Date Returned:
Restoration Type: Generic
Soil Type: Medium/fine
Criteria: Res/parkland Non-Potable
CPU Issued Sect 1686:
Asmt Roll No:
Prop ID No (PIN):
Property Municipal Address:
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant: Franz Environmental Inc.
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF:
Cert Date:
Cert Prop Use No:
Intended Prop Use:
Qual Person Name:
Stratified (Y/N): N
Audit (Y/N):
Entire Leg Prop. (Y/N):
Accuracy Estimate:
Telephone:
Fax:
Email:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	4 of 16	N/169.7	59.9 / -2.73	EAST WAY TAXI 727825 ONT LTD 257 CUMBERLAND ST OTTAWA ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 10038812
Status: EXPIRED
Instance ID: 10791
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

TSSA Program Area 2:
Description: Fuels Safety Private Fuel Outlet - Self Serve
Original Source: EXP
Record Date: Up to Mar 2012

---

40 | ***5 of 16*** | ***N/169.7*** | ***59.9 / -2.73*** | ***EAST WAY TAXI 727825 ONT LTD***
257 CUMBERLAND ST
OTTAWA ON | ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No: 9202429
Status: EXPIRED
Instance ID: 380465
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Gasoline Station - Full Serve
Original Source: EXP
Record Date: Up to Mar 2012

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

---

40 | ***6 of 16*** | ***N/169.7*** | ***59.9 / -2.73*** | ***EAST WAY TAXI 727825 ONT LTD***
257 CUMBERLAND ST
OTTAWA ON | ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No: 11205581
Status: EXPIRED
Instance ID: 74337
Instance Type: FS Piping
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:

Expired Date:
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Unit of Measure: ***Tank Single Wall St:***
Overfill Prot Type: ***Piping Underground:***
Creation Date: ***Tank Underground:***
Next Periodic Str DT: ***Source:***
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Piping
Original Source: EXP
Record Date: Up to Mar 2012

40	***7 of 16***	***N/169.7***	***59.9 / -2.73***	***EAST WAY TAXI 727825 ONT LTD*** ***257 CUMBERLAND ST*** ***OTTAWA ON***	***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No: 11334530 ***Expired Date:***
Status: EXPIRED ***Max Hazard Rank:***
Instance ID: 78934 ***Facility Location:***
Instance Type: FS Piping ***Facility Type:***
Instance Creation Dt: ***Fuel Type 2:***
Instance Install Dt: ***Fuel Type 3:***
Item Description: ***Panam Related:***
Manufacturer: ***Panam Venue Nm:***
Model: ***External Identifier:***
Serial No: ***Item:***
ULC Standard: ***Piping Steel:***
Quantity: ***Piping Galvanized:***
Unit of Measure: ***Tank Single Wall St:***
Overfill Prot Type: ***Piping Underground:***
Creation Date: ***Tank Underground:***
Next Periodic Str DT: ***Source:***
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description: FS Piping
Original Source: EXP
Record Date: Up to Mar 2012

40	***8 of 16***	***N/169.7***	***59.9 / -2.73***	***EAST WAY TAXI 727825 ONT LTD*** ***257 CUMBERLAND ST*** ***OTTAWA ON***	***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No:	11205619	**Expired Date:**	
Status:	EXPIRED	**Max Hazard Rank:**	
Instance ID:	73201	**Facility Location:**	
Instance Type:	FS Piping	**Facility Type:**	
Instance Creation Dt:		**Fuel Type 2:**	
Instance Install Dt:		**Fuel Type 3:**	
Item Description:		**Panam Related:**	
Manufacturer:		**Panam Venue Nm:**	
Model:		**External Identifier:**	
Serial No:		**Item:**	
ULC Standard:		**Piping Steel:**	
Quantity:		**Piping Galvanized:**	
Unit of Measure:		**Tank Single Wall St:**	
Overfill Prot Type:		**Piping Underground:**	
Creation Date:		**Tank Underground:**	
Next Periodic Str DT:		**Source:**	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

40	9 of 16	N/169.7	59.9 / -2.73	**EAST WAY TAXI 727825 ONT LTD** **257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA** **ON**	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11205600	**Expired Date:**	
Status:	EXPIRED	**Max Hazard Rank:**	NULL
Instance ID:		**Facility Location:**	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
Instance Type:		**Facility Type:**	FS LIQUID FUEL TANK
Instance Creation Dt:	12/19/1990	**Fuel Type 2:**	NULL
Instance Install Dt:	12/19/1990	**Fuel Type 3:**	NULL
Item Description:	FS Liquid Fuel Tank	**Panam Related:**	NULL
Manufacturer:	NULL	**Panam Venue Nm:**	NULL
Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:24:13 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		

TSSA Recd Tolerance:	NULL
TSSA Program Area:	NULL
TSSA Program Area 2:	NULL
Description:	UNDERGROUND TANK
Original Source:	EXP
Record Date:	31-JUL-2020

---

40 ***10 of 16*** ***N/169.7*** ***59.9 / -2.73*** ***EAST WAY TAXI 727825 ONT LTD***
257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
ON ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No:	11205559	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	12/19/1990	***Fuel Type 2:***	NULL
Instance Install Dt:	12/19/1990	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL
Model:	NULL	***External Identifier:***	NULL
Serial No:	NULL	***Item:***	
ULC Standard:	NULL	***Piping Steel:***	
Quantity:	1	***Piping Galvanized:***	
Unit of Measure:	EA	***Tank Single Wall St:***	
Overfill Prot Type:	NULL	***Piping Underground:***	
Creation Date:	7/5/2009 1:24:16 AM	***Tank Underground:***	
Next Periodic Str DT:	NULL	***Source:***	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	UNDERGROUND TANK		
Original Source:	EXP		
Record Date:	31-JUL-2020		

---

40 ***11 of 16*** ***N/169.7*** ***59.9 / -2.73*** ***EAST WAY TAXI 727825 ONT LTD***
257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
ON ***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No:	11334511	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	***Fuel Type 2:***	NULL
Instance Install Dt:	10/2/1989	***Fuel Type 3:***	NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Item Description:	FS Liquid Fuel Tank	**Panam Related:**	NULL
Manufacturer:	NULL	**Panam Venue Nm:**	NULL
Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:24:46 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	NULL		
Original Source:	EXP		
Record Date:	31-JUL-2020		

40	12 of 16	N/169.7	59.9 / -2.73	**EAST WAY TAXI 727825 ONT LTD** **257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA** **CA** **ON**	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	11334486	**Expired Date:**	
Status:	EXPIRED	**Max Hazard Rank:**	NULL
Instance ID:		**Facility Location:**	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
Instance Type:		**Facility Type:**	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	**Fuel Type 2:**	NULL
Instance Install Dt:	10/2/1989	**Fuel Type 3:**	NULL
Item Description:	FS Liquid Fuel Tank	**Panam Related:**	NULL
Manufacturer:	NULL	**Panam Venue Nm:**	NULL
Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:24:48 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	NULL		
Original Source:	EXP		
Record Date:	31-JUL-2020		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	13 of 16	N/169.7	59.9 / -2.73	EAST WAY TAXI 727825 ONT LTD 257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	FST

Instance No:	11205559	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	12/19/1990	**Fuel Type3:**	NULL
Install Year:	1985	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	22730	**No Underground:**	
Tank Material:	Fiberglass (FRP)	**Panam Related:**	
Corrosion Protect:	Fiberglass	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	EAST WAY TAXI 727825 ONT LTD
Item:	FS LIQUID FUEL TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	14 of 16	N/169.7	59.9 / -2.73	EAST WAY TAXI 727825 ONT LTD 257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA ON	FST

Instance No:	11334511	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1988	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	22700	**No Underground:**	
Tank Material:	Fiberglass (FRP)	**Panam Related:**	
Corrosion Protect:	Coating	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	EAST WAY TAXI 727825 ONT LTD

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Item: FS LIQUID FUEL TANK

---

40 | **15 of 16** | **N/169.7** | **59.9 / -2.73** | **EAST WAY TAXI 727825 ONT LTD**
257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
ON | **FST**

Instance No:	11205600	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	12/19/1990	**Fuel Type3:**	NULL
Install Year:	1985	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	22730	**No Underground:**	
Tank Material:	Fiberglass (FRP)	**Panam Related:**	
Corrosion Protect:	Fiberglass	**Panam Venue:**	
Overfill Protect:			

Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA

Liquid Fuel Tank Details

Overfill Protection:
Owner Account Name: EAST WAY TAXI 727825 ONT LTD
Item: FS LIQUID FUEL TANK

---

40 | **16 of 16** | **N/169.7** | **59.9 / -2.73** | **EAST WAY TAXI 727825 ONT LTD**
257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA
ON | **FST**

Instance No:	11334486	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1988	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	22700	**No Underground:**	
Tank Material:	Fiberglass (FRP)	**Panam Related:**	
Corrosion Protect:	Coating	**Panam Venue:**	
Overfill Protect:			

Facility Type: FS Liquid Fuel Tank
Parent Facility Type:
Facility Location:
Device Installed Location: 257 CUMBERLAND ST OTTAWA K1N 8W6 ON CA

Liquid Fuel Tank Details

Overfill Protection:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Owner Account Name: EAST WAY TAXI 727825 ONT LTD
Item: FS LIQUID FUEL TANK

---

41 | **1 of 1** | **WSW/174.6** | **62.9 / 0.24** | **Animal Nutrition Assn Cda**
109 Murray St Unit 2
Ottawa ON K1N 5M5 | **SCT**

Established:
Plant Size (ft²):
Employment:

--Details--
Description: Business Associations
SIC/NAICS Code: 813910

---

42 | **1 of 8** | **ENE/183.3** | **59.8 / -2.84** | **Shepherds of good hope**
256 King Edward
ottawa ON K1N 7M1 | **GEN**

Generator No: ON9488631
SIC Code: 624220
SIC Description:
Approval Years: 2011
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

42 | **2 of 8** | **ENE/183.3** | **59.8 / -2.84** | **We Care Home Health Services**
256 King Edward Avenue
Ottawa ON K1N 7M1 | **GEN**

Generator No: ON2915632
SIC Code: 621610
SIC Description: 621610
Approval Years: 2016
PO Box No:
Country: Canada

Status:
Co Admin: Heather Bozik
Choice of Contact: CO_OFFICIAL
Phone No Admin: 6137822244 Ext.1811
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

---

42 | **3 of 8** | **ENE/183.3** | **59.8 / -2.84** | **We Care Home Health Services**
256 King Edward Avenue
Ottawa ON K1N 7M1 | **GEN**

Generator No: ON2915632
SIC Code: 621610
SIC Description: 621610
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin: Heather Bozik
Choice of Contact: CO_OFFICIAL
Phone No Admin: 6137822244 Ext.1811
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261
Waste Class Desc: PHARMACEUTICALS

---

42 **4 of 8** **ENE/183.3** **59.8 / -2.84**

CBI Home Health formerly We Care Home Health
256 King Edward Avenue
Ottawa ON K1N 7M1

GEN

Generator No: ON2915632
SIC Code:
SIC Description:
Approval Years: As of Dec 2018
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

42 **5 of 8** **ENE/183.3** **59.8 / -2.84**

CBI Home Health formerly We Care Home Health
256 King Edward Avenue
Ottawa ON K1N 7M1

GEN

Generator No: ON2915632
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Waste Class: 312 P
Waste Class Desc: Pathological wastes

---

42 **6 of 8** **ENE/183.3** **59.8 / -2.84**

Shepherds of Good Hope
256 King Edward St
Ottawa ON K1N5M9

GEN

Generator No: ON4974355
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 146 T
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 146 P
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	7 of 8	ENE/183.3	59.8 / -2.84	CBI Home Health formerly We Care Home Health 256 King Edward Avenue Ottawa ON K1N 7M1	GEN

Generator No: ON2915632
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Waste Class: 261 A
Waste Class Desc: Pharmaceuticals

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	8 of 8	ENE/183.3	59.8 / -2.84	Shepherds of Good Hope 256 King Edward St Ottawa ON K1N5M9	GEN

Generator No: ON4974355
SIC Code:
SIC Description:
Approval Years: As of Jan 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 146 T
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 146 P
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	1 of 5	SSE/183.9	62.9 / 0.28	CHEZ FM 126 YORK STREET OTTAWA ON K1N 5T5	NPCB

Company Code: O0694
Industry: Other Federally Regulated Business
Site Status:
Transaction Date: 11/19/1991
Inspection Date: 11/24/1987

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
43	2 of 5	SSE/183.9	62.9 / 0.28	CHEZ FM 126 YORK STREET YORK STREET OTTAWA ON K1N 5T5	NPCB

Company Code: O3234
Industry:
Site Status:
Transaction Date:
Inspection Date:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
--Details--					
Label:					
Serial No.:					
PCB Type/Code:					
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		In-Use			
Contents:					
43	3 of 5	SSE/183.9	62.9 / 0.28	VMI Medical Inc. 126 York St Floor 4 Ottawa ON K1N 5T5	SCT
Established:		1996			
Plant Size (ft²):					
Employment:		50			
--Details--					
Description:		Software Publishers			
SIC/NAICS Code:		511210			
43	4 of 5	SSE/183.9	62.9 / 0.28	Aviation Publishers Co. Ltd. 126 York St Unit B11 Ottawa ON K1N 5T5	SCT
Established:		01-AUG-67			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Book Publishers			
SIC/NAICS Code:		511130			
43	5 of 5	SSE/183.9	62.9 / 0.28	Magmic Games Inc. 126 York St Floor 4 Ottawa ON K1N 5T5	SCT
Established:		01-FEB-02			
Plant Size (ft²):					
Employment:					
--Details--					
Description:		Computer Systems Design and Related Services			
SIC/NAICS Code:		541510			
Description:		Software Publishers			
SIC/NAICS Code:		511210			
Description:		Software Publishers			
SIC/NAICS Code:		511210			
44	1 of 1	SE/194.3	62.9 / 0.24	Apollo Property Management 134 York Street Ottawa ON K1N 1K8	GEN

Generator No:	ON6597363	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Dec 2018	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:	Canada	**MHSW Facility:**	

Detail(s)

Waste Class:	251 L
Waste Class Desc:	Waste oils/sludges (petroleum based)

---

45 | ***1 of 1*** | ***ESE/199.3*** | ***61.7 / -0.90*** | ***360Lofts Inc.***
356 to 358Q Cumberland St
Ottawa ON | ***CA***

Certificate #:	8802-832LQM
Application Year:	2010
Issue Date:	3/3/2010
Approval Type:	Municipal and Private Sewage Works
Status:	Approved
Application Type:	
Client Name:	
Client Address:	
Client City:	
Client Postal Code:	
Project Description:	
Contaminants:	
Emission Control:	

---

46 | ***1 of 1*** | ***ESE/199.3*** | ***61.7 / -0.90*** | ***360Lofts Inc.***
356 to 358Q Cumberland St
Ottawa ON K1S 1A3 | ***ECA***

Approval No:	8802-832LQM	**MOE District:**	Ottawa
Approval Date:	2010-03-03	**City:**	
Status:	Approved	**Longitude:**	-75.68884
Record Type:	ECA	**Latitude:**	45.429306
Link Source:	IDS	**Geometry X:**	
SWP Area Name:	Rideau Valley	**Geometry Y:**	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Business Name:	360Lofts Inc.		
Address:	356 to 358Q Cumberland St		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7389-7ZGSMR-14.pdf		
PDF Site Location:			

---

47 | ***1 of 1*** | ***W/200.6*** | ***61.8 / -0.84*** | ***ON*** | ***BORE***

Borehole ID:	613585	**Inclin FLG:**	No
OGF ID:	215514831	**SP Status:**	Initial Entry
Status:		**Surv Elev:**	No
Type:	Borehole	**Piezometer:**	No
Use:		**Primary Name:**	
Completion Date:	FEB-1965	**Municipality:**	
Static Water Level:		**Lot:**	
Primary Water Use:		**Township:**	
Sec. Water Use:		**Latitude DD:**	45.430438

Total Depth m:	-999	**Longitude DD:**	-75.693394
Depth Ref:	Ground Surface	**UTM Zone:**	18
Depth Elev:		**Easting:**	445761
Drill Method:		**Northing:**	5031002
Orig Ground Elev m:	58.6	**Location Accuracy:**	
Elev Reliabil Note:		**Accuracy:**	Not Applicable
DEM Ground Elev m:	59.1		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218395715	**Mat Consistency:**	Loose
Top Depth:	2.4	**Material Moisture:**	
Bottom Depth:		**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Bedrock	**Geologic Formation:**	
Material 2:	Limestone	**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	BEDROCK. GREY,FOSSILIFEROUS,FRACTURED. LOOSE,FISSURED. SILT. LOOSE. UNSPECIFIED. LOOSE. TI **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	218395713	**Mat Consistency:**	
Top Depth:	0	**Material Moisture:**	
Bottom Depth:	1.2	**Material Texture:**	
Material Color:		**Non Geo Mat Type:**	
Material 1:	Fill	**Geologic Formation:**	
Material 2:		**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	fill
Gsc Material Description:			
Stratum Description:	FILL.		

Geology Stratum ID:	218395714	**Mat Consistency:**	Loose
Top Depth:	1.2	**Material Moisture:**	
Bottom Depth:	2.4	**Material Texture:**	
Material Color:	Brown	**Non Geo Mat Type:**	
Material 1:	Sand	**Geologic Formation:**	
Material 2:	Silt	**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	SAND,SILT. BROWN,LOOSE,LAYERED.		

Source

Source Type:	Data Survey	**Source Appl:**	Spatial/Tabular
Source Orig:	Geological Survey of Canada	**Source Iden:**	1
Source Date:	1956-1972	**Scale or Res:**	Varies
Confidence:		**Horizontal:**	NAD27
Observatio:		**Verticalda:**	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 060930 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Source Identifier:	1	**Horizontal Datum:**	NAD27
Source Type:	Data Survey	**Vertical Datum:**	Mean Average Sea Level

Source Date:	1956-1972	**Projection Name:**	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

48 **1 of 1** **S/202.3** **64.3 / 1.67** **ON** **BORE**

Borehole ID:	613560	**Inclin FLG:**	No
OGF ID:	215514812	**SP Status:**	Initial Entry
Status:		**Surv Elev:**	No
Type:	Borehole	**Piezometer:**	No
Use:		**Primary Name:**	
Completion Date:	FEB-1965	**Municipality:**	
Static Water Level:		**Lot:**	
Primary Water Use:		**Township:**	
Sec. Water Use:		**Latitude DD:**	45.428833
Total Depth m:	-999	**Longitude DD:**	-75.690946
Depth Ref:	Ground Surface	**UTM Zone:**	18
Depth Elev:		**Easting:**	445951
Drill Method:		**Northing:**	5030822
Orig Ground Elev m:	61.4	**Location Accuracy:**	
Elev Reliabil Note:		**Accuracy:**	Not Applicable
DEM Ground Elev m:	61.1		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218395612	**Mat Consistency:**	
Top Depth:	0	**Material Moisture:**	
Bottom Depth:	.4	**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Sand	**Geologic Formation:**	
Material 2:	Stones	**Geologic Group:**	
Material 3:		**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	SAND,STONES. GREY.		

Geology Stratum ID:	218395613	**Mat Consistency:**	Loose
Top Depth:	.4	**Material Moisture:**	
Bottom Depth:	3.8	**Material Texture:**	
Material Color:	Brown	**Non Geo Mat Type:**	
Material 1:	Sand	**Geologic Formation:**	
Material 2:	Silt	**Geologic Group:**	
Material 3:	Stones	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	SAND. BROWN,LOOSE.		

Geology Stratum ID:	218395615	**Mat Consistency:**	
Top Depth:	4.4	**Material Moisture:**	
Bottom Depth:		**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Bedrock	**Geologic Formation:**	
Material 2:	Limestone	**Geologic Group:**	
Material 3:	Silt	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	BEDROCK. GREY,FOSSILIFEROUS,FRACTURED. 00075 099 00100 040 00000033000500060007500200 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID: 218395614
Top Depth: 3.8
Bottom Depth: 4.4
Material Color: Grey
Material 1: Till
Material 2: Sand
Material 3:
Material 4:
Gsc Material Description:
Stratum Description: TILL. GREY,COMPACT.

Mat Consistency: Compact
Material Moisture:
Material Texture:
Non Geo Mat Type:
Geologic Formation:
Geologic Group:
Geologic Period:
Depositional Gen:

Source

Source Type: Data Survey
Source Orig: Geological Survey of Canada
Source Date: 1956-1972
Confidence:
Observatio:
Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA2.txt RecordID: 060680 NTS_Sheet: 31G05G
Confiden 1:

Source Appl: Spatial/Tabular
Source Iden: 1
Scale or Res: Varies
Horizontal: NAD27
Verticalda: Mean Average Sea Level

Source List

Source Identifier: 1
Source Type: Data Survey
Source Date: 1956-1972
Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)
Source Originators: Geological Survey of Canada

Horizontal Datum: NAD27
Vertical Datum: Mean Average Sea Level
Projection Name: Universal Transverse Mercator

---

49 | **1 of 3** | **NE/203.6** | **60.0 / -2.62** | **OIL CHANGERS**
360 ST PATRICK ST
OTTAWA ON K1N 5K7 | **RST**

Headcode: 921430
Headcode Desc: Oil Changes & Lubrication Service
Phone: 6132440942
List Name:
Description: Other Motor Vehicle Services

---

49 | **2 of 3** | **NE/203.6** | **60.0 / -2.62** | **Sylvain Mathot, operating as Oil Changers<UNOFFICIAL>**
360 St. Patrick Street
Ottawa ON K1N 5K7 | **SPL**

Ref No: 5362-7NZAE3
Site No:
Incident Dt:
Year:
Incident Cause: Unknown
Incident Event:
Contaminant Code:
Contaminant Name: WASTE OIL/WATER (N.O.S.)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
Receiving Env:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Other
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

MOE Response:	Planned Field Response	**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	2/6/2009	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Watercourse Spills
Incident Reason:	Unknown - Reason not determined	**Source Type:**	
Site Name:	Oil Changers<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Oil Changers: Fire w/ oil & wtr runoff to strm swr		
Contaminant Qty:	962 L		

49	3 of 3	NE/203.6	60.0 / -2.62	360 ST. PATRICK STREET OTTAWA ON K1N 5K7	HINC

External File Num:	FS INC 0902-00699
Fuel Occurrence Type:	Fire
Date of Occurrence:	2/6/2009
Fuel Type Involved:	Natural Gas
Status Desc:	Completed - No Action Required
Job Type Desc:	Incident/Near-Miss Occurrence (FS)
Oper. Type Involved:	Commercial (e.g. restaurant, business unit, etc)
Service Interruptions:	Yes
Property Damage:	Yes
Fuel Life Cycle Stage:	Utilization
Root Cause:	
Reported Details:	
Fuel Category:	Unknown
Occurrence Type:	Incident
Affiliation:	Emergency Services (Fire, Police,etc)
County Name:	Ottawa
Approx. Quant. Rel:	
Nearby body of water:	
Enter Drainage Syst.:	
Approx. Quant. Unit:	
Environmental Impact:	

50	1 of 4	ESE/211.6	60.7 / -1.91	Urban Capital (York) Inc. 180 York Street, Ottawa CITY OF OTTAWA ON	PTTW

EBR Registry No:	IA03E0092	**Decision Posted:**	
Ministry Ref No:	ER-17923	**Exception Posted:**	
Notice Type:	Instrument\sDecision	**Section:**	
Notice Stage:		**Act 1:**	
Notice Date:	September\s03,\s2003	**Act 2:**	
Proposal Date:	January\s21,\s2003	**Site Location Map:**	
Year:	2003		
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake\sWater		
Off Instrument Name:			
Posted By:			
Company Name:	Urban\sCapital\s(York)\sInc.		
Site Address:			
Location Other:			
Proponent Name:			
Proponent Address:	500\s-\s22\sSt.\sClair\sAvenue\sEast,\sToronto\sOntario,\sM4T\s2S3		
Comment Period:			
URL:			

Site Location Details:

180 York Street, Ottawa CITY OF OTTAWA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	2 of 4	ESE/211.6	60.7 / -1.91	Urban Capital (York) Inc. 180 York Street Ottawa Ontario Ottawa ON	EBR

EBR Registry No: IA03E1485
Ministry Ref No: 3699-5RNREW
Notice Type: Instrument Decision
Notice Stage:
Notice Date: May 12, 2004
Proposal Date: October 24, 2003
Year: 2003
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Urban Capital (York) Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 10 King Street East , 810, Toronto Ontario, M5C 1C3
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

180 York Street Ottawa Ontario Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	3 of 4	ESE/211.6	60.7 / -1.91	Urban Capital (York) Inc. 180 York Street Ottawa ON	CA

Certificate #: 2679-5WSSYX
Application Year: 2004
Issue Date: 5/7/2004
Approval Type: Air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
50	4 of 4	ESE/211.6	60.7 / -1.91	Urban Capital (York) Inc. 180 York St Ottawa ON M5C 1C3	ECA

Approval No: 2679-5WSSYX
Approval Date: 2004-05-07
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-AIR
Project Type: AIR
Business Name: Urban Capital (York) Inc.
Address: 180 York St

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3699-5RNREW-14.pdf
PDF Site Location:

51 ***1 of 1*** ***ENE/215.2*** ***59.9 / -2.76*** ***ON*** ***BORE***

Borehole ID:	613600	***Inclin FLG:***	No
OGF ID:	215514843	***SP Status:***	Initial Entry
Status:		***Surv Elev:***	No
Type:	Borehole	***Piezometer:***	No
Use:		***Primary Name:***	
Completion Date:	DEC-1971	***Municipality:***	
Static Water Level:		***Lot:***	
Primary Water Use:		***Township:***	
Sec. Water Use:		***Latitude DD:***	45.431369
Total Depth m:	6.6	***Longitude DD:***	-75.688292
Depth Ref:	Ground Surface	***UTM Zone:***	18
Depth Elev:		***Easting:***	446161
Drill Method:		***Northing:***	5031102
Orig Ground Elev m:	57.9	***Location Accuracy:***	
Elev Reliabil Note:		***Accuracy:***	Not Applicable
DEM Ground Elev m:	57.2		
Concession:			
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	218395783	***Mat Consistency:***	
Top Depth:	0	***Material Moisture:***	
Bottom Depth:	1.8	***Material Texture:***	
Material Color:		***Non Geo Mat Type:***	
Material 1:		***Geologic Formation:***	
Material 2:	Sand	***Geologic Group:***	
Material 3:	Soil	***Geologic Period:***	
Material 4:	Clay	***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	ARTIFICIAL.		

Geology Stratum ID:	218395786	***Mat Consistency:***	Loose
Top Depth:	5.9	***Material Moisture:***	
Bottom Depth:	6.6	***Material Texture:***	
Material Color:		***Non Geo Mat Type:***	
Material 1:	Silt	***Geologic Formation:***	
Material 2:	Clay	***Geologic Group:***	
Material 3:		***Geologic Period:***	
Material 4:		***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	SILT. LOOSE. 00000 010 00060 040 00125 043 00194 028 0000000500060008001940090 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	218395784	***Mat Consistency:***	Soft
Top Depth:	1.8	***Material Moisture:***	
Bottom Depth:	3.8	***Material Texture:***	
Material Color:	Brown	***Non Geo Mat Type:***	
Material 1:	Clay	***Geologic Formation:***	
Material 2:	Silt	***Geologic Group:***	
Material 3:	Sand	***Geologic Period:***	
Material 4:		***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	CLAY. BROWN,GREY,SOFT TO STIFF.		

Geology Stratum ID:	218395785	**Mat Consistency:**	Stiff
Top Depth:	3.8	**Material Moisture:**	
Bottom Depth:	5.9	**Material Texture:**	
Material Color:	Grey	**Non Geo Mat Type:**	
Material 1:	Clay	**Geologic Formation:**	
Material 2:	Silt	**Geologic Group:**	
Material 3:	Sand	**Geologic Period:**	
Material 4:		**Depositional Gen:**	
Gsc Material Description:			
Stratum Description:	CLAY. GREY,STIFF,FISSURED.		

Source

Source Type:	Data Survey	**Source Appl:**	Spatial/Tabular
Source Orig:	Geological Survey of Canada	**Source Iden:**	1
Source Date:	1956-1972	**Scale or Res:**	Varies
Confidence:	H	**Horizontal:**	NAD27
Observatio:		**Verticalda:**	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 061080 NTS_Sheet: 31G05G		
Confiden 1:	Logged by professional. Exact and complete description of material and properties.		

Source List

Source Identifier:	1	**Horizontal Datum:**	NAD27
Source Type:	Data Survey	**Vertical Datum:**	Mean Average Sea Level
Source Date:	1956-1972	**Projection Name:**	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

---

52 | ***1 of 1*** | ***NW/216.0*** | ***59.6 / -3.07*** | ***S.21<UNOFFICIAL>***
157 GUIGUES AVENUE<UNOFFICIAL>
Ottawa ON K1N 5J1 | ***SPL***

Ref No:	1610-66CRCC	**Discharger Report:**	
Site No:		**Material Group:**	Oil
Incident Dt:	11/1/2004	**Health/Env Conseq:**	
Year:		**Client Type:**	
Incident Cause:	Valve / Fitting Leak Or Failure	**Sector Type:**	Other
Incident Event:		**Agency Involved:**	
Contaminant Code:	13	**Nearest Watercourse:**	
Contaminant Name:	FUEL OIL	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:		**Site Region:**	Eastern
Environment Impact:	Not Anticipated	**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:	Land	**Site Conc:**	
Receiving Env:		**Northing:**	
MOE Response:		**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	11/2/2004	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Spills
Incident Reason:	Unknown - Reason not determined	**Source Type:**	
Site Name:	157 GUIGUES AVENUE<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	TSSA: staining in basement from leak		
Contaminant Qty:	2 L		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
53	1 of 1	N/216.1	58.9 / -3.76	207 & 209 GUIGUES AVE. OTTAWA ON	WWIS

Well ID:	7154142	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	11/4/2010
Sec. Water Use:	0	**Selected Flag:**	TRUE
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z122054	**Owner:**	
Tag:	A107685	**Street Name:**	207 & 209 GUIGUES AVE.
Construction Method:		**County:**	OTTAWA
Elevation (m):		**Municipality:**	OTTAWA CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7154142.pdf

Additional Detail(s) (Map)

Well Completed Date:	2010/09/17
Year Completed:	2010
Depth (m):	6.096
Latitude:	45.4325924036498
Longitude:	-75.6910513669005
Path:	715\7154142.pdf

Bore Hole Information

Bore Hole ID:	1003362629	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	18
Code OB:		**East83:**	445946.00
Code OB Desc:		**North83:**	5031240.00
Open Hole:		**Org CS:**	UTM83
Cluster Kind:		**UTMRC:**	3
Date Completed:	17-Sep-2010 00:00:00	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1003483869
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY

Mat2: 28
Mat2 Desc: SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 4.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1003483870
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 28
Mat2 Desc: SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 4.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1003483871
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3: 91
Mat3 Desc: WATER-BEARING
Formation Top Depth: 8.0
Formation End Depth: 20.0
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1003483874
Layer: 2
Plug From: 8.0
Plug To: 20.0
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1003483873
Layer: 1
Plug From: 0.0
Plug To: 8.0
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1003483881
Method Construction Code: B
Method Construction: Other Method
Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1003483868
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1003483877
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 9.0
Casing Diameter: 1.25
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1003483878
Layer: 1
Slot:
Screen Top Depth: 9.0
Screen End Depth: 19.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

Water Details

Water ID: 1003483876
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003483872
Diameter: 32.5
Depth From: 0.0
Depth To: 19.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

54	*1 of 1*	*ESE/217.2*	*61.9 / -0.76*	***360Lofts Inc.<UNOFFICIAL>*** ***358 Cumerland St*** ***Ottawa ON***	*SPL*

Ref No: 4856-7YMQXQ
Site No:
Discharger Report:
Material Group:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Incident Dt:		**Health/Env Conseq:**	
Year:		**Client Type:**	
Incident Cause:	Other Discharges	**Sector Type:**	
Incident Event:		**Agency Involved:**	
Contaminant Code:	13	**Nearest Watercourse:**	
Contaminant Name:	FURNACE OIL	**Site Address:**	
Contaminant Limit 1:		**Site District Office:**	
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:		**Site Region:**	
Environment Impact:	Not Anticipated	**Site Municipality:**	
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:		**Northing:**	
MOE Response:	No Field Response	**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	12/11/2009	**Site Map Datum:**	
Dt Document Closed:	1/16/2010	**SAC Action Class:**	TSSA - Fuel Safety Branch
Incident Reason:	Spill	**Source Type:**	
Site Name:	Apt building<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	TSSA: pump seal broke causing oil leak to bsmt, cont		
Contaminant Qty:	0 other - see incident description		

---

55 | ***1 of 1*** | ***NNE/220.0*** | ***60.0 / -2.68*** | ***347 St. Patrick's ROAD<UNOFFICIAL>, Ottawa ON*** | ***SPL***

Ref No:	3538-6KNLCV	**Discharger Report:**	
Site No:		**Material Group:**	Oils
Incident Dt:	1/2/2006	**Health/Env Conseq:**	
Year:		**Client Type:**	
Incident Cause:		**Sector Type:**	Tank Truck
Incident Event:		**Agency Involved:**	
Contaminant Code:	13	**Nearest Watercourse:**	
Contaminant Name:	FURNACE OIL	**Site Address:**	347 ST. PATRICK'S
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:		**Site Region:**	
Environment Impact:	Possible	**Site Municipality:**	Ottawa
Nature of Impact:	Soil Contamination	**Site Lot:**	
Receiving Medium:	Land	**Site Conc:**	
Receiving Env:		**Northing:**	
MOE Response:		**Easting:**	
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	1/2/2006	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	
Incident Reason:		**Source Type:**	
Site Name:	347 ST. PATRICK'S		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Francis Fuels: 12.4 L furnace oil to road, cleaned		
Contaminant Qty:	12.4 L		

---

56 | ***1 of 1*** | ***N/220.5*** | ***58.9 / -3.76*** | ***209 GUIGUES AVENUE, Ottawa ON*** | ***WWIS***

Well ID:	7269079	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	8/17/2016
Sec. Water Use:	0	**Selected Flag:**	TRUE
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241

Casing Material:		**Form Version:**	7
Audit No:	Z222498	**Owner:**	
Tag:	A191203	**Street Name:**	209 GUIGUES AVENUE
Construction Method:		**County:**	OTTAWA
Elevation (m):		**Municipality:**	NEPEAN TOWNSHIP
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	2016/07/08
Year Completed:	2016
Depth (m):	3.2
Latitude:	45.4326279419139
Longitude:	-75.6911285075126
Path:	

Bore Hole Information

Bore Hole ID:	1006218968	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	18
Code OB:		**East83:**	445940.00
Code OB Desc:		**North83:**	5031244.00
Open Hole:		**Org CS:**	UTM83
Cluster Kind:		**UTMRC:**	4
Date Completed:	08-Jul-2016 00:00:00	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1006224288
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.0
Formation End Depth:	0.3100000023841858
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1006224290
Layer:	3
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	1.5199999809265137
Formation End Depth:	3.200000047683716
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1006224289
Layer:	2
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.3100000023841858
Formation End Depth:	1.5199999809265137
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1006224299
Layer:	2
Plug From:	0.3100000023841858
Plug To:	0.9100000262260437
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1006224300
Layer:	3
Plug From:	0.9100000262260437
Plug To:	3.200000047683716
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1006224298
Layer:	1
Plug From:	0.0
Plug To:	0.3100000023841858
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID: 1006224297
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1006224287
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1006224293
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 1.059999942779541
Casing Diameter: 3.450000047683716
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1006224294
Layer: 1
Slot: 10
Screen Top Depth: 1.059999942779541
Screen End Depth: 3.200000047683716
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.210000038146973

Water Details

Water ID: 1006224292
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1006224291
Diameter: 5.079999923706055
Depth From: 0.0
Depth To: 3.200000047683716
Hole Depth UOM: m
Hole Diameter UOM: cm

57	*1 of 8*	*S/221.0*	*63.8 / 1.12*	***AVELON MEWS LTD.*** ***325 DALHOUSIE ST.*** ***OTTAWA ON K1N 7G2***	***GEN***

Generator No: ON0236000
SIC Code: 0000
Status:
Co Admin:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

SIC Description:	*** NOT DEFINED ***	**Choice of Contact:**	
Approval Years:	86,87,88,89,90,92,93,94	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

---

57 **2 of 8** **S/221.0** **63.8 / 1.12**

Regency hair centre
325 Dalhousie
Ottawa ON K1N 7G2

GEN

Generator No:	ON3853064	**Status:**	
SIC Code:	621390	**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	2011	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

---

57 **3 of 8** **S/221.0** **63.8 / 1.12**

Regency hair centre
325 Dalhousie
Ottawa ON K1N 7G2

GEN

Generator No:	ON3853064	**Status:**	
SIC Code:	621390	**Co Admin:**	
SIC Description:	Offices of All Other Health Practitioners	**Choice of Contact:**	
Approval Years:	2012	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

---

57 **4 of 8** **S/221.0** **63.8 / 1.12**

PRIESTLY DEMOLITION INC.
325 DALHOUSIE STREET
OTTAWA ON

GEN

Generator No:	ON7260803	**Status:**	
SIC Code:	238910	**Co Admin:**	
SIC Description:	SITE PREPARATION CONTRACTORS	**Choice of Contact:**	
Approval Years:	2013	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	
Country:		**MHSW Facility:**	

Detail(s)

Waste Class:	243
Waste Class Desc:	PCBS

---

57 **5 of 8** **S/221.0** **63.8 / 1.12**

CLARIDGE HOMES (325 DALHOUSIE) INC.
325 DALHOUSIE STREET, OTTAWA, ON K1N 7G1
Ottawa ON

RSC

RSC ID:	219027	**Cert Date:**	
RA No:		**Cert Prop Use No:**	
RSC Type:	Phase 1 and 2 RSC	**Intended Prop Use:**	Commercial
Curr Property Use:	Commercial	**Qual Person Name:**	DANIEL ARNOTT
Ministry District:	Ottawa District Office	**Stratified (Y/N):**	
Filing Date:	2015/10/15	**Audit (Y/N):**	
Date Ack:		**Entire Leg Prop. (Y/N):**	
Date Returned:		**Accuracy Estimate:**	
Restoration Type:		**Telephone:**	
Soil Type:		**Fax:**	
Criteria:		**Email:**	
CPU Issued Sect 1686:			
Asmt Roll No:	0614020601381000000		

Prop ID No (PIN): 04214-0205 (LT), 04214-0115 (LT), 04214-0116 (LT), 04214-0206 (LT)
Property Municipal Address: 325 DALHOUSIE STREET, OTTAWA, ON K1N 7G1
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant:
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=53634&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents
Document Name: lawyersletter.pdf
Document Type: Lawyer's letter consisting of a legal description of the property
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=56119&fileName=lawyersletter.pdf

Document Heading: Supporting Documents
Document Name: PE2709 Table of Current and Past Uses Revised.pdf
Document Type: Table of Current and Past Property Use
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=53632&fileName=PE2709+Table+of+Current+and+Past+Uses+Revised.pdf

Document Heading: Supporting Documents
Document Name: survey.pdf
Document Type: A Current plan of Survey
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=53665&fileName=survey.pdf

Document Heading: Supporting Documents
Document Name: APECTable.pdf
Document Type: Area(s) of Potential Environmental Concern
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=56120&fileName=APECTable.pdf

Document Heading: Supporting Documents
Document Name: Certificate of Status.pdf
Document Type: Certificate of Status
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=53626&fileName=Certificate+of+Status.pdf

Document Heading: Supporting Documents
Document Name: phase2.pdf
Document Type: Phase 2 Conceptual Site Model
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=56118&fileName=phase2.pdf

Document Heading: Supporting Documents
Document Name: Transfer - OC1550248 - 325 Dalhousie.pdf
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=53625&fileName=Transfer+-+OC1550248+-+325+Dalhousie.pdf

57	6 of 8	S/221.0	63.8 / 1.12	***HLS Linen Services<UNOFFICIAL>*** ***325 Dalhousie St.*** ***Ottawa ON***	SPL

Ref No: 5805-AR4LLX
Site No: NA
Discharger Report:
Material Group:

Incident Dt:	9/11/2017	**Health/Env Conseq:**	0 - No Impact
Year:		**Client Type:**	
Incident Cause:		**Sector Type:**	Miscellaneous Communal
Incident Event:	Leak/Break	**Agency Involved:**	
Contaminant Code:	15	**Nearest Watercourse:**	
Contaminant Name:	OIL (PETROLEUM BASED, NOT SPECIFIED)	**Site Address:**	325 Dalhousie St.
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:	n/a	**Site Region:**	Eastern
Environment Impact:		**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Land; Source Water Zone	**Northing:**	5030813.28
MOE Response:	No	**Easting:**	445950.98
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	9/11/2017	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	Land Spills
Incident Reason:	Equipment Failure	**Source Type:**	Motor Vehicle
Site Name:	Hotel parking lot<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	HLS Linen Services: Minor oil spill to asphalt parking lot, contained		
Contaminant Qty:	0 other - see incident description		

---

57 | **7 of 8** | **S/221.0** | **63.8 / 1.12** | **325 Dalhousie St CP 717 Ottawa ON K1P 5P8** | **SPL**

Ref No:	7575-AR4LEJ	**Discharger Report:**	
Site No:	0801-7PDLYS	**Material Group:**	
Incident Dt:	9/11/2017	**Health/Env Conseq:**	2 - Minor Environment
Year:		**Client Type:**	
Incident Cause:		**Sector Type:**	Miscellaneous Industrial
Incident Event:	Leak/Break	**Agency Involved:**	
Contaminant Code:	15	**Nearest Watercourse:**	
Contaminant Name:	HYDRAULIC OIL	**Site Address:**	325 Dalhousie St CP 717
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	K1P 5P8
Contaminant UN No 1:	n/a	**Site Region:**	Eastern
Environment Impact:		**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	NA
Receiving Env:	Land	**Northing:**	NA
MOE Response:	No	**Easting:**	NA
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	NA
MOE Reported Dt:	9/11/2017	**Site Map Datum:**	NA
Dt Document Closed:		**SAC Action Class:**	Land Spills
Incident Reason:	Unknown / N/A	**Source Type:**	Motor Vehicle
Site Name:	325 Dalhousie Street		
Site County/District:	NA		
Site Geo Ref Meth:	NA		
Incident Summary:	Anaz Hotel: Unknown Quantity of Hydraulic Oil to Parking Lot		
Contaminant Qty:	0 other - see incident description		

---

57 | **8 of 8** | **S/221.0** | **63.8 / 1.12** | **Claridge Homes 325 Dalhousie Street Ottawa ON K1N7G1** | **GEN**

Generator No:	ON4306166	**Status:**	Registered
SIC Code:		**Co Admin:**	
SIC Description:		**Choice of Contact:**	
Approval Years:	As of Nov 2021	**Phone No Admin:**	
PO Box No:		**Contam. Facility:**	

Country: Canada
MHSW Facility:

Detail(s)

Waste Class: 146 T
Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 122 C
Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

---

58 **1 of 1** **WSW/226.5** **63.9 / 1.24** **85 Clarence Street, Ottawa, Sygon ON** **INC**

Incident No:	575692	**Any Health Impact:**	No
Incident ID:	2732222	**Any Enviro Impact:**	No
Instance No:		**Service Interrupted:**	Yes
Status Code:	Causal Analysis Complete	**Was Prop Damaged:**	Yes
Attribute Category:	FS-Perform L1 Incident Insp	**Reside App. Type:**	Not applicable
Context:		**Commer App. Type:**	Other Cooking Equipment
Date of Occurrence:	2011/04/08 00:00:00	**Indus App. Type:**	Not applicable
Time of Occurrence:	12:00:00	**Institut App. Type:**	Not applicable
Incident Created On:		**Venting Type:**	Exhaust Hood
Instance Creation Dt:		**Vent Conn Mater:**	None
Instance Install Dt:		**Vent Chimney Mater:**	C Vent (e.g., Single Wall Vent)
Occur Insp Start Date:	2011/04/08 00:00:00	**Pipeline Type:**	
Approx Quant Rel:		**Pipeline Involved:**	
Tank Capacity:		**Pipe Material:**	
Fuels Occur Type:	Fire	**Depth Ground Cover:**	
Fuel Type Involved:	Natural Gas	**Regulator Location:**	
Enforcement Policy:	NULL	**Regulator Type:**	
Prc Escalation Req:	NULL	**Operation Pressure:**	
Tank Material Type:		**Liquid Prop Make:**	
Tank Storage Type:		**Liquid Prop Model:**	
Tank Location Type:		**Liquid Prop Serial No:**	
Pump Flow Rate Cap:		**Liquid Prop Notes:**	
Task No:	3303523	**Equipment Type:**	
Notes:		**Equipment Model:**	Illegible due to fire
Drainage System:		**Serial No:**	Illegible due to fire
Sub Surface Contam.:		**Cylinder Capacity:**	
Aff Prop Use Water:		**Cylinder Cap Units:**	
Contam. Migrated:		**Cylinder Mat Type:**	
Contact Natural Env:		**Near Body of Water:**	

Incident Location: 85 Clarence Street, Ottawa, Sygon - Fire
Occurence Narrative: Com'l equipment fire due to grease accumulation.
Operation Type Involved: Commercial (e.g. restaurant, business unit, etc)
Item:
Item Description:
Device Installed Location:

---

59 **1 of 3** **E/228.5** **59.9 / -2.76** **OTTAWA CITY - DALHOUSIE ST. CLARENCE ST./KING EDWARD AVE. OTTAWA CITY ON** **CA**

Certificate #: 3-0209-92-
Application Year: 92
Issue Date: 3/9/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Client Postal Code:
Project Description:
Contaminants:
Emission Control:

---

59 *2 of 3* *E/228.5* *59.9 / -2.76* **OTTAWA CITY - SUSSEX DRIVE** **CA**
CLARENCE ST./KING EDWARD AVE.
OTTAWA CITY ON

Certificate #: 7-0181-92-
Application Year: 92
Issue Date: 3/9/1992
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

---

59 *3 of 3* *E/228.5* *59.9 / -2.76* **TRANSPORT TRUCK** **SPL**
KINGEDWARD STREET & CLARENCE ST.
MOTOR VEHICLE (OPERATING FLUID)
OTTAWA CITY ON

Ref No: 240181
Site No:
Incident Dt: 9/21/2002
Year:
Incident Cause: OTHER TRANSPORTATION ACCIDENT
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: POSSIBLE
Nature of Impact: Soil contamination
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/21/2002
Dt Document Closed:
Incident Reason: OTHER
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: NUGENT CONSTRUCTION: MVA DSL FUEL TO GRND - TANK PUMPED OUT BEFORE TOWED
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved: F.D. & POLICE
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20107
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

---

60 *1 of 1* *S/228.9* *65.0 / 2.32* **325 DALHOUSIE ST** **WWIS**
OTTAWA ON

Well ID: 7186511
Construction Date:
Primary Water Use: Monitoring and Test Hole

Data Entry Status:
Data Src:
Date Received: 9/4/2012

Sec. Water Use:	0	**Selected Flag:**	TRUE
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z152890	**Owner:**	
Tag:	A135182	**Street Name:**	325 DALHOUSIE ST
Construction Method:		**County:**	OTTAWA
Elevation (m):		**Municipality:**	OTTAWA CITY
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186511.pdf

Additional Detail(s) (Map)

Well Completed Date:	2012/07/20
Year Completed:	2012
Depth (m):	4.57
Latitude:	45.4285983838002
Longitude:	-75.6906319025821
Path:	718\7186511.pdf

Bore Hole Information

Bore Hole ID:	1004147956	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	18
Code OB:		**East83:**	445975.00
Code OB Desc:		**North83:**	5030796.00
Open Hole:		**Org CS:**	UTM83
Cluster Kind:		**UTMRC:**	3
Date Completed:	20-Jul-2012 00:00:00	**UTMRC Desc:**	margin of error : 10 - 30 m
Remarks:		**Location Method:**	digit
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004419600
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	85
Mat3 Desc:	SOFT
Formation Top Depth:	0.0
Formation End Depth:	3.0999999046325684
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1004419601
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Mat2 Desc:	SAND
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	3.0999999046325684
Formation End Depth:	4.570000171661377
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419610
Layer:	2
Plug From:	0.3100000023841858
Plug To:	1.2200000286102295
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419611
Layer:	3
Plug From:	1.2200000286102295
Plug To:	4.570000171661377
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419609
Layer:	1
Plug From:	0.0
Plug To:	0.3100000023841858
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID:	1004419608
Method Construction Code:	B
Method Construction:	Other Method
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1004419599
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1004419604
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	1.5
Casing Diameter:	4.03000020980835
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1004419605
Layer:	1
Slot:	10
Screen Top Depth:	1.5
Screen End Depth:	4.570000171661377
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.820000171661377

Water Details

Water ID:	1004419603
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1004419602
Diameter:	8.25
Depth From:	0.0
Depth To:	4.570000171661377
Hole Depth UOM:	m
Hole Diameter UOM:	cm

---

61 ***1 of 1*** ***ESE/229.8*** ***60.2 / -2.45*** ***ON*** ***BORE***

Borehole ID:	613575	***Inclin FLG:***	No
OGF ID:	215514822	***SP Status:***	Initial Entry
Status:		***Surv Elev:***	No
Type:	Borehole	***Piezometer:***	No
Use:		***Primary Name:***	
Completion Date:	JAN-1965	***Municipality:***	
Static Water Level:	4.0	***Lot:***	
Primary Water Use:		***Township:***	
Sec. Water Use:		***Latitude DD:***	45.42984
Total Depth m:	-999	***Longitude DD:***	-75.688146
Depth Ref:	Ground Surface	***UTM Zone:***	18
Depth Elev:		***Easting:***	446171
Drill Method:		***Northing:***	5030932
Orig Ground Elev m:	58.1	***Location Accuracy:***	
Elev Reliabil Note:		***Accuracy:***	Not Applicable
DEM Ground Elev m:	57.2		
Concession:			

Location D:
Survey D:
Comments:

Borehole Geology Stratum

Geology Stratum ID:	218395666	***Mat Consistency:***	Compact
Top Depth:	6.7	***Material Moisture:***	
Bottom Depth:	9.4	***Material Texture:***	
Material Color:		***Non Geo Mat Type:***	
Material 1:	Till	***Geologic Formation:***	
Material 2:	Sand	***Geologic Group:***	
Material 3:	Silt	***Geologic Period:***	
Material 4:		***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	TILL. COMPACT, WATER STABLE AT 177.7 FEET.		

Geology Stratum ID:	218395665	***Mat Consistency:***	Stiff
Top Depth:	1.4	***Material Moisture:***	
Bottom Depth:	6.7	***Material Texture:***	
Material Color:	Grey	***Non Geo Mat Type:***	
Material 1:	Clay	***Geologic Formation:***	
Material 2:	Silt	***Geologic Group:***	
Material 3:		***Geologic Period:***	
Material 4:		***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	CLAY. GREY,STIFF.		

Geology Stratum ID:	218395667	***Mat Consistency:***	
Top Depth:	9.4	***Material Moisture:***	
Bottom Depth:		***Material Texture:***	
Material Color:	Grey	***Non Geo Mat Type:***	
Material 1:	Bedrock	***Geologic Formation:***	
Material 2:	Limestone	***Geologic Group:***	
Material 3:	Shale	***Geologic Period:***	
Material 4:		***Depositional Gen:***	
Gsc Material Description:			
Stratum Description:	BEDROCK. GREY,FOSSILIFEROUS,CRYSTALINE.ENSE. 00025 018 00040 012 00090 010 00115 **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	218395664	***Mat Consistency:***	Hard
Top Depth:	0	***Material Moisture:***	
Bottom Depth:	1.4	***Material Texture:***	
Material Color:		***Non Geo Mat Type:***	
Material 1:	Fill	***Geologic Formation:***	
Material 2:		***Geologic Group:***	
Material 3:		***Geologic Period:***	
Material 4:		***Depositional Gen:***	fill
Gsc Material Description:			
Stratum Description:	FILL. VERY HARD.		

Source

Source Type:	Data Survey	***Source Appl:***	Spatial/Tabular
Source Orig:	Geological Survey of Canada	***Source Iden:***	1
Source Date:	1956-1972	***Scale or Res:***	Varies
Confidence:		***Horizontal:***	NAD27
Observatio:		***Verticalda:***	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Details:	File: OTTAWA2.txt RecordID: 060830 NTS_Sheet: 31G05G		
Confiden 1:			

Source List

Source Identifier:	1	**Horizontal Datum:**	NAD27
Source Type:	Data Survey	**Vertical Datum:**	Mean Average Sea Level
Source Date:	1956-1972	**Projection Name:**	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

62	1 of 1	S/233.9	64.9 / 2.24	325 DALHOUSIE ST OTTAWA ON	WWIS

Well ID:	7186512	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Monitoring and Test Hole	**Date Received:**	9/4/2012
Sec. Water Use:	0	**Selected Flag:**	TRUE
Final Well Status:	Observation Wells	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z152892	**Owner:**	
Tag:	A135183	**Street Name:**	325 DALHOUSIE ST
Construction Method:		**County:**	OTTAWA
Elevation (m):		**Municipality:**	NEPEAN TOWNSHIP
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186512.pdf

Additional Detail(s) (Map)

Well Completed Date:	2012/07/20
Year Completed:	2012
Depth (m):	5.18
Latitude:	45.4285591339687
Longitude:	-75.69116833346
Path:	718\7186512.pdf

Bore Hole Information

Bore Hole ID:	1004147959	**Elevation:**	
DP2BR:		**Elevrc:**	
Spatial Status:		**Zone:**	18
Code OB:		**East83:**	445933.00
Code OB Desc:		**North83:**	5030792.00
Open Hole:		**Org CS:**	UTM83
Cluster Kind:		**UTMRC:**	4
Date Completed:	20-Jul-2012 00:00:00	**UTMRC Desc:**	margin of error : 30 m - 100 m
Remarks:		**Location Method:**	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004419614
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	27
Mat2 Desc:	OTHER
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	3.3499999046325684
Formation End Depth:	5.179999828338623
Formation End Depth UOM:	m

Overburden and Bedrock Materials Interval

Formation ID:	1004419613
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	0.0
Formation End Depth:	3.3499999046325684
Formation End Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419625
Layer:	3
Plug From:	1.8300000429153442
Plug To:	5.179999828338623
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419623
Layer:	1
Plug From:	0.0
Plug To:	0.3100000023841858
Plug Depth UOM:	m

Annular Space/Abandonment Sealing Record

Plug ID:	1004419624
Layer:	2
Plug From:	0.3100000023841858
Plug To:	1.8300000429153442
Plug Depth UOM:	m

Method of Construction & Well Use

Method Construction ID: 1004419622
Method Construction Code: B
Method Construction: Other Method
Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1004419612
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1004419618
Layer: 2
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 1004419617
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 2.130000114440918
Casing Diameter: 4.03000020980835
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004419619
Layer: 1
Slot: 10
Screen Top Depth: 2.130000114440918
Screen End Depth: 5.179999828338623
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 4.820000171661377

Water Details

Water ID: 1004419616
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004419615

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Diameter: 8.25
Depth From: 0.0
Depth To: 5.179999828338623
Hole Depth UOM: m
Hole Diameter UOM: cm

---

63 | 1 of 7 | NE/234.3 | 58.9 / -3.76 | SUNOCO INC - THROUGH AGENT PIONEER PETROLEUMS MANA
355 ST PATRICK ST
OTTAWA ON K1N5K6 | PRT

Location ID: 11119
Type: retail
Expiry Date: 1996-01-31
Capacity (L): 72400
Licence #: 0076413566

---

63 | 2 of 7 | NE/234.3 | 58.9 / -3.76 | PIONEER ENERGY MANAGEMENT INC.
355 ST PATRICK ST
OTTAWA ON K1N 5K6 | DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 9691750
Status: EXPIRED
Instance ID:
Instance Type: FS Facility
Instance Creation Dt:
Instance Install Dt:
Item Description:
Manufacturer:
Model:
Serial No:
ULC Standard:
Quantity:
Unit of Measure:
Overfill Prot Type:
Creation Date:
Next Periodic Str DT:
TSSA Base Sched Cycle 2:
TSSAMax Hazard Rank 1:
TSSA Risk Based Periodic Yn:
TSSA Volume of Directives:
TSSA Periodic Exempt:
TSSA Statutory Interval:
TSSA Recd Insp Interva:
TSSA Recd Tolerance:
TSSA Program Area:
TSSA Program Area 2:
Description:
Original Source: EXP
Record Date: Up to May 2013

Expired Date: 2/18/1994
Max Hazard Rank:
Facility Location:
Facility Type:
Fuel Type 2:
Fuel Type 3:
Panam Related:
Panam Venue Nm:
External Identifier:
Item:
Piping Steel:
Piping Galvanized:
Tank Single Wall St:
Piping Underground:
Tank Underground:
Source:

---

63 | 3 of 7 | NE/234.3 | 58.9 / -3.76 | PIONEER ENERGY MANAGEMENT INC.
355 ST PATRICK ST
OTTAWA ON | DTNK

Delisted Expired Fuel Safety

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Facilities

Instance No:	11453438	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	
Instance ID:	84854	***Facility Location:***	
Instance Type:	FS Piping	***Facility Type:***	
Instance Creation Dt:		***Fuel Type 2:***	
Instance Install Dt:		***Fuel Type 3:***	
Item Description:		***Panam Related:***	
Manufacturer:		***Panam Venue Nm:***	
Model:		***External Identifier:***	
Serial No:		***Item:***	
ULC Standard:		***Piping Steel:***	
Quantity:		***Piping Galvanized:***	
Unit of Measure:		***Tank Single Wall St:***	
Overfill Prot Type:		***Piping Underground:***	
Creation Date:		***Tank Underground:***	
Next Periodic Str DT:		***Source:***	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:	FS Piping		
Original Source:	EXP		
Record Date:	Up to Mar 2012		

63	***4 of 7***	***NE/234.3***	***58.9 / -3.76***	***PIONEER ENERGY MANAGEMENT INC*** ***355 ST PATRICK ST OTTAWA K1N 5K6 ON CA*** ***ON***	***DTNK***

Delisted Expired Fuel Safety Facilities

Instance No:	11312453	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	***Fuel Type 2:***	NULL
Instance Install Dt:	10/2/1989	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL
Model:	NULL	***External Identifier:***	NULL
Serial No:	NULL	***Item:***	
ULC Standard:	NULL	***Piping Steel:***	
Quantity:	1	***Piping Galvanized:***	
Unit of Measure:	EA	***Tank Single Wall St:***	
Overfill Prot Type:	NULL	***Piping Underground:***	
Creation Date:	7/5/2009 1:24:40 AM	***Tank Underground:***	
Next Periodic Str DT:	NULL	***Source:***	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		

TSSA Recd Tolerance:	NULL
TSSA Program Area:	NULL
TSSA Program Area 2:	NULL
Description:	TANKS REMOVED NOVEMBER 1996
Original Source:	EXP
Record Date:	31-JUL-2020

---

63 ***5 of 7*** ***NE/234.3*** ***58.9 / -3.76*** ***PIONEER ENERGY MANAGEMENT INC*** ***DTNK***
355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
ON

Delisted Expired Fuel Safety Facilities

Instance No:	11312430	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	***Fuel Type 2:***	NULL
Instance Install Dt:	10/2/1989	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL
Model:	NULL	***External Identifier:***	NULL
Serial No:	NULL	***Item:***	
ULC Standard:	NULL	***Piping Steel:***	
Quantity:	1	***Piping Galvanized:***	
Unit of Measure:	EA	***Tank Single Wall St:***	
Overfill Prot Type:	NULL	***Piping Underground:***	
Creation Date:	7/5/2009 1:24:45 AM	***Tank Underground:***	
Next Periodic Str DT:	NULL	***Source:***	FS Liquid Fuel Tank
TSSA Base Sched Cycle 2:	NULL		
TSSAMax Hazard Rank 1:	NULL		
TSSA Risk Based Periodic Yn:	NULL		
TSSA Volume of Directives:	NULL		
TSSA Periodic Exempt:	NULL		
TSSA Statutory Interval:	NULL		
TSSA Recd Insp Interva:	NULL		
TSSA Recd Tolerance:	NULL		
TSSA Program Area:	NULL		
TSSA Program Area 2:	NULL		
Description:	TANKS REMOVED NOVEMBER 1996		
Original Source:	EXP		
Record Date:	31-JUL-2020		

---

63 ***6 of 7*** ***NE/234.3*** ***58.9 / -3.76*** ***PIONEER ENERGY MANAGEMENT INC*** ***DTNK***
355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
ON

Delisted Expired Fuel Safety Facilities

Instance No:	11312471	***Expired Date:***	
Status:	EXPIRED	***Max Hazard Rank:***	NULL
Instance ID:		***Facility Location:***	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
Instance Type:		***Facility Type:***	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	***Fuel Type 2:***	NULL
Instance Install Dt:	10/2/1989	***Fuel Type 3:***	NULL
Item Description:	FS Liquid Fuel Tank	***Panam Related:***	NULL
Manufacturer:	NULL	***Panam Venue Nm:***	NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:24:45 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank

TSSA Base Sched Cycle 2:	NULL
TSSAMax Hazard Rank 1:	NULL
TSSA Risk Based Periodic Yn:	NULL
TSSA Volume of Directives:	NULL
TSSA Periodic Exempt:	NULL
TSSA Statutory Interval:	NULL
TSSA Recd Insp Interva:	NULL
TSSA Recd Tolerance:	NULL
TSSA Program Area:	NULL
TSSA Program Area 2:	NULL
Description:	TANKS REMOVED NOVEMBER 1996
Original Source:	EXP
Record Date:	31-JUL-2020

63	7 of 7	NE/234.3	58.9 / -3.76	**PIONEER ENERGY MANAGEMENT INC** **355 ST PATRICK ST OTTAWA K1N 5K6 ON CA** **ON**	DTNK

Delisted Expired Fuel Safety Facilities

Instance No:	10907447	**Expired Date:**	
Status:	EXPIRED	**Max Hazard Rank:**	NULL
Instance ID:		**Facility Location:**	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA
Instance Type:		**Facility Type:**	FS LIQUID FUEL TANK
Instance Creation Dt:	10/2/1989	**Fuel Type 2:**	NULL
Instance Install Dt:	10/2/1989	**Fuel Type 3:**	NULL
Item Description:	FS Liquid Fuel Tank	**Panam Related:**	NULL
Manufacturer:	NULL	**Panam Venue Nm:**	NULL
Model:	NULL	**External Identifier:**	NULL
Serial No:	NULL	**Item:**	
ULC Standard:	NULL	**Piping Steel:**	
Quantity:	1	**Piping Galvanized:**	
Unit of Measure:	EA	**Tank Single Wall St:**	
Overfill Prot Type:	NULL	**Piping Underground:**	
Creation Date:	7/5/2009 1:22:10 AM	**Tank Underground:**	
Next Periodic Str DT:	NULL	**Source:**	FS Liquid Fuel Tank

TSSA Base Sched Cycle 2:	NULL
TSSAMax Hazard Rank 1:	NULL
TSSA Risk Based Periodic Yn:	NULL
TSSA Volume of Directives:	NULL
TSSA Periodic Exempt:	NULL
TSSA Statutory Interval:	NULL
TSSA Recd Insp Interva:	NULL
TSSA Recd Tolerance:	NULL
TSSA Program Area:	NULL
TSSA Program Area 2:	NULL
Description:	TANKS REMOVED NOVEMBER 1996
Original Source:	EXP
Record Date:	31-JUL-2020

64	1 of 4	NE/234.4	58.9 / -3.76	**PIONEER ENERGY MANAGEMENT INC** **355 ST PATRICK ST OTTAWA K1N 5K6 ON CA**	FST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ON	

Instance No:	11312430	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1974	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	18100	**No Underground:**	
Tank Material:	Steel	**Panam Related:**	
Corrosion Protect:	Impressed Current	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	PIONEER ENERGY MANAGEMENT INC
Item:	FS LIQUID FUEL TANK

64	*2 of 4*	*NE/234.4*	*58.9 / -3.76*	***PIONEER ENERGY MANAGEMENT INC*** ***355 ST PATRICK ST OTTAWA K1N 5K6 ON CA*** ***ON***	***FST***

Instance No:	11312471	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1974	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	18100	**No Underground:**	
Tank Material:	Steel	**Panam Related:**	
Corrosion Protect:	Impressed Current	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	PIONEER ENERGY MANAGEMENT INC
Item:	FS LIQUID FUEL TANK

64	*3 of 4*	*NE/234.4*	*58.9 / -3.76*	***PIONEER ENERGY MANAGEMENT INC*** ***355 ST PATRICK ST OTTAWA K1N 5K6 ON CA***	***FST***

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ON	

Instance No:	11312453	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1974	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	18100	**No Underground:**	
Tank Material:	Steel	**Panam Related:**	
Corrosion Protect:	Impressed Current	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	PIONEER ENERGY MANAGEMENT INC
Item:	FS LIQUID FUEL TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
64	4 of 4	NE/234.4	58.9 / -3.76	PIONEER ENERGY MANAGEMENT INC 355 ST PATRICK ST OTTAWA K1N 5K6 ON CA ON	FST

Instance No:	10907447	**Manufacturer:**	
Status:		**Serial No:**	
Cont Name:		**Ulc Standard:**	
Instance Type:		**Quantity:**	
Item:		**Unit of Measure:**	
Item Description:	FS Liquid Fuel Tank	**Fuel Type:**	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	**Fuel Type2:**	NULL
Install Date:	10/2/1989	**Fuel Type3:**	NULL
Install Year:	1974	**Piping Steel:**	
Years in Service:		**Piping Galvanized:**	
Model:	NULL	**Tanks Single Wall St:**	
Description:		**Piping Underground:**	
Capacity:	18100	**No Underground:**	
Tank Material:	Steel	**Panam Related:**	
Corrosion Protect:	Impressed Current	**Panam Venue:**	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	355 ST PATRICK ST OTTAWA K1N 5K6 ON CA		

Liquid Fuel Tank Details

Overfill Protection:	
Owner Account Name:	PIONEER ENERGY MANAGEMENT INC
Item:	FS LIQUID FUEL TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
65	1 of 5	S/237.1	64.9 / 2.24	Market Square Inn Limited Partnership 350 Dalhousie	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				Ottawa ON	

Generator No: ON8584964
SIC Code: 721111
SIC Description: Hotels
Approval Years: 2012
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

---

65 **2 of 5** **S/237.1** **64.9 / 2.24**

Market Square Inn Limited Partnership
350 Dalhousie
Ottawa ON

GEN

Generator No: ON8584964
SIC Code: 721111
SIC Description: HOTELS
Approval Years: 2013
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

---

65 **3 of 5** **S/237.1** **64.9 / 2.24**

Market Square Inn Limited Partnership
350 Dalhousie
Ottawa ON K1N 7E9

GEN

Generator No: ON8584964
SIC Code: 721111
SIC Description: HOTELS
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin: Isabelle Rosa
Choice of Contact: CO_OFFICIAL
Phone No Admin: 613-241-1000 Ext.507
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

---

65 **4 of 5** **S/237.1** **64.9 / 2.24**

Market Square Inn Limited Partnership
350 Dalhousie
Ottawa ON K1N 7E9

GEN

Generator No: ON8584964
SIC Code: 721111
SIC Description: HOTELS
Approval Years: 2014
PO Box No:
Country: Canada

Status:
Co Admin: Isabelle Rosa
Choice of Contact: CO_OFFICIAL
Phone No Admin: 613-241-1000 Ext.507
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 212
Waste Class Desc: ALIPHATIC SOLVENTS

---

65 **5 of 5** **S/237.1** **64.9 / 2.24**

Clean Water Works Inc.
350 Dalhousie St.

SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				Ottawa ON	

Ref No:	4014-ALXQ8V	**Discharger Report:**	
Site No:		**Material Group:**	
Incident Dt:	5/1/2017	**Health/Env Conseq:**	2 - Minor Environment
Year:		**Client Type:**	Corporation
Incident Cause:		**Sector Type:**	Miscellaneous Industrial
Incident Event:	Operator/Human error	**Agency Involved:**	
Contaminant Code:	36	**Nearest Watercourse:**	
Contaminant Name:	GASEOUS FUMES (N.O.S)	**Site Address:**	350 Dalhousie St.
Contaminant Limit 1:		**Site District Office:**	Ottawa
Contam Limit Freq 1:		**Site Postal Code:**	
Contaminant UN No 1:	n/a	**Site Region:**	Eastern
Environment Impact:		**Site Municipality:**	Ottawa
Nature of Impact:		**Site Lot:**	
Receiving Medium:		**Site Conc:**	
Receiving Env:	Air	**Northing:**	5030769.45
MOE Response:		**Easting:**	445963.26
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	5/1/2017	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	
Incident Reason:	Operator/Human Error	**Source Type:**	Other

Site Name: Courtyard Marriott Hotel<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Clean Waterworks: Chlorine Gas Release - Completed/Cleaning
Contaminant Qty: 0 other - see incident description

66	1 of 1	SE/238.6	61.8 / -0.79	380 cumberland st. Ottawa ON	WWIS

Well ID:	7354064	**Data Entry Status:**	
Construction Date:		**Data Src:**	
Primary Water Use:	Test Hole	**Date Received:**	2/19/2020
Sec. Water Use:	Monitoring	**Selected Flag:**	TRUE
Final Well Status:	Monitoring and Test Hole	**Abandonment Rec:**	
Water Type:		**Contractor:**	7241
Casing Material:		**Form Version:**	7
Audit No:	Z324451	**Owner:**	
Tag:	A282388	**Street Name:**	380 cumberland st.
Construction Method:		**County:**	OTTAWA
Elevation (m):		**Municipality:**	NEPEAN TOWNSHIP
Elevation Reliability:		**Site Info:**	
Depth to Bedrock:		**Lot:**	
Well Depth:		**Concession:**	
Overburden/Bedrock:		**Concession Name:**	
Pump Rate:		**Easting NAD83:**	
Static Water Level:		**Northing NAD83:**	
Flowing (Y/N):		**Zone:**	
Flow Rate:		**UTM Reliability:**	
Clear/Cloudy:			

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2019/12/20
Year Completed: 2019
Depth (m): 4.8768
Latitude: 45.4290958393535
Longitude: -75.6887459845139
Path:

Bore Hole Information

Bore Hole ID:	1008180806	***Elevation:***	
DP2BR:		***Elevrc:***	
Spatial Status:		***Zone:***	18
Code OB:		***East83:***	446123.00
Code OB Desc:		***North83:***	5030850.00
Open Hole:		***Org CS:***	UTM83
Cluster Kind:		***UTMRC:***	4
Date Completed:	20-Dec-2019 00:00:00	***UTMRC Desc:***	margin of error : 30 m - 100 m
Remarks:		***Location Method:***	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1008250906
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	27
Most Common Material:	OTHER
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	0.0
Formation End Depth:	1.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1008250909
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	34
Most Common Material:	TILL
Mat2:	12
Mat2 Desc:	STONES
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	6.0
Formation End Depth:	16.0
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	1008250908
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY

Mat2: 06
Mat2 Desc: SILT
Mat3: 28
Mat3 Desc: SAND
Formation Top Depth: 2.0
Formation End Depth: 6.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1008250907
Layer: 2
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2: 09
Mat2 Desc: MEDIUM SAND
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 1.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1008251873
Layer: 3
Plug From: 5.0
Plug To: 16.0
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1008251872
Layer: 2
Plug From: 1.0
Plug To: 5.0
Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 1008251871
Layer: 1
Plug From: 0.0
Plug To: 1.0
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 1008253168
Method Construction Code: 7
Method Construction: Diamond
Other Method Construction:

Method of Construction & Well

Use

Method Construction ID: 1008253167
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1008249868
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1008253508
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0.0
Depth To: 6.0
Casing Diameter: 1.3799999952316284
Casing Diameter UOM: Inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1008253859
Layer: 1
Slot: 10
Screen Top Depth: 6.0
Screen End Depth: 16.0
Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.659999966621399

Results of Well Yield Testing

Pump Test ID: 1008254201
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method: 0
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1008252791
Diameter: 2.875
Depth From: 0.0

Depth To: 14.0
Hole Depth UOM: ft
Hole Diameter UOM: Inch

Hole Diameter

Hole ID: 1008252792
Diameter: 2.375
Depth From: 14.0
Depth To: 16.0
Hole Depth UOM: ft
Hole Diameter UOM: Inch

---

67 **1 of 3** **SE/241.8** **61.8 / -0.79** **Ottawa Community Housing**
380 Cumberland Street
Ottawa ON K1N 1J8
GEN

Generator No: ON4053253
SIC Code:
SIC Description:
Approval Years: As of Oct 2019
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

---

67 **2 of 3** **SE/241.8** **61.8 / -0.79** **Regional Elevator**
380 Cumberland
Ottawa ON K1S 0S8
GEN

Generator No: ON5259565
SIC Code:
SIC Description:
Approval Years: As of Jan 2021
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

---

67 **3 of 3** **SE/241.8** **61.8 / -0.79** **Jemcor Elevating Inc - 380**
380 Cumberland St
Ottawa ON K1N 9P3
GEN

Generator No: ON2593915
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada
Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252 L
Waste Class Desc: Waste crankcase oils and lubricants

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
68	1 of 1	ENE/245.8	59.9 / -2.76	City of Ottawa King Edward Ave and Murray St Ottawa ON	SPL

Ref No: 6881-98ENW7
Site No:
Incident Dt: 06-JUN-13
Year:
Incident Cause: Unknown / N/A
Incident Event:
Contaminant Code: 24
Contaminant Name: GLYCOL/WATER SOLUTION
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact: Soil Contamination
Receiving Medium:
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 06-JUN-13
Dt Document Closed:
Incident Reason: Unknown / N/A
Site Name: Intersection<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Ottawa: MVC 1L Glycol to grnd
Contaminant Qty: 1 L

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Motor Vehicle
Agency Involved:
Nearest Watercourse:
Site Address: King Edward Ave and Murray St
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Watercourse Spills
Source Type:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
69	1 of 8	SE/246.6	62.9 / 0.27	SALVATION ARMY, THE 171 GEORGE ST. OTTAWA ON K1N 5W5	GEN

Generator No: ON0967402
SIC Code: 8329
SIC Description: OTHER PROTECT. SERV.
Approval Years: 90
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
69	2 of 8	SE/246.6	62.9 / 0.27	SALVATION ARMY, THE 35-445 171 GEORGE ST. OTTAWA ON K1N 5W5	GEN

Generator No: ON0967402
SIC Code: 8329
SIC Description: OTHER PROTECT. SERV.
Approval Years: 92,93,94,95,96,97,98
PO Box No:
Country:

Status:
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 221

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Waste Class Desc: LIGHT FUELS

---

69 | ***3 of 8*** | ***SE/246.6*** | ***62.9 / 0.27*** | ***The Salvation Army Booth Centre*** | ***GEN***
171 George Street
Ottawa ON K1N 5W5

Generator No:	ON9715693	***Status:***	
SIC Code:	624230	***Co Admin:***	
SIC Description:	Emergency and Other Relief Services	***Choice of Contact:***	
Approval Years:	05	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:		***MHSW Facility:***	

Detail(s)

Waste Class: 243
Waste Class Desc: PCB'S

---

69 | ***4 of 8*** | ***SE/246.6*** | ***62.9 / 0.27*** | ***Salvation Army of Canada*** | ***GEN***
171 George street
Ottawa ON K1Z 8K9

Generator No:	ON5107996	***Status:***	
SIC Code:	624220	***Co Admin:***	
SIC Description:	624220	***Choice of Contact:***	CO_OFFICIAL
Approval Years:	2016	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	No
Country:	Canada	***MHSW Facility:***	No

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

---

69 | ***5 of 8*** | ***SE/246.6*** | ***62.9 / 0.27*** | ***Salvation Army of Canada*** | ***GEN***
171 George street
Ottawa ON K1Z 8K9

Generator No:	ON5107996	***Status:***	
SIC Code:	624220	***Co Admin:***	
SIC Description:	624220	***Choice of Contact:***	CO_OFFICIAL
Approval Years:	2015	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	No
Country:	Canada	***MHSW Facility:***	No

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

---

69 | ***6 of 8*** | ***SE/246.6*** | ***62.9 / 0.27*** | ***Salvation Army of Canada Ottawa Booth centre*** | ***GEN***
171 George street
Ottawa ON K1Z 8K9

Generator No:	ON5107996	***Status:***	Registered
SIC Code:		***Co Admin:***	
SIC Description:		***Choice of Contact:***	
Approval Years:	As of Dec 2018	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:	Canada	***MHSW Facility:***	

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

69 ***7 of 8*** ***SE/246.6*** ***62.9 / 0.27*** ***Salvation Army of Canada Ottawa Booth centre*** ***GEN***
171 George street
Ottawa ON K1Z 8K9

Generator No: ON5107996
SIC Code:
SIC Description:
Approval Years: As of Jul 2020
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

69 ***8 of 8*** ***SE/246.6*** ***62.9 / 0.27*** ***Salvation Army of Canada Ottawa Booth centre*** ***GEN***
171 George street
Ottawa ON K1Z 8K9

Generator No: ON5107996
SIC Code:
SIC Description:
Approval Years: As of Nov 2021
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 251 L
Waste Class Desc: Waste oils/sludges (petroleum based)

---

70 ***1 of 1*** ***N/246.7*** ***58.6 / -4.07*** ***209 GUIGUES AVENUE*** ***WWIS***
Ottawa ON

Well ID: 7269080
Construction Date:
Primary Water Use: Monitoring and Test Hole
Sec. Water Use: 0
Final Well Status: Monitoring and Test Hole
Water Type:
Casing Material:
Audit No: Z222499
Tag: A191205
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 8/17/2016
Selected Flag: TRUE
Abandonment Rec:
Contractor: 7241
Form Version: 7
Owner:
Street Name: 209 GUIGUES AVENUE
County: OTTAWA
Municipality: NEPEAN TOWNSHIP
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/07/08
Year Completed: 2016
Depth (m): 3.75
Latitude: 45.432861725093
Longitude: -75.6911697147093
Path:

Bore Hole Information

Bore Hole ID: 1006218971
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 08-Jul-2016 00:00:00
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83: 445937.00
North83: 5031270.00
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock Materials Interval

Formation ID: 1006224304
Layer: 3
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 2.440000057220459
Formation End Depth: 3.75
Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1006224302
Layer: 1
Color: 6
General Color: BROWN
Mat1: 11
Most Common Material: GRAVEL
Mat2: 28
Mat2 Desc: SAND
Mat3: 68
Mat3 Desc: DRY
Formation Top Depth: 0.0
Formation End Depth: 1.2200000286102295

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1006224303
Layer: 2
Color: 2
General Color: GREY
Mat1: 06
Most Common Material: SILT
Mat2: 05
Mat2 Desc: CLAY
Mat3: 85
Mat3 Desc: SOFT
Formation Top Depth: 1.2200000286102295
Formation End Depth: 2.440000057220459
Formation End Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1006224312
Layer: 1
Plug From: 0.0
Plug To: 0.3100000023841858
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1006224314
Layer: 3
Plug From: 0.75
Plug To: 3.75
Plug Depth UOM: m

Annular Space/Abandonment Sealing Record

Plug ID: 1006224313
Layer: 2
Plug From: 0.3100000023841858
Plug To: 0.75
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1006224311
Method Construction Code: D
Method Construction: Direct Push
Other Method Construction:

Pipe Information

Pipe ID: 1006224301
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID:	1006224307
Layer:	1
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	0.0
Depth To:	0.75
Casing Diameter:	3.450000047683716
Casing Diameter UOM:	cm
Casing Depth UOM:	m

Construction Record - Screen

Screen ID:	1006224308
Layer:	1
Slot:	10
Screen Top Depth:	0.75
Screen End Depth:	3.75
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.210000038146973

Water Details

Water ID:	1006224306
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

Hole Diameter

Hole ID:	1006224305
Diameter:	5.710000038146973
Depth From:	0.0
Depth To:	3.75
Hole Depth UOM:	m
Hole Diameter UOM:	cm

71	*1 of 1*	*WSW/247.2*	*63.2 / 0.55*	***PRIVATE OWNER*** ***LOW RATE PUBLIC PARKING LOT AT 85 MURRAY ST. MOTOR VEHICLE (OPERATING FLUID)*** ***OTTAWA CITY ON K1N 5M5***	*SPL*

Ref No:	65747	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	1/3/1992	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:	OTHER CONTAINER LEAK	***Sector Type:***	
Incident Event:		***Agency Involved:***	
Contaminant Code:		***Nearest Watercourse:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	20101
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND / AIR	***Site Conc:***	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB

Receiving Env:		**Northing:**	
MOE Response:		**Easting:**	WORKS, FD, MOE
Dt MOE Arvl on Scn:		**Site Geo Ref Accu:**	
MOE Reported Dt:	1/3/1992	**Site Map Datum:**	
Dt Document Closed:		**SAC Action Class:**	
Incident Reason:	UNKNOWN	**Source Type:**	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	UNKNOWN QUANTITY OF GASOLINE TO PARKING LOT FROM UNKNOWN PRIVATE CAR.		
Contaminant Qty:			

72	1 of 1	NNE/249.2	58.9 / -3.76	208 KING EDWARD AVENUE OTTAWA ON K1N 7L7	HINC

External File Num:	FS INC 0706-02756
Fuel Occurrence Type:	Pipeline Strike
Date of Occurrence:	5/15/2007
Fuel Type Involved:	Natural Gas
Status Desc:	Completed - Causal Analysis(End)
Job Type Desc:	Incident/Near-Miss Occurrence (FS)
Oper. Type Involved:	Construction Site (pipeline strike)
Service Interruptions:	Yes
Property Damage:	Yes
Fuel Life Cycle Stage:	Transmission, Distribution and Transportation
Root Cause:	Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training: Yes Management:Yes Human Factors:Yes
Reported Details:	
Fuel Category:	Gaseous Fuel
Occurrence Type:	Incident
Affiliation:	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)
County Name:	Ottawa
Approx. Quant. Rel:	
Nearby body of water:	
Enter Drainage Syst.:	
Approx. Quant. Unit:	
Environmental Impact:	

Unplottable Summary

Total: 54 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	City of Ottawa	King Edward Avenue	Ottawa ON	
CA	Clean Water Works Inc.		Ottawa ON	
CA	Clean Water Works Inc.		Ottawa ON	
CA	City of Ottawa	King Edward Ave	Ottawa ON	
CA	City of Ottawa	King Edward Ave	Ottawa ON	
CA	City of Ottawa	St. Patrick Street	Ottawa ON	
CA	Claridge Homes (Trim Rd) Inc.	Part 1, RP 4R-22747	Ottawa ON	
CA	Clean Water Works Inc.		Ottawa ON	
CA	Clean Water Works Inc.		Ottawa ON	
CA	Claridge Homes (Strandherd) Inc.		Ottawa ON	
CA	Claridge Homes (Cooper St) Inc.		Ottawa ON	
CA	Claridge Homes (Church St.) Inc.		Ottawa ON	
CA	Claridge Homes (Trim Rd) Inc.	Part 1, RP 4R-22747	Ottawa ON	
CA	City of Ottawa	Cumber land Street, George Street and York Street	Ottawa ON	
CA	City of Ottawa	King Edward Avenue (from King Edward Avenue to MacDonald Cartier Bridge)	Ottawa ON	
CA	Claridge Homes (Carson) Inc.		Ottawa ON	
CA	Claridge Homes (Carson) Inc.		Ottawa ON	
CA	Clean Water Works Inc.	Mobile Unit	Ottawa ON	

CA	Claridge Homes (River Road) Inc.	Part 1, Ward 22, Former Geographic Township of Gloucester	Ottawa ON	
CA	OTTAWA CITY	GUIGUES STREET	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON TRANSPORTATION D	MURRAY ST. PT. LOTS 1-32	OTTAWA CITY ON	
CA	OTTAWA CITY	GUIGUES STREET	OTTAWA CITY ON	
CA	OTTAWA CITY-PT.LOT LETTER 'O', CONC.C&D	KING EDWARD AVENUE	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON	YORK STREET	OTTAWA CITY ON	
CA	R.M. OF OTTAWA-CARLETON TRANSPORTATION D	MURRAY ST. PT. LOTS 1-32	OTTAWA CITY ON	
CA	OTTAWA CITY	YORK ST.	OTTAWA CITY ON	
CA	City of Ottawa	St. Patrick Street	Ottawa ON	
CA	OTTAWA CITY	GUIGUES ST.	OTTAWA CITY ON	
ECA	Claridge Homes (River Road) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Cedarview) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (River Road) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Conroy Rd) Inc.	Part 5, Ref Plan 4R-24919	Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Conroy Rd) Inc.	Part 5, Ref Plan 4R-24919	Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Carson) Inc.		Ottawa ON	K2P 0Y6
ECA	Clean Water Works Inc.	Mobile Unit	Ottawa ON	K1B 5L6
ECA	Claridge Homes (Clarion Hills) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (River Road) Inc.	Part 1, Ward 22, Former Geographic Township of Gloucester	Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Clarion Hills) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Rockcliffe Mews) Inc.		Ottawa ON	K2P 0Y6
ECA	Claridge Homes (Rockcliffe Mews) Inc.		Ottawa ON	K2P 0Y6

GEN	canadian national institute of health	LINCOLN FIELDS SHOPPING CENTRE	OTTAWA ON	K2B 7Z2
GEN	canadian national institute of health	LINCOLN FIELDS SHOPPING CENTRE	OTTAWA ON	K2B 7Z2
GEN	canadian national institute of health	LINCOLN FIELDS SHOPPING CENTRE	OTTAWA ON	K2B 7Z2
GEN	canadian national institute of health	LINCOLN FIELDS SHOPPING CENTRE	OTTAWA ON	K2B 7Z2
PTTW	Claridge Homes (Leitrim) Inc.		ON	
PTTW	Claridge Homes (Bruyere) Inc.		ON	
RSC	CLARIDGE HOMES (CARSON) INC.	No Municipal Address	Ottawa ON	
RST	OIL CHANGERS		OTTAWA ON	K1G 4Z4
SPL	Clean Water Works Inc.		Ottawa ON	
SPL	s.21<UNOFFICIAL>		Ottawa ON	
SPL	s.21<UNOFFICIAL>		Ottawa ON	
SPL	SUNOCO	ST. PATRICK STREET SUNOCO SERVICE STN. TANK TRUCK (CARGO)	OTTAWA CITY ON	
SPL	Waste Management of Canada Corporation	DALHOUSIE STREET BETWEEN BESSERER AND YORK<UNOFFICIAL>	Ottawa ON	
SPL	PRIVATE OWNER	KING EDWARD AVE. NORTH OF RIDEAU. MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	

Unplottable Report

Site: ***City of Ottawa***
King Edward Avenue Ottawa ON

Database: ***CA***

Certificate #: 1054-6RMQZT
Application Year: 2006
Issue Date: 7/14/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Clean Water Works Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 3664-6GGPRM
Application Year: 2006
Issue Date: 1/20/2006
Approval Type: Waste Management Systems
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Clean Water Works Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 3664-6GGPRM
Application Year: 2005
Issue Date: 10/3/2005
Approval Type: Waste Management Systems
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
King Edward Ave Ottawa ON

Database: ***CA***

Certificate #: 4043-7PUT48
Application Year: 2009

Issue Date: 4/8/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
King Edward Ave Ottawa ON

Database: ***CA***

Certificate #: 4067-7EPJYC
Application Year: 2008
Issue Date: 5/16/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
St. Patrick Street Ottawa ON

Database: ***CA***

Certificate #: 4512-5JXSXU
Application Year: 2003
Issue Date: 2/21/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Trim Rd) Inc.***
Part 1, RP 4R-22747 Ottawa ON

Database: ***CA***

Certificate #: 5372-835QP7
Application Year: 2010
Issue Date: 4/15/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Clean Water Works Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 6489-6GTPNX
Application Year: 2005
Issue Date: 10/5/2005
Approval Type: Waste Management Systems
Status: Revoked and/or Replaced
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Clean Water Works Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 6489-6GTPNX
Application Year: 2006
Issue Date: 3/3/2006
Approval Type: Waste Management Systems
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Strandherd) Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 7488-6U9S5E
Application Year: 2006
Issue Date: 10/6/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Cooper St) Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 7666-5SKKLX
Application Year: 2003
Issue Date: 10/23/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

Contaminants:
Emission Control:

Site: ***Claridge Homes (Church St.) Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 7739-5NWLL5
Application Year: 2003
Issue Date: 6/27/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Trim Rd) Inc.***
Part 1, RP 4R-22747 Ottawa ON

Database: ***CA***

Certificate #: 7972-7ZQPXH
Application Year: 2010
Issue Date: 1/18/2010
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
Cumber land Street, George Street and York Street Ottawa ON

Database: ***CA***

Certificate #: 8267-6MWM8M
Application Year: 2006
Issue Date: 3/17/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
King Edward Avenue (from King Edward Avenue to MacDonald Cartier Bridge) Ottawa ON

Database: ***CA***

Certificate #: 8343-6CWHXZ
Application Year: 2005
Issue Date: 6/1/2005
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Carson) Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 8697-6Z5TCD
Application Year: 2007
Issue Date: 4/17/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (Carson) Inc.***
Ottawa ON

Database: ***CA***

Certificate #: 9611-7PUSMB
Application Year: 2009
Issue Date: 3/9/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Clean Water Works Inc.***
Mobile Unit Ottawa ON

Database: ***CA***

Certificate #: 9392-8HTPQD
Application Year: 2011
Issue Date: 10/25/2011
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (River Road) Inc.***
Part 1, Ward 22, Former Geographic Township of Gloucester Ottawa ON

Database: ***CA***

Certificate #: 6127-8MQRRK

Application Year: 2011
Issue Date: 10/20/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***OTTAWA CITY***
GUIGUES STREET OTTAWA CITY ON

Database: ***CA***

Certificate #: 3-0491-89-
Application Year: 89
Issue Date: 4/4/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***R.M. OF OTTAWA-CARLETON TRANSPORTATION D***
MURRAY ST. PT. LOTS 1-32 OTTAWA CITY ON

Database: ***CA***

Certificate #: 7-0328-90-
Application Year: 90
Issue Date: 3/15/1990
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***OTTAWA CITY***
GUIGUES STREET OTTAWA CITY ON

Database: ***CA***

Certificate #: 7-0433-89-
Application Year: 89
Issue Date: 4/4/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***OTTAWA CITY-PT.LOT LETTER 'O', CONC.C&D***
KING EDWARD AVENUE OTTAWA CITY ON

Database: ***CA***

Certificate #: 7-1467-91-
Application Year: 91
Issue Date: 12/2/1991
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***R.M. OF OTTAWA-CARLETON***
YORK STREET OTTAWA CITY ON

Database: ***CA***

Certificate #: 7-1207-89-
Application Year: 89
Issue Date: 7/28/1989
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***R.M. OF OTTAWA-CARLETON TRANSPORTATION D***
MURRAY ST. PT. LOTS 1-32 OTTAWA CITY ON

Database: ***CA***

Certificate #: 3-0404-90-
Application Year: 90
Issue Date: 3/15/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***OTTAWA CITY***
YORK ST. OTTAWA CITY ON

Database: ***CA***

Certificate #: 3-1461-89-
Application Year: 89
Issue Date: 7/28/1989
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:

Project Description:
Contaminants:
Emission Control:

Site: ***City of Ottawa***
St. Patrick Street Ottawa ON

Database: ***CA***

Certificate #: 1985-5YYHED
Application Year: 2004
Issue Date: 5/19/2004
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***OTTAWA CITY***
GUIGUES ST. OTTAWA CITY ON

Database: ***CA***

Certificate #: 3-1217-86-
Application Year: 86
Issue Date: 8/18/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: ***Claridge Homes (River Road) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 2726-AACLFH
Approval Date: 2016-06-02
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (River Road) Inc.
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3677-AA4KJR-14.pdf
PDF Site Location:

Site: ***Claridge Homes (Cedarview) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 9183-974NHU
Approval Date: 2013-04-30
Status: Approved
Record Type: ECA
Link Source: IDS
MOE District:
City:
Longitude:
Latitude:
Geometry X:

SWP Area Name: ***Geometry Y:***
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (Cedarview) Inc.
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8046-967RNG-14.pdf
PDF Site Location:

Site: ***Claridge Homes (River Road) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 6213-AC9MCQ ***MOE District:***
Approval Date: 2016-08-08 ***City:***
Status: Approved ***Longitude:***
Record Type: ECA ***Latitude:***
Link Source: IDS ***Geometry X:***
SWP Area Name: ***Geometry Y:***
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (River Road) Inc.
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2437-AA4KMK-14.pdf
PDF Site Location:

Site: ***Claridge Homes (Conroy Rd) Inc.***
Part 5, Ref Plan 4R-24919 Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 8569-ACHJMP ***MOE District:***
Approval Date: 2016-08-15 ***City:***
Status: Approved ***Longitude:***
Record Type: ECA ***Latitude:***
Link Source: IDS ***Geometry X:***
SWP Area Name: ***Geometry Y:***
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (Conroy Rd) Inc.
Address: Part 5, Ref Plan 4R-24919
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5294-AA2HTR-14.pdf
PDF Site Location:

Site: ***Claridge Homes (Conroy Rd) Inc.***
Part 5, Ref Plan 4R-24919 Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 7813-AAGP8L ***MOE District:***
Approval Date: 2016-06-02 ***City:***
Status: Approved ***Longitude:***
Record Type: ECA ***Latitude:***
Link Source: IDS ***Geometry X:***
SWP Area Name: ***Geometry Y:***
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (Conroy Rd) Inc.
Address: Part 5, Ref Plan 4R-24919
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7087-AA4KT9-14.pdf
PDF Site Location:

Site: ***Claridge Homes (Carson) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 8741-AU3KP5
Approval Date: 2017-12-20
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (Carson) Inc.
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1645-ATXMXA-14.pdf
PDF Site Location:

Site: ***Clean Water Works Inc.***
Mobile Unit Ottawa ON K1B 5L6

Database: ***ECA***

Approval No: 9392-8HTPQD
Approval Date: 2011-10-25
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-INDUSTRIAL SEWAGE WORKS
Project Type: INDUSTRIAL SEWAGE WORKS
Business Name: Clean Water Works Inc.
Address: Mobile Unit
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3319-8C7KZN-13.pdf
PDF Site Location:

Site: ***Claridge Homes (Clarion Hills) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 1177-4Y4LGJ
Approval Date: 2001-07-05
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (Clarion Hills) Inc.
Address:
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6213-4Y3PCG-14.pdf
PDF Site Location:

Site: ***Claridge Homes (River Road) Inc.***
Part 1, Ward 22, Former Geographic Township of Gloucester Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No: 6127-8MQRRK
Approval Date: 2011-10-20
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: Claridge Homes (River Road) Inc.
Address: Part 1, Ward 22, Former Geographic Township of Gloucester
Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0790-8MJEK8-14.pdf
PDF Site Location:

Site: ***Claridge Homes (Clarion Hills) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No:	4038-4Y4LCL	***MOE District:***	
Approval Date:	2001-07-05	***City:***	
Status:	Approved	***Longitude:***	
Record Type:	ECA	***Latitude:***	
Link Source:	IDS	***Geometry X:***	
SWP Area Name:		***Geometry Y:***	
Approval Type:	ECA-Municipal and Private Water Works		
Project Type:	Municipal and Private Water Works		
Business Name:	Claridge Homes (Clarion Hills) Inc.		
Address:			
Full Address:			
Full PDF Link:			
PDF Site Location:			

Site: ***Claridge Homes (Rockcliffe Mews) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No:	4048-4VFRHS	***MOE District:***	
Approval Date:	2001-04-03	***City:***	
Status:	Approved	***Longitude:***	
Record Type:	ECA	***Latitude:***	
Link Source:	IDS	***Geometry X:***	
SWP Area Name:		***Geometry Y:***	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS		
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS		
Business Name:	Claridge Homes (Rockcliffe Mews) Inc.		
Address:			
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/4768-4VEQD2-14.pdf		
PDF Site Location:			

Site: ***Claridge Homes (Rockcliffe Mews) Inc.***
Ottawa ON K2P 0Y6

Database: ***ECA***

Approval No:	5073-4VFQUZ	***MOE District:***	
Approval Date:	2001-04-03	***City:***	
Status:	Approved	***Longitude:***	
Record Type:	ECA	***Latitude:***	
Link Source:	IDS	***Geometry X:***	
SWP Area Name:		***Geometry Y:***	
Approval Type:	ECA-Municipal and Private Water Works		
Project Type:	Municipal and Private Water Works		
Business Name:	Claridge Homes (Rockcliffe Mews) Inc.		
Address:			
Full Address:			
Full PDF Link:			
PDF Site Location:			

Site: ***canadian national institute of health***
LINCOLN FIELDS SHOPPING CENTRE OTTAWA ON K2B 7Z2

Database: ***GEN***

Generator No:	ON9381082	***Status:***	Registered
SIC Code:		***Co Admin:***	
SIC Description:		***Choice of Contact:***	
Approval Years:	As of Oct 2019	***Phone No Admin:***	
PO Box No:		***Contam. Facility:***	
Country:	Canada	***MHSW Facility:***	

Detail(s)

Waste Class: 264 L
Waste Class Desc: Photoprocessing wastes

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Site: ***canadian national institute of health***
LINCOLN FIELDS SHOPPING CENTRE OTTAWA ON K2B 7Z2

Database: ***GEN***

Generator No: ON9381082
SIC Code:
SIC Description:
Approval Years: As of Dec 2018
PO Box No:
Country: Canada

Status: Registered
Co Admin:
Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 264 L
Waste Class Desc: Photoprocessing wastes

Waste Class: 312 P
Waste Class Desc: Pathological wastes

Site: ***canadian national institute of health***
LINCOLN FIELDS SHOPPING CENTRE OTTAWA ON K2B 7Z2

Database: ***GEN***

Generator No: ON9381082
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS
Approval Years: 2016
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 134
Waste Class Desc: SULPHIDE-CONTAINING WASTES

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Site: ***canadian national institute of health***
LINCOLN FIELDS SHOPPING CENTRE OTTAWA ON K2B 7Z2

Database: ***GEN***

Generator No: ON9381082
SIC Code: 621210
SIC Description: OFFICES OF DENTISTS
Approval Years: 2015
PO Box No:
Country: Canada

Status:
Co Admin:
Choice of Contact: CO_OFFICIAL
Phone No Admin:
Contam. Facility: No
MHSW Facility: No

Detail(s)

Waste Class: 134
Waste Class Desc: SULPHIDE-CONTAINING WASTES

Waste Class: 312
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 264
Waste Class Desc: PHOTOPROCESSING WASTES

Site: ***Claridge Homes (Leitrim) Inc.***
ON

Database: ***PTTW***

EBR Registry No:	011-1598	***Decision Posted:***	
Ministry Ref No:	2138-8AUM2F	***Exception Posted:***	
Notice Type:	Instrument\sDecision	***Section:***	
Notice Stage:		***Act 1:***	
Notice Date:	December\s02,\s2014	***Act 2:***	
Proposal Date:	November\s05,\s2010	***Site Location Map:***	
Year:	2010		
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake\sWater		
Off Instrument Name:			
Posted By:			
Company Name:	Claridge\sHomes\s(Leitrim)\sInc.		
Site Address:			
Location Other:			
Proponent Name:			
Proponent Address:	2001\s210\sGladstone\savenue,\sOttawa\sOntario,\sCanada\sK2P\s0Y6		
Comment Period:			
URL:			

Site Location Details:

Part of Lot 19 Address: Lot: part of 19, Concession: V, Ottawa, City District Office: Ottawa + + + + Part of Lots 17, 18 and 19 Concession V Address: Lot: Part of 17, 18, 19 & 20, Concession: V, Ottawa, City District Office: Ottawa + + + + Part of Lots 17 and 18, Concession V Address: Lot: Part of Lots 17 and 18, Concession: Concession V, Ottawa, City District Office: Ottawa CITY OF OTTAWA

Site: ***Claridge Homes (Bruyere) Inc.***
ON

Database: ***PTTW***

EBR Registry No:	012-3353	***Decision Posted:***	
Ministry Ref No:	0267-9SKPP8	***Exception Posted:***	
Notice Type:	Instrument\sDecision	***Section:***	
Notice Stage:		***Act 1:***	
Notice Date:	February\s03,\s2016	***Act 2:***	
Proposal Date:	January\s09,\s2015	***Site Location Map:***	
Year:	2015		
Instrument Type:	(OWRA\ss.\s34)\s-\sPermit\sto\sTake\sWater		
Off Instrument Name:			
Posted By:			
Company Name:	Claridge\sHomes\s(Bruyere)\sInc.		
Site Address:			
Location Other:			
Proponent Name:			
Proponent Address:	210\sGladstone\savenue,\sSuite\s2001,\sOttawa\sOntario,\sCanada\sK2P\s0Y6		
Comment Period:			
URL:			

Site Location Details:

316-334 Bruyere Street and 317-321 St. Andrew Street Address: 316-334 Bruyere St 316-334 Bruyere Street and 317-321 St. Andrew Street, Ottawa, City District Office: Ottawa GeoReference: Zone: 18, UTM Easting: 446210, UTM Northing: 5031528, , Site #: 0245-9B7NJV CITY OF OTTAWA

Site: ***CLARIDGE HOMES (CARSON) INC.***
No Municipal Address Ottawa ON

Database: ***RSC***

RSC ID:	223098	***Cert Date:***	
RA No:		***Cert Prop Use No:***	
RSC Type:	Phase 1 and 2 RSC	***Intended Prop Use:***	Residential
Curr Property Use:	Agricultural/Other	***Qual Person Name:***	ADRIAN MENYHART
Ministry District:	Ottawa District Office	***Stratified (Y/N):***	
Filing Date:	2017/03/24	***Audit (Y/N):***	
Date Ack:		***Entire Leg Prop. (Y/N):***	
Date Returned:		***Accuracy Estimate:***	

Restoration Type: ***Telephone:***
Soil Type: ***Fax:***
Criteria: ***Email:***
CPU Issued Sect 1686:
Asmt Roll No: 061460021514215
Prop ID No (PIN): 04352-2075 (LT), 04352-2076 (LT), 04352-2077 (LT)
Property Municipal Address: No Municipal Address
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant:
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=76631&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents
Document Name: Plan of Survey - January 2017.pdf
Document Type: A Current plan of Survey
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=76633&fileName=Plan+of+Survey+-+January+2017.pdf

Document Heading: Supporting Documents
Document Name: Transfer.pdf
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=78674&fileName=Transfer.pdf

Document Heading: Supporting Documents
Document Name: Table of Current and Past Uses.pdf
Document Type: Table of Current and Past Property Use
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=76636&fileName=Table+of+Current+and+Past+Uses.pdf

Document Heading: Supporting Documents
Document Name: certificatestatus.pdf
Document Type: Certificate of Status
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=76632&fileName=certificatestatus.pdf

Document Heading: Supporting Documents
Document Name: Phase II CSM Feb 2017.pdf
Document Type: Phase 2 Conceptual Site Model
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=76638&fileName=Phase+II+CSM+Feb+2017.pdf

Document Heading: Supporting Documents
Document Name: APECTable.pdf
Document Type: Area(s) of Potential Environmental Concern
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=78676&fileName=APECTable.pdf

Document Heading: Supporting Documents
Document Name: LawyersLetter.pdf
Document Type: Lawyer's letter consisting of a legal description of the property
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=78675&fileName=LawyersLetter.pdf

---

Site: ***OIL CHANGERS***
OTTAWA ON K1G 4Z4

Database: ***RST***

Headcode: 921430
Headcode Desc: Oil Changes & Lubrication Service

Phone: 6132258851
List Name:
Description:

Site: ***Clean Water Works Inc.***
Ottawa ON

Database: ***SPL***

Ref No:	6517-B3EKFG	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	2018/08/03	***Health/Env Conseq:***	2 - Minor Environment
Year:		***Client Type:***	Corporation
Incident Cause:		***Sector Type:***	Miscellaneous Industrial
Incident Event:	Leak/Break	***Agency Involved:***	
Contaminant Code:	15	***Nearest Watercourse:***	
Contaminant Name:	HYDRAULIC OIL	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	Ottawa
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:	n/a	***Site Region:***	Eastern
Environment Impact:		***Site Municipality:***	Ottawa
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:	Land	***Northing:***	
MOE Response:	No	***Easting:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	
MOE Reported Dt:	2018/08/07	***Site Map Datum:***	
Dt Document Closed:	2018/09/04	***SAC Action Class:***	Land Spills
Incident Reason:	Equipment Failure	***Source Type:***	Motor Vehicle

Site Name: 20 Marie Curie Drive (University of Ottawa)<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Ottawa 25L of hydraulic oil to grnd
Contaminant Qty: 25 L

Site: ***s.21<UNOFFICIAL>***
Ottawa ON

Database: ***SPL***

Ref No:	3067-BCMQCN	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	5/29/2019	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:		***Sector Type:***	
Incident Event:		***Agency Involved:***	
Contaminant Code:		***Nearest Watercourse:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	Ottawa
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:		***Site Region:***	Eastern
Environment Impact:		***Site Municipality:***	Ottawa
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
MOE Response:	Yes	***Easting:***	
Dt MOE Arvl on Scn:	6/3/2019	***Site Geo Ref Accu:***	
MOE Reported Dt:	5/29/2019	***Site Map Datum:***	
Dt Document Closed:		***SAC Action Class:***	
Incident Reason:		***Source Type:***	

Site Name: s.21 3155 Lafleur Road Sarsfield, Ontario<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Caller Report Liquid Manure Entering Hickenbottom
Contaminant Qty:

Site: ***s.21<UNOFFICIAL>***
Ottawa ON

Database: ***SPL***

Ref No:	6853-BCWJ5N	***Discharger Report:***	
Site No:	NA	***Material Group:***	
Incident Dt:	5/25/2019	***Health/Env Conseq:***	2 - Minor Environment
Year:		***Client Type:***	Individual
Incident Cause:		***Sector Type:***	
Incident Event:		***Agency Involved:***	
Contaminant Code:	25	***Nearest Watercourse:***	
Contaminant Name:	PESTICIDE N.O.S.	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	Ottawa
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:	n/a	***Site Region:***	Eastern
Environment Impact:		***Site Municipality:***	Ottawa
Nature of Impact:		***Site Lot:***	
Receiving Medium:		***Site Conc:***	
Receiving Env:		***Northing:***	
MOE Response:	No	***Easting:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	
MOE Reported Dt:	6/7/2019	***Site Map Datum:***	
Dt Document Closed:		***SAC Action Class:***	
Incident Reason:		***Source Type:***	

Site Name: 508 Acceptance Place (impacted property) - Agricultural application across street<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Agricultural Drift Complaint
Contaminant Qty:

Site: ***SUNOCO***
ST. PATRICK STREET SUNOCO SERVICE STN. TANK TRUCK (CARGO) OTTAWA CITY ON

Database: ***SPL***

Ref No:	118115	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	9/5/1995	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:	PIPE/HOSE LEAK	***Sector Type:***	
Incident Event:		***Agency Involved:***	
Contaminant Code:		***Nearest Watercourse:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:		***Site Region:***	
Environment Impact:	NOT ANTICIPATED	***Site Municipality:***	20101
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
MOE Response:		***Easting:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	
MOE Reported Dt:	9/5/1995	***Site Map Datum:***	
Dt Document Closed:		***SAC Action Class:***	
Incident Reason:	ERROR	***Source Type:***	

Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: SUNOCO-6L NO LEAD GAS TO GROUND DURING UNLOADING AT SERVICE STATION.
Contaminant Qty:

Site: ***Waste Management of Canada Corporation***
DALHOUSIE STREET BETWEEN BESSERER AND YORK<UNOFFICIAL> Ottawa ON

Database: ***SPL***

Ref No:	5421-6SXKLN	***Discharger Report:***	
Site No:		***Material Group:***	Oils
Incident Dt:	8/23/2006	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:	Other Discharges	***Sector Type:***	Other Motor Vehicle
Incident Event:		***Agency Involved:***	
Contaminant Code:	15	***Nearest Watercourse:***	
Contaminant Name:	MOTOR OIL	***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	Ottawa

Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:		***Site Region:***	
Environment Impact:	Not Anticipated	***Site Municipality:***	Ottawa
Nature of Impact:	Soil Contamination	***Site Lot:***	
Receiving Medium:	Land	***Site Conc:***	
Receiving Env:		***Northing:***	
MOE Response:		***Easting:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	
MOE Reported Dt:	8/23/2006	***Site Map Datum:***	
Dt Document Closed:		***SAC Action Class:***	
Incident Reason:		***Source Type:***	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Waste Management: ~30 L motor oil from truck on Dalhousie St		
Contaminant Qty:	30 L		

Site: ***PRIVATE OWNER***
KING EDWARD AVE. NORTH OF RIDEAU. MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Database: ***SPL***

Ref No:	27499	***Discharger Report:***	
Site No:		***Material Group:***	
Incident Dt:	11/7/1989	***Health/Env Conseq:***	
Year:		***Client Type:***	
Incident Cause:	OTHER CONTAINER LEAK	***Sector Type:***	
Incident Event:		***Agency Involved:***	
Contaminant Code:		***Nearest Watercourse:***	
Contaminant Name:		***Site Address:***	
Contaminant Limit 1:		***Site District Office:***	
Contam Limit Freq 1:		***Site Postal Code:***	
Contaminant UN No 1:		***Site Region:***	
Environment Impact:		***Site Municipality:***	20101
Nature of Impact:		***Site Lot:***	
Receiving Medium:	LAND	***Site Conc:***	
Receiving Env:		***Northing:***	
MOE Response:		***Easting:***	
Dt MOE Arvl on Scn:		***Site Geo Ref Accu:***	
MOE Reported Dt:	11/7/1989	***Site Map Datum:***	
Dt Document Closed:		***SAC Action Class:***	
Incident Reason:	GASKET/JOINT	***Source Type:***	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	A.F.WHITE TRANSPORT TRUCK-SMALL QUANTITY OF TRANSMISSION FLUID TO GRD		
Contaminant Qty:			

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ***Note:*** *Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory: Provincial AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory: Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System: Provincial AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites: Private ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks: Provincial AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies: Private AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Sep 30, 2021

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval: Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2019

Commercial Fuel Oil Tanks: Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.
Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors: Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register: Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Sep 30, 2021

Compressed Natural Gas Stations: Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2021

Inventory of Coal Gasification Plants and Coal Tar Sites: Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions: Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jan 2022

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2022

Drill Hole Database: Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks: Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry: Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Mar 31, 2022

Environmental Registry: Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Mar 31, 2022

Environmental Compliance Approval: Provincial ECA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Mar 31, 2022

Environmental Effects Monitoring: Federal EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches: Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Nov 30, 2021

Environmental Issues Inventory System: Federal EIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event: Provincial EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report: Provincial EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities: Provincial EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.
Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land: Federal FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2021

Fisheries & Oceans Fuel Tanks: Federal FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS): Federal FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.
Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic: Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary: Provincial GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2021

Greenhouse Gas Emissions from Large Facilities: Federal GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents: Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks: Federal IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks: Provincial INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario: Provincial LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations: Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences: Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES): Federal NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports: Provincial NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks: Federal NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills: Federal NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites: Federal NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents: Federal NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells: Federal NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES): Federal NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory: Federal NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2022

Ontario Oil and Gas Wells: Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jan 2021

Inventory of PCB Storage Sites: Provincial OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Feb 28, 2022

Canadian Pulp and Paper: Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks: Federal PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register: Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Mar 31, 2022

Pipeline Incidents: Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks: Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water: Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Mar 31, 2022

Ontario Regulation 347 Waste Receivers Summary: Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition: Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.
RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2022

Retail Fuel Storage Tanks: Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Sep 30, 2021

Scott's Manufacturing Directory: Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills: Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database: Provincial SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2019

Anderson's Storage Tanks: Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks: Federal TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks: Provincial VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.
Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory: Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Mar 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory: Provincial WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System: Provincial WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Sep 30, 2021

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Jesse Andrechek, BASc

patersongroup

- Geotechnical Engineering
- Environmental Engineering
- Hydrogeology
- Geological Engineering
- Materials Testing
- Building Science
- Archaeological Services

POSITION

Junior Environmental Engineer

EDUCATION

Queen's University, BASc, 2019
Civil Engineering

St. Lawrence College, Advanced Diploma, 2016
Civil Engineering Technology

EXPERIENCE

2019 – Present
Paterson Group Inc.
Consulting Engineers
Environmental and Geotechnical Department
Environmental Technician

2018, 2017 (Summer)
City of Ottawa, PIED
Asset Management Branch, Building and Park Assets
Engineering Summer Student II

SELECT LIST OF PROJECTS

Phase I and II ESA – Various Sites – Ontario (CSA Z768-01 & MECP)
Remediation Supervision – Various Sites – Ottawa, Kingston, Toronto
Geotechnical Investigations – Various Sites – Ottawa, Kingston, Toronto
Groundwater Monitoring – Various Sites – Ottawa, Kingston, Toronto
Site Surveying – Various Sites – Ottawa, Kingston, Toronto

Karyn Munch, P.Eng. QP_{ESA}
Senior Environmental Engineer

Karyn received her Bachelor's of Applied Science from Carleton University in 2002 in Environmental Engineering. Upon graduation Karyn began working as a consultant for Dessau Soprin Inc. After one year of working for Dessau, Karyn joined the Paterson Group in the Environmental Division. Karyn has worked for Paterson for 19 years and has accrued extensive field and office experience. Karyn's experience working in the field ranges from Phase I site reviews, Phase II investigations, Remediation site inspections and designated substance surveys. Through her eight years of field experience, Karyn has obtained invaluable knowledge on contractor relationships, budgets, time management, consultant/owner relation, quality data and information, and working with a variety of different personnel and situations. Since 2012, Karyn has moved into a more senior role by becoming a qualified person for environmental assessments, overseeing small to large scale environmental projects, which include, Phase I and II reports, Record of Site Conditions and Brownfield Applications. Karyn has assisted with Mark D'Arcy in the development of young staff and continuous improvement of Paterson internal systems.

EDUCATION
B.Eng. 2002, Environmental Engineering, Carleton University, Ontario, ON

LICENCE/ PROFESSIONAL AFFILIATIONS
Professional Engineers of Ontario

Ontario Society of Professional Engineers

Ottawa Geotechnical Group

YEARS OF EXPERIENCE
With Paterson: 19

With other Firms: 2

OFFICE LOCATION
154 Colonnade Road South, Nepean, Ontario, K2E 7J5

SELECT LIST OF PROJECTS
- 409 MacKay, Ottawa, ON Phase I ESA, Phase II ESA, Phase III ESA, and Remediation Program (Project Manager)
- Redevelopment of 222 Beechwood Avenue, Ottawa, ON Phase I ESA, Phase II ESA, Phase III (Project Manager)
- 1000 Wellington Street West, Ottawa ON, Phase I ESA, Phase II ESA, Phase III ESA, Environmental Soil Remediation and filing of a Record of Site Condition (RSC) in the MECP Environmental Site Registry (Project Manager)
- 26 Stanley Avenue, Ottawa ON, Phase I ESA, Phase II ESA (Project Manager)
- Riverview Development – Kingston, ON, Phase I ESA, Phase II ESA, and filing of an RSC in the MECP Environmental Site Registry (Project Manager)
- Mixed-Use Redevelopment - Richmond Road, Phase I ESA, Phase II ESA, Soil Remediation Program (Project Manager)
- Ottawa University Desmarais Building, Ottawa, ON, Soil Remediation and Redevelopment (Project Manager)
- Rideau Centre Expansion, Ottawa, ON, Soil Remediation Program (Project Manager)
- Brownfields Applications – Residential and Commercial Redevelopment - Ottawa, Ontario
- Lees Avenue Remediation and Reconstruction, Ottawa, ON
- Phase I and Phase II Investigations in accordance with CSA standards and O.Reg 153/04

PROFESSIONAL EXPERIENCE

June 2011 to present, **Senior Environmental Engineer, Paterson Group Inc.,** Ottawa, Ontario

- Provide on-site environmental expertise for various soil and groundwater remediation projects including but not limited to the following: 222 Beechwood Remediation, 1000 Wellington Street West Remediation, 409 MacKay Street and Rideau Centre Expansion.
- Oversee Phase I and Phase II Investigations in accordance with CSA standards and O.Reg 153/04 on a variety of residential and commercial developments.
- Responsible for filing Records of Site Condition with the MOECC Environmental Site Registry.
- Preparation of submissions to the City of Ottawa's Brownfields Redevelopment Program.
- Problem solving to help advance or maintain project schedules.
- Complete environmental reports with recommendations for environmental concerns.
- Liaising with contractors, consultants and government officials.
- Provide cost estimates for environment field programs and construction costs.
- Review RFI's, submittals, monthly progress reports and other various construction related work.

June 2009 to June 2010, **Environmental Officer, Department of Indian and Northern Affairs (INCAC),** Ottawa, Ontario

- Provided guidance and support regarding various aspects of the Contaminated Sites Management Plan (CSMP) and the Canadian Accelerated Action Plan (CEAP), to regional INAC offices.
- Reported to Federal Contaminated Sites Action Plan (FCSAP) Secretariat on monthly and quarterly CSMP progress.
- Completion of various reporting requirements including Privy Council Office (PCO) requests regarding accelerated remediation projects, Annual Reference Level Updating, Internal Quarterly Reports and First Nation Land Management (FNLM) Class 3 Remediation Projects
- Composition and revision of Three-Year CSMP and the Contaminated Sites Program Renewal.
- Management of various databases including ESSIMS (internal to INAC), IDEA (Environment Canada) and CIDM (electronic filing system) and Federal Contaminated Sites Inventory (FCSI).
- Interacted on a regular basis with other federal departments, other INAC sectors, regional INAC offices and senior management.
- Participated in Aquatic Sites Working Group (ASWG), Contaminated Sites Management Working Group (CSMWG) and Environmental Learning Regime workshops/workgroups.

January 2003 to June 2009, **Environmental Engineer, Paterson Group,** Ottawa, Ontario

- Experience in coordination and management of a variety of environmental projects. Typical projects include Phase I-Environmental Site Assessments (ESAs), Phase II and III-Environmental Site Characterizations, Soil and Groundwater Remediation Programs, Designated Substance Surveys and the preparation of Records of Site Condition.
- Coordination of contractors and field staff while directly reporting to senior management and client throughout the project to ensure completion on schedule and within budget.
- Experience in collaborating with provincial and municipal bodies as well as sub-consultants, contractors and clients.
- Extensive field experience including the management of drilling and excavation contractors, inspection of aboveground and underground fuel storage tanks, soil classification, soil and groundwater sampling, collection of hazardous building materials and designated substances.
- Responsible for the application of environmental, hydrogeological and geotechnical principles and practices in the identification and delineation of soil and groundwater contamination plumes and ensuring compliance with federal, provincial and/or municipal legal and regulatory requirements.
- Present analytical test results, interpretations, assessments, recommendations and/or conclusions in a final technical report.

August 2002 – December 2002, **Junior Engineer, Dessau Soprin Inc.,** Ottawa, Ontario
Lebreton Flats Remediation and Infrastructure Project

- Responsible for supervision of weight-scale and record keeping for soil management practices.
- Managed excavation contractors to ensure soil quality control; daily reporting to project manager.