



TYPICAL PRECAST NOISE WALL ELEVATION
SCALE: 1:50



TYPICAL NOISE WALL SECTION
SCALE: 1:50



| REFERENCE DRAWINGS | ISSUE | REVISIONS | DRAWN BY: MC | DESIGNED BY: | RECORD |
|---|--------------------------------|------------------------|-----------------|--------------|--------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| NOTE 4 1. FOUNDATION DESIGN AS PER LOCAL CONDITIONS IN ACCORDANCE WITH THE ENGINEER OF RECORD 2. REFER TO GEOTCH REPORTS FOR LOCAL GROUND CONDITIONS 3. REFER TO NOISE ASSESSMENT FOR PROPOSED NOISE BARRIER LAYOUT 4. NOISE BARRIER SHALL BE DESIGNED IN ACCORDANCE WITH THE ENGINEER OF RECORD 5. TYP. MIN. ACOUSTIC PANEL SURFACE DENSITY AND SURFACE GRADING TO 20 KG/M ² (REFER TO OPS. 760) 6. ALL DIMENSIONS ARE TYPICAL AND SHALL BE REVISED AS PER THE DETAIL DESIGN AND APPROVED BY THE ENGINEER OF RECORD | SCALE: AS SHOWN FULL SIZE ONLY | | | | |
| CONTRACT NO. H374571-00000-245-292-0001 | REV. NO. A | NO. DATE ISSUED FOR | REV. DATE | | |