




1. ANY DISTURBED AREA DURING CONSTRUCTION TO BE RESTORED TO ORIGINAL CONDITION OR BETTER TO THE SATISFACTION OF THE AUTHORITIES HAVING JURISDICTION
2. COMPENSATION TO VERIFY AND TOISE COVERATIONS AND INVERT ELEVATIONS E.C. UNDERGROUND SERVICES AND EX. UTILITIES PRIOR TO STARTING CONSTRUCTION
3. ALL EXISTING TREES, SHRUBS ETC. WITHIN LOTS, BLOCKS AND ROADS TO BE REMOVED, UNLESS OTHERWISE PERMITTED
4. PERMISSION REQUIRED FOR WORK ON ADJACENT LANDS
5. FORTY PERMANENT STUBS, 2.4m MIN. COVER TO BE PROVIDED
6. ANY DISTURBED MATERIAL EXPOSED BEING REPLACED TO SUBGRADE LEVEL WITHIN A BUILDING FOOTPRINT TO BE SUB-EXCAVATED AND BACKFILLED WITH COMPACTED FILL TO THE SAME AS PER GEO-ENGINEERS RECOMMENDATION
7. CATCH-BASIN DATA, REFER TO DWG. No. 2 FOR DETAILS
8. ALL DWELLINGS TO BE PROVIDED WITH PRESSURE REDUCING VALVES UNLESS OTHERWISE NOTED.
9. WATERMAIN INSULATION TO BE PROVIDED WITH CITY SPEC. 22.2
10. WATERMANS OVER SEWERS TO BE PER CITY STD. W25.2
11. WATERMANS UNDER SEWERS TO BE PER CITY STD. W25



2	S.L.M	2025-10-24	2nd SUBMISSION
1	S.L.M	2025-06-20	1st SUBMISSION
No.	RY	DATE	DESCRIPTION



DRAWN BY: E.D.	CHECKED BY: S.L.M.	SHEET NO.	
DESIGNED BY: E.D.	CHECKED BY: S.L.M.	7	OF 19
SCALE: H= 1: 500 / V=1:50	DATE: JUNE 2025		