

RICHCRAFT KANATA WEST BLOCK 1




LIST OF DRAWINGS:

L1.0 - LANDSCAPE PLAN

1.1 - TREE CANOPY CALCULATIONS AND SOIL VOLUMES

L2.0 - DETAILS L2.1 - DETAILS L2.2 - DETAILS





Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

LEGEND

— — — — — GEOTECHNICAL FOUNDATION SETBACK (4.5m)

PRIVACY FENCE


PLANTING



MEDIUM DECIDUOUS STREET TREE



MEDIUM DECIDUOUS TREE




SMALL DECIDUOUS TREE




DECIDUOUS/CONIFEROUS SHRUB GRASSES/PERENNIALS

SODDING




LIGHT DUTY ASPHALT WALKWAYS LIGHT DUTY CONCRETE PAVING PRECAST UNIT PAVING

RIVERSTONE PAVING PRECAST EDGER



PLANTING KEY

DETAIL KEY



-		
-		
-		
4	Issued for First Submission	Jul 02/25
3	Issued for Coordination	Jun 26/25
2	Issued for Client Review	Jun 19/25
1	Issued for Client Review	Jun 13/25
No.	Description	Date


City Approval Stamp

2280 St. Laurent Blvd, Suite 201 Ottawa, ON K1G 4K1 ARCHITECT
M. DAVID BLAKELY ARCHITECT INC 2200 Prince of Wales Dr. - Suite 101 Ottawa, Ontario K2E 6Z9

CIVIL STANTEC CONSULTING LTD. 400-1331 Clyde Avenue, Ottawa ON LANDSCAPE ARCHITECT NAK DESIGN STRATEGIES 1285 Wellington St., Ottawa, ON K1Y 3A8

PROPERTY INFORMATION (LEGAL DESCRIPTION)





design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM T 613.237.2345


> Kanata West Block 1 Ottawa, ON

LANDSCAPE PLAN

Date 2025-05-26 Scale 1:250 Drawn SW Checked MK

Job No. 25-113

L 1.0



Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the Landscape Architect.

LEGEND

SITE CANOPY COVER

CANOPY (W.

OVERLAP): 2,378m²

OVERLAP): 304m²

SITE: 14,672m²

TOTAL PERCENT

COVER: 18.28%

PROPERTY LINE —————— GEOTECHNICAL FOUNDATION SETBACK (4.5m)

PRIVACY FENCE

PLANTING



MEDIUM DECIDUOUS STREET TREE




MEDIUM DECIDUOUS TREE



CONIFEROUS TREE


TREE FORM SHRUB DECIDUOUS/CONIFEROUS SHRUB GRASSES/PERENNIALS

SODDING




LIGHT DUTY ASPHALT WALKWAYS LIGHT DUTY CONCRETE PAVING PRECAST UNIT PAVING

RIVERSTONE PAVING PRECAST EDGER DETAIL KEY



PLANTING KEY



-		
-		
-		
4	Issued for First Submission	Jul 02/25
3	Issued for Coordination	Jun 26/25
2	Issued for Client Review	Jun 19/25
1	Issued for Client Review	Jun 13/25
No.	Description	Date

City Approval Stamp

OWNERSHIP RICHCRAFT 2280 St. Laurent Blvd, Suite 201 Ottawa, ON K1G 4K1 ARCHITECT
M. DAVID BLAKELY ARCHITECT INC. 2200 Prince of Wales Dr. - Suite 101 Ottawa, Ontario K2E 6Z9

CIVIL STANTEC CONSULTING LTD. 400-1331 Clyde Avenue, Ottawa ON LANDSCAPE ARCHITECT NAK DESIGN STRATEGIES 1285 Wellington St., Ottawa, ON K1Y 3A8

PROPERTY INFORMATION (LEGAL DESCRIPTION)






design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

Kanata West Block 1 Ottawa, ON

TREE CANOPY CALCULATIONS AND SOIL VOLUMES

Date 2025-05-26 Scale 1:250 Drawn SW Checked MK Job No. 25-113



- 1. CONCRETE TO BE 32 MPa CLASS C-2 MEETING THE REQUIREMENTS OF S.P. F-3510 AND PLACED IN ACCORDANCE WITH S.P. F-9040. REFER TO SPECIFICATIONS.
- 2. GRANULAR 'A' 100% STANDARD PROCTOR DENSITY MIN., GRANULAR B, TYPE 2, SUB BASE GRANULARS TO OPSS 3. APPROVED NON-WOVEN CLASS 1 GEOTEXTILE AS PER MS-22.15 WHEN WARRANTED BY SOIL CONDITION, SUBJECT

• REFER TO SPECIFICATION

100MM TAMPER PROOF BOLT USE NON-SHRINK GROUT

- CAST IN PLACE CONCRETE SLAB 150X150 WELDED WIRE MESH

BROOM FINISH

NO TOOLED EDGES

GRANULAR 'A' TO 98% S.P.D.

UNDISTURBED SUBGRADE OR COMPACTED FILL AS APPROVED GEOTECHNICAL ENGINEER

TO BE CENTERED ON CONCRETE SLAB

- TO APPROVAL BY THE LANDSCAPE ARCHITECT. 5. CROSS SLOPE PATH 1-2% IN DIRECTION OF NATURAL DRAINAGE TO PROVIDE POSITIVE DRAINAGE OF ALL WALKS. 6. ALL DISTURBED AREAS ALONG WALKWAYS SHALL BE SODDED OVER 150mm TOPSOIL FOR A MINIMUM DISTANCE
- LIGHT DUTY CONCRETE PAVING


OF 900mm.


HL3 FINE ASPHALT —45 DEGREE TAMP FINISHED GRADE FLUSH WITH EDGE OF ASPHALT BACKFILL WITH TOPSOIL AND SEED OR SOD AS INDICATED PROVIDE POSITIVE DRAINAGE OFF EDGES OF WALKWAY —GRANULAR 'A' BASE COMPACTED 98% SPMDD —GEOTEXTILE —COMPACTED SUB-GRADE

1. CROSS SLOPE PATH 1-2% IN DIRECTION OF NATURAL DRAINAGE TO PROVIDE POSITIVE


- DRAINAGE OF ALL WALKS. 2. FILTER FABRIC SHALL BE APPROVED NON-WOVEN CLASS 1 GEOTEXTILE AS PER MS-22.15 WHEN WARRANTED BY SOIL CONDITION, SUBJECT TO APPROVAL BY THE LANDSCAPE ARCHITECT. 3. ALL DISTURBED AREAS ALONG ASPHALT WALKWAYS SHALL BE SODDED OVER 150mm
- TOPSOIL FOR A MINIMUM DISTANCE OF 900mm. 4. GRANULAR 'A' SHALL MEET THE REQUIREMENTS OF OPSS 1010.

LIGHT DUTY UNIT PAVING LIGHT DUTY ASPHALT PAVING





MAINTENANCE EDGE




1. ALL WOOD COMPONENTS SHALL BE NO.1 CONSTRUCTION GRADE WESTERN RED

2. CONTRACTOR TO PROVIDE SHOP DRAWINGS FOR REVIEW AND APPROVAL PRIOR TO


COMMENCEMENT OF WORK. SHOP DRAWINGS TO INCLUDE CONCRETE ANCHORING,

CEDAR, EXCEPT FOR THE PRESSURE-TREATED SKIRT RAIL.

ATTACHMENT DETAILS FOR FENCE AND HARDWARE.



1. CONTRACTOR TO PROVIDE ENGINEER STAMPED SHOP DRAWINGS FOR APPROVAL PRIOR TO INSTALLATION






4 Issued for First Submission

Jul 02/25

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the

Landscape Architect.

PROPERTY INFORMATION (LEGAL DESCRIPTION)



design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

Kanata West Block 1 Ottawa, ON


DETAILS

Date 2025-05-26 Scale AS SHOWN Drawn SW Checked MK Job No. 25-113

BIKE PARKING

1.8m HT. WOOD PRIVACY FENCE


 REFER TO PLAN FOR ADJACENT SURFACE



1. REMOVE STAKE AFTER ONE YEAR OR UNTIL TAKEOVER, UNLESS OTHERWISE DIRECTED BY THE LANDSCAPE

- ARCHITECT. 2. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION
- 3. REMOVE TREE WRAP AFTER PLANTING
- 4. CALIPER TO BE MEASURED AT THE BASE OF TREE AT ROOT BALL.





NOTES:

1. REMOVE STAKE AFTER ONE YEAR OR UNTIL TAKEOVER UNLESS OTHERWISE

2. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION

DIRECTED BY THE LANDSCAPE ARCHITECT.

- 1. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION.
- 2. SHRUBS SPECIFIED BARE ROOT (B.R.) TO BE PLANTED SO THAT ROOTS ARE FULLY EXTENDED IN PLANTING HOLE WITH SOIL MIX
- BACKFILLED CAREFULLY TO PREVENT ROOT DAMAGE. 3. PROVIDE 100mm HIGH EARTH SAUCER AROUND SHRUB BED.
- 4. STAKES TO BE REMOVED AFTER ONE YEAR OR UNTIL TAKEOVER UNLESS OTHERWISE DIRECTED BY LANDSCAPE ARCHITECT.

SHRUB BED PLANTING

VARIE\$ WITH SPECIES 1. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION. 2. PROVIDE 100mm HIGH EARTH SAUCER AROUND PERENNIAL/GRASS BED.

PERENNIAL AND ORNAMENTAL GRASS PLANTING

PRUNE (TO SUIT SPECIES) TO REMOVE DAMAGED OR OBJECTIONABLE BRANCHES, FOLLOW THE MOST RECENT CANADIAN NURSERY & TRADES ASSOCIATION PRACTICE. DO NOT PRUNE LEADER -STAKE BEYOND EDGE OF ROOT BALL USING ONE (1) STAKE 2400mm (MIN) LONG. SECURE AT MAIN BRANCH WITH ARBOR TIE OR APPROVED EQUAL —75mm DEPTH SHREDDED MULCH, PULL BACK MULCH FROM BASE OF TREE TRUNK, ENSURE THAT MULCH COVERS ALL EXPOSED SOIL CONSTRUCT 100mm SAUCER AROUND MULTI-STEM TREE BASE TOPSOIL MIX, LIGHTLY COMPACT AND WATER WELL TO ELIMINATE AIR POCKETS AND PREVENT SETTLEMENT -SCARIFY SUBGRADE SURFACE OF PLANTING BED PRIOR TO PLANTING —CUT AND REMOVE BURLAP AND WIRE BASKET FROM TOP 2/3 OF ROOT BALL 1. TOPSOIL MIXTURE AND SHREDDED MULCH AS PER SPECIFICATION. PROVIDE 100mm HIGH EARTH SAUCER AROUND SHRUB BED. -COMPACTED SUBGRADE 3. STAKES TO BE REMOVED AFTER ONE YEAR OR UNTIL TAKEOVER UNLESS OTHERWISE DIRECTED BY LANDSCAPE ARCHITECT. TREE FORM SHRUB PLANTING

4 Issued for First Submission 3 Issued for Coordination Jun 26/25 2 Issued for Client Review Jun 19/25 1 Issued for Client Review Jun 13/25 No. Description Date Revision City Approval Stamp

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the

Landscape Architect.

OWNERSHIP RICHCRAFT 2280 St. Laurent Blvd, Suite 201 Ottawa, ON K1G 4K1 ARCHITECT
M. DAVID BLAKELY ARCHITECT INC.
2200 Prince of Wales Dr. - Suite 101
Ottawa, Ontario K2E 629

CIVIL STANTEC CONSULTING LTD. 400-1331 Clyde Avenue, Ottawa ON LANDSCAPE ARCHITECT NAK DESIGN STRATEGIES 1285 Wellington St., Ottawa, ON K1Y 3A8

PROPERTY INFORMATION (LEGAL DESCRIPTION)




design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

Kanata West Block 1 Ottawa, ON

DETAILS


Date 2025-05-26 Scale AS SHOWN Drawn SW Checked MK Job No. 25-113



NOTE: FINAL NAME AND DETAILS TO BE CONFIRMED

1 ENTRANCE SIGNAGE - RENTAL SITE (SP1-b)

N.T.S.



2 ENTRANCE SIGNAGE - CONDO SITE (SP1-a)

NOTE: FINAL NAME AND DETAILS TO BE CONFIRMED

Contractor shall check all dimensions on the work and report any discrepancy to the Landscape Architect before proceeding. All drawings and specifications are the property of the Landscape Architect and must be returned at the completion of the work. This drawing is not to be used for construction until signed by the

Landscape Architect.

Revision

City Approval Stamp

OWNERSHIP
RICHCRAFT
2280 St. Laurent Blvd, Suite 201
Ottawa, ON K1G 4K1

ARCHITECT
M. DAVID BLAKELY ARCHITECT INC.
2200 Prince of Wales Dr. - Suite 101
Ottawa, Ontario K2E 6Z9

CIVIL

CIVIL
STANTEC CONSULTING LTD.
400-1331 Clyde Avenue, Ottawa ON

LANDSCAPE ARCHITECT
NAK DESIGN STRATEGIES
1285 Wellington St., Ottawa, ON K1Y 3A8

PROPERTY INFORMATION (LEGAL DESCRIPTION)



NAK design strategies

1285 WELLINGTON STREET, OTTAWA, ON K1Y 3A8 CANADA T 613.237.2345 NAKDESIGNSTRATEGIES.COM

Kanata West Block 1
Ottawa, ON

Title

Job No. 25-113

DETAILS

Date 2025-05-26 Shee Scale AS SHOWN Drawn MB Checked MK CITY FILE N° DXX-XX-XXX