



Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario

November 26, 2025

Prepared for:
Queensway Carleton Hospital

Cambium Reference: 23906-001

CAMBIUM INC.

866.217.7900

cambium-inc.com



Table of Contents

1.0	Executive Summary	1
2.0	Introduction.....	2
2.1	Phase One Property Information	2
2.2	Current and Proposed Future Use	3
3.0	Scope of Investigation	4
4.0	Records Review.....	5
4.1	General	5
4.1.1	Phase One Study Area Determination	5
4.1.2	First Developed Use Determination.....	5
4.1.3	Fire Insurance Plans	6
4.1.4	Chain of Title	7
4.1.5	Environmental Reports.....	7
4.2	Environmental Source Information	10
4.2.1	City Directories	12
4.2.2	ERIS Data	12
4.2.3	Coal Gasification Plants	14
4.2.4	Waste Disposal Site Inventory.....	14
4.2.5	Freedom of Information	15
4.2.6	Access Environmental Site Registry.....	15
4.3	Physical Setting Sources.....	15
4.3.1	Aerial Photographs.....	16
4.3.2	Topography, Hydrology, and Geology.....	16
4.3.3	Fill Materials	17
4.3.4	Water Bodies and Areas of Natural Significance & Ground Water Information	17
4.3.5	Well Records	18
4.4	Site Operating Records	18



5.0	Interviews	20
6.0	Site Reconnaissance	21
6.1	General Requirements	21
6.2	Specific Observations at Phase One Property	21
6.2.1	Structures and Other Improvements	23
6.2.2	Underground Utility and Service Corridors	23
6.2.3	Storage Tanks – Above Ground and Underground	23
6.2.4	Oil/Water Separators	24
6.2.5	Potable Water Sources	24
6.2.6	Entry and Exit Points	25
6.2.7	Heating and Cooling Systems	25
6.2.8	Drains, Pits, and Sumps	25
6.2.9	Unidentified Substances	25
6.2.10	Current and Former Wells	25
6.2.11	Septic Fields	25
6.2.12	Ground Surface Conditions	26
6.2.13	Railway Lines or Spurs	26
6.2.14	Stained Soil, Vegetation, or Pavement	26
6.2.15	Stressed Vegetation	26
6.2.16	Fill and Debris Materials	27
6.2.17	Unidentified and Other Hazardous Substances	27
6.2.18	Adjacent Land Uses and Environmental Concerns	27
6.2.19	Enhanced Investigation Property	27
6.3	Written Description of Investigation	28
7.0	Review and Evaluation of Information	29
7.1	Current and Past Uses	29
7.2	Potentially Contaminating Activity	31
7.3	Areas of Potential Environmental Concern	31
7.4	Phase One Conceptual Site Model	31



7.4.1	Site Description	32
7.4.2	Existing Buildings and Structures	32
7.4.3	Water Bodies and Areas of Natural Significance	32
7.4.4	Drinking Water Wells	33
7.4.5	Potentially Contaminating Activities.....	34
7.4.6	Areas of Potential Environmental Concern.....	35
7.4.7	Contaminants of Potential Concern.....	36
7.4.8	Contaminant Distribution and Transport.....	36
7.4.9	Geological and Hydrogeological Setting.....	37
7.4.10	Uncertainty or Absence of Information	38
8.0	Conclusions	39
8.1	Requirement for a Phase Two Environmental Site Assessment	39
8.2	Signatures	40
9.0	References	41
10.0	Standard Limitations.....	43



List of Embedded Tables

Table 1	Table of Current and Past Uses of the Phase One Property	29
Table 2	Potentially Contaminating Activities	34
Table 3	Areas of Potential Environmental Concern	35

List of Appended Figures

Figure 1	Site Location Plan
Figure 2	Site Plan and Surrounding Land Use
Figure 3	Conceptual Site Model – Phase One Study Area
Figure 4	Conceptual Site Model – Phase One Site Plan
Figure 5	1958 Aerial Image
Figure 6	1960 Aerial Image
Figure 7	1973 Aerial Image
Figure 8	1987 Aerial Image
Figure 9	1994 Aerial Image
Figure 10	2007 Aerial Image
Figure 11	2017 Aerial Image
Figure 12	2024 Aerial Image

List of Appendices

Appendix A	Plan of Survey
Appendix B	Verisk
Appendix C	Chain of Title
Appendix D	City Directories
Appendix E	ERIS Report
Appendix F	Freedom of Information
Appendix G	Aerial Photo Summary
Appendix H	Photographs



1.0 Executive Summary

Queensway Carleton Hospital (Client) retained Cambium Inc. (Cambium) to complete a Phase One Environmental Site Assessment (ESA) at 3045 Baseline Road in Ottawa, Ontario (Site or Phase One Property). The Phase One ESA will be used to support a Site Plan Approval (SPA) application and was completed to meet the requirements of Ontario Regulation (O.Reg.) 153/04.

The roughly 18 ha Site is located on the northwest corner of the intersection of Baseline Road and John Sutherland Drive. The Site currently consists of hospital buildings, a parking garage building and vacant undeveloped land. A review of historical documents indicated that the first developed land use at the Site was for residential purposes as a hospital in 1976.

The Phase One ESA identified 10 potentially contaminating activities (PCAs), seven on-site and three off-site, within the phase one study area. The on-site PCAs contributed to areas of potential environmental concern (APECs) at the Site. The off-site PCAs do not contribute to APECs at the Site. The related contaminants of potential concern (COPCs) were petroleum hydrocarbons (PHCs), benzene, toluene, ethylbenzene, xylenes (BTEX), polycyclic aromatic hydrocarbons (PAHs), metals and hydride-forming metals, and other regulated parameters (ORPs) including hot water-soluble boron (B-HWS), hexavalent chromium (CrVI), mercury (Hg), electrical conductivity (EC), cyanide (CN), sodium absorption ratio (SAR), pH, sodium (Na) and chloride (Cl-). Potentially contaminated media were soil and groundwater.

Based on the observations and information obtained for the site during the Phase One ESA, a Phase Two ESA is required for the Site to support the SPA application.



2.0 Introduction

The Client retained Cambium to complete a Phase One ESA at the Site. The City of Ottawa requires the completion of a Phase One ESA for the Site consistent with O.Reg. 153/04 to support an SPA application. No Record of Site Condition (RSC) is anticipated to be filed.

2.1 Phase One Property Information

The Site is located on the northwest corner of the intersection of Baseline Road and John Sutherland Drive. The Site is developed with a single-storey hospital building complete with two, three and four-storey portions, located on the south portion of the Site (Site Building A); a seven-storey parking garage structure located on the central portion of the Site (Site Building B). In addition, an office trailer was located on the central portion of the Site and a steel-framed, fabric-covered, road salt and sand storage structure was located on the north portion of the Site. The property use is residential for the purposes of O.Reg. 153/04.

Site information and property owner information are summarized below. The Phase One Property location is shown on Figure 1. A plan of survey is provided in Appendix A.

Property use surrounding the Site is as follows:

- North – Commercial use, and agricultural or other use
- South – Baseline Road, residential use and agricultural or other use
- East – Residential use
- West – Highway 416 and agricultural or other use

The Site and surrounding land uses are shown on Figure 2.



Site Identification Information

Municipal Address	3045 Baseline Road, Ottawa, Ontario
Historical Land Use	Residential Use (Hospital)
Current Land Use	Residential Use (Hospital)
Future Land Use	Residential Use (Hospital)
PIN	04698-0083 (LT)
Universal Transverse Mercator Coordinates*	Zone 18T 436706 m E, 5020481 m N
Legal Description	Parts 4, 5, 6, 7, 8, 9 and 10 on 4R-1238, Parts 1,2, 5, 6, 7, 8, and 9 on 4R-1497, Parts of Lots 15 and 16 Concession 2 (Ottawa Front) (Township of Nepean), Part of the Original Road Allowance between Lots 15 and 16; formerly Township of Nepean; now City of Ottawa; Regional Municipality of Ottawa-Carleton.
Site Area	≈18 ha

* The Universal Transverse Mercator measurements were obtained from Google Earth Pro.

Property Owner Information

Property Owner	Contact Information
National Capital Commission 40 Elgin Street, Suite 202, Ottawa, Ontario K1P 5K6	Susan Sallaj Ginn Chief Planning Office & Director Phone: (613) 721-2000 1318 Email: ssallajginn@qch.on.ca

2.2 Current and Proposed Future Use

The Site is currently used for residential purposes as a hospital. The Client intends to redevelop the Site with an additional parking garage structure and additions to the existing hospital building; as such, an SPA application is being submitted to the City of Ottawa.



3.0 Scope of Investigation

This Phase One ESA was completed as specified in Schedule D of O.Reg. 153/04 and follows the mandatory reporting requirements stipulated in Table 1 of the schedule. This Phase One ESA included the following:

- A review of pertinent background and historical information including documents such as aerial photographs and topographic maps (as available)
- Review and summary of available environmental records obtained for the Site from the client and/or public and private sources
- Interviews with persons knowledgeable of the Site and adjacent properties and freedom of information requests
- A site reconnaissance including visual observation of properties within the phase one study area from publicly accessible areas
- Preparation of this report documenting the findings of the Phase One ESA and recommendations for further work, if required, to assess the environmental condition of the Site

This Phase One ESA report describes the methods used to document and identify PCAs associated with the Site and neighbouring properties within the phase one study area. While this report considers said environmental concerns, both past and present, it is limited by the availability of information obtained at the time of the assessment. No subsurface investigation or sampling was completed as part of the Phase One ESA.



4.0 Records Review

This assessment was based on a review of the following records. A detailed list of sources referenced in this Phase One ESA is presented in Section 9.0.

- Aerial photographs
- Business directories
- Chain of Title
- Fire insurance plans (FIPs) and property underwriters' reports
- An Environmental Risk Information Services Ltd. (ERIS) search of numerous provincial, federal, and private databases
- Ministry of the Environment, Conservation and Parks (Ministry) records
- Technical Standards and Safety Authority (TSSA) records
- Available reports, maps, and other information

4.1 General

4.1.1 Phase One Study Area Determination

O.Reg. 153/04 defines the phase one study area as the area that includes the Phase One Property, any other property that is located, wholly or partly, within 250 m from the nearest point on the Phase One Property boundary, and any property that the Qualified Person (QP_{ESA}) determines should be included as a part of the phase one study area.

Based on a review of current and historical land uses at the Site and surrounding properties, topography, and groundwater flow direction, the QP_{ESA} considered the area within 250 m from the property boundary sufficient to identify PCAs and APECs.

4.1.2 First Developed Use Determination

The first developed use of the Phase One Property is defined by O.Reg.153/04 to be the earlier of (a) the first use of a Phase One Property in or after 1875 that resulted in the



development of a building or structure on the property, and (b) the first potentially contaminating use or activity on the Phase One Property.

The chain of title review, which provided the oldest available property information, indicated that the Phase One Property was owned by various individuals from 1808 to 1963, following which the National Capital Commission owned the property. Based on information provided by a representative of the Phase One Property, the chain of title, and aerial photograph review, the Site has consisted of residential land use as a hospital since at least 1976.

4.1.3 Fire Insurance Plans

Cambium requested FIPs, inspection reports, and plans from Verisk Analytics Inc. (Verisk). No FIPs were available for review; however, Verisk provided copies of a 1976 Insurance Inspection Report and Site Plan for the Site. A copy of the Verisk report is provided in Appendix B.

Based on Cambium's review of the 1976 Insurance Inspection Report and Site Plan, the following was noted:

- The Site was occupied by the Queensway Carleton Hospital, consisting of two buildings connected via an underground tunnel.
- The main building (south-central portion of the Site) housed of the main hospital operation. The basement of the Site Building A consisted of a morgue, autopsy, pharmacy, and laboratories. The ground floor consisted of offices and wards. The remaining subsequent floors consisted of various wards and offices.
- The building located on the north-central portion of the Site contained a boiler room, electrical shop, carpenter shop, paint storage room, and ambulance parking garage. The 1976 Insurance Inspection Report noted that no automotive repairs were conducted at the Site.
- Heating for the Site was provided by gas and fuel oil. The 1976 report did not indicate whether the fuel oil was stored in an aboveground storage tank (AST) or underground



storage tank (UST). However, based on Cambium's review of previous work completed at the Site (refer to Section 4.1.5), the fuel oil was stored in a UST.

4.1.4 Chain of Title

A chain of title dating back to 1808 was reviewed to support the determination of first developed land use for the Site and identify PCAs. A copy of the chain of title documents is provided in Appendix C. Property ownership and use details are presented in Section 7.1.

The chain of title review identified the following:

- The Phase One Property was first transferred from Crown in 1808.
- The Phase One Property (PIN 04698-0083) is described as Parts 4, 5, 6, 7, 8, 9 and 10 on 4R-1238, Parts 1,2, 5, 6, 7, 8, and 9 on 4R-1497, Parts of Lots 15 and 16 Concession 2 (Ottawa Front) (Township of Nepean), Part of the Original Road Allowance between Lots 15 and 16; formerly Township of Nepean; now City of Ottawa; Regional Municipality of Ottawa-Carleton.
- The current owner of the Phase One Property is National Capital Commission, which took ownership in 1963.

No pertinent listings contributing to PCAs were identified.

4.1.5 Environmental Reports

Cambium made appropriate inquiries to obtain copies of the following reports prepared in respect of all or part of the Site by or on behalf of a current or former owner respecting environmental conditions at the Site as listed in Schedule D, paragraph 4, subsection 3 (2) of O.Reg. 153/04:

- ESA reports
- Remediation reports
- Reports prepared in response to an order or request from the Ministry



- Reports relating to the presence of a contaminant on, in, or under the Site, or the existence of an APEC

Relevant information from the available reports is summarized below by report. Cambium commentary is provided in *italics*.

Soil Verification Sampling (Golder Associates Ltd., 2009)

A Soil Verification Sampling program was completed at the Site by Golder Associates Ltd. (Golder) in April 2009. In addition, Golder reviewed their report entitled “Soil Test Results and Contaminated Soil Removal Monitoring Services – Queensway Carleton Hospital, 3045 Baseline Road, Ottawa, Ontario”, dated March 16, 2009. Cambium was not provided with a copy of this report; however, Golder summarized the following:

- A 12,000 L diesel fibreglass UST was removed from the Site on March 10, 2009. Golder noted that they were not present during the UST removal activities. On March 11, 2009, Golder observed that soil stockpiled from the UST excavation, soil within the excavation, and backfill material (i.e., pea gravel) were impacted with PHCs. Two soil samples were collected from the soil stockpile and submitted for laboratory analysis. Results were compared to the then-applicable Table 3 Site Condition Standards (SCS) for a residential land use with coarse-grained soils in a non-potable groundwater condition, as stipulated in the Ministry document entitled “Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act”, and dated March 2004 (2004 Table 3 SCS). The analytical results indicated that PHC-impacted soil was present in the soil stockpile collected from the UST excavation area. Golder recommended that the remaining PHC-impacted soil be removed prior to completing a soil verification program at the Site.

On March 19, 2009, Golder supervised a remediation program at the Site. Approximately 45 tonnes of PHC-impacted soil was removed from the Site and disposed of at a licensed facility. The size of the excavation was approximately 4.6 m in length, 3.2 m in width, and ranged between 2.0 and 2.5 m in depth. Bedrock was encountered at a depth ranging between 2.0 and 2.5 m below ground surface (mbgs). Groundwater was observed within the excavation.



Five confirmatory soil samples were collected from the final extent of the walls of the excavation. Since the excavation was advanced to bedrock, no soil samples were collected from the base of the excavation. One groundwater sample was collected from the groundwater which seeped into the excavation.

Soil and groundwater samples were submitted for laboratory analysis of PHC fractions 1 to 4 (PHC F1-F4) and BTEX. All analysis results met the 2004 Table 3 SCS.

Cambium compared the analysis results to the currently applicable Table 3 SCS (full-depth generic site condition standards in a non-potable groundwater condition, residential land use, coarse-textured soils), as outlined in the Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (MOE, 2011). All analysis results met the 2011 Table 3 SCS. Based on the documented removal and confirmatory sampling demonstrating compliance with the applicable SCS, the former UST is a PCA that is not considered to result in an APEC and is not carried forward as a PCA for the purposes of the Phase Two ESA.

Geotechnical Desktop Study (WSP Canada Inc., 2024)

WSP Canada Inc. (WSP) completed a Geotechnical Desktop Study review at the Site in June 2024 as part of preliminary work for a proposed expansion at the Site.

WSP reviewed the following reports:

- Report entitled “*Report on Preliminary Geotechnical Investigations, Faculty Development Plan – Part 3A, Queensway-Carleton Hospital, Baseline Road, Ottawa, Ontario*”, prepared by Golder and dated October 29, 2008.
- Report entitled “*Geotechnical Background Information 2009, Queensway-Carleton Hospital, Baseline Road, Ottawa, Ontario*”, prepared by Golder and dated August 10, 2009.

Cambium was not provided with copies of the above-noted reports; however, WSP summarized the following:

- A total of 99 boreholes and test pits were advanced at the Site between 1968 and 2008. Stratigraphy at the Site consisted of a layer of soil/fill material (i.e., sand, silt and gravel)



overlying silty sand and/or clayey deposits with variable amounts of sand and silt. This material is underlain by sandy glacial till over dolostone bedrock.

The presence of fill material of unknown quality identified during previous subsurface investigations at the Site is a PCA that contributes to an APEC.

Geotechnical Investigation (WSP Canada Inc., 2025)

WSP completed a Geotechnical Investigation at the Site in April 2025. The scope of work consisted of the advancement of 16 boreholes, 6 of which were installed as groundwater monitoring wells.

Stratigraphy at the Site consisted of a layer of topsoil/fill material overlying clayey silt to silty clay with variable amounts of sand. Fill material (not part of a pavement structure) was encountered at a depth ranging between 0.4 mbgs and 3.0 mbgs. Bedrock was encountered at a depth ranging between 1.7 mbgs and 10.0 mbgs.

Groundwater level measurements collected in overburden material ranged between 1.9 m below ground surface (bgs) and 4.7 mbgs. Groundwater level measurements collected in bedrock ranged between 5.0 mbgs and 5.4 mbgs.

As noted above, the presence of fill material of unknown quality identified during previous subsurface investigations at the Site is a PCA that contributes to an APEC.

4.2 Environmental Source Information

Cambium made inquiries appropriate to obtain reasonably accessible records pertaining to the Site, including the following, as listed in Schedule D, paragraph 7, subsection 3(2), of O.Reg. 153/04:

- National Pollutant Release Inventory information maintained by Environment Canada
- Polychlorinated biphenyl (PCB) information maintained by the Ministry
- Certificates of approval, permits to take water, certificates of property use or similar instruments related to the environmental condition of the Phase One Property and any



property on, under or adjacent to the Phase One Property and issued pursuant to an Act administered by the Ministry, whether in force or not

- The *Inventory of Industrial Facilities Producing or Using Coal Tar or Related Tars in Ontario* (MOE, 1988a) and the *Inventory of Coal Gasification Plant Waste Sites in Ontario* (MOE, 1988b).
- Records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the Ministry where the incident, order, offence, spill, discharge or inspection affects the Phase One Property and any property on, under or adjacent to the Phase One Property
- Waste management records, including current and historical waste storage locations and waste generator and waste receiver information maintained pursuant to Regulation 347 of the Revised Regulations of Ontario, 1990 (General — Waste Management) made under the Act, or its predecessors with respect to the Phase One Property and any property on, under or adjacent to the Phase One Property
- Reports submitted to the Ministry related to the environmental conditions of the Phase One Property and any property on, under or adjacent to the Phase One Property
- Retail fuel storage tanks information maintained by the Technical Standards and Safety Authority
- Notices and instruments, including Records of Site Condition (RSCs), posted in the Environmental Registry
- Identification of areas of natural significance maintained by the Ministry of Natural Resources and Forestry
- Landfill information maintained by the Ministry - *Waste Disposal Site Inventory* (MOE, 1991)



4.2.1 City Directories

Cambium conducted a search of available city directories for the Site and surrounding properties at the Library and Archives of Canada in Ottawa, Ontario. Directories dated 1960 to 2011 were available. The Site was not listed in the 1960 to 1979 city directories. The Site was listed as Queensway Carleton Hospital between 1984 and 2011. Neighbouring properties in the vicinity of the Site are listed as residential or various commercial listings (i.e., office, retail, and construction operations).

A summary of the directory listings for the Site and surrounding properties is included in Appendix D.

4.2.2 ERIS Data

ERIS is a private environmental database and information service company. Cambium contracted ERIS to provide a database report for the phase one study area (ERIS, 2025). The ERIS report summarizes the findings of a search of various federal, provincial, and private source databases for all properties within 250 m from the site boundary. The ERIS report is presented in Appendix E.

On-Site Records

The following environmentally significant records were identified for the Site:

- Queensway Carleton Hospital was registered at the Site as a generator of waste oils and lubricants, pharmaceutical, pathological wastes, alkaline wastes-heavy metals, paint/pigment/coating residues, aliphatic solvents, acid waste-heavy metals, oil skimmings and sludges, polychlorinated biphenyls (PCBs), waste oils and lubricants, petroleum distillates, waste compressed gases, organic laboratory chemicals, inorganic laboratory chemicals and light fuels between 1986 and 2022. The Ministry's waste generator database indicated that approximately 1,173,124 kg of wastes were generated at the Site between 2002 and 2018. Based on the nature of operation, it is Cambium's opinion that the hazardous waste generation is associated with hospital operations and elevator maintenance. Based on Cambium's observations (i.e., no staining in the elevator



maintenance room), the nature of operations and the lack of historical spill records in relation to the elevator, it is Cambium's opinion that this listing does not represent a PCA for the Site.

- The CFOT database indicated that in 2008 the Site was equipped with a 20,000 L fibreglass fuel oil tank. *Based on the documented removal and confirmatory sampling demonstrating compliance with the applicable SCS, the former UST is a PCA that is not considered to result in an APEC and is not carried forward as a PCA for the purposes of the Phase Two ESA.*
- The SPL database indicated that on July 8, 2015, 4 L of hydraulic oil were spilled on the ground surface at the Site and into a catch basin and was subsequently cleaned. *Based on the small volume of the spill and the receiving medium (i.e., catch basin), the historical spill does not represent a PCA for the Site.*

Off-Site Records

The following environmentally significant records were identified for properties within the phase one study area.

Intersection of Cedarview Road and Baseline Road (Adjacent to the south and upgradient)

- The Ontario Spills (SPL) database indicated that on September 19, 1995, 100 L of diesel was spilled onto the ground surface and into a catch basin at this property. The ERIS report noted that environmental impacts was not anticipated. In addition, the SPL database indicated that on February 3, 2022, an unknown quantity of windshield washer fluid and anti-freeze fluid were spilled onto the ground surface at this property. Based on the receiving medium (i.e., catch basin) and no anticipated environmental impacts, this PCA does not contribute to an APEC for the Site.

3448 Richmond Road (Adjacent to the north of the Site and downgradient)

- The Contaminated Sites on Federal Land (FCS) database indicated that metal, metalloid and organometallic, and PHC impacted soil, and metal, metalloid and organometallic groundwater impacts were present at this property. A remediation and periodic monitoring



program was completed at this property. The total impacted area of approximately 0.608 ha was remediated in 2009. Following a preliminary classification at this property, no further action was required and the file was closed in 2013/2014. Based on the above-noted information and previous work completed at this property, it is Cambium's opinion that this property is a PCA that does not contribute to an APEC for the Site.

3440 Richmond Road (Adjacent to the north of the Site and downgradient)

- Tubman Funeral Homes was registered as a generator of pathological wastes between 1988 and 1998. Based on the nature of operations and Cambium's observations (i.e., no storage of hazardous materials), the hazardous waste generated at this property does not represent a PCA for the Site.

The ERIS report also contained additional off-site listings in various databases. Review of these records indicated the data was for properties not in close proximity to the Site (i.e., greater than 100 m) or was not environmentally significant. Based on the distance between these properties and the Site and/or the inferred groundwater flow direction (i.e., downgradient), it is Cambium's opinion that these listings do not represent PCAs for the Site.

4.2.3 Coal Gasification Plants

The *Inventory of Industrial Facilities Producing or Using Coal Tar or Related Tars in Ontario* (MOE, 1988a) was reviewed. No industrial facilities producing or using coal or related tars were identified within 1,500 m of the Site.

The *Inventory of Coal Gasification Plant Waste Sites in Ontario* (MOE, 1988b) was reviewed. No coal gasification plant wastes sites were identified within 1,500 m of the Site.

4.2.4 Waste Disposal Site Inventory

The *Waste Disposal Site Inventory* (MOE, 1991) was reviewed. No waste disposal sites were identified within 1,500 m of the Site.



4.2.5 Freedom of Information

Freedom of information (FOI) requests were submitted to the Ministry and the TSSA.

Responses are summarized below. Copies of the FOI requests and responses, if available, are included in Appendix F.

Ministry of the Environment, Conservation and Parks FOI Results

An FOI request was submitted to the Ministry on July 8, 2025. A response to the FOI request submitted to the Ministry was not received prior to completion of this report. The results of the FOI request will be provided under separate cover if they change the findings of the Phase One ESA.

TSSA FOI Results

An FOI request for 3045 Baseline Road was submitted on July 8, 2025. A response was received on August 6, 2025, indicating records are available for the Site. The following summarizes the records:

- A propane AST was installed at the Site in 2022. Based on the contents stored (i.e., propane gas), it would not contaminate the soil and groundwater at the Site, and as such does not represent a PCA for the Site
- A 20,000 L fibreglass fuel oil UST was installed at the Site in 2008. The UST is considered a PCA that contributes to an APEC.

4.2.6 Access Environmental Site Registry

Cambium searched for RSCs and transition notices filed in the Access Environmental Site Registry (Ontario, 2025). No RSCs or Transition Notices were found for the Site or properties within the phase one study area.

4.3 Physical Setting Sources

The following documents were available for review and were used to supplement the information database for this report.



- Historical aerial photographs
- Topography, hydrology, and geology maps (stratigraphic maps, topographic maps, Ontario base mapping (OBM), etc.)
- Areas of Natural or Scientific Interests (ANSI) maps
- Well records

4.3.1 Aerial Photographs

Aerial photographs dated 1958, 1960, 1973, 1987, 1994, 2007, 2017 and 2024 were reviewed to identify the first developed use of the Site and subsequent on-site activities, buildings, structures, PCAs, and APECs, as per Schedule D, paragraph 9, of O.Reg. 153/04. Detailed observations are provided in Appendix G. The aerial photographs are provided as Figure 5 to Figure 12.

Review of the aerial photographs indicated that the Site was developed for residential use (i.e., hospital) between 1973 and 1987. The original portion of Site Building A was evident in the 1987 aerial photograph, with additions evident along the east portion in 2007 and the west portion in 2017 aerial photographs. Site Building B was evident in the 2017 aerial photograph.

A railway line oriented in an east-west direction was evident in all aerial photographs since 1960 and located approximately 145 m south of the Site. Based on the distance between the railway line and the Site, it is Cambium's opinion that this PCA does not contribute to an APEC for the Site.

4.3.2 Topography, Hydrology, and Geology

Review of a topographic map (MNR, 2025) indicates that the Site and surrounding area generally slopes down to the north toward Graham Creek.

The Site is within the Clay Plains physiographic region (Chapman & Putnam, 1984), characterized by till plains. In the general area, the overburden is silt and clay with minor sand and gravel (OGS, 2010). The soils overlie Oxford Formation dolostone (OGS, 2007). A review of Ministry water well records (MECP, 2025) for boreholes within 200 m of the Site indicated



that the local stratigraphy consisted of silt and sand overlying clay. Sandstone bedrock was encountered at about 2.4 mbgs in a well to the west of the Site.

4.3.3 Fill Materials

Previous investigations have indicated that clean fill material (i.e., gravel) was used to backfill previous excavations at the Site (refer to Section 4.1.5). Based on the presence of clean fill material used, it is Cambium's opinion that the fill material does not represent a PCA for the Site.

4.3.4 Water Bodies and Areas of Natural Significance & Ground Water Information

The closest water body to the Site is Graham Creek, about 320 m northeast and the Ottawa River is about 1,865 m north of the Site. Therefore, the Site is not within 30 m of a water body, as defined in O.Reg. 153/04.

Based on the distance, topography, direction of these waterbodies and drainage flow pattern (i.e., northwest), the regional groundwater flow direction is inferred to be to the north.

The following were reviewed to identify if the Site includes, is adjacent to, or within 30 m of an area of natural significance:

1. The study area does not include areas reserved or set apart as a provincial park or conservation reserve under the *Provincial Parks and Conservation Reserves Act, 2006* (Ontario, 2023).
2. No areas of natural or scientific interest (life science or earth science) identified by the Ministry of Natural Resources (MNR) as having provincial significance, nor wetlands identified by the MNR as having provincial significance were adjacent to, or within 30 m of the Site (MNR, 2025). Unevaluated wetlands are present 165 m south of the Site at the closest point.
3. The Site does not include areas designated as a wilderness area under the *Wilderness Areas Act* (MNRF, 2024)



4. The Natural Heritage Information Centre (NHIC) identified the potential presence of habitat for the following threatened or endangered species within the 1 km grid overlapping the Site (MNR, 2025).

- Eastern Meadowlark (*Sturnella Magna*) – threatened
- Bobolink (*Dolichonyx oryzivorus*) – threatened
- Wood Thrush (*Hylocichla mustelina*) – threatened
- Least Bittern (*Botaurus exilis*) – threatened
- Butternut (*Juglans cinerea*) – endangered

As defined in Section 1 of O.Reg. 153/04, an area that contains habitat for endangered or threatened species is considered an area of natural significance. A review of the Site by an ecologist could be completed to verify the presence of suitable habitat.

4.3.5 Well Records

A search of the Ministry Water Well Information System by ERIS identified one record for an on-site water supply well and 18 water supply well records within the phase one study area, ranging from about 30 m to 250 m from the Site. The wells were identified as domestic water supply wells, commercial water supply wells, public water supply wells, observation wells, and monitoring and test holes.

Stratigraphy in the on-site wells was generally sand and gravel to about 1.8 mbgs overlying limestone and sandstone bedrock. Stratigraphy in the off-site wells within 100 m of the Site was generally silt and gravel to about 4.8 mbgs.

4.4 Site Operating Records

A review of available site operating records is required when the Site is an Enhanced Investigation Property. A property is defined as an Enhanced Investigation Property as per paragraph 32 (1) (b) of O.Reg. 153/04 if it is used, or has ever been used, in whole or in part for an industrial use or for any of the following commercial uses:



- A garage
- A bulk liquid dispensing facility, including a gasoline outlet
- For the operation of dry cleaning equipment

Review of the site history indicated the Site is not an Enhanced Investigation Property. As such, a review of available site operating records was not completed.



5.0 Interviews

As per O.Reg. 153/04, interviews with persons described below are required in an effort to obtain further information regarding the Site use, occupancy history, and environmental conditions of the Site. This may include the following:

- Persons relevant to meeting the objectives of the Phase One ESA
- Current occupants and/or owners of the Site, or an individual with control of or authority over the owner
- Previous owners and/or occupants
- For industrial/commercial properties, a person that is knowledgeable of the Site activities (to be conducted on-site)
- Where the owner/occupant is not available, at least one owner or occupant of an adjacent property and one provincial or municipal government official, both of whom should be familiar with the Site

An interview was conducted with Mr. Peter Thompson, Advisor Planning and Facilities with the Queensway Carleton Hospital, who has been knowledgeable of the Site for more than 20 years. The information provided was used to inform the site reconnaissance and is incorporated throughout the report.

As described in Section 4.2.5, FOI requests were submitted to the Ministry and the TSSA for information they may have on file pertaining to the Site. A response from the Ministry was not received prior to completion of this report. The FOI response will be provided under separate cover if it changes the findings of the Phase I ESA. A response to the FOI TSSA request is documented in Section 4.2.5.



6.0 Site Reconnaissance

6.1 General Requirements

Mr. Dave Labelle, B.A., EP of Cambium conducted a site reconnaissance on July 8, 2025. At the time of the reconnaissance, the Site was developed with a single-storey hospital building complete with two, three and four-storey portions, located on the south portion of the Site (Site Building A); and a seven-storey parking garage structure located on the central portion of the Site (Site Building B). In addition, an office trailer was located on the central portion of the Site and a steel-framed, fabric-covered, road salt and sand storage structure was located on the north portion of the Site.

Cambium also conducted a walk-by of the surrounding properties in the phase one study area to identify potential off-site PCAs that may contribute to an APEC on the Phase One Property. Surrounding properties were viewed from publicly accessible areas.

During the site reconnaissance, the weather was hot and sunny with no precipitation. The entire Phase One Property was accessible, and all aspects of the property were inspected. Information obtained from the site reconnaissance is presented in Section 6.2. Select photographs taken during the site reconnaissance are included in Appendix H.

6.2 Specific Observations at Phase One Property

Cambium made all reasonable attempts to obtain the following information where applicable, as required by Schedule D, subsection 13 (1) of O.Reg. 153/04:

1. A general description of structures and other improvements, including the number and age of buildings
2. A general description of the number, age and depth of below ground structures
3. Details of all tanks, above and below ground, at the Phase One Property, including the material and method of construction of the tank, tank age, tank contents and tank volume, whether in use or not
4. Any potable and non-potable water sources



5. The type and approximate location of underground utility and service corridors, such as sewer, water, electrical or gas lines, located on, in or under the Phase One Property

With respect to the structures and buildings on the Site, the following information was obtained:

1. Exit and entry points
2. Details of existing and former heating systems, including type and fuel source
3. Details of cooling systems, including type and fuel source, if any
4. Details of any drains, pits and sumps, including their current use, if any, and former use
5. Details of any unidentified substances
6. Details, including locations, of stains or corrosion on floors other than from water, where located near a drain, pit, sump, crack or other potential discharge location.

Inquiries were also made to determine the following

1. Details including locations of current and former wells, including all wells described or defined in or under the *Ontario Water Resources Act and the Oil, Gas and Salt Resources Act*
2. Details of sewage works, including their location
3. Details of ground surface, including type of ground cover, such as grass, gravel, soil or pavement
4. Details of current or former railway lines or spurs and their locations

For the portion of the Phase One Property not covered by structures and buildings, the following observations were made:

1. Areas of stained soil, vegetation or pavement
2. Stressed vegetation
3. Areas where fill and debris materials appear to have been placed or graded
4. Potentially contaminating activity



5. Details of any unidentified substances found at the Phase One Property

The following is a description of the various points of investigation noted during the site reconnaissance conducted for the Phase One ESA. Observations made during the site reconnaissance are discussed in the following sections in detail regarding any findings that are relevant to identifying PCAs and APECs.

6.2.1 Structures and Other Improvements

The Site consists of two buildings (Site Building A and B), an office trailer, a steel-framed, fabric-covered, road salt and sand storage structure, parking lots, grassed boulevards, sidewalks, and undeveloped land. The original portions of Site Building A were reportedly constructed in approximately 1976 with additions constructed in approximately 2005, 2010, and 2012. Site Building B was reportedly constructed in approximately 2010.

Site Building A is equipped with several cable-driven and hydraulically operated elevators. Hydraulic oil is stored in steel reservoirs located in three elevator maintenance rooms located in the basement of Site Building A. Based on Cambium's observations (i.e., no staining) and lack of historical spill records, it is Cambium's opinion that the hydraulic reservoirs do not represent PCAs for the Site.

Site Building B is equipped with a cable driven elevator.

6.2.2 Underground Utility and Service Corridors

The Site is serviced by municipal utilities (e.g., electricity, natural gas, water, sewer, communications); however, the exact locations of the underground utilities was not determined as part of the Phase One ESA.

6.2.3 Storage Tanks – Above Ground and Underground

The following tanks were observed during the site reconnaissance:

A propane storage tank and two liquid oxygen tanks are present at the Phase One Property; however, propane or oxygen are not identified as a PCA in Table 2 of O. Reg. 153/04. Based



on the contents stored (i.e., propane gas and liquid oxygen), it would not contaminate the soil and groundwater at the Site, and as such does not represent a PCA for the Site

- One 20,000 L double-walled diesel UST located on-site (adjacent to the east of the emergency generator room of Site Building B)
- Three 2,275 L double-walled diesel ASTs located on-site (within the emergency generator room of Site Building B)
- One 2,275 L double-walled diesel AST located on-site (adjacent to the east of the emergency generator room of Site Building B)

The presence of the USTs/ASTs on-site are considered PCAs that contributes to APECs.

In addition, based on Cambium's historical review of inspection reports (refer to Section 4.1.3), a former fuel oil UST was historically present at the Phase One Property adjacent to the north of the boiler room of Site Building A. Records indicate that the UST was removed and a remediation program was completed at the Site in 2009. Confirmatory soil sampling was completed at the time of remediation, and the analytical results indicated that PHCs and BTEX concentrations met the applicable standards. Based on the documented removal and confirmatory sampling demonstrating compliance with the applicable SCS, the former UST is a PCA that is not considered to result in an APEC and is not carried forward as a PCA for the purposes of the Phase Two ESA

6.2.4 Oil/Water Separators

No oil/water separators were observed or reported at the Site.

6.2.5 Potable Water Sources

The phase one study area is municipally serviced for drinking water. No drinking water wells were observed at the Site. Multiple records of drinking water wells within the study area were identified by the records review.



6.2.6 Entry and Exit Points

The Site is accessible from the north via a driveway from John Sutherland Drive and from the south via a driveway from Baseline Road.

6.2.7 Heating and Cooling Systems

Heating within Site Building A was observed as natural gas-fired heating and cooling systems was observed as rooftop chillers. Supplemental heating for Site Building A is provided by propane stored in an AST located adjacent to the north-central portion of Site Building A.

Site Building B is not heated.

6.2.8 Drains, Pits, and Sumps

No pits or lagoons were observed or reported at the Site. However, three sumps are located in the basement of Site Building A and discharge into the municipal sewer system. In addition, floor drains were observed in the basement of Site Building A and ground floor of Site Building B. No petroleum hydrocarbon sheen was noted on the surface of the water within the drains or on the floor in the vicinity of the floor drains.

6.2.9 Unidentified Substances

No unidentified substances were observed or reported at the Site.

6.2.10 Current and Former Wells

The following monitoring wells were observed during the site reconnaissance:

- Two geotechnical monitoring wells are located on the east portion of the Site.
- One geotechnical monitoring well is located on the west portion of the Site.

6.2.11 Septic Fields

The Site is serviced by a municipal sewer system. No evidence of a septic field was observed during the site visit.



6.2.12 Ground Surface Conditions

The following ground surface covers were observed in the Site:

- Asphalt/pavement with minor visible cracks was observed in the parking lot areas throughout the Site.
- Grass cover boulevards and concrete sidewalks are located throughout the Site.
- Mature trees and brush were observed along the south and west Site boundaries.

It is anticipated the parking lot and walkway areas are salted in the winter months for de-icing. The application of salt is a PCA that contributes to an APEC. However, the QP_{ESA} has determined that a substance has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice at the Site. As such, the exemption set out in paragraph 1 of section 49.1 of O.Reg. 153/04 will be relied upon.

Furthermore, a steel-framed, fabric-covered, road salt and sand storage structure located on the north portion of the Site is used for salt storage for winter maintenance. Based on the bulk storage of salt, it is Cambium's opinion that this PCA contributes to an APEC.

6.2.13 Railway Lines or Spurs

No railway lines or spurs were observed on the Site. Based on observations, the records review and aerial imagery, a railway line oriented in an east-west direction is located approximately 145 m south of the property boundary. Based on the distance between the railway line and the Site, it is a PCA that does not contribute to an APEC for the Site.

6.2.14 Stained Soil, Vegetation, or Pavement

No surface staining was observed at the Site.

6.2.15 Stressed Vegetation

No areas of stressed vegetation were observed on the Site.



6.2.16 Fill and Debris Materials

As noted in Section 4.1.5, fill material was noted during the geotechnical investigations to a depth of about 3.0 mbgs. Therefore, it is anticipated that fill material of unknown quality is present across the Site and is a PCA that contributes to an APEC.

Furthermore, previous investigations have indicated that clean fill material (i.e., gravel) was used to backfill previous excavations at the Site (refer to Section 4.1.5). Based on the presence of clean fill material used, it is Cambium's opinion that this fill material does not represent a PCA for the Site.

6.2.17 Unidentified and Other Hazardous Substances

No unidentified substances were observed at the Site.

6.2.18 Adjacent Land Uses and Environmental Concerns

Adjacent property uses include:

North	Commercial use, and agricultural or other use
South	Baseline Road, residential use and agricultural or other use
East	Residential use
West	Highway 416 and agricultural or other use

No PCAs were identified based on operations at the adjacent properties.

6.2.19 Enhanced Investigation Property

Review of the site history indicated the Site is not an Enhanced Investigation Property.



6.3 Written Description of Investigation

This Phase One ESA included a review of historical documents, an interview with a person knowledgeable about the historical and current uses of the Site, and a site reconnaissance to observe existing site conditions.

A reconnaissance of the Site was conducted to examine the exterior and interior of all on-site buildings and structures, and to examine the exterior portions of the Site. Access was provided to the interiors of all Site Buildings. Mechanical equipment (including heating and cooling systems) was documented, as was any evidence of USTs and ASTs. The exterior portions of the Site were examined for evidence of utilities and related infrastructure; water wells; site drainage and related infrastructure; stained areas; stressed vegetation; and evidence of fill material.

The reconnaissance included an examination of all properties within the phase one study area from public access ways to document and characterize PCAs, water bodies, and areas of natural significance.

Further to the description of the investigations outlined above, the findings that are relevant to the existence of an APEC or PCA are described in Section 7.0.



7.0 Review and Evaluation of Information

7.1 Current and Past Uses

Based on the available aerial photography, city directories, FIPs, and the chain of title report, Table 1 summarizes the current and past uses, and ownership identified.

Table 1 Table of Current and Past Uses of the Phase One Property

Year	Name of Owner	Description of Property Use	Property Use ¹	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
Prior to 1808	Crown	Vacant	Agricultural or other use	Understood to be vacant or possibly agricultural land.
1808	Aird Rose, and Mary McDonnell	Vacant	Agricultural or other use	None
1817	David Wright	Vacant	Agricultural or other use	None
1819	John LeBerton	Vacant	Agricultural or other use	None
1830	Richard Mears, Thomas Mears, and D. Patee	Vacant	Agricultural or other use	None
1831	James LeBreton	Vacant	Agricultural or other use	None
1839	Sheriff Township of Nepean	Vacant	Agricultural or other use	None
1840	Rob Matherson	Vacant	Agricultural or other use	None
1845	James Brown	Vacant	Agricultural or other use	None
1847	Bank of Montreal	Vacant	Agricultural or other use	None



Year	Name of Owner	Description of Property Use	Property Use ¹	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
1852	John Egan	Vacant	Agricultural or other use	None
1855	Weldon Graham	Vacant	Agricultural or other use	None
1870	William Fenton, and James Bearman	Vacant	Agricultural or other use	None
1901	James MaGee	Vacant	Agricultural or other use	None
1905	Mary H. Henry, and Bower Henry	Vacant	Agricultural or other use	None
1911	John A. Graham	Vacant	Agricultural or other use	None
1939	Arthur N. Acres, and George B. Acres	Vacant	Agricultural or other use	None
1944	John Moffat	Vacant	Agricultural or other use	None
1952	Reginald A.S. Bruce, Adam N. Acres, and George B. Acres	Vacant	Agricultural or other use	None
1954	Jack H.W. Tretman, and Palma N.A. Tretman	Vacant	Agricultural or other use	None
1956	Mary Rose Whiting	Vacant	Agricultural or other use	None



Year	Name of Owner	Description of Property Use	Property Use ¹	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
1961	Adam N. Acres, and George B. Acres	Vacant	Agricultural or other use	None
1963-Present	National Capital Commission	Residential use as hospital after 1976	Residential use	Based on 1987 aerial photograph, hospital building and parking lots are present

Notes:

1. for each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

Agriculture or other use
 Commercial use
 Community use
 Industrial use
 Institutional use
 Parkland use
 Residential use

7.2 Potentially Contaminating Activity

Cambium reviewed information available for the phase one study area to identify environmental issues normally assessed in a Phase One ESA. The Phase One ESA identified 10 PCAs (7 on-site and 3 off-site) within the phase one study area. Refer to Section 7.4.5 for further description of the identified PCAs and Figure 3 for locations of the identified PCAs.

7.3 Areas of Potential Environmental Concern

As required by O.Reg. 153/04, all on-site PCAs contributed to an APEC. Based on the distance and/or direction from the Site, local topography, and inferred groundwater flow direction, none of the off-site PCAs contributed to an APEC. Refer to Section 7.4.6 for APEC details and Figure 4 for APEC locations.

7.4 Phase One Conceptual Site Model

The following descriptions and discussion supplement Figure 3 and Figure 4, and together comprise the Phase One Conceptual Site Model (CSM). The purpose of the CSM is to assist



the QP in illustrating the results of the Phase One ESA and to provide a basis for further work, if required.

7.4.1 Site Description

The Site description includes:

- The Site is located at 3045 Baseline Road, Ottawa, Ontario
- UTM coordinates are Zone 18T, 436706 m E, 5020481 m N
- The Site is located on the northwest corner of the intersection of Baseline Road and John Sutherland Drive.

7.4.2 Existing Buildings and Structures

The Site consists of two buildings (Site Building A and B), an office trailer, a steel-framed, fabric-covered, road salt and sand storage structure, parking lots, grassed boulevards, sidewalks, and undeveloped land. The original portions of Site Building A were reportedly constructed in approximately 1976 with additions constructed in approximately 2005, 2010 and 2012. Site Building B was reportedly constructed in approximately 2010.

7.4.3 Water Bodies and Areas of Natural Significance

The closest water body to the Site is Graham Creek, about 320 m northeast and the Ottawa River is about 1,865 m north of the Site. Therefore, the Site is not within 30 m of a water body, as defined in O.Reg. 153/04.

Based on the distance, topography, direction of these waterbodies and drainage flow pattern (i.e., northwest), the regional groundwater flow direction is inferred to be to the north.

The following were reviewed to identify if the Site includes, is adjacent to, or within 30 m of an area of natural significance:

1. The study area does not include areas reserved or set apart as a provincial park or conservation reserve under the *Provincial Parks and Conservation Reserves Act, 2006* (Ontario, 2023).



2. No areas of natural or scientific interest (life science or earth science) identified by the Ministry of Natural Resources (MNR) as having provincial significance, nor wetlands identified by the MNR as having provincial significance, were adjacent to, or within 30 m of the Site (MNR, 2025). Unevaluated wetlands are present 165 m south of the Site at the closest point.
3. The Site does not include areas designated as a wilderness area under the *Wilderness Areas Act* (MNRF, 2024)
4. The Natural Heritage Information Centre (NHIC) identified the potential presence of habitat for the following threatened or endangered species within the 1 km grid overlapping the Site (MNR, 2025).
 - Eastern Meadowlark (*Sturnella Magna*) – threatened
 - Bobolink (*Dolichonyx oryzivorus*) – threatened
 - Wood Thrush (*Hylocichla mustelina*) – threatened
 - Least Bittern (*Botaurus exilis*) – threatened
 - Butternut (*Juglans cinerea*) – endangered

As defined in Section 1 of O.Reg. 153/04, an area that contains habitat for endangered or threatened species is considered an area of natural significance. A review of the Site by an ecologist could be completed to verify the presence of suitable habitat.

7.4.4 Drinking Water Wells

The phase one study area is municipally serviced for drinking water. No drinking water wells were observed at the Site. However, multiple records of drinking water wells within the Phase One ESA study area were identified by the records review.

A search of the Ministry Water Well Information System by ERIS identified one record for an on-site water supply well and 18 water supply well records within the phase one study area, ranging from about 30 m to 250 m from the Site. The wells were identified as domestic water



supply wells, commercial water supply wells, public water supply wells, observation wells, and monitoring and test holes.

7.4.5 Potentially Contaminating Activities

Based on the review and evaluation, 10 PCAs (seven on-site and three off-site) were identified within the Phase One Study Area. Refer to Table 2 for PCA details and Figure 3 for locations.

Table 2 Potentially Contaminating Activities

PCA ID #	Potentially Contaminating Activity ¹	Location of PCA	PCA Description	APEC ² (Yes/No)
1	PCA #30: Importation of Fill Material of Unknown Quality	On-site, entire site	Based on previous Geotechnical Investigations at the Site, fill material was observed throughout the Site.	Yes
2	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	A diesel UST located adjacent to the east of Site Building B.	Yes
3	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	A diesel AST located adjacent to the north portion of Site Building B.	Yes
4	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	A diesel AST located in the north portion of Site Building B.	Yes
5	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	A diesel AST located in the north portion of Site Building B.	Yes
6	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	A diesel AST located in the north portion of Site Building B.	Yes
7	PCA #48: Salt Manufacturing, Processing and Bulk Storage	On-site, north portion of the Site	A steel-framed, fabric-covered, road salt and sand storage structure located on the north portion of the Site has been used for salt storage.	Yes
8	Other – Hydrocarbon spill	Off-site, adjacent to the south portion of the Site	A diesel spill of 200 L onto the ground surface and into a catch basin located at the intersection of Cedarview Road and Baseline Road	No
9	Other - Historical Contaminated Sites on Federal Land record	Off-site, adjacent to the north portion of the Site	The property at 3448 Richmond Road was listed in the FCS database of various soil and groundwater impacts at this	No



PCA ID #	Potentially Contaminating Activity ¹	Location of PCA	PCA Description	APEC ² (Yes/No)
			property which were subsequently remediated.	
10	PCA #46: Rail yards, Tracks and Spurs	Off-site, 145 m south of the Site	A railway line has been evident south of the Site since at least 1960.	No

Notes:

1. Potentially Contaminating Activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in the Phase One study area.

2. Area of Potential Environmental Concern (APEC) means the area on, in, or under a Phase One Property where one or more contaminants are potentially present.

The QP_{ESA} has determined that a substance has been applied to surfaces for the safety of vehicular or pedestrian traffic under conditions of snow or ice at the Site. As such, the exemption set out in paragraph 1 of section 49.1 of O.Reg. 153/04 will be relied upon.

7.4.6 Areas of Potential Environmental Concern

All on-site PCAs contributed to an APEC. Based on a review of potential to result in contamination in the Site, none of the off-site PCAs contributed to APECs. Refer to Table 3 for APEC details and Figure 4 for APEC locations.

Table 3 Areas of Potential Environmental Concern

APEC ¹	Location of APEC on Phase One Property	PCA ²		Location of PCA	Contaminants of Potential Concern ³
1	Entire Site	1	PCA #30: Importation of Fill Material of Unknown Quality	On-site, entire site	PHCs, BTEX, PAHs, metals, hydride-forming metals, B-HWS, CrVI, Hg, CN, pH, EC, and SAR
2	North-central portion of the Site	2	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	PHCs, BTEX, PAHs, and metals



APEC ¹	Location of APEC on Phase One Property		PCA ²	Location of PCA	Contaminants of Potential Concern ³
3	North-central portion of the Site	3	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	PHCs, BTEX, PAHs, and metals
4	North-central portion of the Site	4	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	PHCs, BTEX, PAHs, and metals
5	North-central portion of the Site	5	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	PHCs, BTEX, PAHs, and metals
6	North-central portion of the Site	6	PCA #28: Gasoline and Associated Products Storage in Fixed Tanks	On-site, north-central portion of the Site	PHCs, BTEX, PAHs, and metals
7	Northeast portion of the Site	7	PCA #48: Salt Manufacturing, Processing and Bulk Storage	On-site, northeast portion of the Site	EC, SAR, CN, Na and Cl

Notes:

1. Area of Potential Environmental Concern (APEC) means the area on, in, or under a Phase One Property where one or more contaminants are potentially present.
2. Potentially Contaminating Activity (PCA) means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in the Phase One study area.
3. Method groups as defined in Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011

7.4.7 Contaminants of Potential Concern

COPCs were identified for each PCA contributing to an APEC. The COPCs specific to each APEC are summarized in Table 3. PHCs, BTEX, PAHs, metals and hydride-forming metals, and ORPs including B-HWS, CrVI, Hg, EC, CN, SAR, pH, Na, and Cl- were identified as COPCs for the APECs.

7.4.8 Contaminant Distribution and Transport

Various utilities (i.e., natural gas, electrical, water, sewer, etc.) were observed to enter the Site from Baseline Road and Richmond Road. Contaminant distribution and transport may be



influenced by the presence of current utility trenches, as well as any utility trenches that were historically present on the Site.

No specific climatic or meteorological conditions were observed that may influence the distribution or migration of contaminants.

7.4.9 Geological and Hydrogeological Setting

Review of a topographic map (MNR, 2025) indicates that the Site and surrounding area generally slopes down to the north toward Graham Creek.

The Site is within the Clay Plains physiographic region (Chapman & Putnam, 1984), characterized by silt and clay, glaciomarine and marine deposits. In the general area, the overburden is silt and clay with minor sand and gravel (OGS, 2010). The soils overlie Oxford Formation dolostone (OGS, 2007). A review of Ministry water well records (MECP, 2025) for boreholes within 200 m of the Site indicated that the local stratigraphy consisted of silt and sand overlying clay. Sandstone bedrock was encountered at about 2.4 mbgs in a well to the west of the Site.

The closest water body to the Site is the Graham Creek, located approximately 320 m northeast of the Site, which flows in a northwesterly direction, toward its confluence with the Ottawa River, approximately 1,865 m north of the Site. Based on the topography and the nearest body of water, the shallow groundwater flow direction in the phase one study area is inferred to be northwesterly toward the confluence of the Graham Creek and the Ottawa River. No areas of natural significance, as defined in Section 1 of O.Reg. 153/04, were identified in whole or in part within the phase one study area (MNRF, 2021).

Previous subsurface work and geotechnical investigations completed by Golder and WSP between 2009 and 2025 identified the soil profile at the Site (refer to Section 4.1.5). The Site consisted of asphalt/topsoil overlying fill material (sand and gravel) to a maximum depth of approximately 3.0 mbgs overlying clayey silt to silty clay with variable amounts of sand. Bedrock was encountered at a depth ranging between 1.7 mbgs and 10.0 mbgs.



7.4.10 Uncertainty or Absence of Information

All aspects of the Phase One ESA were conducted consistent with O.Reg. 153/04, and as such, the Site was investigated thoroughly. As access to the entire Site was possible, and adequate historical information was available through the interviewee's, records review, and FOI requests, uncertainty or absence of information is not expected to result in material data gaps at the Site.



8.0 Conclusions

The Phase One ESA conclusions regarding the current environmental conditions at the Site are based solely on the results of the document review, regulatory records review, interviews, and site reconnaissance as described in this report.

8.1 Requirement for a Phase Two Environmental Site Assessment

Based on the observations and information obtained for the Site and phase one study area, a Phase Two ESA is required to support the SPA application.




8.2 Signatures


This Phase One ESA was completed under the supervision of Ms. Sheila Barter, P.Geo., QP_{ESA}, as per O.Reg. 153/04. Information presented in this report is true and accurate to the best of the assessors' knowledge.

Respectfully submitted,

Cambium Inc.

DocuSigned by:

A5EE10141E91415...
Dave Labelle, B.A., EP
Coordinator



Signed by:

2AB8F98A2B3941B...
Sheila Barter, P.Geo., QP_{ESA}
Senior Project Manager

2025-11-27



9.0 References

- Chapman, L., & Putnam, D. (1984). *The Physiographic Regions of Southern Ontario, Third Edition*. Ontario Ministry of Natural Resources.
- ERIS. (2025). *ERIS Database Report*. Environmental Risk Information Services.
- Golder Associates Ltd. (2009). *Soil Verification Sampling - Queensway Carleton Hospital - 3045 Baseline Road, Ottawa, Ontario*.
- MECP. (2025, 07 28). *Map: Well Records*. Retrieved from Ministry of the Environment, Conservation and Parks: <https://www.ontario.ca/environment-and-energy/map-well-records>
- MNR. (2025). *Make a Natural Heritage map*. Retrieved from Ministry of Natural Resources and Forestry:
https://www.lioapplications.lrc.gov.on.ca/Natural_Heritage/index.html?viewer=Natural_Heritage.Natural_Heritage&locale=en-CA
- MNR. (2025). *Make a Natural Heritage map*. Retrieved from Ministry of Natural Resources and Forestry:
https://www.lioapplications.lrc.gov.on.ca/Natural_Heritage/index.html?viewer=Natural_Heritage.Natural_Heritage&locale=en-CA
- MNRF. (2021). *Make a Natural Heritage map*. Retrieved 03 09, 2020, from Ministry of Natural Resources and Forestry: <http://www.ontario.ca/page/make-natural-heritage-area-map>
- MNRF. (2024). *Wilderness areas*. Retrieved from Ontario Ministry of Natural Resources and Forestry © King's Printer for Ontario:
<https://www.arcgis.com/home/item.html?id=a642f6ed21524f88a2f94d6d0eabe599>
- MOE. (1988a). *Inventory of Industrial Facilities Producing or Using Coal Tar or Related Tars in Ontario, Volume I*. Ministry of the Environment. November 1988.
- MOE. (1988b). *Inventory of Coal Gasification Plant Waste Sites in Ontario*. Ministry of the Environment. November 1988.



- MOE. (1991). *Waste Disposal Site Inventory*. Ministry of the Environment. June 1991.
- MOE. (2011). *Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*. Ministry of the Environment. April 15, 2011.
- OGS. (2007). *Paleozoic geology of southern Ontario; Ontario Geological Survey, Miscellaneous Release--Data 219*. Ontario Geological Survey.
- OGS. (2010). *Surficial geology of Southern Ontario; Ontario Geological Survey, Miscellaneous Release--Data 128-REV*. Ontario Geological Survey.
- Ontario. (2023, 07 10). *Provincial Park Regulated*. Retrieved from Land Information Ontario:
<https://geohub.lio.gov.on.ca/datasets/lio::provincial-park-regulated/explore?location=49.013258%2C-84.732487%2C5.47>
- Ontario. (2025). *Access Environment Site Registry*. Retrieved from Environmental Site Registry:
https://www.lioapplications.lrc.gov.on.ca/Access_Environment/index.html?viewer=Access_Environment.AE&locale=en-CA
- WSP Canada Inc. (2024). *Geotechnical Desktop Study - Porposed Queensway Hospital Expansion - 3045 Baseline Road, Ottawa, Ontario*.
- WSP Canada Inc. (2025). *Geotechnical Investigation - Queensway Carleton Hospital Expansion, 3045 Baseline Road, Ottawa, Ontario*.



10.0 Standard Limitations

Limited Warranty

In performing work on behalf of a client, Cambium relies on its client to provide instructions on the scope of its retainer and, on that basis, Cambium determines the precise nature of the work to be performed. Cambium undertakes all work in accordance with applicable accepted industry practices and standards. Unless required under local laws, other than as expressly stated herein, no other warranties or conditions, either expressed or implied, are made regarding the services, work or reports provided.

Reliance on Materials and Information

The findings and results presented in reports prepared by Cambium are based on the materials and information provided by the client to Cambium and on the facts, conditions and circumstances encountered by Cambium during the performance of the work requested by the client. In formulating its findings and results into a report, Cambium assumes that the information and materials provided by the client or obtained by Cambium from the client or otherwise are factual, accurate and represent a true depiction of the circumstances that exist. Cambium relies on its client to inform Cambium if there are changes to any such information and materials. Cambium does not review, analyze or attempt to verify the accuracy or completeness of the information or materials provided, or circumstances encountered, other than in accordance with applicable accepted industry practice. Cambium will not be responsible for matters arising from incomplete, incorrect or misleading information or from facts or circumstances that are not fully disclosed to or that are concealed from Cambium during the provision of services, work or reports.

Facts, conditions, information and circumstances may vary with time and locations and Cambium's work is based on a review of such matters as they existed at the particular time and location indicated in its reports. No assurance is made by Cambium that the facts, conditions, information, circumstances or any underlying assumptions made by Cambium in connection with the work performed will not change after the work is completed and a report is submitted. If any such changes occur or additional information is obtained, Cambium should be advised and requested to consider if the changes or additional information affect its findings or results.

When preparing reports, Cambium considers applicable legislation, regulations, governmental guidelines and policies to the extent they are within its knowledge, but Cambium is not qualified to advise with respect to legal matters. The presentation of information regarding applicable legislation, regulations, governmental guidelines and policies is for information only and is not intended to and should not be interpreted as constituting a legal opinion concerning the work completed or conditions outlined in a report. All legal matters should be reviewed and considered by an appropriately qualified legal practitioner.

Site Assessments

A site assessment is created using data and information collected during the investigation of a site and based on conditions encountered at the time and particular locations at which fieldwork is conducted. The information, sample results and data collected represent the conditions only at the specific times at which and at those specific locations from which the information, samples and data were obtained and the information, sample results and data may vary at other locations and times. To the extent that Cambium's work or report considers any locations or times other than those from which information, sample results and data was specifically received, the work or report is based on a reasonable extrapolation from such information, sample results and data but the actual conditions encountered may vary from those extrapolations.

Only conditions at the site and locations chosen for study by the client are evaluated; no adjacent or other properties are evaluated unless specifically requested by the client. Any physical or other aspects of the site chosen for study by the client, or any other matter not specifically addressed in a report prepared by Cambium, are beyond the scope of the work performed by Cambium and such matters have not been investigated or addressed.

Reliance

Cambium's services, work and reports may be relied on by the client and its corporate directors and officers, employees, and professional advisors. Cambium is not responsible for the use of its work or reports by any other party, or for the reliance on, or for any decision which is made by any party using the services or work performed by or a report prepared by Cambium without Cambium's express written consent. Any party that relies on services or work performed by Cambium or a report prepared by Cambium without Cambium's express written consent, does so at its own risk. No report of Cambium may be disclosed or referred to in any public document without Cambium's express prior written consent. Cambium specifically disclaims any liability or responsibility to any such party for any loss, damage, expense, fine, penalty or other such thing which may arise or result from the use of any information, recommendation or other matter arising from the services, work or reports provided by Cambium.

Limitation of Liability


Potential liability to the client arising out of the report is limited to the amount of Cambium's professional liability insurance coverage. Cambium shall only be liable for direct damages to the extent caused by Cambium's negligence and/or breach of contract. Cambium shall not be liable for consequential damages.

Personal Liability

The client expressly agrees that Cambium employees shall have no personal liability to the client with respect to a claim, whether in contract, tort and/or other cause of action in law. Furthermore, the client agrees that it will bring no proceedings nor take any action in any court of law against Cambium employees in their personal capacity.



Appended Figures



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

- Railway
- Watercourse
- Water Area
- Wooded Area
- Built Up Area

Notes:
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

SITE LOCATION PLAN

Project No.:	23906-001	Date:	November 2025
Scale:	1:200,000	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
		Figure:	1



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

- AST (Aboveground Storage Tank)
- UST (Underground Storage Tank)
- Site (approximate)

LAND USE


Notes:
- Aerial imagery obtained from Digital Raster Acquisition Project Eastern Ontario (DRAPE) 2024. Source: Ontario Ministry of Natural Resources and Forestry. © Copyright: 2024 King's Printer of Ontario. All Rights Reserved.
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

**SITE PLAN AND
SURROUNDING LAND USE**

Project No.:	23906-001	Date:	November 2025
Scale:	1:6,000	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
		Figure:	2



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

250m Study Area

Site (approximate)

Potentially Contaminating Activity:

Does Not Contribute to APEC

Contributes to APEC

Groundwater Flow Direction

Notes:

- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.

 194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

**CONCEPTUAL SITE MODEL
PHASE ONE STUDY AREA**

Project No.:	23906-001	Date:	November 2025
Scale:	1:5,750	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
			Figure: 3



APEC #	Potentially Contaminating Activity ²
1	Item 30 - Importation of Fill Material of Unknown Quality
2	Item 28 - Gasoline and Associated Products Storage in Fixed Tanks
3	Item 28 - Gasoline and Associated Products Storage in Fixed Tanks
4	Item 28 - Gasoline and Associated Products Storage in Fixed Tanks
5	Item 28 - Gasoline and Associated Products Storage in Fixed Tanks
6	Item 28 - Gasoline and Associated Products Storage in Fixed Tanks
7	Item 48 - Salt Manufacturing, Processing and Bulk Storage

**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)

Areas of Potential Environmental
Concern:

- APEC 1
- APEC 2
- APEC 3
- APEC 4,5,6
- APEC 7

Notes:
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

**CONCEPTUAL SITE MODEL
PHASE ONE SITE PLAN**

Project No.: 23906-001		Date: November 2025	
Scale: 1:3,500		Projection: NAD 1983 UTM Zone 17N	
Created by: LD	Checked by: KF	Figure: 4	



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)


Notes:
- Aerial imagery from the National Air Photo Library (NAPL).
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

1958 AERIAL IMAGERY

Project No.:	23906-001	Date:	November 2025
Scale:	1:6,500	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
			Figure: 5





**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)

Notes:
- Aerial imagery from the National Air Photo Library (NAPL).
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

1960 AERIAL IMAGERY

Project No.:	23906-001	Date:	November 2025
Scale:	1:6,500	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
			Figure: 6



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)

Notes:
- Aerial imagery from the National Air Photo Library (NAPL).
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com


1973 AERIAL IMAGERY

Project No.:	23906-001	Date:	November 2025
Scale:	1:6,500	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
Figure:	7		



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

 Site (approximate)

Notes:
- Aerial imagery from the National Air Photo Library (NAPL).
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

1987 AERIAL IMAGERY

Project No.:	23906-001	Date:	November 1987
Scale:	1:6,500	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
			Figure: 8



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)


Notes:
- Aerial imagery from the National Air Photo Library (NAPL).
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

1994 AERIAL IMAGERY

Project No.: 23906-001	Date: November 2025
Scale: 1:6,500	Projection: NAD 1983 UTM Zone 17N
Created by: LD	Checked by: KF
Figure: 9	





**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

Site (approximate)

Notes:
- Aerial imagery from the City of Ottawa map server, historical imagery service.
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com


2007 AERIAL IMAGERY

Project No.:	23906-001	Date:	November 2025
Scale:	1:6,500	Projection:	NAD 1983 UTM Zone 17N
Created by:	LD	Checked by:	KF
Figure:	10		



**PHASE ONE
ENVIRONMENTAL
SITE ASSESSMENT**
QUEENSWAY CARLETON HOSPITAL
3045 Baseline Road
Ottawa, Ontario

LEGEND

 Site (approximate)


Notes:
- Aerial imagery from the City of Ottawa map server, historical imagery service.
- This document contains information licensed under the Open Government License - Ontario.
- Distances on this plan are in metres and can be converted to feet by dividing by 0.3048.
- Cambium Inc. makes every effort to ensure this map is free from errors but cannot be held responsible for any damages due to error or omissions. This map should not be used for navigation or legal purposes. It is intended for general reference use only.



194 Sophia Street
Peterborough, Ontario, K9H 1E5
Tel: (705) 742.7900 Fax: (705) 742.7907
www.cambium-inc.com

2017 AERIAL IMAGERY

Project No.:	23906-001		Date:	November 2025	
Scale:	1:6,500		Projection:	NAD 1983 UTM Zone 17N	
Created by:	LD	Checked by:	KF	Figure:	11



LEGEND

1



2024 AERIAL IMAGERY

12 |



Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario
Queensway Carleton Hospital
Cambium Reference: 23906-001
November 26, 2025

Appendix A

Plan of Survey





Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario
Queensway Carleton Hospital
Cambium Reference: 23906-001
November 26, 2025


Appendix B
Verisk



Enviroscan Report

Site address: 3045 Baseline Road, Nepean, ON
Project #: 25070400156
P.O. #: 162111
Requested by: Eleanor Goolab
Date Completed: 7/10/2025 1:27:50 PM

Search Area: 3045 Baseline Road, Nepean, ON



Historical Environmental Services Enviroscan Terms and Conditions

Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Verisk's records relating to the described property (hereinafter referred to as the "Property"). Verisk makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Verisk's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Verisk does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Verisk disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Verisk Reports or from any tortious acts or omissions of Verisk's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.


Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.

Report Index

Page	Report Title
5	(1976) Siteplan Report - 1976 QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Nepean Township ON K2H8P4 (distance = 0 metres*)
7	(1976) Survey for Rating Fire-Resistive Risks Report - 1976 QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Nepean Township ON K2H8P4 (distance = 0 metres*)

Siteplan Report - 1976 QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Nepean Township ON K2H8P4



FKH.

Survey for Rating Fire-Resistive Risks Report - 1976

QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road

Nepean Township ON K2H8P4



ONTARIO REGION

SURVEY FOR RATING FIRE-RESISTIVE RISKS (excluding Sprinklered bldgs.) OF ALL CLASSES.

Location (Town and Street) NEPEAN TOWNSHIP BASELINE Ins. Plan-S N-OP N-OP No. 3045
 Owned by Queenway - Carleton Hospital Occupied by same
 For a Hospital No. of hands.....
 Is building completely finished and out of workmen's hands? No

OCCUPANCY

(SPRINKLED) Give occupancy, kind of work, processes, machinery and number of hands on each floor
 Basement Kitchen (2 gas-fired systems) Morgue, autopsy, pharmacy
Lab - flammable storage room
 1st Office - wards
 2nd Physiotherapy - Psychiatry
 3rd Pediatrics ward
 4th Coronary wards
 5th.....
 6th.....

CONSTRUCTION OF BUILDING

1. TYPE OF CONSTRUCTION - Floors & Roof Carried on:

- | | |
|---|--|
| (a) Skeleton Steel Framework <input type="checkbox"/> | (d) Bearing Walls & Steel Columns <input type="checkbox"/> |
| (b) Reinforced Concrete Framework <input checked="" type="checkbox"/> | (e) Steel on Steel Walls & Roof <input type="checkbox"/> |
| (c) Bearing Walls & Partitions <input type="checkbox"/> | (f) Other Construction <input type="checkbox"/> |

(Describe fully) Steel deck on steel beams

2. WALLS - State construction of external walls. Brick over HCB over operating room
 If bearing walls give thickness of walls in inches at each floor.....

3. ROOF AND FLOOR - Materials

- | | |
|---|--|
| Roof <input checked="" type="checkbox"/> | Floors <input checked="" type="checkbox"/> |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> |
| Roof <input checked="" type="checkbox"/> C.P. | Floors <input type="checkbox"/> |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> |

- (c) Concrete, reinforced - Poured in place 8 inches thick
 (b) Concrete, on metal pan - Poured in place..... inches thick
 (c) Concrete, Precast Units..... inches thick (Name of Manufacturer)
 (d) Steel Deck, Construction #1 ☒ Otherwise ☐
 * If Construction #1 State method of attaching insulation to steel deck and type of insulation
 Mechanical Fasteners ☐ * Adhesive ☐ Otherwise ☐
 * If adhesive state trade name Hexsuo
 Type of insulation on steel deck Fiberglass
 (e) Other Materials - Describe and Show Thickness.....

ROOF AND FLOOR — Method of Support

- OR Roof ☒ Floors ☐ (a) Unprotected Steel Beams.
- Roof ☐ Floors ☐ (b) Steel Beams Protected by _____ inches of _____
- Roof ☒ Floors ☒ (c) Reinforced Concrete Beams — Poured in place.
- Roof ☐ Floors ☐ (d) Precast Concrete Structural Units _____ inches thick _____ (Name of Manufacturer)
- Roof ☐ Floors ☐ (e) Bearing Walls Only — No Supporting Steel.

If building is composed of more than one type of construction, identify sections of floor involving each type and indicate on plan.

(a) Is there any roof space exceeding 3 feet in height? NO If so, for what purpose is it used? _____

How is access obtained thereto? _____ If by trap or door, describe type _____

(b) Are all skylights of wired glass in metal frames? —

(c) Is there any wood in roof, louvers, ventilators or skylights, if so give details NO

(d) Is there a wood roof laid over an incombustible one? NO If so, how is it supported? _____

(e) If so, what is the maximum and minimum height of this above the incombustible roof? —

(f) Is the incombustible roof broken by Texas, louvers, ventilator, trapdoor, skylight, stair, elevator, other shafts? —

If so, what is the construction of the sides through roof space? _____

Is there any access or opening from these shafts to the roof space? Describe each separately _____

(g) Is there a superstructure, water cooling tower, or Penthouse of any kind on the roof? Yes If so, given dimensions, construction and occupancy 80 x 30

How is access obtained? Stairway from 3rd.

(h) Is there a wood wearing floor? _____ If so, on which storeys? _____

(i) Is it laid directly on incombustible floor or on an airspace? Describe _____

4 STEEL COLUMNS AND BEAMS — Are they fireproofed? NO If "Yes" state nature and thickness of such protection.

(a) Columns _____

(b) Beams open in the operating room only.

FLOOR OPENINGS

5 STAIRWAYS — How many, and state from which floor to which? 8

Is there an enclosure around them? yes If so, describe construction of enclosure, and the doors, and whether doors are self-closing HCB shafts

with self closing metal and wired glass doors

6 ELEVATORS — How many, and state from which floor to which? _____

Is there an enclosure around them? _____ If so, describe construction of enclosure, and the doors, and whether doors are self-closing _____

7 CHUTES, VENTS, DUMB WAITERS & BELT HOLES & OTHER FLOOR OPENINGS — Give size, construction of enclosure (if any), type of door (if any), and whether self-closing,

stating which floors are cut by each sample transfer chute - about 4" diameter
steel tubing through building.

8 HEATING AND VENTILATING DUCTS — Are there any? yes (a) Are ducts, which cut through floor, in masonry shafts yes

(b) Give construction of shaft HCB (c) State whether separate duct to each floor without communication to other floors

fire dampers each floor (d) Do ducts open into roof space? —

9 HEIGHT — State number of floors and whether there is a basement 3, 2nd & partial basement

10 AREA — Give ground floor dimensions see plan about 75,000 sq ft.

State separately for each floor, finish and method of attachment to walls and ceiling (If more than one type of finish is present on any one floor, state percentage of each type)

	Basement	1st	2nd	3rd	4th	5th	6th	
(a) Walls	P/HCB	PHCB	PHCB	PHCB				
(b) Ceilings	Metal 5" mineral tile	5" mineral tile	5" mineral tile					
(c) Partitions	gypsum metal studs							

State extent of any wood partitions, or partitions having wood supports in square feet separately for each floor:—

(d) Is there any other inside or outside combustible finish or trim other than above? Describe fully

12. HEATING — What is the system of heating the building? Hot water Where is heating plant located?
Is it in fire-resistive room with standard fire door? Are there any stoves; if so, how many and where located
Do any heating devices vent otherwise than to brick or concrete chimney; if so, give details
What fuel is used?

13. ELECTRIC WIRING — All wiring is in Rigid Conduit ☒ Otherwise ☐
Are all circuits protected by type "S" tamper resisting fuses or non-interchangeable circuit breakers? yes
14. POWER — Is any used? yes If so, what kind? electric Total Horse Power? over 5hp
What used for? building services
If gasoline engine, state method of ignition, location and capacity of supply, tank, whether feed is pressure or gravity, quantity of gasoline in engine

15. GASOLINE OR BENZINE, OR OTHER OILS — Are any kept? to be If so, what quantity of each? ? to be a small
What used for? flammable storage room
16. COMMUNICATIONS — Does the building communicate with any other building? yes (a) If so, give dimensions, height, construction and occupancy and indicate clearly on diagram boiler room
(b) If so, are buildings separated by solid wall? yes (c) If so, are all openings in this wall protected by self-closing U.L. labelled Class A fire doors? No
(d) If not, describe type of doors on each opening Class B doors on 120' long concrete tunnel.

PUBLIC PROTECTION

17. FIRE DEPARTMENT — State distance to the nearest fire station 2 miles
18. HYDRANTS — What is the distance to the nearest two hydrants? 5 within 500' Give size of main 8"

INTERNAL PROTECTION

19. Show number units for each floor:

	Basement	1st	2nd	3rd	4th	5th	6th	7th	8th
Extrs. 2 1/2 Gal. Class A	3	8	6	4					
Extrs. Class B & C									
Stand Pipe & Hose	3	8	6	4					

20. WATCHMAN — Is there a Watchman making rounds of the whole premises, nights, Sundays, holidays, and at all times when plant is not in operation, rounds being made not less than once an hour during the night, i.e. from 6 p.m. to 6 a.m., and every two hours during the day?
(a) Does he use a portable clock, electric detector, or report to central station?
(b) Give name of manufacturer of clock (c) Does it bear approval label of Underwriters' Laboratories
(d) Are the stations sufficient and so located that the Watchman must traverse each flat and every portion be visible to him?
21. AUTOMATIC FIRE DETECTION SYSTEM — If such system is present provide details on questionnaire obtainable from IAO to be partial system
all woods and storage rooms.

DIAGRAM

- Note:** (i) A diagram is not required if the Risk and all property within 100 feet is exactly as shown on the insurance plan.
 (ii) Show all Buildings within 50 feet of the Risk and indicate their occupancy, show also any openings between adjoining Buildings and all exposed Windows.
 (iii) Show location of Hydrants.
 (iv) Show Frame Buildings with **BLACK**, Brick Building with **RED**, Stone or Concrete Buildings with **BLUE** and Brick Veneered, Brick Nogged or Metal Clad Buildings with **DOTTED RED** lines for which purpose a red pencil can be used. Be sure to state exact distance between buildings shown.
 (v) Please Draw Diagram at a scale of 50 feet = 1 inch (same as the Insurance Plans).

NORTH

See plan in survey.

SOUTH

WEST

EAST

EXPOSURE: Note - These questions must be answered fully.

North 100 yards ft. to building built of FR stories high, occupied as Boiler room
 South None " " "
 East " " "
 West " " "

I hereby state that the above questions are fully and correctly answered, and agree that they shall form the basis of rating to be given by the IAO

DATE March 22 19 76 SIGNATURE [Signature]

(If submitted by Member Company, state name)



INSURERS' ADVISORY ORGANIZATION OF CANADA

ONTARIO REGION

SURVEY FOR RATING FIRE-RESISTIVE RISKS (excluding Sprinklered buildings) OF ALL CLASSES.

Location (Town and Street) Nipigon Township (OTTAWA) Ins. Plan-S N.O.P. B. N.O.P. No. DA N 3045
 Owned by Queensway - Carleton Hospital Occupied by Same
 For a Bailer House & maintenance shop No. of hands
 Is building completely finished and out of workmen's hands? NO

OCCUPANCY

Give occupancy, kind of work, processes, machinery and number of hands on each floor

Basement
 1st Bailer room, electrical shop, carpenter shop, paint room (tube)
 2nd
 3rd
 4th
 5th
 6th

CONSTRUCTION OF BUILDING

1. TYPE OF CONSTRUCTION - Floors & Roof Carried on:

- | | |
|---|--|
| (a) Skeleton Steel Framework <input type="checkbox"/> | (d) Bearing Walls & Steel Columns <input type="checkbox"/> |
| (b) Reinforced Concrete, Framework <input type="checkbox"/> | (e) Steel on Steel Walls & Roof <input type="checkbox"/> |
| (c) Bearing Walls & Partitions <input type="checkbox"/> | (f) Other Construction <input type="checkbox"/> |

(Describe fully) Brick on HCB

2. WALLS - State construction of external walls Brick on HCB
 If bearing walls give thickness of walls in inches at each floor 8"

3. ROOF AND FLOOR - Materials

- | | | |
|-------------------------------|--|--|
| Roof <input type="checkbox"/> | Floors <input checked="" type="checkbox"/> | (a) Concrete, reinforced - Poured in place <u>5-6</u> inches thick |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (b) Concrete, on metal pan - Poured in place <u> </u> inches thick |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (c) Concrete, Precast Units <u> </u> inches thick (Name of Manufacturer) <u> </u> |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (d) Steel Deck, Construction #1 <input checked="" type="checkbox"/> Otherwise <input type="checkbox"/>
* If Construction #1 State method of attaching insulation to steel deck and type of insulation
Mechanical Fasteners <input type="checkbox"/> * Adhesive <input type="checkbox"/> Otherwise <input type="checkbox"/>
* If adhesive state trade name <u>Isosuco</u>
Type of insulation on steel deck <u>Fiberglas</u> |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (e) Other Materials - Describe and Show Thickness <u> </u> |

ROOF AND FLOOR — Method of support

- | | | |
|--|---------------------------------|--|
| Roof <input checked="" type="checkbox"/> | Floors <input type="checkbox"/> | (a) Unprotected Steel Beams. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (b) Steel Beams Protected by inches of |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (c) Reinforced Conc. Beams — Poured in place. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (d) Precast Concrete Structural Units inches thick
(Name of Manufacturer) |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (e) Bearing Walls Only. No Supporting Steel. |

If building is composed of more than one type of construction, identify sections of floor involving each type and indicate on plan.

- (a) Is there any roof space exceeding 3 feet in height? If so, for what purpose is it used?
How is access obtained thereto? If by trap or door, describe type
- (b) Are all skylights of wired glass in metal frames?
- (c) Is there any wood in roof, louvers, ventilators or skylights; if so give details
- (d) Is there a wood roof laid over an incombustible one? If so, how is it supported?
- (e) If so, what is the maximum and minimum height of this above the incombustible roof?
- (f) Is the incombustible roof broken by Texas, louvers, ventilator, trapdoor, skylight, stair, elevator, other shafts?
Is so, what is the construction of the sides through roof space?
Is there any access or opening from these shafts to the roof space? Describe each separately
- (g) Is there a superstructure, water cooling tower, or Penthouse of any kind on the roof? If so, given dimensions, construction and occupancy
How is access obtained?
- (h) Is there a wood wearing floor? If so, on which storeys?
- (i) Is it laid directly on incombustible floor or with an airspace? Describe

4. STEEL COLUMNS AND BEAMS — Are they fireproofed? *No* **If "Yes" state nature and thickness of such protection.**

- (a) Columns
- (b) Beams

FLOOR OPENINGS

- 5. STAIRWAYS — How many, and state from which floor to which?**
Is there an enclosure around them? If so, describe construction of enclosure, and the doors, and whether doors are self-closing
- 6. ELEVATORS — How many, and state from which floor to which?**
Is there an enclosure around them? If so, describe construction of enclosure, and the doors, and whether doors are self-closing
- 7. CHUTES, VENTS, DUMB WAITERS & BELT HOLES & OTHER FLOOR OPENINGS — Give size, construction of enclosure (if any), type of door (if any), and whether self-closing, stating which floors are cut by each,**
- 8. HEATING AND VENTILATING DUCTS — Are there any?**
(a) Are ducts, which cut through floor, in masonry shafts
(b) Give construction of shaft
(c) State whether separate duct to each floor without communication to other floors
(d) Do ducts open into roof space?
- 9. HEIGHT — State number of floors and whether there is a basement** *1st = 2.*
- 10. AREA — Give ground floor dimensions** *90' x 70' = 6300*

11. INTERIOR FINISH -

State separately for each floor, finish and method of attachment to walls and ceiling (If more than one type of finish is present on any one floor, state percentage of each type).

	Bas.	1st	2nd	3rd	4th	5th	6th	
(a) Walls	/	MCIN						
(b) Ceilings	/	open						
(c) Partitions	/	MCIN						

State extent of any wood partitions, or partitions having wood supports in square feet separately for each floor: -

(d) Is there any other inside or outside combustible finish or trim other than above? Describe fully

12. HEATING - What is the system of heating the building? *HW* Where is heating plant located?

Is it in fire-resistive room with standard fire door? Are there any stoves; if so, how many and where located

Do any heating devices vent otherwise than to brick or concrete chimney, if so, give details

What fuel is used? *gas & oil*

13. ELECTRIC WIRING - All wiring is in Rigid Conduit ☒ Otherwise ☐

Are all circuits protected by type "C" tamper resisting fuses or non-interchangeable circuit breakers? *yes*

14. POWER - Is any used? *yes* If so, what kind? *electric* Total Horse Power?

What used for? *pumps and machinery*

If gasoline engine, state method of ignition, location and capacity of supply, tank, whether feed is pressure or gravity, quantity of gasoline in engine

15. GASOLINE OR BENZINE, OR OTHER OILS - Are any kept? *?* If so, what quantity of each? *paint solvent?*

What used for?

16. COMMUNICATIONS - Does the building communicate with any other building? *yes* (a) If so, give dimensions, height, construction and occupancy and indicate clearly on diagram *100' tunnel to hospital*

(b) If so, are buildings separated by solid wall? *yes* (c) If so, are all openings in this wall protected by self-closing U.L. labelled Class A fire doors? *no*

(d) If not, describe type of doors on each opening *class B doors*

PUBLIC PROTECTION

17. FIRE DEPARTMENT - State distance to the nearest fire station *2 miles*

18. HYDRANTS - What is the distance to the nearest two hydrants? *200 & 220'* Give size of main *8"*

INTERNAL PROTECTION

19. Show number units for each floor:

	Basement	1st	2nd	3rd	4th	5th	6th	7th	8th	
Extr. 2 1/2 Gal. Class A	/	1	-							
Extr. Class B & C	/	1								
Stand Pipe & Hose	/	1								

20. WATCHMAN - Is there a Watchman making rounds of the whole premises, nights, Sundays, holidays, and at all times when plant is not in operation, rounds being made not less than once an hour during the night, i.e. from 6 p.m. to 6 a.m., and every two hours during the day? *No*

(a) Does he use a portable clock, electric detector, or report to central station?

(b) Give name of manufacturer of clock (c) Does it bear approval label of Underwriters' Laboratories

(d) Are the stations sufficient and so located that the Watchman must traverse each flat and every portion be visible to him?

21. AUTOMATIC FIRE DETECTION SYSTEM - If such system is present provide details on questionnaire obtainable from IAO

DIAGRAM

- Note:** (i) A diagram is not required if the Risk and all property within 100 feet is exactly as shown on the insurance plan.
 (ii) Show all Buildings within 50 feet of the Risk and indicate their occupancy, show also any openings between adjoining Buildings and all exposed Windows.
 (iii) Show location of Hydrants.
 (iv) Show Frame Buildings with **BLACK**, Brick Building with **RED**, Stone or Concrete Buildings with **BLUE** and Brick Veneered, Brick Nogged or Metal Clad. Buildings with **DOTTED RED** lines for which purpose a red pencil can be used. Be sure to state exact distance between buildings shown.
 (v) Please Draw Diagram at a scale of 50 feet = 1 inch (same as the Insurance Plans).

NORTH

See plan in survey.

SOUTH

WEST

EAST

EXPOSURE: Note — These questions must be answered fully.

North 0 ft. to building built of FR 1 stories high, occupied as Transfered Vast
 South 100 " " FR 3 " "
 East " " " "
 West " " " "

I hereby state that the above questions are fully and correctly answered, and agree that they shall form the basis of rating to be given by the IAO

DATE March 23, 19 76

SIGNATURE J. K. Hunt

(If submitted by Member Company, state name)



SURVEY FOR RATING FIRE-RESISTIVE RISKS (excluding Sprinklered bldgs.) OF ALL CLASSES.

Location (Town and Street) NEPEAN TWP (OTTAWA) BASELINE ROAD Ins. Plan-S N.O.P. N.O.P. No. 2-45
 Owned by Queen Mary Carleton Hospital Occupied by _____
 For a Garage No. of hands _____
 Is building completely finished and out of workmen's hands? NO

OCCUPANCY

Give occupancy, kind of work, processes, machinery and number of hands on each floor

Basement _____
 1st Garage 3 ambulances no repairs.
 2nd _____
 3rd _____
 4th _____
 5th _____
 6th _____

CONSTRUCTION OF BUILDING

1. TYPE OF CONSTRUCTION - Floors & Roof Carried on:

- | | | | |
|-----------------------------------|--------------------------|-----------------------------------|--------------------------|
| (a) Skeleton Steel Framework | <input type="checkbox"/> | (d) Bearing Walls & Steel Columns | <input type="checkbox"/> |
| (b) Reinforced Concrete Framework | <input type="checkbox"/> | (e) Steel on Steel Walls & Roof | <input type="checkbox"/> |
| (c) Bearing Walls & Partitions | <input type="checkbox"/> | (f) Other Construction | <input type="checkbox"/> |

(Describe fully) _____

2. WALLS - State construction of external walls.

Brick on HEB

If bearing walls give thickness of walls in inches at each floor

8"

3. ROOF AND FLOOR - Materials

Roof ☐ Floors ☒
 Roof ☐ Floors ☐
 Roof ☐ Floors ☐
 Roof ☒ Floors ☐

(a) Concrete, reinforced - Poured in place 5-6 inches thick

(b) Concrete, on metal pan - Poured in place _____ inches thick

(c) Concrete, Precast Units _____ inches thick (Name of Manufacturer) _____

(d) Steel Deck, Construction #1 ☒ Otherwise ☐

*If Construction #1 State method of attaching insulation to steel deck and type of insulation

Mechanical Fasteners ☐ * Adhesive ☐ Otherwise ☐

*If adhesive state trade name Exsucer

Type of insulation on steel deck fiberglass

(e) Other Materials - Describe and Show Thickness _____

Roof ☐ Floors ☐

ROOF AND FLOOR - Method of Support

- | | | |
|--|---------------------------------|---|
| Roof <input checked="" type="checkbox"/> | Floors <input type="checkbox"/> | (a) Unprotected Steel Beams. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (b) Steel Beams Protected by inches of |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (c) Reinforced Conc. Beams - Poured in place. |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (d) Precast Concrete Structural Units inches thick (Name of Manufacturer) |
| Roof <input type="checkbox"/> | Floors <input type="checkbox"/> | (e) Bearing Walls Only. No Supporting Steel. |

If building is composed of more than one type of construction, identify sections of floor involving each type and indicate on plan.

(a) Is there any roof space exceeding 3 feet in height? NO If so, for what purpose is it used?
How is access obtained thereto? If by trap or door, describe type

(b) Are all skylights of wired glass in metal frames?

(c) Is there any wood in roof, louvers, ventilators or skylights; if so give details

(d) Is there a wood roof laid over an incombustible one? If so, how is it supported?

(e) If so, what is the maximum and minimum height of this above the incombustible roof?

(f) Is the incombustible roof broken by Texas, louvers, ventilator, trapdoor, skylight, stair, elevator, other shafts?

Is so, what is the construction of the sides through roof space?

Is there any access or opening from these shafts to the roof space? Describe each separately

(g) Is there a superstructure, water cooling tower, or Penthouse of any kind on the roof? If so, given dimensions, construction and occupancy
How is access obtained?

(h) Is there a wood wearing floor? NO If so, on which storeys?

(i) Is it laid directly on incombustible floor or with an airspace? Describe

4. **STEEL COLUMNS AND BEAMS** - Are they fireproofed? NO If "Yes" state nature and thickness of such protection.

(a) Columns

(b) Beams

FLOOR OPENINGS

5. **STAIRWAYS** - How many, and state from which floor to which?

Is there an enclosure around them? If so, describe construction of enclosure, and the doors, and whether doors are self-closing

6. **ELEVATORS** - How many, and state from which floor to which?

Is there an enclosure around them? If so, describe construction of enclosure, and the doors, and whether doors are self-closing

7. **CHUTES, VENTS, DUMB WAITERS & BELT HOLES & OTHER FLOOR OPENINGS** - Give size, construction of enclosure (if any), type of door (if any), and whether self-closing, stating which floors are cut by each,

8. **HEATING AND VENTILATING DUCTS** - Are there any? (a) Are ducts, which cut through floor, in masonry shafts

(b) Give construction of shaft (c) State whether separate duct to each floor without communication to other floors

(d) Do ducts open into roof space?

9. **HEIGHT** - State number of floors and whether there is a basement 1 1/2

10. **AREA** - Give ground floor dimensions 40 x 55 = 2200

11 INTERIOR FINISH -

State separately for each floor, finish and method of attachment to walls and ceiling (if more than one type of finish is present on any one floor, state percentage of each type).

	Bas.	1st	2nd	3rd	4th	5th	6th	
(a) Walls	/	HCBN						
(b) Ceilings	/	open						
(c) Partitions	/							

State extent of any wood partitions, or partitions having wood supports in square feet separately for each floor: -

(d) Is there any other inside or outside combust. finish or trim other than above? Describe fully

12. HEATING - What is the system of heating the building? *Hot* Where is heating plant located? *adj boiler room*
Is it in fire-resistive room with standard fire door? *Yes* Are there any stoves; if so, how many and where located
Do any heating devices vent otherwise than to brick or concrete chimney; if so, give details
What fuel is used?

13. ELECTRIC WIRING - All wiring is in Rigid Conduit ☒ Otherwise ☐
Are all circuits protected by type "S" tamper resisting fuses or non-interchangeable circuit breakers? *yes*
14. POWER - Is any used? *No* If so, what kind? Total Horse Power?
What used for?
If gasoline engine, state method of ignition, location and capacity of supply, tank, whether feed is pressure or gravity, quantity of gasoline in engine

15. GASOLINE OR BENZINE, OR OTHER OILS - Are any kept? If so, what quantity of each?
What used for?

16. COMMUNICATIONS - Does the building communicate with any other building? *No* (a) If so, give dimensions, height, construction and occupancy and indicate clearly on diagram
(b) If so, are buildings separated by solid wall? (c) If so, are all openings in this wall protected by self-closing U.L. labelled Class A fire doors?
(d) If not, describe type of doors on each opening.

PUBLIC PROTECTION

17. FIRE DEPARTMENT - State distance to the nearest fire station *2 miles*
18. HYDRANTS - What is the distance to the nearest two hydrants? *200 & 250* Give size of main *8"*

INTERNAL PROTECTION

19. Show number units for each floor:

	Basement	1st	2nd	3rd	4th	5th	6th	7th	8th	
Extrs. 2 1/2 Gal. Class A	/	-								
Extrs. Class B & C	/	1								
Stand Pipe & Hose	/	-								

20. WATCHMAN - Is there a Watchman making rounds of the whole premises, nights, Sundays, holidays, and at all times when plant is not in operation, rounds being made not less than once an hour during the night, i.e. from 6 p.m. to 6 a.m., and every two hours during the day? *Staff on duty 24 hours per day*
(a) Does he use a portable clock, electric detector, or report to central station?
(b) Give name of manufacturer of clock (c) Does it bear approval label of Underwriters' Laboratories
(d) Are the stations sufficient and so located that the Watchman must traverse each flat and every portion be visible to him?
21. AUTOMATIC FIRE DETECTION SYSTEM - If such system is present provide details on questionnaire obtainable from IAO

DIAGRAM

- Note:** (i) A diagram is not required if the Risk and all property within 100 feet is exactly as shown on the insurance plan.
 (ii) Show all Buildings within 50 feet of the Risk and indicate their occupancy, show also any openings between adjoining Buildings and all exposed Windows.
 (iii) Show location of Hydrants.
 (iv) Show Frame Buildings with **BLACK**, Brick Building with **RED**, Stone or Concrete Buildings with **BLUE** and Brick Veneered, Brick Nogged or Metal Clad Buildings with **DOTTED RED** lines for which purpose a red pencil can be used. Be sure to state exact distance between buildings shown.
 (v) Please Draw Diagram at a scale of 50 feet = 1 inch (same as the Insurance Plans).

NORTH

See plan in survey.

SOUTH

WEST

EAST

EXPOSURE: Note - These questions must be answered fully.

North open ft. to building built of stories high, occupied as

South 0 " " FR " " transferred vault

East open " " " "

West open " " " "

I hereby state that the above questions are fully and correctly answered, and agree that they shall form the basis of rating to be given by the IAO

DATE March 22 19 76 SIGNATURE A. J. Hunt.

(If submitted by Member Company, state name)

Office

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

1.877.244.9437

optaintel.ca



Verisk.com

©Verisk Analytics Inc. All rights reserved.

CONFIDENTIAL



Appendix C
Chain of Title

CAMBIUM PROJECT # 23906-001

#3045 BASELINE ROAD

PIN 04698-0083

PARTS 4, 5, 6, 7, 8, 9 and 10 on 4R-1238

PARTS 1, 2, 5, 6, 7, 8 and 9 on 4R-1497

(save and except numerous parcels)

PART OF LOTS 15 and 16

CONCESSION 2 (OTTAWA FRONT)

(TOWNSHIP OF NEPEAN)

PART OF THE ORIGINAL ROAD

ALLOWANCE BETWEEN LOTS 15 and 16

formerly TOWNSHIP OF NEPEAN

now CITY OF OTTAWA

REGIONAL MUNICIPALITY OF OTTAWA-

CARLETON

PIN	OWNERSHIP	DATES
04698-0083 04698-0074	NATIONAL CAPITAL COMMISSION	JULY 10 1963 JANUARY 22 1964 NOVEMBER 2 1967 JANUARY 5 1971 MAY 23 1971 TO PRESENT AS OF JULY 8 2025
EASEMENT	HYDRO OTTAWA LIMITED	MARCH 30 2020
SUB-LEASE EASEMENT	TM MOBILE INC.	JULY 24 2012
EASEMENT	THE REGIONAL MUNICIPALITY OF OTTAWA- CARLETON	MAY 20 1992
EASEMENT	BELL CANADA	JUNE 19 1986
LEASE	HER MAJESTY THE QUEEN	APRIL 5 1984
EASEMENT	THE HYDRO-ELECTRIC COMMISSION OF THE TOWNSHIP OF NEPEAN	SEPTEMBER 21 1981
EASEMENT	THE HYDRO-ELECTRIC COMMISSION OF THE TOWNSHIP OF NEPEAN	MARCH 2 1977
LEASE	THE CROWN REPRESENTED BY THE MINISTER OF GOVERNMENT SERVICES	FEBRUARY 18 1977
SUB-LEASE	THE HYDRO-ELECTRIC COMMISSION OF THE TOWNSHIP OF NEPEAN	MAY 13 1976

EASEMENT	THE CORPORATION OF THE TOWNSHIP OF NEPEAN	JUNE 6 1974
EASEMENT	QUEENSWAY-CARLETON HOSPITAL	MAY 30 1974
LEASE	QUEENSWAY-CARLETON HOSPITAL	JULY 12 1973
EASEMENT	THE HYDRO-ELECTRIC COMMISSION OF THE TOWNSHIP OF NEPEAN	DECEMBER 12 1969
	CHAIN #1 (PART OF LOT 16)	
	NATIONAL CAPITAL COMMISSION	NOVEMBER 2 1967 TO PRESENT
	REGINALD A.S. BRUCE	FEBRUARY 1 1952 TO NOVEMBER 2 1967
	ADAM N. ACRES GEORGE B. ACRES	MARCH 4 1961 TO FEBRUARY 1 1952
	ARTHUR N.L. BUTLER	SEPTEMBER 27 1939 TO MARCH 4 1961
	JOHN A. GRAHAM ESTATE OF JOHN A. GRAHAM	FEBRUARY 23 1911 TO SEPTEMBER 27 1939
	WELDON GRAHAM ESTATE OF THOMAS GRAHAM	NOVEMBER 28 1855 TO FEBRUARY 23 1911
	JOHN EGAN	FEBRUARY 12 1852 TO NOVEMBER 28 1855
	BANK OF MONTREAL as mortgagee	FEBRUARY 26 1847 TO FEBRUARY 12 1852
	JAMES BROWN	SEPTEMBER 13 1845

		TO FEBRUARY 26 1847
	ROD MATHESON	MAY 6 1840 TO SEPTEMBER 13 1845
	SHERIFF, TOWNSHIP OF NEPEAN	JANUARY 8 1839 TO MAY 6 1840
	THOMAS MEARS D. PATEE	NOVEMBER 8 1830 TO JANUARY 8 1839
	RICHARD MEARS	OCTOBER 20 1830 TO
CROWN PATENT	AIRD ROSE	MARCH 25 1808 TO OCTOBER 20 1830
	CHAIN #2 (PART OF LOT 16)	
	NATIONAL CAPITAL COMMISSION	JULY 10 1963 TO PRESENT
	MARY ROSE WHITING	JUNE 7 1956 TO JULY 10 1963
	JACK H.W. TRETMAN PALMA N.S.TRETMAN	SEPTEMBER 23 1954 TO JUNE 7 1956
	REGINALD A.S. BRUCE	FEBRUARY 1 1952 TO SEPTEMBER 23 1954
	ADAM N. ACRES GEORGE B. ACRES	MARCH 4 1961 TO FEBRUARY 1 1952
	ARTHUR N.L. BUTLER	SEPTEMBER 27 1939 TO MARCH 4 1961
	JOHN A. GRAHAM ESTATE OF JOHN A. GRAHAM	FEBRUARY 23 1911 TO SEPTEMBER 27 1939

	WELDON GRAHAM ESTATE OF THOMAS GRAHAM	NOVEMBER 28 1855 TO FEBRUARY 23 1911
	JOHN EGAN	FEBRUARY 12 1852 TO NOVEMBER 28 1855
	BANK OF MONTREAL as mortgagee	FEBRUARY 26 1847 TO FEBRUARY 12 1852
	JAMES BROWN	SEPTEMBER 13 1845 TO FEBRUARY 26 1847
	ROD MATHESON	MAY 6 1840 TO SEPTEMBER 13 1845
	SHERIFF, COUNTY	JANUARY 8 1839 TO MAY 6 1840
	THOMAS MEARS D. PATEE	NOVEMBER 8 1830 TO JANUARY 8 1839
	RICHARD MEARS	OCTOBER 20 1830 TO
CROWN PATENT	AIRD ROSE	MARCH 25 1808 TO OCTOBER 20 1830
	CHAIN #3 (PART OF LOT 15)	
	NATIONAL CAPITAL COMMISSION	JANUARY 22 1964 & JANUARY 5 1971 TO PRESENT
	JOHN MOFFAT ESTATE OF HERBERT B. MOFFAT	JUNE 10 1944 TO JANUARY 5 1971 & JANUARY 22 1964

	MARY H. HENRY BOWER HENRY	DECEMBER 16 1905 TO JUNE 10 1944
	JAMES MaGEE	NOVEMBER 25 1901 TO DECEMBER 16 1905
	JAMES BEARMAN	MARCH 14 1870 TO NOVEMBER 25 1901
	WILLIAM FENTON	MARCH 14 1870 TO MARCH 14 1870
	JAMES LeBERTON	AUGUST 1 1831 TO MARCH 14 1870
	JOHN LeBERTON	MARCH 9 1819 TO AUGUST 1 1831
	DAVID WRIGHT	MARCH 5 1817 TO MARCH 9 1819
CROWN PATENT	MARY McDONELL	MAY 26 1808 TO MARCH 5 1817
	CHAIN #4 (PART OF THE ORIGINAL ROAD ALLOWANCE BETWEEN LOTS 15 and16)	
	NATIONAL CAPITAL COMMISSION	MAY 23 1971 TO PRESENT
	HER MAJESTY THE QUEEN AS REPRESENTED BY THE MINISTER OF HIGHWAYS	APRIL 5 1968 TO MAY 23 1971
CROWN PATENT	THE CORPORATION OF THE TOWNSHIP OF NEPEAN vested by Virtue of The Municipal Act	circa. 1808 TO APRIL 5 1968

CROWN PATENT: MAY 26 1817

**LOT 15 ; CONCESSION 2
(OTTAWA FRONT)**

CROWN PATENT: MARCH 25 1808

**LOT 16 ; CONCESSION 2
(OTTAWA FRONT)**

GEOGRAPHIC TOWNSHIP OF NEPEAN



Appendix D
City Directories



CITY DIRECTORY

Years Available: 1870-2011

Year Site First Listed (within accessible data sources): 1980

Comments/Notes: Site address & adjacent properties listed under: “Ottawa”, “Gloucester” & “Nepean”, Ontario

Year: 2011	
Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Gardiner Construction 2946-Bouclair -Fat Alberts -Physio Clinic -Quickie 2948-HMA Pharmacy -Legal Ofc -Appletree Medical Clinic -West Ottawa Wellness -Agricultural Renewal Environment



Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential



Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	2-Valley Stream Manor 91- Multi Tenant Residential
ON-416	-No Listings Within Radius

Year: 2005-2006	
Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Gardiner Construction -Battlefield Equipment Rentals 2946-Quickie -Sens Physio



	2948-HMA Pharmacy -Legal Ofc -Shana Electrolysis -Appletree Medical Clinic
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Tubman Funeral Home 3448-Friesen Kaye & Assoc.



Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential
Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	91- Multi Tenant Residential
ON-416	-No Listings Within Radius

Year: 2001-2002	
Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	



Baseline Road (2940-3045)	2940-Gardiner Construction -Battlefield Equipment Rentals 2946-Quickie -Bouclair -Fat Alberts 2948-Huber & Suhner -Legal Ofc -Shana Electrolysis
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential



Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Tubman Funeral Home 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential
Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	91- Multi Tenant Residential
ON-416	-No Listings Within Radius

Year: 1995-1996	
------------------------	--



Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Gardiner Construction -Craig Construction Equipment -Insulock ON. 2946-Bouclair 2948-Royal Lepage -Cumberland Drugs -Shana Electrolysis -Nepean Physical Medicine Ctr
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed



Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Tubman Funeral Home 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential
Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	91- Multi Tenant Residential



ON-416	-No Listings Within Radius
--------	----------------------------

Year: 1990	
Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Craig Construction Equipment 2946-Bouclair 2948-State Farm -Cdn Cancer Society -Nepean Physical Medicine Ctr
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential



John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Tubman Funeral Home 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential
Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	91- Multi Tenant Residential



ON-416	-No Listings Within Radius

Year: 1984	
Site & Listing: 3045 Baseline Road	-Queensway-Carleton Hospital (Multi Tenant Medical Facility)
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Craig Construction Equipment 2946-Bouclair 2948-State Farm -Cdn Cancer Society -Nepean Physical Medicine Ctr
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-All Residential
Chinook Crescent (1-40)	-All Residential



John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Tubman Funeral Home 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-No Listings Within Radius
Sandcastle Drive (2-80 even)	-All Residential
Shadow Court (All)	-All Residential
Sioux Crescent (All)	-All Residential



Valley Stream Drive (1-100)	91- Multi Tenant Residential
ON-416	-No Listings Within Radius

Year: 1979	
Site & Listing: 3045 Baseline Road	-Address Not Listed
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Craig Construction Equipment 2946-Bou Clair 2948-Multi Tenant Medical Building -Legal Ofc
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-Street Not Listed
Chinook Crescent (1-40)	-All Residential



John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-Bruce Reginald 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-Street Not Listed
Sandcastle Drive (2-80 even)	-Street Not Listed
Shadow Court (All)	-Street Not Listed
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	-Street Not Listed



ON-416	-No Listings Within Radius

Year: 1974	
Site & Listing: 3045 Baseline Road	-Address Not Listed
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Craig Construction Equipment
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-Street Not Listed
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential



Okanagan Drive (40-65)	-All Residential
Richmond Road (3440-3451)	3440-No Return 3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-Street Not Listed
Sandcastle Drive (2-80 even)	-Street Not Listed
Shadow Court (All)	-Street Not Listed
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	-Street Not Listed
ON-416	-No Listings Within Radius



Year: 1970	
Site & Listing: 3045 Baseline Road	-Address Not Listed
Adjacent Properties:	
Baseline Road (2940-3045)	2940-Craig Construction Equipment
Aleutian Road (1-50)	-All Residential
Brookhaven Court (All)	-Street Not Listed
Chinook Crescent (1-40)	-All Residential
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-All Residential



Richmond Road (3440-3451)	3448-Friesen Kaye & Assoc.
Robertson Road (1701-1705 odd)	-Street Not Listed
Sandcastle Drive (2-80 even)	-Street Not Listed
Shadow Court (All)	-Street Not Listed
Sioux Crescent (All)	-All Residential
Valley Stream Drive (1-100)	-Street Not Listed
ON-416	-No Listings Within Radius

Year: 1965	
Site & Listing: 3045 Baseline Road	-Address Not Listed
Adjacent Properties:	



Baseline Road (2940-3045)	-No Listings Within Radius
Aleutian Road (1-50)	1 - Residential
Brookhaven Court (All)	-Street Not Listed
Chinook Crescent (1-40)	-Not Built Upon
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-All Residential
Okanagan Drive (40-65)	-No Listings Within Radius
Richmond Road (3440-3451)	-No Listings Within Radius
Robertson Road (1701-1705 odd)	-Street Not Listed



Sandcastle Drive (2-80 even)	-Street Not Listed
Shadow Court (All)	-Street Not Listed
Sioux Crescent (All)	-Not Built Upon
Valley Stream Drive (1-100)	-Street Not Listed
ON-416	-No Listings Within Radius

Year: 1960	
Site & Listing: 3045 Baseline Road	-Address Not Listed
Adjacent Properties:	
Baseline Road (2940-3045)	-No Listings Within Radius
Aleutian Road (1-50)	-Street Not Listed



Brookhaven Court (All)	-Street Not Listed
Chinook Crescent (1-40)	-Street Not Listed
John Sutherland Drive (All)	-Street Not Listed
Nanaimo Drive (1-15)	-Street Not Listed
Okanagan Drive (40-65)	-Street Not Listed
Richmond Road (3440-3451)	-No Listings Within Radius
Robertson Road (1701-1705 odd)	-Street Not Listed
Sandcastle Drive (2-80 even)	-Street Not Listed
Shadow Court (All)	-Street Not Listed



Sioux Crescent (All)	-Street Not Listed
Valley Stream Drive (1-100)	-Street Not Listed
ON-416	-No Listings Within Radius



Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario
Queensway Carleton Hospital
Cambium Reference: 23906-001
November 26, 2025

Appendix E

ERIS Report



DATABASE REPORT

Project Property: *3045 Baseline Road, Ottawa
3045 Baseline Road
Nepean ON K2H 8P4*

Project No: *23906-001*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *25070400156*

Requested by: *Cambium Inc.*

Date Completed: *July 9, 2025*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	15
Executive Summary: Summary By Data Source.....	27
Map.....	49
Aerial.....	50
Topographic Map.....	51
Detail Report.....	52
Unplottable Summary.....	298
Unplottable Report.....	300
Appendix: Database Descriptions.....	315
Definitions.....	325

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 3045 Baseline Road, Ottawa
3045 Baseline Road Nepean ON K2H 8P4

Project No: 23906-001

Order Information:

Order No: 25070400156
Date Requested: July 4, 2025
Requested by: Cambium Inc.
Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)
Insurance Products Fire Insurance Maps/Inspection Reports/Site Plans
Topographic Map ANSI Map & Ontario Base Map (OBM)

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	1	0	1
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	15	75	90
CA	Certificates of Approval	Y	9	3	12
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	1	2	3
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	1	0	1
EBR	Environmental Registry	Y	2	1	3
ECA	Environmental Compliance Approval	Y	7	2	9
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	3	9	12
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	1	0	1
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	18	14	32
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	1	0	1
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	2	2
NPR2	National Pollutant Release Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	6	6
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	3	3
PFAS	Ontario PFAS Spills	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	0	0
PPHA	Potential PFAS Handlers from EASR	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	3	3
SPL	Ontario Spills	Y	4	7	11
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	5	16	21
Total:			68	144	212

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<u>1</u>	EHS		3440 Richmond Rd Nepean ON K2H 8H7	ENE/0.0	0.00	<u>52</u>
<u>2</u>	GEN	Queensway Carleton Hospital	3045 Baseline Road Ottawa ON	SSE/0.0	3.12	<u>52</u>
<u>3</u>	BORE		ON	ESE/0.0	6.39	<u>67</u>
<u>4</u>	WWIS		lot 16 con 2 ON <i>Well ID:</i> 1504027	W/0.0	0.46	<u>69</u>
<u>5</u>	CA	QUEENSWAY CARLETON GENERAL HOSPITAL	3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	S/0.0	5.00	<u>7</u>
<u>5</u>	CA	QUEENSWAY CARLETON HOSPITAL	3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	S/0.0	5.00	<u>72</u>
<u>5</u>	CA		3045 Baseline Road Nepean ON K2H 8P4	S/0.0	5.00	<u>72</u>
<u>5</u>	CA		3045 Baseline Road Nepean ON K2H 8P4	S/0.0	5.00	<u>73</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>5</u>	GEN	QUEENSWAY CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	S/0.0	5.00	<u>73</u>
<u>5</u>	GEN	QUEENSWAY CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	S/0.0	5.00	<u>73</u>
<u>5</u>	GEN	QUEENSWAY CARLETON HOSPITAL 32-049	3045 BASELINE ROAD NEPEAN ON K2H 8P4	S/0.0	5.00	<u>74</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	S/0.0	5.00	<u>75</u>
<u>5</u>	EBR	Queensway Carleton Corporation	3045 Baseline Road Ottawa Ontario K2H 8P4 Ottawa ON	S/0.0	5.00	<u>76</u>
<u>5</u>	EHS		3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>77</u>
<u>5</u>	CA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>77</u>
<u>5</u>	CA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>77</u>
<u>5</u>	CA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>78</u>
<u>5</u>	CA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>78</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>5</u>	CA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	S/0.0	5.00	<u>78</u>
<u>5</u>	EBR	Queensway-Carleton Hospital	3045 Baseline Road Ottawa K2H 8P4 CITY OF OTTAWA ON	S/0.0	5.00	<u>79</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	S/0.0	5.00	<u>79</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	S/0.0	5.00	<u>80</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	S/0.0	5.00	<u>82</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	S/0.0	5.00	<u>84</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	S/0.0	5.00	<u>85</u>
<u>5</u>	CFOT	MODERN NIAGARA OTTAWA INC	3045 BASELINE RD NEPEAN ON	S/0.0	5.00	<u>87</u>
<u>5</u>	SPL		3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>87</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>5</u>	SPL	Waste Management of Canada Ltd.	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>88</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>89</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>89</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>89</u>
<u>5</u>	ECA	Queensway Carleton Corporation	3045 Baseline Road Ottawa ON K2H 8P4	S/0.0	5.00	<u>89</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>90</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>90</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	S/0.0	5.00	<u>90</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON k2h 8p4	S/0.0	5.00	<u>92</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON k2h 8p4	S/0.0	5.00	<u>93</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	S/0.0	5.00	<u>95</u>
<u>5</u>	SPL	Johnson Controls Limited	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>97</u>
<u>5</u>	ECA	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>98</u>
<u>5</u>	EASR	OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	3045 Baseline Road, east of Cedarview Rd. to Valley Stream Dr. Ottawa ON K2H 8P4	S/0.0	5.00	<u>99</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	S/0.0	5.00	<u>99</u>
<u>5</u>	SPL	Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	S/0.0	5.00	<u>101</u>
<u>5</u>	GEN	QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	S/0.0	5.00	<u>102</u>
<u>6</u>	EHS		3440 Richmond Road Ottawa ON K2H 8H7	NW/0.0	-3.69	<u>105</u>
<u>7</u>	WWIS		lot 16 con 2 OTTAWA ON	WNW/0.0	-1.70	<u>105</u>
			Well ID: 1535364			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>8</u>	WWIS		lot 16 con 2 ON <i>Well ID:</i> 1504028	WNW/0.0	-0.61	<u>107</u>
<u>9</u>	BORE		ON	WNW/0.0	-0.61	<u>110</u>
<u>10</u>	FCS	3448 Richmond Road, Ottawa	Ottawa ON	WNW/0.0	-1.70	<u>111</u>
<u>11</u>	BORE		ON	WSW/0.0	2.39	<u>116</u>
<u>12</u>	BORE		ON	SSW/0.0	3.31	<u>119</u>
<u>13</u>	BORE		ON	SSE/0.0	7.75	<u>120</u>
<u>14</u>	WWIS		lot 16 con 2 ON <i>Well ID:</i> 1504026	NW/0.0	-3.61	<u>122</u>
<u>15</u>	BORE		ON	NW/0.0	-3.61	<u>124</u>
<u>16</u>	BORE		ON	SE/0.0	7.39	<u>125</u>
<u>17</u>	BORE		ON	WSW/0.0	1.70	<u>128</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>18</u>	BORE		ON	WSW/0.0	1.39	<u>129</u>
<u>19</u>	BORE		ON	W/0.1	0.38	<u>129</u>
<u>20</u>	GEN	TUBMAN FUNERAL HOMES	3440 RICHMOND ROAD NEPEAN ON K2H 8H7	NNW/0.0	-4.66	<u>130</u>
<u>20</u>	GEN	TUBMAN FUNERAL HOMES 44-467	3440 RICHMOND ROAD NEPEAN ON K2H 8H7	NNW/0.0	-4.66	<u>131</u>
<u>21</u>	AMIS	BRUCE FARM	NEPEAN ON	N/0.0	-4.61	<u>131</u>
<u>22</u>	MNR	Bruce Farm	ON	N/0.0	-4.61	<u>132</u>
<u>23</u>	BORE		ON	SE/0.0	8.58	<u>132</u>
<u>24</u>	BORE		ON	SW/0.0	5.36	<u>133</u>
<u>25</u>	BORE		ON	SW/0.0	5.36	<u>134</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
26	BORE		ON	S/0.0	13.78	135
27	BORE		ON	N/0.0	-4.58	137
28	WWIS		3045 Richmond Rd con 2 Ottawa ON	N/0.0	-5.61	139
			<i>Well ID:</i> 7350850			

Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
29	BORE		ON	SW/3.0	4.24	142
30	BORE		ON	SW/3.6	4.31	143
31	BORE		ON	W/4.1	0.38	143
32	BORE		ON	WSW/6.6	2.31	145
33	EHS		Baseline Road Ottawa ON	SE/15.0	15.90	145
34	CA	R.M. OF OTTAWA-CARLETON	BASELINE RD./CEDARVIEW RD. NEPEAN CITY ON	SSW/15.3	10.76	146
34	SPL	SEWERMATIC	INTERSECTION OF CEDARVIEW RD & BASELINE RD. TANK TRUCK (CARGO) NEPEAN CITY ON	SSW/15.3	10.76	146
35	SPL		Southwest corner of Baseline and Cedarview. Ottawa OTTAWA ON	SSW/16.6	10.76	147
36	NPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	148
36	SCT	Sciometric Instruments Inc.	3685 Richmond Rd Nepean ON K2H 5B7	W/16.8	-1.30	148
36	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	148
36	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	149

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>36</u>	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>149</u>
<u>36</u>	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>149</u>
<u>36</u>	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>149</u>
<u>36</u>	GEN	COMPUTING DEVICES CO	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	W/16.8	-1.30	<u>149</u>
<u>36</u>	GEN	COMPUTING DEVICES	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	W/16.8	-1.30	<u>150</u>
<u>36</u>	GEN	COMPUTING DEVICES COMPANY	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>150</u>
<u>36</u>	GEN	COMPUTING DEVICES COMPANY 10-066	3685 RICHMOND ROAD, BUILDING #2 NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>151</u>
<u>36</u>	GEN	CHIPWORKS	3685 RICHMOND ROAD, SUITE 500 NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>153</u>
<u>36</u>	GEN	CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON K2H 5B7	W/16.8	-1.30	<u>154</u>
<u>36</u>	OPCB	COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>155</u>
<u>36</u>	EBR	Chipworks Inc.	3685 Richmond Road Suite 500 Ottawa Ontario K2H 5B7 Ottawa ON	W/16.8	-1.30	<u>155</u>
<u>36</u>	NPCB	COMPUTING DEVICES	3685 RICHMOND RD NEPEAN ON K2H 5B7	W/16.8	-1.30	<u>155</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>36</u>	SCT	Chipworks Inc.	3685 Richmond Rd Suite 500 Nepean ON K2H 5B7	W/16.8	-1.30	<u>155</u>
<u>36</u>	CA	Chipworks Inc.	3685 Richmond Road Ottawa ON	W/16.8	-1.30	<u>156</u>
<u>36</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 RICHMOND ROAD NEPEAN ON K2H 8X3	W/16.8	-1.30	<u>156</u>
<u>36</u>	GEN	CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON	W/16.8	-1.30	<u>157</u>
<u>36</u>	GEN	CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON	W/16.8	-1.30	<u>157</u>
<u>36</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 Richmond Road Nepean ON K2H 8X3	W/16.8	-1.30	<u>158</u>
<u>36</u>	ECA	Chipworks Inc.	3685 Richmond Road Ottawa ON K2H 5B7	W/16.8	-1.30	<u>159</u>
<u>36</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 RICHMOND ROAD NEPEAN ON K2H8X3	W/16.8	-1.30	<u>159</u>
<u>37</u>	BORE		ON	W/19.6	0.38	<u>160</u>
<u>38</u>	WWIS		lot 16 con 2 ON Well ID: 1504025	NW/22.6	-3.78	<u>161</u>
<u>39</u>	BORE		ON	NW/22.6	-3.78	<u>163</u>
<u>40</u>	GEN	PETER KIEWIT SONS CO. LTD.	3529 RICHMOND ROAD NEPEAN ON K2H 8H8	WNW/23.6	-1.92	<u>165</u>
<u>40</u>	GEN	PETER (OUT OF BUS)	3529 RICHMOND ROAD NEPEAN ON K2H 8H8	WNW/23.6	-1.92	<u>165</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>41</u>	BORE		ON	W/24.4	1.42	<u>166</u>
<u>42</u>	SPL	S 21(1)(f) of FIPPA	42 Sioux Crescent Ottawa ON K2H 7E5	ESE/25.4	6.39	<u>166</u>
<u>42</u>	INC		42 SIOUX CR., OTTAWA ON	ESE/25.4	6.39	<u>167</u>
<u>43</u>	WWIS		42 SIOUX CRES Ottawa ON Well ID: 7144019	ESE/28.5	6.39	<u>168</u>
<u>44</u>	WWIS		Richmond Rd con 2 Ottawa ON Well ID: 7350851	W/31.1	-1.09	<u>171</u>
<u>45</u>	GEN	Bell	3212 Richmond Rd Nepean ON K2H 5B6	N/32.1	-5.61	<u>174</u>
<u>46</u>	BORE		ON	SSW/32.2	6.06	<u>176</u>
<u>47</u>	BORE		ON	W/34.5	1.42	<u>177</u>
<u>48</u>	BORE		ON	SW/35.1	6.45	<u>178</u>
<u>49</u>	BORE		ON	SW/35.3	5.39	<u>179</u>
<u>50</u>	BORE		ON	W/38.7	0.39	<u>180</u>
<u>51</u>	CA	Britannia Switching Station	3212 Richmond Road Ottawa ON	N/39.3	-5.61	<u>181</u>
<u>51</u>	CFOT	BELL CANADA	3212 RICHMOND RD OTTAWA ON	N/39.3	-5.61	<u>181</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>51</u>	CFOT	BELL CANADA	3212 RICHMOND RD OTTAWA ON	N/39.3	-5.61	<u>181</u>
<u>51</u>	ECA	Bell Canada	3212 Richmond Road Ottawa ON	N/39.3	-5.61	<u>182</u>
<u>51</u>	GEN	Bell Canada	3212 Richmond Road Ottawa ON	N/39.3	-5.61	<u>182</u>
<u>52</u>	BORE		ON	W/39.4	1.51	<u>182</u>
<u>53</u>	BORE		ON	W/45.5	0.39	<u>183</u>
<u>54</u>	BORE		ON	W/45.9	0.39	<u>184</u>
<u>55</u>	BORE		ON	WSW/47.4	1.39	<u>185</u>
<u>56</u>	WWIS		lot 15 con 2 ON Well ID: 1504024	W/49.1	1.51	<u>186</u>
<u>57</u>	BORE		ON	W/50.9	1.34	<u>189</u>
<u>58</u>	WWIS		OTTAWA REGION OTTAWA ON Well ID: 7128817	N/53.0	-6.61	<u>190</u>
<u>59</u>	BORE		ON	WSW/57.1	1.70	<u>192</u>
<u>60</u>	BORE		ON	N/64.5	-6.61	<u>193</u>
<u>61</u>	BORE		ON	SSW/68.7	6.39	<u>195</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>62</u>	BORE		ON	SW/69.5	5.70	<u>197</u>
<u>63</u>	BORE		ON	SW/70.9	5.08	<u>198</u>
<u>64</u>	BORE		ON	ESE/72.5	7.39	<u>199</u>
<u>65</u>	BORE		ON	WSW/72.9	1.70	<u>200</u>
<u>66</u>	BORE		ON	SW/73.4	5.08	<u>201</u>
<u>67</u>	BORE		ON	SW/74.9	6.39	<u>202</u>
<u>68</u>	BORE		ON	WSW/77.8	3.08	<u>202</u>
<u>69</u>	WWIS		lot 17 con 2 ON Well ID: 1511844	N/78.1	-6.61	<u>203</u>
<u>70</u>	BORE		ON	WSW/82.9	2.42	<u>207</u>
<u>71</u>	BORE		ON	W/84.8	0.46	<u>207</u>
<u>72</u>	BORE		ON	WSW/86.8	5.08	<u>208</u>
<u>73</u>	WWIS		lot 15 con 2 ON Well ID: 1504022	WSW/86.8	5.08	<u>209</u>
<u>74</u>	BORE		ON	W/89.4	2.47	<u>211</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>75</u>	BORE		ON	W/90.7	2.42	<u>212</u>
<u>76</u>	SPL		s. 21 Ottawa ON	N/92.7	-6.61	<u>213</u>
<u>77</u>	BORE		ON	SSW/103.3	7.95	<u>214</u>
<u>78</u>	SPL	SHELL CANADA PRODUCTS LTD.	2 ALEUTIAN ROAD TANK TRUCK (CARGO) NEPEAN CITY ON K2H 7C8	NNE/104.3	-6.61	<u>215</u>
<u>79</u>	BORE		ON	SSW/105.8	6.36	<u>216</u>
<u>80</u>	BORE		ON	SSW/109.8	7.95	<u>217</u>
<u>81</u>	WWIS		lot 35 con 3 ON Well ID: 1506070	ESE/110.3	8.54	<u>219</u>
<u>82</u>	BORE		ON	W/113.6	0.43	<u>221</u>
<u>83</u>	BORE		ON	SSW/123.9	7.34	<u>222</u>
<u>84</u>	BORE		ON	SSW/125.2	6.93	<u>223</u>
<u>85</u>	BORE		ON	SSW/129.2	7.92	<u>224</u>
<u>86</u>	BORE		ON	W/129.5	2.14	<u>226</u>
<u>87</u>	EHS		59 A Okanagan Drive Nepean ON K2H 7G3	E/132.3	3.08	<u>227</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>88</u>	BORE		ON	SSW/133.0	6.93	<u>227</u>
<u>89</u>	EHS		2 Valley Stream Drive Ottawa ON	SE/135.5	9.39	<u>228</u>
<u>90</u>	BORE		ON	S/139.3	10.07	<u>228</u>
<u>91</u>	BORE		ON	N/140.7	-6.61	<u>229</u>
<u>92</u>	BORE		ON	ESE/141.8	4.03	<u>231</u>
<u>93</u>	BORE		ON	SSW/143.5	6.66	<u>232</u>
<u>94</u>	BORE		ON	WNW/145.6	-0.30	<u>233</u>
<u>95</u>	BORE		ON	SSW/147.7	7.34	<u>234</u>
<u>96</u>	BORE		ON	S/150.5	7.27	<u>235</u>
<u>97</u>	WWIS		lot 17 con 2 ON Well ID: 1517574	NNE/151.1	-6.61	<u>236</u>
<u>98</u>	BORE		ON	W/152.7	1.36	<u>239</u>
<u>99</u>	BORE		ON	SSW/156.5	7.20	<u>240</u>
<u>100</u>	BORE		ON	SSW/157.1	6.66	<u>241</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>101</u>	EHS		Greenbank Road & Fallowfield Road Ottawa ON	NNE/162.0	-5.61	<u>242</u>
<u>102</u>	BORE		ON	SSW/163.2	7.80	<u>243</u>
<u>103</u>	EHS		Richmond Rd E of Baseline Rd S Ottawa ON	WSW/163.9	4.44	<u>243</u>
<u>104</u>	EHS		21471798 - Richmond Rd Culvert Ottawa ON K2H	N/167.0	-6.61	<u>244</u>
<u>105</u>	BORE		ON	SSW/167.0	7.17	<u>244</u>
<u>106</u>	EHS		91 Valley Stream Dr Ottawa ON K2H9G8	ESE/171.6	8.40	<u>245</u>
<u>107</u>	BORE		ON	S/172.0	8.51	<u>245</u>
<u>108</u>	BORE		ON	W/174.0	1.36	<u>246</u>
<u>109</u>	BORE		ON	S/176.0	8.51	<u>247</u>
<u>110</u>	BORE		ON	SSW/176.1	9.29	<u>249</u>
<u>111</u>	EHS		91 Valley Stream Drive Ottawa, ON ON	ESE/177.4	8.40	<u>250</u>
<u>112</u>	BORE		ON	S/182.4	8.39	<u>250</u>
<u>113</u>	BORE		ON	SSW/183.9	8.59	<u>251</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>114</u>	BORE		ON	SSW/187.8	8.31	<u>252</u>
<u>115</u>	EHS		2960 Baseline Rd Nepean ON K2H 9E3	ESE/191.4	6.34	<u>253</u>
<u>116</u>	BORE		ON	S/192.4	8.39	<u>254</u>
<u>117</u>	WWIS		Baseline Rd con 3 Ottawa ON Well ID: 7350853	ESE/198.4	1.75	<u>255</u>
<u>118</u>	SCT	Beaufield Resources Inc.	3208 Richmond Rd Nepean ON K2H 5B6	NNE/198.5	-6.61	<u>258</u>
<u>119</u>	GEN	MINISTRY OF TRANSPORTATION	3229 RICHMOND ROAD NEPEAN ON K2H 8G4	NNW/198.8	-4.60	<u>259</u>
<u>120</u>	WWIS		BASELINE RD WEST Ottawa ON Well ID: 7348533	SSE/200.0	10.36	<u>259</u>
<u>121</u>	BORE		ON	S/201.2	8.39	<u>261</u>
<u>122</u>	BORE		ON	SSW/201.2	9.29	<u>263</u>
<u>123</u>	BORE		ON	SSW/202.2	9.36	<u>264</u>
<u>124</u>	BORE		ON	W/204.8	1.39	<u>266</u>
<u>125</u>	BORE		ON	S/216.9	9.44	<u>266</u>
<u>126</u>	SPL	SILVER SPRING FARMS	3501 RICHMOND ROAD SILVER SPRING FARMS FURNACE OIL TANK OTTAWA CITY ON K2H 8H8	WSW/217.4	5.06	<u>268</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>126</u>	GEN	OTTAWA & DIST ASS FOR MENTALLY 29-562	RETARDED SILVER SPRING FARM 3501 RICHMOND RD. NEPEAN ON K2H 8H8	WSW/217.4	5.06	<u>269</u>
<u>127</u>	BORE		ON	SSW/222.5	9.66	<u>269</u>
<u>128</u>	BORE		ON	SW/222.7	6.70	<u>271</u>
<u>129</u>	WWIS		lot 14 con 2 ON Well ID: 1504018	SW/222.7	6.70	<u>272</u>
<u>130</u>	BORE		ON	N/225.5	-6.61	<u>274</u>
<u>131</u>	SPL	City of Ottawa	26 Okanagan Drive Ottawa ON K2H 7G1	ENE/227.1	-1.92	<u>275</u>
<u>132</u>	WWIS		lot 17 con 2 ON Well ID: 1504032	N/228.1	-6.61	<u>276</u>
<u>133</u>	BORE		ON	SSW/228.6	9.55	<u>279</u>
<u>134</u>	BORE		ON	SSW/228.8	10.51	<u>280</u>
<u>135</u>	BORE		ON	S/233.5	9.44	<u>281</u>
<u>136</u>	WWIS		lot 17 con 2 ON Well ID: 1504030	N/239.7	-6.61	<u>283</u>
<u>136</u>	WWIS		lot 17 con 2 ON Well ID: 1504031	N/239.7	-6.61	<u>285</u>
<u>137</u>	BORE		ON	SSW/241.4	9.66	<u>289</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
138	BORE		ON	N/242.9	-6.61	290
139	WWIS		lot 17 con 2 ON Well ID: 1504033	NNE/244.2	-6.61	291
140	BORE		ON	NNE/244.3	-6.61	295

Executive Summary: Summary By Data Source

AMIS - Abandoned Mine Information System

A search of the AMIS database, dated 1800-Apr 2024 has found that there are 1 AMIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BRUCE FARM	NEPEAN ON	0.0	<u>21</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 90 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	0.0	<u>3</u>
	ON	0.0	<u>9</u>
	ON	0.0	<u>11</u>
	ON	0.0	<u>12</u>
	ON	0.0	<u>13</u>
	ON	0.0	<u>15</u>
	ON	0.0	<u>16</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	0.0	<u>17</u>
	ON	0.0	<u>18</u>
	ON	0.1	<u>19</u>
	ON	0.0	<u>23</u>
	ON	0.0	<u>24</u>
	ON	0.0	<u>25</u>
	ON	0.0	<u>26</u>
	ON	0.0	<u>27</u>
	ON	3.0	<u>29</u>
	ON	3.6	<u>30</u>
	ON	4.1	<u>31</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	6.6	<u>32</u>
	ON	19.6	<u>37</u>
	ON	22.6	<u>39</u>
	ON	24.4	<u>41</u>
	ON	32.2	<u>46</u>
	ON	34.5	<u>47</u>
	ON	35.1	<u>48</u>
	ON	35.3	<u>49</u>
	ON	38.7	<u>50</u>
	ON	39.4	<u>52</u>
	ON	45.5	<u>53</u>
	ON	45.9	<u>54</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	47.4	<u>55</u>
	ON	50.9	<u>57</u>
	ON	57.1	<u>59</u>
	ON	64.5	<u>60</u>
	ON	68.7	<u>61</u>
	ON	69.5	<u>62</u>
	ON	70.9	<u>63</u>
	ON	72.5	<u>64</u>
	ON	72.9	<u>65</u>
	ON	73.4	<u>66</u>
	ON	74.9	<u>67</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	77.8	<u>68</u>
	ON	82.9	<u>70</u>
	ON	84.8	<u>71</u>
	ON	86.8	<u>72</u>
	ON	89.4	<u>74</u>
	ON	90.7	<u>75</u>
	ON	103.3	<u>77</u>
	ON	105.8	<u>79</u>
	ON	109.8	<u>80</u>
	ON	113.6	<u>82</u>
	ON	123.9	<u>83</u>
	ON	125.2	<u>84</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	129.2	<u>85</u>
	ON	129.5	<u>86</u>
	ON	133.0	<u>88</u>
	ON	139.3	<u>90</u>
	ON	140.7	<u>91</u>
	ON	141.8	<u>92</u>
	ON	143.5	<u>93</u>
	ON	145.6	<u>94</u>
	ON	147.7	<u>95</u>
	ON	150.5	<u>96</u>
	ON	152.7	<u>98</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	156.5	<u>99</u>
	ON	157.1	<u>100</u>
	ON	163.2	<u>102</u>
	ON	167.0	<u>105</u>
	ON	172.0	<u>107</u>
	ON	174.0	<u>108</u>
	ON	176.0	<u>109</u>
	ON	176.1	<u>110</u>
	ON	182.4	<u>112</u>
	ON	183.9	<u>113</u>
	ON	187.8	<u>114</u>
	ON	192.4	<u>116</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	201.2	121
	ON	201.2	122
	ON	202.2	123
	ON	204.8	124
	ON	216.9	125
	ON	222.5	127
	ON	222.7	128
	ON	225.5	130
	ON	228.6	133
	ON	228.8	134
	ON	233.5	135

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	241.4	<u>137</u>
	ON	242.9	<u>138</u>
	ON	244.3	<u>140</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 12 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
QUEENSWAY CARLETON GENERAL HOSPITAL	3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY CARLETON HOSPITAL	3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	0.0	<u>5</u>
	3045 Baseline Road Nepean ON K2H 8P4	0.0	<u>5</u>
	3045 Baseline Road Nepean ON K2H 8P4	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>
R.M. OF OTTAWA-CARLETON	BASELINE RD./CEDARVIEW RD. NEPEAN CITY ON	15.3	<u>34</u>
Chipworks Inc.	3685 Richmond Road Ottawa ON	16.8	<u>36</u>
Britannia Switching Station	3212 Richmond Road Ottawa ON	39.3	<u>51</u>

CFOT - Commercial Fuel Oil Tanks

A search of the CFOT database, dated Oct 2023 has found that there are 3 CFOT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MODERN NIAGARA OTTAWA INC	3045 BASELINE RD NEPEAN ON	0.0	<u>5</u>
BELL CANADA	3212 RICHMOND RD OTTAWA ON	39.3	<u>51</u>
BELL CANADA	3212 RICHMOND RD OTTAWA ON	39.3	<u>51</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011 - May 31, 2025 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED	3045 Baseline Road, east of Cedarview Rd. to Valley Stream Dr. Ottawa ON K2H 8P4	0.0	<u>5</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994 - May 31, 2025 has found that there are 3 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Queensway Carleton Corporation	3045 Baseline Road Ottawa Ontario K2H 8P4 Ottawa ON	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Road Ottawa K2H 8P4 CITY OF OTTAWA ON	0.0	<u>5</u>
Chipworks Inc.	3685 Richmond Road Suite 500 Ottawa Ontario K2H 5B7 Ottawa ON	16.8	<u>36</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011 - May 31, 2025 has found that there are 9 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Queensway Carleton Corporation	3045 Baseline Road Ottawa ON K2H 8P4	0.0	<u>5</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	<u>5</u>
Chipworks Inc.	3685 Richmond Road Ottawa ON K2H 5B7	16.8	<u>36</u>
Bell Canada	3212 Richmond Road Ottawa ON	39.3	<u>51</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 12 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3440 Richmond Rd Nepean ON K2H 8H7	0.0	<u>1</u>
	3045 Baseline Rd Ottawa ON	0.0	<u>5</u>
	3440 Richmond Road Ottawa ON K2H 8H7	0.0	<u>6</u>
	Baseline Road Ottawa ON	15.0	<u>33</u>
	59 A Okanagan Drive Nepean ON K2H 7G3	132.3	<u>87</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2 Valley Stream Drive Ottawa ON	135.5	<u>89</u>
	Greenbank Road & Fallowfield Road Ottawa ON	162.0	<u>101</u>
	Richmond Rd E of Baseline Rd S Ottawa ON	163.9	<u>103</u>
	21471798 - Richmond Rd Culvert Ottawa ON K2H	167.0	<u>104</u>
	91 Valley Stream Dr Ottawa ON K2H9G8	171.6	<u>106</u>
	91 Valley Stream Drive Ottawa, ON ON	177.4	<u>111</u>
	2960 Baseline Rd Nepean ON K2H 9E3	191.4	<u>115</u>

FCS - Contaminated Sites on Federal Land

A search of the FCS database, dated Jun 2000-Jan 2025 has found that there are 1 FCS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
3448 Richmond Road, Ottawa	Ottawa ON	0.0	<u>10</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Dec 31, 2024 has found that there are 32 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Queensway Carleton Hospital	3045 Baseline Road Ottawa ON	0.0	<u>2</u>
QUEENSWAY CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY CARLETON HOSPITAL 32-049	3045 BASELINE ROAD NEPEAN ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON k2h 8p4	0.0	<u>5</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON k2h 8p4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON K2H 8P4	0.0	<u>5</u>
QUEENSWAY-CARLETON HOSPITAL	3045 Baseline Road Ottawa ON	0.0	<u>5</u>
QUEENSWAY CARLETON HOSPITAL	3045 BASELINE ROAD NEPEAN ON K2H 8P4	0.0	<u>5</u>
TUBMAN FUNERAL HOMES	3440 RICHMOND ROAD NEPEAN ON K2H 8H7	0.0	<u>20</u>
TUBMAN FUNERAL HOMES 44-467	3440 RICHMOND ROAD NEPEAN ON K2H 8H7	0.0	<u>20</u>
COMPUTING DEVICES CO	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES COMPANY	3685 RICHMOND RD, BUILDING #2 PO BOX 8508 NEPEAN ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES COMPANY 10-066	3685 RICHMOND ROAD, BUILDING #2 NEPEAN ON K2H 5B7	16.8	<u>36</u>
CHIPWORKS	3685 RICHMOND ROAD, SUITE 500 NEPEAN ON K2H 5B7	16.8	<u>36</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON K2H 5B7	16.8	<u>36</u>
CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON	16.8	<u>36</u>
CHIPWORKS	3685 Richmond Rd Suite 500 Ottawa ON	16.8	<u>36</u>
PETER KIEWIT SONS CO. LTD.	3529 RICHMOND ROAD NEPEAN ON K2H 8H8	23.6	<u>40</u>
PETER (OUT OF BUS)	3529 RICHMOND ROAD NEPEAN ON K2H 8H8	23.6	<u>40</u>
Bell	3212 Richmond Rd Nepean ON K2H 5B6	32.1	<u>45</u>
Bell Canada	3212 Richmond Road Ottawa ON	39.3	<u>51</u>
MINISTRY OF TRANSPORTATION	3229 RICHMOND ROAD NEPEAN ON K2H 8G4	198.8	<u>119</u>
OTTAWA & DIST ASS FOR MENTALLY 29-562	RETARDED SILVER SPRING FARM 3501 RICHMOND RD. NEPEAN ON K2H 8H8	217.4	<u>126</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated 31 Oct, 2023 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	42 SIOUX CR., OTTAWA ON	25.4	<u>42</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

MNR - Mineral Occurrences

A search of the MNR database, dated 1846-Feb 2025 has found that there are 1 MNR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Bruce Farm	ON	0.0	<u>22</u>

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 2 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
COMPUTING DEVICES	3685 RICHMOND RD NEPEAN ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	<u>36</u>

OPCB - Inventory of PCB Storage Sites

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 6 OPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	<u>36</u>
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	<u>36</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	36
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	36
COMPUTING DEVICES	3685 RICHMOND RD. NEPEAN ON K2H 5B7	16.8	36

PES - Pesticide Register

A search of the PES database, dated Oct 2011 - May 31, 2025 has found that there are 3 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 RICHMOND ROAD NEPEAN ON K2H 8X3	16.8	36
METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 RICHMOND ROAD NEPEAN ON K2H8X3	16.8	36
METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	3655 Richmond Road Nepean ON K2H 8X3	16.8	36

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 3 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Sciometric Instruments Inc.	3685 Richmond Rd Nepean ON K2H 5B7	16.8	36
Chipworks Inc.	3685 Richmond Rd Suite 500 Nepean ON K2H 5B7	16.8	36

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Beaufield Resources Inc.	3208 Richmond Rd Nepean ON K2H 5B6	198.5	118

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug-Mar 2025 has found that there are 11 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	5
Waste Management of Canada Ltd.	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	5
Johnson Controls Limited	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	5
Queensway-Carleton Hospital	3045 Baseline Rd Ottawa ON K2H 8P4	0.0	5
SEWERMATIC	INTERSECTION OF CEDARVIEW RD & BASELINE RD. TANK TRUCK (CARGO) NEPEAN CITY ON	15.3	34
	Southwest corner of Baseline and Cedarview. Ottawa OTTAWA ON	16.6	35
S 21(1)(f) of FIPPA	42 Sioux Crescent Ottawa ON K2H 7E5	25.4	42
	s. 21 Ottawa ON	92.7	76

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHELL CANADA PRODUCTS LTD.	2 ALEUTIAN ROAD TANK TRUCK (CARGO) NEPEAN CITY ON K2H 7C8	104.3	<u>78</u>
SILVER SPRING FARMS	3501 RICHMOND ROAD SILVER SPRING FARMS FURNACE OIL TANK OTTAWA CITY ON K2H 8H8	217.4	<u>126</u>
City of Ottawa	26 Okanagan Drive Ottawa ON K2H 7G1	227.1	<u>131</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 21 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 16 con 2 ON <i>Well ID: 1504027</i>	0.0	<u>4</u>
	lot 16 con 2 OTTAWA ON <i>Well ID: 1535364</i>	0.0	<u>7</u>
	lot 16 con 2 ON <i>Well ID: 1504028</i>	0.0	<u>8</u>
	lot 16 con 2 ON <i>Well ID: 1504026</i>	0.0	<u>14</u>
	3045 Richmond Rd con 2 Ottawa ON <i>Well ID: 7350850</i>	0.0	<u>28</u>
	lot 16 con 2 ON <i>Well ID: 1504025</i>	22.6	<u>38</u>
	42 SIOUX CRES Ottawa ON	28.5	<u>43</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7144019		
	Richmond Rd con 2 Ottawa ON	31.1	<u>44</u>
	Well ID: 7350851		
	lot 15 con 2 ON	49.1	<u>56</u>
	Well ID: 1504024		
	OTTAWA REGION OTTAWA ON	53.0	<u>58</u>
	Well ID: 7128817		
	lot 17 con 2 ON	78.1	<u>69</u>
	Well ID: 1511844		
	lot 15 con 2 ON	86.8	<u>73</u>
	Well ID: 1504022		
	lot 35 con 3 ON	110.3	<u>81</u>
	Well ID: 1506070		
	lot 17 con 2 ON	151.1	<u>97</u>
	Well ID: 1517574		
	Baseline Rd con 3 Ottawa ON	198.4	<u>117</u>
	Well ID: 7350853		
	BASELINE RD WEST Ottawa ON	200.0	<u>120</u>
	Well ID: 7348533		
	lot 14 con 2 ON	222.7	<u>129</u>
	Well ID: 1504018		
	lot 17 con 2 ON	228.1	<u>132</u>
	Well ID: 1504032		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 17 con 2 ON <i>Well ID:</i> 1504030	239.7	<u>136</u>
	lot 17 con 2 ON <i>Well ID:</i> 1504031	239.7	<u>136</u>
	lot 17 con 2 ON <i>Well ID:</i> 1504033	244.2	<u>139</u>




Map: 0.25 Kilometer Radius

Order Number: 25070400156

Address: 3045 Baseline Road, Nepean, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	
		Hospital	



Aerial

Year: 2023


Order Number: 25070400156

Address: 3045 Baseline Road, Nepean, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership



Topographic Map

Order Number: 25070400156

Address: 3045 Baseline Road, ON

Source: ESRI World Topographic Map



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	ENE/0.0	73.5 / 0.00	3440 Richmond Rd Nepean ON K2H 8H7	EHS
Order No: 24040800738		Nearest Intersection:			
Status: C		Municipality:			
Report Type: Standard Express Report		Client Prov/State:		IL	
Report Date: 09-APR-24		Search Radius (km):		.25	
Date Received: 08-APR-24		X:		-75.807783	
Previous Site Name:		Y:		45.336498	
Lot/Building Size:					
Additional Info Ordered:					
2	1 of 1	SSE/0.0	76.6 / 3.12	Queensway Carleton Hospital 3045 Baseline Road Ottawa ON	GEN
<u>Generator Info</u>					
Generator No: ON0490600		Choice of Contact:			
Approval Years: As of Oct 2022		Contaminated Fac:			
Status: Registered		MHSW Facility:			
PO Box No:		SIC Code:			
Country: Canada					
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class: 252 L					
Waste Class Name: WASTE OILS & LUBRICANTS					
<u>Waste Detail(s)</u>					
Waste Class: 261 T					
Waste Class Name: PHARMACEUTICALS					
<u>Waste Detail(s)</u>					
Waste Class: 148 P					
Waste Class Name: INORGANIC LABORATORY CHEMICALS					
<u>Waste Detail(s)</u>					
Waste Class: 221 A					
Waste Class Name: LIGHT FUELS					
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:			263 P	ORGANIC LABORATORY CHEMICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			112 C	ACID WASTE - HEAVY METALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			145 C	PAINT/PIGMENT/COATING RESIDUES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			145 L	PAINT/PIGMENT/COATING RESIDUES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			261 A	PHARMACEUTICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			212 H	ALIPHATIC SOLVENTS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			148 B	INORGANIC LABORATORY CHEMICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			213 I	PETROLEUM DISTILLATES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			121 C	ALKALINE WASTES - HEAVY METALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			251 L	OIL SKIMMINGS & SLUDGES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:			212 L	ALIPHATIC SOLVENTS	
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		312 P PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 P PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 L WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 I WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 I LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312 B PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		243 D PCBS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 B PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		146 T OTHER SPECIFIED INORGANICS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 A ORGANIC LABORATORY CHEMICALS			
<u>Generator Info as of Dec 2024</u>					
Generator No:	ON0490600				
Generator Company Name:	Queensway Carleton Hospital				
Street:	3045 Baseline Road				
City:	Ottawa				
Province State:	Ontario				
Country:	Canada				
Postal Code:	K2H8P4				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		331 I,121 C,112 C,145 C,261 T,312 P,212 H,252 L,148 B,261 A,263 A,221 A,221 I,251 L,243 D,146 T,212 L,213 I,261 B			

Waste Class Decoded:

331 - WASTE COMPRESSED GASES; 121 - ALKALINE WASTES - HEAVY METALS; 112 - ACID WASTE - HEAVY METALS; 145 - PAINT/PIGMENT/COATING RESIDUES; 261 - PHARMACEUTICALS; 312 - PATHOLOGICAL WASTES; 212 - ALIPHATIC SOLVENTS; 252 - WASTE OILS & LUBRICANTS; 148 - INORGANIC LABORATORY CHEMICALS; 261 - PHARMACEUTICALS; 263 - ORGANIC LABORATORY CHEMICALS; 221 - LIGHT FUELS; 221 - LIGHT FUELS; 251 - OIL SKIMMINGS & SLUDGES; 243 - PCBS; 146 - OTHER SPECIFIED INORGANICS; 212 - ALIPHATIC SOLVENTS; 213 - PETROLEUM DISTILLATES; 261 - PHARMACEUTICALS

2017 Generator Info

Gen No:	ON0490600	Choice of Contact:	CO_OFFICIAL
ID:	4066	Phone No Official:	613-721-4700 Ext.1702
Contaminated Fac:	N	Phone No Admin:	613-721-4700 Ext.1700
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111	County Out:	
NAICS Code2:		District:	402
NAICS Code3:			
Gen Name:	QUEENSWAY-CARLETON HOSPITAL		
Gen Div:			
Gen Op Name:	QUEENSWAY-CARLETON HOSPITAL		
Gen Op Div:			
Site Adrs1:	3045 Baseline Road		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Ottawa		
Province Out:			
Site Postal Code:	K2H 8P4		
Site Country:	Canada		
Co Official:	Vince Borgia		
Co Admin:	George Howarth		

2017 Generator Manifest

ID:	16730	Sum Received Qty:	1617.8
Generator No:	ON0490600	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035	Count Manifests:	3
Waste Char:	P	District:	305
Waste Code:	312		

2017 Generator Manifest

ID:	16731	Sum Received Qty:	1194.0
Generator No:	ON0490600	Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030	Count Manifests:	3
Waste Char:	L	District:	402
Waste Code:	252		

2017 Generator Manifest

ID:	16733	Sum Received Qty:	78309.4
Generator No:	ON0490600	Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030	Count Manifests:	195
Waste Char:	P	District:	402
Waste Code:	312		

2017 Generator Manifest

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	16735			Sum Received Qty:	150.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	4
Waste Char:	B			District:	805
Waste Code:	148				
<u>2017 Generator Manifest</u>					
ID:	16732			Sum Received Qty:	9596.58
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	123
Waste Char:	B			District:	402
Waste Code:	261				
<u>2017 Generator Manifest</u>					
ID:	16737			Sum Received Qty:	2812.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	10
Waste Char:	H			District:	805
Waste Code:	212				
<u>2017 Generator Manifest</u>					
ID:	16738			Sum Received Qty:	240.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	A			District:	805
Waste Code:	263				
<u>2017 Generator Manifest</u>					
ID:	16739			Sum Received Qty:	240.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	I			District:	805
Waste Code:	263				
<u>2017 Generator Manifest</u>					
ID:	16729			Sum Received Qty:	187.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	3
Waste Char:	B			District:	305
Waste Code:	261				
<u>2017 Generator Manifest</u>					
ID:	16734			Sum Received Qty:	8.0
Generator No:	ON0490600			Waste Class Name:	ACID WASTE - HEAVY METALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	C			District:	805
Waste Code:	112				
<u>2017 Generator Manifest</u>					
ID:	16736			Sum Received Qty:	36.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char:	C			District:	805
Waste Code:	148				
<u>2018 Generator Info</u>					
Gen No:	ON0490600			Choice of Contact:	CO_OFFICIAL
ID:	3981			Phone No Official:	613-721-4700 Ext.1702
Contaminated Fac:	N			Phone No Admin:	613-721-4700 Ext.1700
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Div:					
Gen Op Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Op Div:					
Site Adrs1:	3045 Baseline Road				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2H 8P4				
Site Country:	Canada				
Co Official:	Vince Borgia				
Co Admin:	Keith Sopha				
<u>2018 Generator Manifest</u>					
ID:	16544			Sum Received Qty:	810.0
Generator No:	ON0490600			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030			Count Manifests:	2
Waste Char:	L			District:	402
Waste Code:	252				
<u>2018 Generator Manifest</u>					
ID:	16547			Sum Received Qty:	95580.22
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	183
Waste Char:	P			District:	402
Waste Code:	312				
<u>2018 Generator Manifest</u>					
ID:	16549			Sum Received Qty:	615.0
Generator No:	ON0490600			Waste Class Name:	OTHER SPECIFIED INORGANICS
Receiver Type:	040			Count Manifests:	1
Waste Char:	T			District:	805
Waste Code:	146				
<u>2018 Generator Manifest</u>					
ID:	16548			Sum Received Qty:	40.0
Generator No:	ON0490600			Waste Class Name:	ALKALINE WASTES - HEAVY METALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	C			District:	805
Waste Code:	121				
<u>2018 Generator Manifest</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	16554			Sum Received Qty:	160.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	H			District:	805
Waste Code:	263				
<u>2018 Generator Manifest</u>					
ID:	16551			Sum Received Qty:	1680.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	6
Waste Char:	H			District:	805
Waste Code:	212				
<u>2018 Generator Manifest</u>					
ID:	16541			Sum Received Qty:	173.8
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	2
Waste Char:	B			District:	305
Waste Code:	261				
<u>2018 Generator Manifest</u>					
ID:	16546			Sum Received Qty:	10093.01
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	123
Waste Char:	B			District:	402
Waste Code:	261				
<u>2018 Generator Manifest</u>					
ID:	16545			Sum Received Qty:	19.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	A			District:	402
Waste Code:	261				
<u>2018 Generator Manifest</u>					
ID:	16542			Sum Received Qty:	987.4
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	2
Waste Char:	P			District:	305
Waste Code:	312				
<u>2018 Generator Manifest</u>					
ID:	16543			Sum Received Qty:	620.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	030			Count Manifests:	1
Waste Char:	L			District:	402
Waste Code:	212				
<u>2018 Generator Manifest</u>					
ID:	16550			Sum Received Qty:	5.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char:	B			District:	805
Waste Code:	148				
2018 Generator Manifest					
ID:	16552			Sum Received Qty:	240.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	A			District:	805
Waste Code:	263				
2018 Generator Manifest					
ID:	16553			Sum Received Qty:	480.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	2
Waste Char:	B			District:	805
Waste Code:	263				
2019 Generator Info					
Gen No:	ON0490600			Choice of Contact:	CO_OFFICIAL
ID:	3878			Phone No Official:	613-721-4700 Ext.1702
Contaminated Fac:	N			Phone No Admin:	613-721-4700 Ext.1201
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Div:					
Gen Op Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Op Div:					
Site Adrs1:	3045 Baseline Road				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2H 8P4				
Site Country:	Canada				
Co Official:	Vince Borgia				
Co Admin:	Dan Marlot				
2019 Generator Manifest					
ID:	16136			Sum Received Qty:	3810.0
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	9
Waste Char:	P			District:	305
Waste Code:	312				
2019 Generator Manifest					
ID:	16142			Sum Received Qty:	169.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	6
Waste Char:	B			District:	805
Waste Code:	148				
2019 Generator Manifest					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
ID:	16137			Sum Received Qty:	615.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	030			Count Manifests:	1
Waste Char:	L			District:	402
Waste Code:	212				
<u>2019 Generator Manifest</u>					
ID:	16145			Sum Received Qty:	2080.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	7
Waste Char:	H			District:	805
Waste Code:	212				
<u>2019 Generator Manifest</u>					
ID:	16139			Sum Received Qty:	10.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	1
Waste Char:	A			District:	402
Waste Code:	261				
<u>2019 Generator Manifest</u>					
ID:	16144			Sum Received Qty:	40.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	I			District:	805
Waste Code:	148				
<u>2019 Generator Manifest</u>					
ID:	16140			Sum Received Qty:	21301.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	105
Waste Char:	B			District:	402
Waste Code:	261				
<u>2019 Generator Manifest</u>					
ID:	16143			Sum Received Qty:	140.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	C			District:	805
Waste Code:	148				
<u>2019 Generator Manifest</u>					
ID:	16138			Sum Received Qty:	1210.0
Generator No:	ON0490600			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030			Count Manifests:	3
Waste Char:	L			District:	402
Waste Code:	252				
<u>2019 Generator Manifest</u>					
ID:	16147			Sum Received Qty:	320.0
Generator No:	ON0490600			Waste Class Name:	PETROLEUM DISTILLATES
Receiver Type:	040			Count Manifests:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char: Waste Code:	I 213			District:	805
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16150 ON0490600 040 P 263			Sum Received Qty: Waste Class Name: Count Manifests: District:	220.0 ORGANIC LABORATORY CHEMICALS 1 805
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16146 ON0490600 040 L 212			Sum Received Qty: Waste Class Name: Count Manifests: District:	410.0 ALIPHATIC SOLVENTS 1 805
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16148 ON0490600 040 C 263			Sum Received Qty: Waste Class Name: Count Manifests: District:	80.0 ORGANIC LABORATORY CHEMICALS 1 805
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16135 ON0490600 035 B 261			Sum Received Qty: Waste Class Name: Count Manifests: District:	365.0 PHARMACEUTICALS 4 305
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16141 ON0490600 030 P 312			Sum Received Qty: Waste Class Name: Count Manifests: District:	88467.0 PATHOLOGICAL WASTES 182 402
<u>2019 Generator Manifest</u>					
ID: Generator No: Receiver Type: Waste Char: Waste Code:	16149 ON0490600 040 I 263			Sum Received Qty: Waste Class Name: Count Manifests: District:	320.0 ORGANIC LABORATORY CHEMICALS 1 805
<u>2020 Generator Info</u>					
Gen No: ID: Contaminated Fac: MHSW Facility: NAICS Code1: NAICS Code2: NAICS Code3:	ON0490600 3767 N N 622111 			Choice of Contact: Phone No Official: Phone No Admin: County Ont: County Out: District:	CO_OFFICIAL 613-721-4700 Ext.1702 613-721-4700 Ext.1201 OTTAWA CARLTON (RM) 402

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gen Name:		QUEENSWAY-CARLETON HOSPITAL			
Gen Div:					
Gen Op Name:		QUEENSWAY-CARLETON HOSPITAL			
Gen Op Div:					
Site Adrs1:		3045 Baseline Road			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Ottawa			
Province Out:					
Site Postal Code:		K2H 8P4			
Site Country:		Canada			
Co Official:		Vince Borgia			
Co Admin:		Dan Marlot			
<u>2020 Generator Manifest</u>					
ID:	14570			Sum Received Qty:	10.0
Generator No:	ON0490600			Waste Class Name:	ALKALINE WASTES - HEAVY METALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	C			District:	805
Waste Code:	121				
<u>2020 Generator Manifest</u>					
ID:	14571			Sum Received Qty:	803.0
Generator No:	ON0490600			Waste Class Name:	OTHER SPECIFIED INORGANICS
Receiver Type:	040			Count Manifests:	4
Waste Char:	T			District:	805
Waste Code:	146				
<u>2020 Generator Manifest</u>					
ID:	14564			Sum Received Qty:	772.12
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	9
Waste Char:	B			District:	305
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	14569			Sum Received Qty:	261.0
Generator No:	ON0490600			Waste Class Name:	ACID WASTE - HEAVY METALS
Receiver Type:	040			Count Manifests:	2
Waste Char:	C			District:	805
Waste Code:	112				
<u>2020 Generator Manifest</u>					
ID:	14573			Sum Received Qty:	580.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	2
Waste Char:	H			District:	805
Waste Code:	212				
<u>2020 Generator Manifest</u>					
ID:	14565			Sum Received Qty:	11799.3
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	32

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Char:	P			District:	305
Waste Code:	312				
<u>2020 Generator Manifest</u>					
ID:	14572			Sum Received Qty:	5.0
Generator No:	ON0490600			Waste Class Name:	INORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	I			District:	805
Waste Code:	148				
<u>2020 Generator Manifest</u>					
ID:	14567			Sum Received Qty:	5659.9
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	63
Waste Char:	B			District:	402
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	14568			Sum Received Qty:	63094.41
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	154
Waste Char:	P			District:	402
Waste Code:	312				
<u>2020 Generator Manifest</u>					
ID:	14574			Sum Received Qty:	15.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	1
Waste Char:	I			District:	805
Waste Code:	212				
<u>2020 Generator Manifest</u>					
ID:	14576			Sum Received Qty:	1.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	B			District:	805
Waste Code:	263				
<u>2020 Generator Manifest</u>					
ID:	14577			Sum Received Qty:	2262.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	11
Waste Char:	C			District:	805
Waste Code:	263				
<u>2020 Generator Manifest</u>					
ID:	14578			Sum Received Qty:	433.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	5
Waste Char:	I			District:	805
Waste Code:	263				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2020 Generator Manifest</u>					
ID:	14579			Sum Received Qty:	1.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	T			District:	805
Waste Code:	263				
<u>2020 Generator Manifest</u>					
ID:	14563			Sum Received Qty:	10.5
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	A			District:	305
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	14566			Sum Received Qty:	1598.0
Generator No:	ON0490600			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030			Count Manifests:	4
Waste Char:	L			District:	402
Waste Code:	252				
<u>2020 Generator Manifest</u>					
ID:	14575			Sum Received Qty:	75.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	A			District:	805
Waste Code:	261				
<u>2020 Generator Manifest</u>					
ID:	14580			Sum Received Qty:	6.0
Generator No:	ON0490600			Waste Class Name:	WASTE COMPRESSED GASES
Receiver Type:	040			Count Manifests:	2
Waste Char:	I			District:	805
Waste Code:	331				
<u>2021 Generator Info</u>					
Gen No:	ON0490600			Choice of Contact:	CO_OFFICIAL
ID:	3690			Phone No Official:	613-721-4700 Ext.1702
Contaminated Fac:	N			Phone No Admin:	613-721-4700 Ext.1201
MHSW Facility:	N			County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	622111			County Out:	
NAICS Code2:				District:	402
NAICS Code3:					
Gen Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Div:					
Gen Op Name:	QUEENSWAY-CARLETON HOSPITAL				
Gen Op Div:					
Site Adrs1:	3045 Baseline Road				
Site Bldg:					
Site Pobox:					
Province In:	ONTARIO				
Site Adrs2:					
Site City:	Ottawa				
Province Out:					
Site Postal Code:	K2H 8P4				
Site Country:	Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		Vince Borgia			
Co Admin:		Dan Marlot			
<u>2021 Generator Manifest</u>					
ID:	14772			Sum Received Qty:	137.8
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	2
Waste Char:	A			District:	305
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	14784			Sum Received Qty:	180.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	L			District:	805
Waste Code:	263				
<u>2021 Generator Manifest</u>					
ID:	14785			Sum Received Qty:	2.0
Generator No:	ON0490600			Waste Class Name:	WASTE COMPRESSED GASES
Receiver Type:	040			Count Manifests:	1
Waste Char:	H			District:	805
Waste Code:	331				
<u>2021 Generator Manifest</u>					
ID:	14775			Sum Received Qty:	867.0
Generator No:	ON0490600			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	030			Count Manifests:	2
Waste Char:	L			District:	402
Waste Code:	252				
<u>2021 Generator Manifest</u>					
ID:	14778			Sum Received Qty:	78898.15
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	030			Count Manifests:	195
Waste Char:	P			District:	402
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	14779			Sum Received Qty:	20.0
Generator No:	ON0490600			Waste Class Name:	ACID WASTE - HEAVY METALS
Receiver Type:	040			Count Manifests:	2
Waste Char:	C			District:	805
Waste Code:	112				
<u>2021 Generator Manifest</u>					
ID:	14782			Sum Received Qty:	2005.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	10
Waste Char:	C			District:	805
Waste Code:	263				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2021 Generator Manifest</u>					
ID:	14783			Sum Received Qty:	10.0
Generator No:	ON0490600			Waste Class Name:	ORGANIC LABORATORY CHEMICALS
Receiver Type:	040			Count Manifests:	1
Waste Char:	I			District:	805
Waste Code:	263				
<u>2021 Generator Manifest</u>					
ID:	14787			Sum Received Qty:	10.0
Generator No:	ON0490600			Waste Class Name:	WASTE COMPRESSED GASES
Receiver Type:	040			Count Manifests:	1
Waste Char:	L			District:	805
Waste Code:	331				
<u>2021 Generator Manifest</u>					
ID:	14774			Sum Received Qty:	2076.1
Generator No:	ON0490600			Waste Class Name:	PATHOLOGICAL WASTES
Receiver Type:	035			Count Manifests:	5
Waste Char:	P			District:	305
Waste Code:	312				
<u>2021 Generator Manifest</u>					
ID:	14786			Sum Received Qty:	6.0
Generator No:	ON0490600			Waste Class Name:	WASTE COMPRESSED GASES
Receiver Type:	040			Count Manifests:	2
Waste Char:	I			District:	805
Waste Code:	331				
<u>2021 Generator Manifest</u>					
ID:	14776			Sum Received Qty:	7553.37
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	030			Count Manifests:	59
Waste Char:	A			District:	402
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	14780			Sum Received Qty:	70.0
Generator No:	ON0490600			Waste Class Name:	ALKALINE WASTES - HEAVY METALS
Receiver Type:	040			Count Manifests:	5
Waste Char:	C			District:	805
Waste Code:	121				
<u>2021 Generator Manifest</u>					
ID:	14773			Sum Received Qty:	114.0
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS
Receiver Type:	035			Count Manifests:	1
Waste Char:	B			District:	305
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	14777			Sum Received Qty:	1415.88
Generator No:	ON0490600			Waste Class Name:	PHARMACEUTICALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiver Type:	030			Count Manifests:	10
Waste Char:	B			District:	402
Waste Code:	261				
<u>2021 Generator Manifest</u>					
ID:	14781			Sum Received Qty:	100.0
Generator No:	ON0490600			Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	040			Count Manifests:	1
Waste Char:	L			District:	805
Waste Code:	212				

<u>3</u>	1 of 1	ESE/0.0	79.9 / 6.39	ON	BORE
Borehole ID:	610765			Inclin FLG:	No
OGF ID:	215512276			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	MAY-1972			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.335543
Total Depth m:	11.1			Longitude DD:	-75.806206
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436831
Drill Method:				Northing:	5020542
Orig Ground Elev m:	78			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.1				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218386438			Mat Consistency:	Soft
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. GREY,SOFT.				
Geology Stratum ID:	218386441			Mat Consistency:	Dense
Top Depth:	8.4			Material Moisture:	
Bottom Depth:	9.3			Material Texture:	Fine
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND,CLAY-VERY FINE TO FINE. DENSE.				
Geology Stratum ID:	218386436			Mat Consistency:	Hard
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.4			Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,HARD,FISSURED.				
Geology Stratum ID:	218386439			Mat Consistency:	Soft
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. SOFT.				
Geology Stratum ID:	218386440			Mat Consistency:	
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	8.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND.				
Geology Stratum ID:	218386442			Mat Consistency:	Dense
Top Depth:	9.3			Material Moisture:	
Bottom Depth:	11.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED,TILL, SAND. DENSE. 00000 020 00080 035 00150 035 00200 030 00250 030 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386437			Mat Consistency:	Stiff
Top Depth:	2.4			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,VERY STIFF, FISSURED.				
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032730 NTS_Sheet: 31G05C				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

<u>4</u>	1 of 1	W/O.0	73.9 / 0.46	lot 16 con 2 ON	WWIS
Well ID:	1504027			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	11/21/1952
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3718
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504027.pdf				

Additional Detail(s) (Map)

Well Completed Date:	11/10/1952
Year Completed:	1952
Depth (m):	25.908
Latitude:	45.336593927217
Longitude:	-75.8101138454788
X:	-75.8101136837994
Y:	45.33659392055957
Path:	150\1504027.pdf

Bore Hole Information

Bore Hole ID:	10026070	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436525.60
Code OB Desc:		North83:	5020662.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/10/1952	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998186			
Layer:		3			
Color:					
General Color:					
Material 1:		18			
Material 1 Desc:		SANDSTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998184			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		12			
Material 3 Desc:		STONES			
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998185			
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504027			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10574640			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044872			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		85.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044871			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		19.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504027			
Pump Set At:					
Static Level:		22.0			
Final Level After Pumping:		40.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457079			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933457080			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		2 1 FRESH 80.0 ft			
<u>5</u>	1 of 40	S/0.0	78.5 / 5.00	QUEENSWAY CARLETON GENERAL HOSPITAL 3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-4035-87- 87 6/5/1987 Industrial air Approved BOILER Nitrogen Oxides No Controls			
<u>5</u>	2 of 40	S/0.0	78.5 / 5.00	QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD. NEPEAN CITY ON K2H 8P4	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-4027-87- 87 8/10/1987 Industrial air Approved BIOMEDICAL INCINERATOR Nitrogen Oxides, Hydrogen Chloride, Suspended Particulate Matter No Controls			
<u>5</u>	3 of 40	S/0.0	78.5 / 5.00	3045 Baseline Road Nepean ON K2H 8P4	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		01 8/28/01 Industrial air Cancelled New Certificate of Approval Queensway Carleton Corporation 3045 Nepean K2H 8P4 This application is for a Certificate of Approval for the following: one (1) radiology exhaust system, one (1) scavenging Exhaust system, one (1) Med Vac System, two (2) generators and one (1) cooling tower. 			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
5	4 of 40	S/0.0	78.5 / 5.00	3045 Baseline Road Nepean ON K2H 8P4	CA
Certificate #:		6945-5CRRY2			
Application Year:		02			
Issue Date:		8/7/02			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		Amended CofA			
Client Name:		Queensway Carleton Corporation			
Client Address:		3045 Baseline Road			
Client City:		Nepean			
Client Postal Code:		K2H 8P4			
Project Description:		This application is for a Certificate of Approval for the following: one (1) radiology exhaust system, one (1) scavenging Exhaust system, one (1) Med Vac System, two (2) generators and one (1) cooling tower.			
Contaminants:					
Emission Control:					
5	5 of 40	S/0.0	78.5 / 5.00	QUEENSWAY CARLETON HOSPITAL 3045 BASELINE ROAD NEPEAN ON K2H 8P4	GEN
<u>Generator Info</u>					
Generator No:		ON0490600		Choice of Contact:	
Approval Years:		86,87,88		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 8611	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		GENERAL HOSPITALS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
5	6 of 40	S/0.0	78.5 / 5.00	QUEENSWAY CARLETON HOSPITAL 3045 BASELINE ROAD NEPEAN ON K2H 8P4	GEN
<u>Generator Info</u>					
Generator No:		ON0490600		Choice of Contact:	
Approval Years:		89,97,98		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 8611	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		GENERAL HOSPITALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			

5	7 of 40	S/0.0	78.5 / 5.00	QUEENSWAY CARLETON HOSPITAL 32-049 3045 BASELINE ROAD NEPEAN ON K2H 8P4	GEN
---	---------	-------	-------------	---	-----

Generator Info

Generator No:	ON0490600	Choice of Contact:	
Approval Years:	92,93,94,95,96	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	8611
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	GENERAL HOSPITALS		

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
5	8 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE ROAD NEPEAN ON K2H 8P4	GEN
<u>Generator Info</u>					
Generator No:	ON0490600			Choice of Contact:	
Approval Years:	99,00,01,02,03,04,05,06,07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	8611
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	GENERAL HOSPITALS				
<u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
5	9 of 40	S/0.0	78.5 / 5.00	Queensway Carleton Corporation 3045 Baseline Road Ottawa Ontario K2H 8P4 Ottawa ON	EBR
EBR Registry No:	IA04E0137			Decision Posted:	
Ministry Ref No:	4297-5VLPFH			Exception Posted:	
Notice Type:	Instrument Decision			Section:	
Notice Stage:				Act 1:	
Notice Date:	February 05, 2015			Act 2:	
Proposal Date:	January 28, 2004			Site Location Map:	
Year:	2004				
Instrument Type:	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Off Instrument Name: Posted By: Company Name: Queensway Carleton Corporation Site Address: Location Other: Proponent Name: Proponent Address: 3045 Baseline Road, Nepean Ontario, K2H 8P4 Comment Period: URL: Summary: Site Location Details: 3045 Baseline Road Ottawa Ontario K2H 8P4 Ottawa					
<u>5</u>	10 of 40	S/0.0	78.5 / 5.00	3045 Baseline Rd Ottawa ON	EHS
Order No: 20090804013 Status: C Report Type: Custom Report Report Date: 8/11/2009 Date Received: 8/4/2009 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -75.807776 Y: 45.33313					
<u>5</u>	11 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON	CA
Certificate #: 0443-7GEP2Q Application Year: 2008 Issue Date: 7/11/2008 Approval Type: Municipal and Private Sewage Works Status: Revoked and/or Replaced Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
<u>5</u>	12 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON	CA
Certificate #: 2286-744GXU Application Year: 2007 Issue Date: 12/18/2007 Approval Type: Industrial Sewage Works Status: Revoked and/or Replaced Application Type: Client Name: Client Address: Client City: Client Postal Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Description: Contaminants: Emission Control:					
<u>5</u>	13 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		4111-7HWNDP 2008 8/28/2008 Municipal and Private Sewage Works Approved			
<u>5</u>	14 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		6601-8B8MMR 2010 11/30/2010 Industrial Sewage Works Approved			
<u>5</u>	15 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7898-7DGJUK 2008 4/18/2008 Industrial Sewage Works Revoked and/or Replaced			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>5</u>	16 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Road Ottawa K2H 8P4 CITY OF OTTAWA ON	EBR
EBR Registry No: 011-2649 Ministry Ref No: 0039-8DUM68 Notice Type: Instrument Decision Notice Stage: Notice Date: September 25, 2018 Proposal Date: March 02, 2011 Year: 2011 Instrument Type: Environmental Compliance Approval (project type: air) - EPA Part II.1-air Off Instrument Name: Posted By: Company Name: Queensway-Carleton Hospital(EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Site Address: Location Other: Proponent Name: Queensway-Carleton Hospital Proponent Address: 3045 Baseline Road Ottawa Ontario Canada K2H 8P4 Comment Period: URL: http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTEyMzYy&statusId=MjA3Mjgz&language=en Summary: Site Location Details: 3045 Baseline Road Ottawa K2H 8P4 CITY OF OTTAWA					
Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

<u>5</u>	17 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON	GEN
<u>Generator Info</u>					
Generator No: ON0490600 Approval Years: 2009 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: General (except Paediatric) Hospitals					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 622111					
<u>Waste Detail(s)</u>					
Waste Class: 261 Waste Class Name: PHARMACEUTICALS					
<u>Waste Detail(s)</u>					
Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES					
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		243 PCBS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		112 ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312 PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		145 PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		121 ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 ALIPHATIC SOLVENTS			
<u>5</u>	18 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON0490600			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	622111
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		General (except Paediatric) Hospitals			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
5	19 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON	GEN

Generator Info

Generator No:	ON0490600	Choice of Contact:	
Approval Years:	2011	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	622111
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	General (except Paediatric) Hospitals		

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class:	212
Waste Class Name:	ALIPHATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:			312		
Waste Class Name:			PATHOLOGICAL WASTES		
<u>Waste Detail(s)</u>					
Waste Class:			121		
Waste Class Name:			ALKALINE WASTES - HEAVY METALS		
<u>Waste Detail(s)</u>					
Waste Class:			261		
Waste Class Name:			PHARMACEUTICALS		
<u>Waste Detail(s)</u>					
Waste Class:			221		
Waste Class Name:			LIGHT FUELS		
<u>Waste Detail(s)</u>					
Waste Class:			251		
Waste Class Name:			OIL SKIMMINGS & SLUDGES		
<u>Waste Detail(s)</u>					
Waste Class:			243		
Waste Class Name:			PCBS		
<u>Waste Detail(s)</u>					
Waste Class:			112		
Waste Class Name:			ACID WASTE - HEAVY METALS		
<u>Waste Detail(s)</u>					
Waste Class:			145		
Waste Class Name:			PAINT/PIGMENT/COATING RESIDUES		
<u>Waste Detail(s)</u>					
Waste Class:			331		
Waste Class Name:			WASTE COMPRESSED GASES		
<u>Waste Detail(s)</u>					
Waste Class:			263		
Waste Class Name:			ORGANIC LABORATORY CHEMICALS		
<u>Waste Detail(s)</u>					
Waste Class:			252		
Waste Class Name:			WASTE OILS & LUBRICANTS		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>5</u>	20 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON	GEN

Generator Info

Generator No:	ON0490600	Choice of Contact:	
Approval Years:	2012	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	622111
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	General (except Paediatric) Hospitals		

Waste Detail(s)

Waste Class:	212
Waste Class Name:	ALIPHATIC SOLVENTS

Waste Detail(s)

Waste Class:	112
Waste Class Name:	ACID WASTE - HEAVY METALS

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class:	263
Waste Class Name:	ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	312
Waste Class Name:	PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class:	121
Waste Class Name:	ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class:	251
Waste Class Name:	OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<hr/>					
<u>5</u>	21 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON	GEN
<u>Generator Info</u>					
Generator No:	ON0490600			Choice of Contact:	
Approval Years:	2013			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	622111
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		GENERAL (EXCEPT PAEDIATRIC) HOSPITALS			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		252		WASTE OILS & LUBRICANTS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		121		ALKALINE WASTES - HEAVY METALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148		INORGANIC LABORATORY CHEMICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263		ORGANIC LABORATORY CHEMICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		213		PETROLEUM DISTILLATES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		251		OIL SKIMMINGS & SLUDGES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212		ALIPHATIC SOLVENTS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261		PHARMACEUTICALS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		243		PCBS	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312		PATHOLOGICAL WASTES	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		145		PAINT/PIGMENT/COATING RESIDUES	
<u>Waste Detail(s)</u>					
Waste Class:		331			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		WASTE COMPRESSED GASES			
<u>5</u>	22 of 40	S/0.0	78.5 / 5.00	MODERN NIAGARA OTTAWA INC 3045 BASELINE RD NEPEAN ON	CFOT
Inventory No: 63972271 Inventory Status: Active Installation Year: 2008 Capacity: 20000 Capacity Unit: Tank Type: Manufacturer: Model: Description:		Tank Material: Fiberglass (FRP) Corrosion Protect: Fiberglass Overfill Protection: Inventory Context: FS Fuel Oil Tank Inventory Item: FS FUEL OIL TANK			
<u>5</u>	23 of 40	S/0.0	78.5 / 5.00	3045 Baseline Rd Ottawa ON K2H 8P4	SPL
Ref No: 8415-9JWL5A Year: Incident Dt: 2014/05/08 Dt MOE Arvl on Scn: MOE Reported Dt: 2014/05/08 Dt Document Closed: 2014/11/07 Site No: 1714-4RCSNN MOE Response: No Field Response Site County/District: Site Geo Ref Meth: 1-10 metres eg. Good Quality GPS Site District Office: Nearest Watercourse: Site Name: 3045 Baseline Road Site Address: 3045 Baseline Rd Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Site Geo Ref Accu: Survey Site Map Datum: NAD83 Northing: 5020275 Easting: 436643 Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: Unknown / N/A Incident Preceding Spill: Incident Reason: Unknown / N/A Incident Summary: Queensway Carlton Hospital: R134A to atm. Environment Impact: Confirmed Health Env Consequence: Nature of Impact: Air Pollution Contaminant Qty: 0 other - see incident description Contaminant Qty 1: 0 Contaminant Unit: other - see incident description Contaminant Code: 38 Contaminant Name: FREON R-134A (CFC) Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed:		Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Property Tertiary Watershed: Sector Type: Other SAC Action Class: Air Spills - Gases and Vapours Call Report Locatn Geodata: Time Reported: System Facility Address:					
5	24 of 40	S/0.0	78.5 / 5.00	Waste Management of Canada Ltd. 3045 Baseline Rd Ottawa ON K2H 8P4	SPL
Ref No: 0388-9Y8LUW Year: Incident Dt: 7/8/2015 Dt MOE Arvl on Scn: MOE Reported Dt: 7/8/2015 Dt Document Closed: 7/10/2015 Site No: 1335-7FRQXS MOE Response: No Site County/District: Site Geo Ref Meth: NA Site District Office: Nearest Watercourse: Site Name: Queensway-Carleton Hospital Site Address: 3045 Baseline Rd Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Site Geo Ref Accu: NA Site Map Datum: NA Northing: NA Easting: NA Entity Operating Name: Client Name: Waste Management of Canada Ltd. Client Type: Source Type: Incident Cause: Incident Preceding Spill: Incident Reason: Equipment Failure Incident Summary: Waste Mngmt: ~ 4L hyd oil to c/b; cntd & clng Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 4 L Contaminant Qty 1: 4 Contaminant Unit: L Contaminant Code: 15 Contaminant Name: HYDRAULIC OIL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Miscellaneous Industrial SAC Action Class: Watercourse Spills Call Report Locatn Geodata: Time Reported: System Facility Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>5</u>	25 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
Approval No: 2286-744GXU Approval Date: 2007-12-18 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: Queensway-Carleton Hospital Address: 3045 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2080-6W7RUT-14.pdf PDF Site Location:					
<u>5</u>	26 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
Approval No: 0443-7GEP2Q Approval Date: 2008-07-11 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Queensway-Carleton Hospital Address: 3045 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3879-7FRQX2-14.pdf PDF Site Location:					
<u>5</u>	27 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
Approval No: 7898-7DGJUK Approval Date: 2008-04-18 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: Queensway-Carleton Hospital Address: 3045 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3876-7D9QJQ-14.pdf PDF Site Location:					
<u>5</u>	28 of 40	S/0.0	78.5 / 5.00	Queensway Carleton Corporation 3045 Baseline Road Ottawa ON K2H 8P4	ECA
Approval No: 6945-5CRRY2 Approval Date: 2002-08-07 MOE District: Ottawa City:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Business Name: Queensway Carleton Corporation Address: 3045 Baseline Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0209-52RR4J-14.pdf PDF Site Location:					
5	29 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
Approval No: 6601-8B8MMR Approval Date: 2010-11-30 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS Business Name: Queensway-Carleton Hospital Address: 3045 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1892-89LP5T-14.pdf PDF Site Location:					
5	30 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
Approval No: 4111-7HWNDP Approval Date: 2008-08-28 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Queensway-Carleton Hospital Address: 3045 Baseline Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6695-7HQQHR-14.pdf PDF Site Location:					
5	31 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON K2H 8P4	GEN
Generator Info Generator No: ON0490600 Approval Years: 2016 Status: PO Box No:					
Choice of Contact: CO_OFFICIAL Contaminated Fac: No MHSW Facility: No SIC Code: 622111					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Country:	Canada				
Co Admin:		John Martin			
Phone No Admin:		613-721-2000 Ext.1351			
SIC Description:		GENERAL (EXCEPT PAEDIATRIC) HOSPITALS			
 <u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
 <u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
 <u>Waste Detail(s)</u>					
Waste Class:		146			
Waste Class Name:		OTHER SPECIFIED INORGANICS			
 <u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
 <u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
 <u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
 <u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
 <u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
 <u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
 <u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
 <u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		112 ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		121 ALKALINE WASTES - HEAVY METALS			

[5](#)

32 of 40

S/0.0

78.5 / 5.00

QUEENSWAY-CARLETON HOSPITAL
3045 Baseline Road
Ottawa ON k2h 8p4

GEN**Generator Info**

Generator No:	ON0490600	Choice of Contact:	CO_OFFICIAL
Approval Years:	2015	Contaminated Fac:	No
Status:		MHSW Facility:	No
PO Box No:		SIC Code:	622111
Country:	Canada		
Co Admin:	John Martin		
Phone No Admin:	613-721-2000 Ext.1351		
SIC Description:	GENERAL (EXCEPT PAEDIATRIC) HOSPITALS		

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		148 INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		251 OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		145 PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		121 ALKALINE WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		243 PCBS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		112 ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
<u>5</u>	33 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON k2h 8p4	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON0490600			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	622111
Country:	Canada				
Co Admin:		Dave Millan			
Phone No Admin:		613-721-2000 Ext.1305			
SIC Description:		GENERAL (EXCEPT PAEDIATRIC) HOSPITALS			
<u>Waste Detail(s)</u>					
Waste Class:		312			
Waste Class Name:		PATHOLOGICAL WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		221			
Waste Class Name:		LIGHT FUELS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCBS			
<u>Waste Detail(s)</u>					
Waste Class:		261			
Waste Class Name:		PHARMACEUTICALS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		121			
Waste Class Name:		ALKALINE WASTES - HEAVY METALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		331			
Waste Class Name:		WASTE COMPRESSED GASES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			

5	34 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON K2H 8P4	GEN
---	----------	-------	-------------	--	-----

Generator Info

Generator No:	ON0490600	Choice of Contact:
Approval Years:	As of Dec 2018	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	312 B
Waste Class Name:	Pathological wastes

Waste Detail(s)

Waste Class:	263 A
Waste Class Name:	Misc. waste organic chemicals

Waste Detail(s)

Waste Class:	312 P
Waste Class Name:	Pathological wastes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:			331 I		
Waste Class Name:			Waste compressed gases including cylinders		
<u>Waste Detail(s)</u>					
Waste Class:			331 L		
Waste Class Name:			Waste compressed gases including cylinders		
<u>Waste Detail(s)</u>					
Waste Class:			212 L		
Waste Class Name:			Aliphatic solvents and residues		
<u>Waste Detail(s)</u>					
Waste Class:			213 I		
Waste Class Name:			Petroleum distillates		
<u>Waste Detail(s)</u>					
Waste Class:			221 A		
Waste Class Name:			Light fuels		
<u>Waste Detail(s)</u>					
Waste Class:			221 I		
Waste Class Name:			Light fuels		
<u>Waste Detail(s)</u>					
Waste Class:			243 D		
Waste Class Name:			PCB		
<u>Waste Detail(s)</u>					
Waste Class:			145 C		
Waste Class Name:			Wastes from the use of pigments, coatings and paints		
<u>Waste Detail(s)</u>					
Waste Class:			146 T		
Waste Class Name:			Other specified inorganic sludges, slurries or solids		
<u>Waste Detail(s)</u>					
Waste Class:			145 L		
Waste Class Name:			Wastes from the use of pigments, coatings and paints		
<u>Waste Detail(s)</u>					
Waste Class:			112 C		
Waste Class Name:			Acid solutions - containing heavy metals		
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		121 C Alkaline slutions - containing heavy metals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 P Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 P Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 H Aliphatic solvents and residues			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		251 L Waste oils/sludges (petroleum based)			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		252 L Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 A Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 B Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 P Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 T Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 B Misc. wastes and inorganic chemicals			
5	35 of 40	S/0.0	78.5 / 5.00	Johnson Controls Limited 3045 Baseline Rd	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
				Ottawa ON K2H 8P4	
Ref No:	4271-ALTSMX			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	4/26/2017			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	4/27/2017			Impact to Health:	2 - Minor Environment
Dt Document Closed:				Agency Involved:	
Site No:	K2H 8P4				
MOE Response:					
Site County/District:	NA				
Site Geo Ref Meth:	NA				
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Queensway-Carleton Hospital				
Site Address:	3045 Baseline Rd				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:	NA				
Site Geo Ref Accu:	NA				
Site Map Datum:	NA				
Northing:	NA				
Easting:	NA				
Entity Operating Name:					
Client Name:	Johnson Controls Limited				
Client Type:	Corporation				
Source Type:	Other				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Equipment Failure				
Incident Summary:	Johnson Controls: over 100 kg of R 134-A released to atm				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	0 other - see incident description				
Contaminant Qty 1:	0				
Contaminant Unit:	other - see incident description				
Contaminant Code:	38				
Contaminant Name:	FREON R-134A (CFC)				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:	n/a				
Receiving Medium:	Air				
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Miscellaneous Communal				
SAC Action Class:					
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					

<u>5</u>	36 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd Ottawa ON K2H 8P4	ECA
<hr/>					
Approval No:	2092-B3EHNW			MOE District:	Ottawa
Approval Date:	2018-08-08			City:	
Status:	Approved			Longitude:	-75.78955
Record Type:	ECA			Latitude:	45.34174
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		ECA-INDUSTRIAL SEWAGE WORKS INDUSTRIAL SEWAGE WORKS Queensway-Carleton Hospital 3045 Baseline Rd https://www.accessenvironment.ene.gov.on.ca/instruments/3313-AYMPV8-13.pdf			
5	37 of 40	S/0.0	78.5 / 5.00	OTTAWA GREENBELT CONSTRUCTION COMPANY LIMITED 3045 Baseline Road, east of Cedarview Rd. to Valley Stream Dr. Ottawa ON K2H 8P4	EASR
Approval No: Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type: SWP Area Name: PDF NAICS Code: PDF URL: PDF Site Location:		R-009-4111124625 REGISTERED 2019-03-22 EASR MOFA Water Taking - Construction Dewatering EASR-Water Taking - Construction Dewatering Rideau Valley			MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:
		Ottawa Ottawa 45.34 -75.79305556			
5	38 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON K2H 8P4	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON0490600 As of Jul 2020 Registered Canada			Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		213 I Petroleum distillates			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		148 B Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 L Waste compressed gases including cylinders			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			
<u>Waste Detail(s)</u>					
Waste Class:		261 P			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
<u>Waste Detail(s)</u>					
Waste Class:		261 T			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		148 P			
Waste Class Name:		Misc. wastes and inorganic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		145 L			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		261 B			
Waste Class Name:		Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
<u>Waste Detail(s)</u>					
Waste Class:		112 C			
Waste Class Name:		Acid solutions - containing heavy metals			
<u>Waste Detail(s)</u>					
Waste Class:		221 I			
Waste Class Name:		Light fuels			
<u>Waste Detail(s)</u>					
Waste Class:		212 L			
Waste Class Name:		Aliphatic solvents and residues			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		252 L Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312 B Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		145 C Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		212 H Aliphatic solvents and residues			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 P Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		221 A Light fuels			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		312 P Pathological wastes			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		261 A Pharmaceuticals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 A Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 I Waste compressed gases including cylinders			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		243 D PCB			
<u>Waste Detail(s)</u>					
<u>5</u>	39 of 40	S/0.0	78.5 / 5.00	Queensway-Carleton Hospital 3045 Baseline Rd	SPL

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<hr/>					
				Ottawa ON K2H 8P4	
Ref No:	2758-BKPL49			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	2020/01/09			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	2020/01/10			Impact to Health:	2 - Minor Environment
Dt Document Closed:				Agency Involved:	
Site No:	1335-7FRQXS				
MOE Response:	No				
Site County/District:	NA				
Site Geo Ref Meth:	NA				
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Queensway-Carleton Hospital				
Site Address:	3045 Baseline Rd				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:	NA				
Site Geo Ref Accu:	NA				
Site Map Datum:	NA				
Northing:	NA				
Easting:	NA				
Entity Operating Name:					
Client Name:	Queensway-Carleton Hospital				
Client Type:	Corporation				
Source Type:	Other				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Equipment Failure				
Incident Summary:	Queensway Carleton Hospital: R134A lost to atm, leak from chiller				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	308 kg				
Contaminant Qty 1:	308				
Contaminant Unit:	kg				
Contaminant Code:	38				
Contaminant Name:	REFRIGERANT GAS, N.O.S.				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:	1078				
Receiving Medium:	Air				
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Unknown / N/A				
SAC Action Class:	Air Spills - Gases and Vapours				
Call Report Locatn Geodata:					
Time Reported:					
System Facility Address:					
<hr/>					
5	40 of 40	S/0.0	78.5 / 5.00	QUEENSWAY-CARLETON HOSPITAL 3045 Baseline Road Ottawa ON K2H 8P4	GEN

Generator Info

Generator No:	ON0490600	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
 <u>Waste Detail(s)</u>					
Waste Class:		331 L			
Waste Class Name:		Waste compressed gases including cylinders			
 <u>Waste Detail(s)</u>					
Waste Class:		212 L			
Waste Class Name:		Aliphatic solvents and residues			
 <u>Waste Detail(s)</u>					
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
 <u>Waste Detail(s)</u>					
Waste Class:		146 T			
Waste Class Name:		Other specified inorganic sludges, slurries or solids			
 <u>Waste Detail(s)</u>					
Waste Class:		221 I			
Waste Class Name:		Light fuels			
 <u>Waste Detail(s)</u>					
Waste Class:		121 C			
Waste Class Name:		Alkaline slutions - containing heavy metals			
 <u>Waste Detail(s)</u>					
Waste Class:		112 C			
Waste Class Name:		Acid solutions - containing heavy metals			
 <u>Waste Detail(s)</u>					
Waste Class:		312 B			
Waste Class Name:		Pathological wastes			
 <u>Waste Detail(s)</u>					
Waste Class:		261 P			
Waste Class Name:		Pharmaceuticals			
 <u>Waste Detail(s)</u>					
Waste Class:		261 T			
Waste Class Name:		Pharmaceuticals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:			213 I		
Waste Class Name:			Petroleum distillates		
<u>Waste Detail(s)</u>					
Waste Class:			251 L		
Waste Class Name:			Waste oils/sludges (petroleum based)		
<u>Waste Detail(s)</u>					
Waste Class:			145 L		
Waste Class Name:			Wastes from the use of pigments, coatings and paints		
<u>Waste Detail(s)</u>					
Waste Class:			312 P		
Waste Class Name:			Pathological wastes		
<u>Waste Detail(s)</u>					
Waste Class:			212 H		
Waste Class Name:			Aliphatic solvents and residues		
<u>Waste Detail(s)</u>					
Waste Class:			243 D		
Waste Class Name:			PCB		
<u>Waste Detail(s)</u>					
Waste Class:			148 B		
Waste Class Name:			Misc. wastes and inorganic chemicals		
<u>Waste Detail(s)</u>					
Waste Class:			221 A		
Waste Class Name:			Light fuels		
<u>Waste Detail(s)</u>					
Waste Class:			261 A		
Waste Class Name:			Pharmaceuticals		
<u>Waste Detail(s)</u>					
Waste Class:			263 P		
Waste Class Name:			Misc. waste organic chemicals		
<u>Waste Detail(s)</u>					
Waste Class:			261 B		
Waste Class Name:			Pharmaceuticals		
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		263 A			
Waste Class Name:		Misc. waste organic chemicals			
<u>Waste Detail(s)</u>					
Waste Class:		145 C			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
<u>Waste Detail(s)</u>					
Waste Class:		148 P			
Waste Class Name:		Misc. wastes and inorganic chemicals			

<u>6</u>	1 of 1	NW/0.0	69.8 / -3.69	3440 Richmond Road Ottawa ON K2H 8H7	EHS
<hr/>					
Order No:	24041000103			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	15-APR-24			Search Radius (km):	.25
Date Received:	10-APR-24			X:	-75.8092381
Previous Site Name:				Y:	45.3378076
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				

<u>7</u>	1 of 1	WNW/0.0	71.8 / -1.70	lot 16 con 2 OTTAWA ON	WWIS
<hr/>					
Well ID:	1535364			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Abandoned-Other			Date Received:	01/21/2005
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z19297			Contractor:	6894
Tag:				Form Version:	3
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	016
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1535364.pdf				

Additional Detail(s) (Map)**Well Completed Date:** 12/17/2004

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		2004			
Depth (m):		3.7			
Latitude:		45.3374133703094			
Longitude:		-75.8100693734112			
X:		-75.81006921174806			
Y:		45.33741336357613			
Path:		153\1535364.pdf			

Bore Hole Information

Bore Hole ID:	11329735	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436530.00
Code OB Desc:		North83:	5020753.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	9
Date Completed:	12/17/2004	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock**Materials Interval**

Formation ID:	932996198
Layer:	1
Color:	6
General Color:	BROWN
Material 1:	01
Material 1 Desc:	FILL
Material 2:	06
Material 2 Desc:	SILT
Material 3:	
Material 3 Desc:	
Formation Top Depth:	0.0
Formation End Depth:	2.1500000953674316
Formation End Depth UOM:	m

Overburden and Bedrock**Materials Interval**

Formation ID:	932996199
Layer:	2
Color:	2
General Color:	GREY
Material 1:	34
Material 1 Desc:	TILL
Material 2:	05
Material 2 Desc:	CLAY
Material 3:	
Material 3 Desc:	
Formation Top Depth:	2.1500000953674316
Formation End Depth:	3.700000047683716
Formation End Depth UOM:	m

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		933284353			
Layer:		1			
Plug From:		0.0			
Plug To:		3.700000047683716			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933284354			
Layer:		2			
Plug From:					
Plug To:					
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961535364			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11344590			
Casing No:		1			
Comment:					
Alt Name:					
<u>Water Details</u>					
Water ID:		934069496			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		3.5			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11533380			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		3.700000047683716			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
<u>8</u>	1 of 1	WNW/0.0	72.9 / -0.61	lot 16 con 2 ON	WWIS
Well ID:	1504028			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	06/30/1954
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3566

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	016
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504028.pdf

Additional Detail(s) (Map)

Well Completed Date: 06/16/1954
Year Completed: 1954
Depth (m): 32.004
Latitude: 45.3371325988038
Longitude: -75.810312971502
X: -75.81031281054179
Y: 45.33713259239984
Path: 150\1504028.pdf

Bore Hole Information

Bore Hole ID:	10026071	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436510.60
Code OB Desc:		North83:	5020722.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	06/16/1954	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 930998187
Layer: 1
Color:
General Color:
Material 1: 11
Material 1 Desc: GRAVEL
Material 2: 09
Material 2 Desc: MEDIUM SAND
Material 3:
Material 3 Desc:
Formation Top Depth: 0.0
Formation End Depth: 16.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998188			
Layer:		2			
Color:					
General Color:					
Material 1:		18			
Material 1 Desc:		SANDSTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504028			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574641			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044873			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044874			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		105.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504028			
Pump Set At:					
Static Level:		34.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Final Level After Pumping:		60.0			
Recommended Pump Depth:					
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933457082			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		103.0			
Water Found Depth UOM:		ft			
 <u>Water Details</u>					
Water ID:		933457081			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

<u>9</u>	1 of 1	WNW/0.0	72.9 / -0.61	ON	BORE
<hr/>					
Borehole ID:	610768			Inclin FLG:	No
OGF ID:	215512279			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JUN-1954			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.337134
Total Depth m:	32			Longitude DD:	-75.810313
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436511
Drill Method:				Northing:	5020722
Orig Ground Elev m:	76.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	75.5				
Concession:					
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386449			Mat Consistency:	Stiff
Top Depth:	4.9			Material Moisture:	
Bottom Depth:	32			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Sandstone			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386448 0 4.9 Gravel Sand GRAVEL,SAND.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Source					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 03276 NTS_Sheet:			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
Source List					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator

[10](#)

1 of 1

WNW/0.0

71.8 / -1.70

3448 Richmond Road, Ottawa

FCS

Ottawa ON

SGC: 3506008
Site ID: 00023305
Departmental ID: 822
Depart Code: NCC
Class Type: N
Class: Not a Priority for Action
Site Name: 3448 Richmond Road, Ottawa
Site Name (FR): 3448 rue Richmond, Ottawa
Site Status: Closed
Site Status Desc: Preliminary classification completed. No further action required.
Site Status (FR): Fermé
Description (FR): Classification préliminaire terminée. Aucune autre mesure requise.
Involv Code:
Census Division: Ottawa
Municipality: Ottawa
Census Sub Class: 1
Latitude: 45.337486
Longitude: -75.810121
Location:
Protected Data: 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
FED:		079			
Fed Electoral District:		Ottawa West--Nepean			
Fed Electoral District (FR):		Ottawa-Ouest--Nepean			
Metro:					
Nearest Pop. Area:					
Highest Step Cmpltd:	9				
Site Deleted Flag:					
Created:		2008-06-19T11:36:00			
Modified:		2014-05-15T10:13:19.093			
Property No.:		01997			
Est m³ Contmnted:					
Est Ha Contmnted:	0.608				
Est Tons Contamin:					
Est Population at 1 Km:	3,397				
Est Population at 5 Km:	102,744				
Est Population at 10 Km:	421,500				
Est Population at 25 Km:	1,097,705				
Est Population at 50 Km:	1,444,338				
Reporting Org:		National Capital Commission			
Reporting Org (FR):		Commission de la Capitale nationale			
Reason for Involv:		Federal Real Property			
Reason for Involv (FR):		Biens immobiliers fédéraux			
Liable Third Party:					
Class (FR):		Priorité d'intervention nulle			
Action Plan:		RA completed. Remediation may be required if land use changes.			
Action Plan (FR):		Évaluation de risque complétée. Réhabilitation possible si changement d'utilisation de terrain.			
Site Mgmt Strategy:		Periodic Monitoring, Remediation			
Minimap URL:		http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=00023305			
Additional Info:					
Additional Info (FR):					
<u>Management</u>					
Management Code:	2				
Management Type (EN):		Remediation			
Management Type (FR):		Restauration			
Management Code:	4				
Management Type (EN):		Periodic Monitoring			
Management Type (FR):		Surveillance périodique			
<u>Contamination</u>					
Contaminant:		Metal, metalloid, and organometallic			
Contamination (FR):		Métaux, métalloïdes, et organométalliques			
Medium Code:	5				
Medium:		Soil			
Medium (FR):		Sol			
Contaminant:		Metal, metalloid, and organometallic			
Contamination (FR):		Métaux, métalloïdes, et organométalliques			
Medium Code:	2				
Medium:		Groundwater			
Medium (FR):		Eau souterraine			
Contaminant:		PHCs (petroleum hydrocarbons)			
Contamination (FR):		HCP (hydrocarbures pétroliers)			
Medium Code:	5				
Medium:		Soil			
Medium (FR):		Sol			
<u>Annual Data</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Fiscal Year:		2007-2008			
Reporting Organization:		NCC			
Reporting Organization (EN):		National Capital Commission			
Reporting Organization (FR):		Commission de la Capitale nationale			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:	09				
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:	No				
Actual Cubic Metres Rem:	0				
Actual Hectares Rem:	0.608				
Actual Tons Remediated:	0				
Total Asmt Expenditure:	\$0.00				
Total Remediation Expenditure:	\$0.00				
Total Care/Maint Expenditur:	\$0.00				
Total Mntring Expenditure:	\$0.00				
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:	\$0.00				
FCSAP Remed Expenditure:	\$0.00				
FCSAP Care/Maint Expenditur:	\$0.00				
FCSAP Mntring Expenditure:	\$0.00				

Annual Data

Fiscal Year:	2008-2009
Reporting Organization:	NCC
Reporting Organization (EN):	National Capital Commission
Reporting Organization (FR):	Commission de la Capitale nationale
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	09
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	No
Actual Cubic Metres Rem:	0
Actual Hectares Rem:	0
Actual Tons Remediated:	0
Total Asmt Expenditure:	\$0.00
Total Remediation Expenditure:	\$0.00
Total Care/Maint Expenditur:	\$0.00
Total Mntring Expenditure:	\$0.00
Ttl Expenditure Reduc Liabil:	
FCSAP Asmt Expenditure:	\$0.00
FCSAP Remed Expenditure:	\$0.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
FCSAP Care/Maint Expenditur:		\$0.00			
FCSAP Mntring Expenditure:		\$0.00			
<u>Annual Data</u>					
Fiscal Year:		2009-2010			
Reporting Organization:		NCC			
Reporting Organization (EN):		National Capital Commission			
Reporting Organization (FR):		Commission de la Capitale nationale			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:	05				
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:	No				
Actual Cubic Metres Rem:	0				
Actual Hectares Rem:	0				
Actual Tons Remediated:	0				
Total Asmt Expenditure:	\$0.00				
Total Remediation Expenditure:	\$0.00				
Total Care/Maint Expenditur:	\$0.00				
Total Mntring Expenditure:	\$0.00				
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:	\$0.00				
FCSAP Remed Expenditure:	\$0.00				
FCSAP Care/Maint Expenditur:	\$0.00				
FCSAP Mntring Expenditure:	\$0.00				

Annual Data

Fiscal Year:	2012-2013
Reporting Organization:	NCC
Reporting Organization (EN):	National Capital Commission
Reporting Organization (FR):	Commission de la Capitale nationale
Class Type:	
Class (EN):	
Class (FR):	
CCME Flag:	
CCME NCS Year:	
Step Name (EN):	
Step Name (FR):	
Highest Step Completed:	04
Highest Step Completed Desc:	
Planned Compl Date Step7:	
Planned Compl Date Step8:	
Planned Compl Date Step9:	
Created:	
Modified:	
NCSCS Year:	
Closed:	Yes
Actual Cubic Metres Rem:	0
Actual Hectares Rem:	0
Actual Tons Remediated:	0
Total Asmt Expenditure:	\$0.00

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Total Remediation Expenditure:		\$0.00			
Total Care/Maint Expenditur:		\$0.00			
Total Mntring Expenditure:		\$0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		\$0.00			
FCSAP Remed Expenditure:		\$0.00			
FCSAP Care/Maint Expenditur:		\$0.00			
FCSAP Mntring Expenditure:		\$0.00			

Annual Data

Fiscal Year: 2010-2011
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 03
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:
NCSCS Year:
Closed: No
Actual Cubic Metres Rem: 0
Actual Hectares Rem: 0
Actual Tons Remediated: 0
Total Asmt Expenditure: \$0.00
Total Remediation Expenditure: \$0.00
Total Care/Maint Expenditur: \$0.00
Total Mntring Expenditure: \$0.00
Ttl Expenditure Reduc Liabil:
FCSAP Asmt Expenditure: \$0.00
FCSAP Remed Expenditure: \$0.00
FCSAP Care/Maint Expenditur: \$0.00
FCSAP Mntring Expenditure: \$0.00

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: NCC
Reporting Organization (EN): National Capital Commission
Reporting Organization (FR): Commission de la Capitale nationale
Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):
Highest Step Completed: 04
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:
Created:
Modified:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NCSCS Year:					
Closed:		No			
Actual Cubic Metres Rem:		0			
Actual Hectares Rem:		0			
Actual Tons Remediated:		0			
Total Asmt Expenditure:		\$0.00			
Total Remediation Expenditure:		\$0.00			
Total Care/Maint Expenditur:		\$0.00			
Total Mntring Expenditure:		\$0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		\$0.00			
FCSAP Remed Expenditure:		\$0.00			
FCSAP Care/Maint Expenditur:		\$0.00			
FCSAP Mntring Expenditure:		\$0.00			
<u>Annual Data</u>					
Fiscal Year:		2013-2014			
Reporting Organization:		NCC			
Reporting Organization (EN):		National Capital Commission			
Reporting Organization (FR):		Commission de la Capitale nationale			
Class Type:					
Class (EN):					
Class (FR):					
CCME Flag:					
CCME NCS Year:					
Step Name (EN):					
Step Name (FR):					
Highest Step Completed:		04			
Highest Step Completed Desc:					
Planned Compl Date Step7:					
Planned Compl Date Step8:					
Planned Compl Date Step9:					
Created:					
Modified:					
NCSCS Year:					
Closed:		Yes			
Actual Cubic Metres Rem:		0			
Actual Hectares Rem:		0			
Actual Tons Remediated:		0			
Total Asmt Expenditure:		\$0.00			
Total Remediation Expenditure:		\$0.00			
Total Care/Maint Expenditur:		\$0.00			
Total Mntring Expenditure:		\$0.00			
Ttl Expenditure Reduc Liabil:					
FCSAP Asmt Expenditure:		\$0.00			
FCSAP Remed Expenditure:		\$0.00			
FCSAP Care/Maint Expenditur:		\$0.00			
FCSAP Mntring Expenditure:		\$0.00			
11	1 of 1	WSW/0.0	75.9 / 2.39	ON	BORE
Borehole ID:	610763			Inclin FLG:	No
OGF ID:	215512274			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	MAY-1972			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.335334
Total Depth m:	9.5			Longitude DD:	-75.810287
Depth Ref:	Ground Surface			UTM Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev: Drill Method: Orig Ground Elev m: 77.3 Elev Reliabil Note: DEM Ground Elev m: 75.6 Concession: Location D: Survey D: Comments:				Easting: 436511 Northing: 5020522 Location Accuracy: Accuracy: Not Applicable	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218386422 Top Depth: 0 Bottom Depth: .5 Material Color: Material 1: Silt Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: SILT,SAND.				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218386427 Top Depth: 5 Bottom Depth: 6.6 Material Color: Material 1: Unknown Material 2: Till Material 3: Material 4: Gsc Material Description: Stratum Description: UNSPECIFIED,TILL. DENSE.				Mat Consistency: Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218386423 Top Depth: .5 Bottom Depth: .8 Material Color: Brown Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY,SILT. BROWN,GREY,VERY STIFF.				Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218386424 Top Depth: .8 Bottom Depth: 2.3 Material Color: Brown Material 1: Clay Material 2: Sand Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY,SAND. BROWN,GREY, STIFF TO VERY STIFF.				Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: 218386428 Top Depth: 6.6 Bottom Depth: 7.3 Material Color: Material 1: Unknown Material 2: Till Material 3: Clay Material 4: Gsc Material Description:				Mat Consistency: Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description: UNSPECIFIED,TILL, CLAY. LOOSE,DENSE.					
Geology Stratum ID:	218386430			Mat Consistency:	
Top Depth:	8			Material Moisture:	
Bottom Depth:	9.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Dolomite			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description: BEDROCK,DOLOMITE. 00000 015 00015 025 00025 025 00075 035 00143 016 00165 01 **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID:	218386425			Mat Consistency:	Soft
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description: CLAY,SILT,SAND. BROWN,GREY,SOFT TO STIFF.					
Geology Stratum ID:	218386426			Mat Consistency:	Loose
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description: UNSPECIFIED,TILL. VERY LOOSE.					
Geology Stratum ID:	218386429			Mat Consistency:	Dense
Top Depth:	7.3			Material Moisture:	
Bottom Depth:	8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description: UNSPECIFIED,TILL, SILT. DENSE.					
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name: Urban Geology Automated Information System (UGAIS)					
Source Details: File: OTTAWA1.txt RecordID: 032710 NTS_Sheet: 31G05C					
Confiden 1: Logged by professional. Exact and complete description of material and properties.					
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			
12	1 of 1	SSW/0.0	76.8 / 3.31	ON	BORE
Borehole ID:	610761			Inclin FLG:	No
OGF ID:	215512272			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	1922			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.334533
Total Depth m:	5.6			Longitude DD:	-75.808999
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436611
Drill Method:				Northing:	5020432
Orig Ground Elev m:	78			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	79.5				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386415			Mat Consistency:	Stiff
Top Depth:	1.7			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,STIFF,FISSURED.				
Geology Stratum ID:	218386414			Mat Consistency:	Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,VERY STIFF.				
Geology Stratum ID:	218386417			Mat Consistency:	Loose
Top Depth:	3.4			Material Moisture:	
Bottom Depth:	4.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED,TILL. LOOSE.				
Geology Stratum ID:	218386418			Mat Consistency:	Soft
Top Depth:	4.1			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth:	5.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Dolomite			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK,DOLOMITE. 00000 025 00055 038 00100 010 00112 005 AY,SILT. GREY,SOFT.			
Geology Stratum ID:	218386416			Mat Consistency:	
Top Depth:	3			Material Moisture:	
Bottom Depth:	3.4			Material Texture:	Fine
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND,SILT-VERY FINE,GRAVEL.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA1.txt RecordID: 032690 NTS_Sheet: 31G05C			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			

[13](#)

1 of 1

SSE/0.0

81.2 / 7.75

ON

[BORE](#)

Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	610758 215512269 Borehole MAY-1972 7.5 Ground Surface 77.9 78.7 	Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.334367 -75.807082 18 436761 5020412 Not Applicable
---	--	--	---

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386400			Mat Consistency:	Stiff
Top Depth:	.8			Material Moisture:	
Bottom Depth:	2.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY, STIFF TO VERY STIFF,FISSURED.				
Geology Stratum ID:	218386399			Mat Consistency:	Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,VERY STIFF.				
Geology Stratum ID:	218386401			Mat Consistency:	Soft
Top Depth:	2.8			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. SOFT.				
Geology Stratum ID:	218386403			Mat Consistency:	Dense
Top Depth:	5.9			Material Moisture:	
Bottom Depth:	7.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Dolomite			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK,DOLOMITE. 00000 020 00025 030 00092 035 VERY DENSE. BEDROCK,LIMESTONE. GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386402			Mat Consistency:	Loose
Top Depth:	5.3			Material Moisture:	
Bottom Depth:	5.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	UNSPECIFIED,TILL. LOOSE.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

1	1 of 1	NW/0.0	69.9 / -3.61	lot 16 con 2 ON	WWIS
<hr/>					
Well ID:	1504026	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Domestic	Data Entry Status:			
Use 2nd:	0	Data Src: 1			
Final Well Status:	Water Supply	Date Received: 11/28/1949			
Water Type:		Selected Flag: TRUE			
Casing Material:		Abandonment Rec:			
Audit No:		Contractor: 3601			
Tag:		Form Version: 1			
Constructn Method:		Owner:			
Elevation (m):		County: OTTAWA-CARLETON			
Elevatn Reliabilty:		Lot: 016			
Depth to Bedrock:		Concession: 02			
Well Depth:		Concession Name: OF			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	NEPEAN TOWNSHIP				
Site Info:					

Well Completed Date: 07/18/1949
Year Completed: 1949
Depth (m): 12.8016
Latitude: 45.3386676601262
Longitude: -75.8096328852415
X: -75.80963272308443
Y: 45.33866765322775
Path: 1501504026.pdf

Bore Hole ID:	10026069	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436565.60
Code OB Desc:		North83:	5020892.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	07/18/1949	UTMRC Desc:	unknown UTM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998182			
Layer:		1			
Color:					
General Color:					
Material 1:		13			
Material 1 Desc:		BOULDERS			
Material 2:		05			
Material 2 Desc:		CLAY			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998183			
Layer:		2			
Color:					
General Color:					
Material 1:		21			
Material 1 Desc:		GRANITE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961504026			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574639			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044869			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
Open Hole or Material:		1	STEEL		
Depth From:					
Depth To:		5.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
Construction Record - Casing					
Casing ID:		930044870			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		42.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
Results of Well Yield Testing					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504026			
Pump Set At:					
Static Level:		4.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
Water Details					
Water ID:		933457078			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			

15	1 of 1	NW/0.0	69.9 / -3.61	ON	BORE
Borehole ID:					
610772				Inclin FLG:	No
OGF ID:		215512283		SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:		Borehole		Piezometer:	No
Use:				Primary Name:	
Completion Date:		JUL-1949		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.338669
Total Depth m:		12.8		Longitude DD:	-75.809633

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Borehole MAY-1972 13.6 Ground Surface 78.3 80.3			Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No 45.334468 -75.805425 18 436891 5020422 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386408 7.6 9.1 Grey Clay Sand CLAY,SAND. GREY,SOFT TO STIFF.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386405 1.5 3 Brown Clay Sand CLAY,SAND. BROWN,GREY,STIFF,FISSURED.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386409 9.1 10.7 Grey Clay Sand CLAY,SAND. GREY,STIFF.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386410 10.7 12.1 Grey Clay Silt CLAY,SILT. GREY,SOFT.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft
Geology Stratum ID:	218386404			Mat Consistency:	Stiff

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. BROWN,GREY,VERY STIFF, FISSURED.				
<hr/>					
Geology Stratum ID:	218386406			Mat Consistency:	Soft
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. GREY,SOFT TO STIFF.				
<hr/>					
Geology Stratum ID:	218386407			Mat Consistency:	Soft
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SAND. GREY,SOFT TO STIFF.				
<hr/>					
Geology Stratum ID:	218386411			Mat Consistency:	
Top Depth:	12.1			Material Moisture:	
Bottom Depth:	13.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Dolomite			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK,DOLOMITE. 00000 023 00050 045 00100 035 00150 025 00250 046 00300 03 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<hr/>					
<u>Source</u>					
<hr/>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032670 NTS_Sheet: 31G05C				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<hr/>					
<u>Source List</u>					
<hr/>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
17	1 of 1	WSW/0.0	75.2 / 1.70	ON	BORE
<div> <div> Borehole ID: 848343 OGF ID: 215589973 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 05-APR-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 5.3 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 76.8 Elev Reliabil Note: DEM Ground Elev m: 76.5 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.33511 Longitude DD: -75.811198 UTM Zone: 18 Easting: 436439 Northing: 5020498 Location Accuracy: Accuracy: Within 20 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6560715 Top Depth: 0 Bottom Depth: 2 Material Color: Brown-Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT SOME SAND BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
<div> <div> Geology Stratum ID: 6560716 Top Depth: 2 Bottom Depth: 3.6 Material Color: Material 1: Till Material 2: Silt - Sand - Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL LOOSE TO COMPACT **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6560717 Top Depth: 3.6 Bottom Depth: 5.3 Material Color: Material 1: Sandstone Material 2: Bedrock Material 3: Material 4: Gsc Material Description: Stratum Description: SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
18	1 of 1	WSW/0.0	74.9 / 1.39	ON	BORE
<div> <div> Borehole ID: 848344 OGF ID: 215589974 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 06-APR-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 4.3 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 74 Elev Reliabil Note: DEM Ground Elev m: 73.7 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.335495 Longitude DD: -75.811471 UTM Zone: 18 Easting: 436418 Northing: 5020541 Location Accuracy: Accuracy: Within 20 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6560719 Top Depth: 2.5 Bottom Depth: 4.3 Material Color: Material 1: Till Material 2: Silt - Sand - Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6560718 Top Depth: 0 Bottom Depth: 2.5 Material Color: Brown-Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT WITH SOME SAND BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					

19	1 of 1	W/0.1	73.9 / 0.38	ON	BORE
<div> <div> Borehole ID: 848336 OGF ID: 215589966 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 05-APR-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 7.9 Depth Ref: Ground Surface </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.335979 Longitude DD: -75.811721 UTM Zone: 18 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 74.8 Elev Reliabil Note: DEM Ground Elev m: 74.2 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments:					
Easting: 436399 Northing: 5020595 Location Accuracy: Accuracy: Within 20 metres					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6560697 Top Depth: 1.4 Bottom Depth: 4 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT SOME SAND FIRM GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6560699 Top Depth: 6.3 Bottom Depth: 7.9 Material Color: Material 1: Bedrock Material 2: Sandstone Material 3: Material 4: Gsc Material Description: Stratum Description: SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6560696 Top Depth: 0 Bottom Depth: 1.4 Material Color: Brown Material 1: Fill Material 2: Silt Material 3: Clay Material 4: Gsc Material Description: Stratum Description: CLAYEY SILT FILL BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial					
Geology Stratum ID: 6560698 Top Depth: 4 Bottom Depth: 6.3 Material Color: Material 1: Till Material 2: Silt - Sand - Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: HET MIXT OF SILT, SAND AND GRAVEL COMPACT TO VERY DENSE GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
20	1 of 2	NNW/0.0	68.8 / -4.66	TUBMAN FUNERAL HOMES 3440 RICHMOND ROAD NEPEAN ON K2H 8H7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ONF046700			Choice of Contact:	
Approval Years:	88,89,90			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9731
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	FUNERAL HOMES				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>20</u>	2 of 2	NNW/0.0	68.8 / -4.66	TUBMAN FUNERAL HOMES 44-467 3440 RICHMOND ROAD NEPEAN ON K2H 8H7	GEN
<u>Generator Info</u>					
Generator No:	ONF046700			Choice of Contact:	
Approval Years:	92,93,94,95,96,97,98			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	9731
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	FUNERAL HOMES				
<u>Waste Detail(s)</u>					
Waste Class:	312				
Waste Class Name:	PATHOLOGICAL WASTES				
<u>21</u>	1 of 1	N/0.0	68.9 / -4.61	BRUCE FARM NEPEAN ON	AMIS
Site Access Code:				Prog Rehab Plan:	UNK
AMIS Distr Code:				Revegetation:	
Abandoned Mine ID:	07089			Veg Condition:	
Old MDI ID:	SO4019			Veg Descr:	
New MDI ID:	MDI31G05SW00019			Chemical Doc:	
Mine Status:	ABANDONED			Jurisdiction:	A.R.A.
Mine Plan/Section:	UNK			Lot No:	16
Site Class:	D			Concession:	2
Clos Reason Code:				Zone:	18
Closure Plan:	UNK			Northing:	5020986
Prim Commod Code:				Easting:	436744
Primary Commodity:	LIMESTONE (BUILDING STONES)			Mine Closure Reaso:	UNKNOWN
Operational Access:	NOT AVAILABLE			AMIS District:	TWEED
Date Entered:				District Desc:	TWEED
Date Last Modified:	11/19/2021 12:00:00 AM			Animal Desc:	
Effective Date:				Status Type Code:	
Start Year:				Long Name:	1018435050200
End Year:				NTS No:	031G05
Evid of Site Conta:				Latitude:	45.33953

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Evid of Sulphide: Evid Animals Pres: Hyper Link: Mine Features Desc: Progressive Rehabilitation Sta: AMIS Bkgrd Info:			NOT REHABILITATED PAST PRODUCER; DESIGNATED TWP.; LICENCED BY THE AGGREGATE RESOURCES ACT.; LOCATED AT POINT AT BRUCE FARM ON MAP DEMR 1987, NTS 31G05 OTTAWA.; COMMODITY: LIMESTONE; BRUCE FARM		
Alternate Name:					
22	1 of 1	N/0.0	68.9 / -4.61	Bruce Farm ON	MNR
MDI No:		MDI31G05SW00019		Twp Area: Nepean	
OGF ID:				Dep Class:	
Deposit Status:				Zone:	
Claim Map:				Easting:	
Geological Dstrct:		Southern Ontario		Northing:	
Mining Division:				Effective Dt/time:	
Name:		Bruce Farm		Date Last Modified:	
Primary Commodity:		LIMESTONE (BUILDING STONE)		Geo Update Dt/time:	
Secondary Commodity:				Class Sub Type No:	
Latitude:		45.33953		Status: Past Producing Mine Without Reserves or Resources	
Longitude:		-75.807364			
Class Sub Type:					
Source Map:					
Detail:		https://www.geologyontario.mines.gov.on.ca/persistent-linking?mineral-inventory=MDI31G05SW00019			
All Names:		Bruce Farm			
Access Description:		At Bruce Farm.			
23	1 of 1	SE/0.0	82.1 / 8.58	ON	BORE
Borehole ID:		610754		Inclin FLG: No	
OGF ID:		215512265		SP Status: Initial Entry	
Status:				Surv Elev: No	
Type:		Borehole		Piezometer: No	
Use:				Primary Name:	
Completion Date:		FEB-1971		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD: 45.333932	
Total Depth m:		5.9		Longitude DD: -75.804907	
Depth Ref:		Ground Surface		UTM Zone: 18	
Depth Elev:				Easting: 436931	
Drill Method:				Northing: 5020362	
Orig Ground Elev m:		79.3		Location Accuracy:	
Elev Reliabil Note:				Accuracy: Not Applicable	
DEM Ground Elev m:		80.2			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218386391		Mat Consistency: Stiff	
Top Depth:		1.1		Material Moisture:	
Bottom Depth:		3.7		Material Texture:	
Material Color:		Brown		Non Geo Mat Type:	
Material 1:		Clay		Geologic Formation:	
Material 2:		Silt		Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. BROWN,VERY STIFF,WEATHERED.				
Geology Stratum ID:	218386392			Mat Consistency:	Dense
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	5.9			Material Texture:	Fine
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. GREY,FIRM,STIFF. 000150550003502300120002,GRAVEL-FINE. GREY,VERY DENSE. BEDRO **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386390			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL,SAND,SILT,GRAVEL. DARK,BROWN.				
Geology Stratum ID:	218386389			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL,SAND, GRAVEL. BROWN.				
<hr/>					
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032620 NTS_Sheet: 31G05C				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<hr/>					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

[24](#)

1 of 1

SW/0.0

78.8 / 5.36

ON

[BORE](#)**Borehole ID:** 848407**Inclin FLG:** No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OGF ID:	215590037			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	02-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.333479
Total Depth m:	5.7			Longitude DD:	-75.810205
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436515
Drill Method:	Hollow stem auger			Northing:	5020316
Orig Ground Elev m:	79.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	80				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560872			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT OCC SAND SEAMS BROWN GREY FIRM TO STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560874			Mat Consistency:	
Top Depth:	4.1			Material Moisture:	
Bottom Depth:	5.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK SANDSTONE WITH INTERBEDDED SANDY DOLOSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560873			Mat Consistency:	
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

25

1 of 1

SW/0.0

78.8 / 5.36

ON

BORE

Borehole ID: 848337
OGF ID: 215589967
Status: Decommissioned

Inclin FLG: No
SP Status: Initial Entry
Surv Elev: No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Borehole Geotechnical/Geological Investigation 04-APR-1989 5.8 Ground Surface Hollow stem auger 79.8 80 CON 2 ON OTTAWA RIVER			Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No LOT 15 NEPEAN 45.333461 -75.810166 18 436518 5020314 Within 20 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560700 0 3 Brown-Grey Clay Silt Sand SILTY CLAY TO CLAYEY SILT SOME SAND FIRM BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560701 3 4.3 Till Silt - Sand - Gravel HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	glacial
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560702 4.3 5.8 Bedrock DOLOSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	

[26](#)

1 of 1

S/0.0

87.3 / 13.78

ON

BORE

Borehole ID:
OGF ID:
Status:
Type:
Use:

610747
 215512258

 Borehole

Inclin FLG:
SP Status:
Surv Elev:
Piezometer:
Primary Name:

No
 Initial Entry
 No
 No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	MAY-1972 9.5 Ground Surface 79.6 80.7			Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	 45.333006 -75.808467 18 436651 5020262 Not Applicable
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386360 0 1.5 Brown Clay Sand CLAY,SAND. BROWN,GREY,HARD,FISSURED.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Hard
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386364 5.3 7.8 Unknown Till UNSPECIFIED,TILL. LOOSE.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Loose
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386362 2 3 Brown Clay Sand CLAY,SAND. BROWN,GREY,STIFF,FISSURED.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Stiff
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386366 8 9.5 Bedrock Dolomite BEDROCK,DOLOMITE. 00000 025 00050 035 00100 037 00175 010 00255 011 **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth:	218386361 1.5			Mat Consistency: Material Moisture:	Stiff

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	2 Brown Clay Sand CLAY,SAND. BROWN,GREY,VERY STIFF, FISSURED.			Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386365 7.8 8 Unknown Till UNSPECIFIED,TILL. DENSE.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386363 3 5.3 Grey Clay Sand CLAY,SAND. GREY,SOFT.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft
Source					
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 H Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 032550 NTS_Sheet: 31G05C Logged by professional. Exact and complete description of material and properties.			Source Appl: Source Iden: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
Source List					
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
27	1 of 1	N/0.0	68.9 / -4.58	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use:	610776 215512287 Borehole FEB-1971 			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD:	No Initial Entry No No 45.340477

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Depth m:	11.3			Longitude DD:	-75.808573
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436651
Drill Method:				Northing:	5021092
Orig Ground Elev m:	68.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	67.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386468			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL,GRAVEL. GREY.				
Geology Stratum ID:	218386469			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL,SAND,SILT,CLAY. DARK,BROWN.				
Geology Stratum ID:	218386472			Mat Consistency:	Dense
Top Depth:	9			Material Moisture:	
Bottom Depth:	11.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND,GRAVEL,SILT. GREY,DENSE. 000450040029503900205, SAND. DENSE. 00000 020 00080 035 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386470			Mat Consistency:	Stiff
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	3.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. BROWN,VERY STIFF,WEATHERED.				
Geology Stratum ID:	218386471			Mat Consistency:	Firm
Top Depth:	3.5			Material Moisture:	
Bottom Depth:	9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3: Material 4: Gsc Material Description: Stratum Description:	Sand			Geologic Period: Depositional Gen:	
		CLAY,SILT,SAND. GREY,FIRM,STIFF.			
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA1.txt RecordID: 032840 NTS_Sheet: 31G05C			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			

28	1 of 1	N/O.0	67.9 / -5.61	3045 Richmond Rd con 2 Ottawa ON	WWIS
Well ID:	7350850			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	12/31/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z315243			Contractor:	6964
Tag:	A132247			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1007853877	Tag No:	A132247
Depth M:	6.096	Contractor:	6964
Year Completed:	2019	Latitude:	45.3414055106909
Well Completed Dt:	12/02/2019	Longitude:	-75.8081606589994
Audit No:	Z315243	Y:	45.34140550430013
Path:		X:	-75.80816049777638

Bore Hole Information

Bore Hole ID:	1007853877	Elevation:	
---------------	------------	------------	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	436684.00
Code OB Desc:				North83:	5021195.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		12/02/2019		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008149679			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		1.4170000553131104			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008149678			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		0.3330000042915344			
Formation End Depth:		1.4170000553131104			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1008149677			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:		73			
Material 3 Desc:		HARD			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		0.3330000042915344			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150214			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150215			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008151024			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008148437			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008151435			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		2.140000104904175			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008151587			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	1008152220				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1008150671				
Diameter:	8.0				
Depth From:	0.0				
Depth To:	20.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	Inch				
29	1 of 1	SW/3.0	77.7 / 4.24	ON	BORE
Borehole ID:	848341			Inclin FLG:	No
OGF ID:	215589971			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.334303
Total Depth m:	3.9			Longitude DD:	-75.810791
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436470
Drill Method:	Hollow stem auger			Northing:	5020408
Orig Ground Elev m:	78.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	78.4				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560711			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.9			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt - Sand - Gravel			Geologic Group:	
Material 3:	Boulders			Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND AND GRAVEL BROWN GREY BOULDERS **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6560712	Mat Consistency:		
Top Depth:		1.9	Material Moisture:		
Bottom Depth:		3.9	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Limestone	Geologic Formation:		
Material 2:		Bedrock	Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		LIMESTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<hr/>					
30	1 of 1	SW/3.6	77.8 / 4.31	ON	BORE
Borehole ID:		848340	Inclin FLG:		No
OGF ID:		215589970	SP Status:		Initial Entry
Status:		Decommissioned	Surv Elev:		No
Type:		Borehole	Piezometer:		No
Use:		Geotechnical/Geological Investigation	Primary Name:		
Completion Date:		06-APR-1989	Municipality:		
Static Water Level:			Lot:		LOT 15
Primary Water Use:			Township:		NEPEAN
Sec. Water Use:			Latitude DD:		45.33389
Total Depth m:		2.9	Longitude DD:		-75.810542
Depth Ref:		Ground Surface	UTM Zone:		18
Depth Elev:			Easting:		436489
Drill Method:		Hollow stem auger	Northing:		5020362
Orig Ground Elev m:		79.1	Location Accuracy:		
Elev Reliabil Note:			Accuracy:		Within 20 metres
DEM Ground Elev m:		79.1			
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					
<hr/>					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		6560710	Mat Consistency:		Soft
Top Depth:		0	Material Moisture:		
Bottom Depth:		2.9	Material Texture:		
Material Color:		Brown-Grey	Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Silt	Geologic Group:		
Material 3:		Sand	Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND SOFT BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336006
Total Depth m:		7.9		Longitude DD:	-75.81176
Depth Ref:		Ground Surface		UTM Zone:	18
Depth Elev:				Easting:	436396
Drill Method:		Hollow stem auger		Northing:	5020598
Orig Ground Elev m:		74.8		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:		74.4			
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		6560919		Mat Consistency:	
Top Depth:		6.3		Material Moisture:	
Bottom Depth:		7.9		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Sandstone		Geologic Formation:	
Material 2:		Bedrock		Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SANDSTONE BEDROCK SOUND	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:		6560918		Mat Consistency:	Compact
Top Depth:		4		Material Moisture:	
Bottom Depth:		6.3		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Till		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:		Sand		Geologic Period:	
Material 4:		Gravel		Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		HET MIXT OF SILT SAND AND GRAVEL COMPACT TO VERY DENSE GLACIAL TILL	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:		6560916		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		1.4		Material Texture:	
Material Color:		Brown		Non Geo Mat Type:	
Material 1:		Fill		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:		Clay		Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAYEY SILT FILL BROWN	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:		6560917		Mat Consistency:	Firm
Top Depth:		1.4		Material Moisture:	
Bottom Depth:		4		Material Texture:	
Material Color:		Grey		Non Geo Mat Type:	
Material 1:		Clay		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:		Sand		Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND FIRM GREY	**Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
32	1 of 1	WSW/6.6	75.8 / 2.31	ON	BORE
<div> <div> Borehole ID: 848342 OGF ID: 215589972 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 03-APR-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 2.7 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 77.5 Elev Reliabil Note: DEM Ground Elev m: 77.6 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.334724 Longitude DD: -75.811103 UTM Zone: 18 Easting: 436446 Northing: 5020455 Location Accuracy: Accuracy: Within 20 metres </div> </div>					
Borehole Geology Stratum					
<div> <div> Geology Stratum ID: 6560714 Top Depth: 2.1 Bottom Depth: 2.7 Material Color: Material 1: Till Material 2: Silt - Sand - Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6560713 Top Depth: 0 Bottom Depth: 2.1 Material Color: Brown-Grey Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT SOFT TO VERY STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Soft Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
33	1 of 1	SE/15.0	89.4 / 15.90	Baseline Road Ottawa ON	EHS
<div> <div> Order No: 20171004127 Status: C Report Type: Custom Report Report Date: 22-NOV-17 Date Received: 04-OCT-17 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.805872 Y: 45.333317 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
34	1 of 2	SSW/15.3	84.2 / 10.76	R.M. OF OTTAWA-CARLETON BASELINE RD./CEDARVIEW RD. NEPEAN CITY ON	CA
Certificate #: 7-1136-94- Application Year: 94 Issue Date: 11/28/1994 Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
34	2 of 2	SSW/15.3	84.2 / 10.76	SEWERMATIC INTERSECTION OF CEDARVIEW RD & BASELINE RD. TANK TRUCK (CARGO) NEPEAN CITY ON	SPL
Ref No: 118695 Year: Incident Dt: 9/19/1995 Dt MOE Arvl on Scn: MOE Reported Dt: 9/19/1995 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: NEPEAN CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: OTHER CONTAINER LEAK Incident Preceding Spill: Incident Reason: ADVERSE ROAD CONDITION Incident Summary: SEWERMATIC-100L DIESEL FUEL TO GND. CLEANED UP Environment Impact: NOT ANTICIPATED Health Env Consequence: Nature of Impact: Soil contamination Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1:					
Municipality No: 20104 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved: MTO					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant UN No 1: Receiving Medium: LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
35	1 of 1	SSW/16.6	84.2 / 10.76	Southwest corner of Baseline and Cedarview. Ottawa OTTAWA ON	SPL
Ref No: 1-1L6TCS Year: Incident Dt: 2/3/2022 5:00:10 PM Dt MOE Arvl on Scn: MOE Reported Dt: 2/3/2022 5:11:00 PM Dt Document Closed: 2/4/2022 8:27:56 AM Site No: MOE Response: Desktop Response Site County/District: Site Geo Ref Meth: Site District Office: Ottawa District Office Nearest Watercourse: Site Name: Site Address: Southwest corner of Baseline and Cedarview. Ottawa Site Region: Site Municipality: OTTAWA Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Motor Vehicle Incident Cause: Incident Preceding Spill: Accident/Collision Incident Reason: Unknown Incident Summary: City of Ottawa 311: Washer fluid and other fluids to road, cb Environment Impact: 1 Minor Impact Health Env Consequence: Nature of Impact: Contaminant Qty: 0 other - see notes Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: WINDSHIELD WASHER ANTI-FREEZE Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land Activity Preceding Spill: Transportation Property 2nd Watershed: Central Ottawa Property Tertiary Watershed: 02KF-Central Ottawa - Mississippi Sector Type: SAC Action Class: Call Report Locatn Geodata: {"integration_ids":["PR00004312585"],"wkts":["POINT (-75.8089379000 45.3328712000)","creation_date":"2022-02-03"}					
Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: 0 No Impact Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Time Reported:					
System Facility Address:					
36	1 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	NPCB
Company Code:		F1510			
Industry:					
Site Status:					
Transaction Date:		1/29/1996			
Inspection Date:					
--Details--					
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		145.00 KG			
Label:					
Serial No.:					
PCB Type/Code:		Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for Disposal			
Contents:		523.00 KG			
36	2 of 24	W/16.8	72.2 / -1.30	Sciometric Instruments Inc. 3685 Richmond Rd Nepean ON K2H 5B7	SCT
Established:		1981			
Plant Size (ft²):					
Employment:		65			
--Details--					
Description:		Computer and Peripheral Equipment Manufacturing			
SIC/NAICS Code:		334110			
Description:		Measuring, Medical and Controlling Devices Manufacturing			
SIC/NAICS Code:		334512			
Description:		Software Publishers			
SIC/NAICS Code:		511210			
36	3 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		1998			
Site Number:		40292A007			
Name Owner:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Additional Site Information:					
<u>36</u>	4 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		1999			
Site Number:		40292A007			
Name Owner:					
Additional Site Information:					
<u>36</u>	5 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		2000			
Site Number:		40292A007			
Name Owner:					
Additional Site Information:					
<u>36</u>	6 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		2003			
Site Number:		40292A007			
Name Owner:					
Additional Site Information:					
<u>36</u>	7 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		1995			
Site Number:		40292A007			
Name Owner:					
Additional Site Information:					
--Details--					
Quantity:		52.00			
Address Site:					
Description:		Number of Capacitors with High Level PCBs (>1000 ppm)			
Quantity:		10.00			
Address Site:					
Description:		Weight of Capacitors with High Level PCBs (>1000 ppm) kg			
<u>36</u>	8 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES CO 3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	GEN

Generator Info

Generator No: ON0192500

Choice of Contact:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	86,87			Contaminated Fac: MHSW Facility: SIC Code: 0007	
		LETTER ACKNOWLEDG.			

<u>36</u>	9 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD, BUILDING #2 PO BOX 8508 OTTAWA ON K2H 5B7	GEN
---------------------------	---------	--------	--------------	--	------------

Generator Info

Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	ON0192500 88 ELECT. PARTS & COMP.	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 3352
---	---	---

Waste Detail(s)

Waste Class: Waste Class Name:	251 OIL SKIMMINGS & SLUDGES
---	--------------------------------

Waste Detail(s)

Waste Class: Waste Class Name:	122 ALKALINE WASTES - OTHER METALS
---	---------------------------------------

<u>36</u>	10 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES COMPANY 3685 RICHMOND RD, BUILDING #2 PO BOX 8508 NEPEAN ON K2H 5B7	GEN
---------------------------	----------	--------	--------------	--	------------

Generator Info

Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	ON0192500 89,90 ELECT. PARTS & COMP.	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 3352
---	--	---

Waste Detail(s)

Waste Class: Waste Class Name:	232 POLYMERIC RESINS
---	-------------------------

Waste Detail(s)

Waste Class: Waste Class Name:	251 OIL SKIMMINGS & SLUDGES
---	--------------------------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		268			
Waste Class Name:		AMINES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		113			
Waste Class Name:		ACID WASTE - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		131			
Waste Class Name:		NEUTRALIZED WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
36	11 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES COMPANY 10-066 3685 RICHMOND ROAD, BUILDING #2 NEPEAN ON K2H 5B7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Generator Info</u>					
Generator No:	ON0192500			Choice of Contact:	
Approval Years:	94,95			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	3352
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		ELECT. PARTS & COMP.			
<u>Waste Detail(s)</u>					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		232			
Waste Class Name:		POLYMERIC RESINS			
<u>Waste Detail(s)</u>					
Waste Class:		113			
Waste Class Name:		ACID WASTE - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		131			
Waste Class Name:		NEUTRALIZED WASTES - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		268			
Waste Class Name:		AMINES			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
<u>Waste Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		264			
Waste Class Name:		PHOTOPROCESSING WASTES			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<hr/>					
36	12 of 24	W/16.8	72.2 / -1.30	CHIPWORKS 3685 RICHMOND ROAD, SUITE 500 NEPEAN ON K2H 5B7	GEN

Generator Info

Generator No: ON2266400
Approval Years: 97,98,99,00,01,02,03
Status:
PO Box No:
Country:
Co Admin:
Phone No Admin:
SIC Description: TELECOMMUNICATIONS

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code: 3351

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
36	13 of 24	W/16.8	72.2 / -1.30	CHIPWORKS 3685 Richmond Rd Suite 500 Ottawa ON K2H 5B7	GEN
<u>Generator Info</u>					
Generator No:		ON2266400		Choice of Contact:	
Approval Years:		04,05,06,07,08		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 334410	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Semiconductor and Other Electronic Component Manufacturing			
<u>Waste Detail(s)</u>					
Waste Class:		122			
Waste Class Name:		ALKALINE WASTES - OTHER METALS			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		267			
Waste Class Name:		ORGANIC ACIDS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		112			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Name:		ACID WASTE - HEAVY METALS			
Waste Detail(s)					
Waste Class:		241			
Waste Class Name:		HALOGENATED SOLVENTS			
36	14 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD. NEPEAN ON K2H 5B7	OPCB
Year:		2004			
Site Number:		40292A007			
Name Owner:					
Additional Site Information:					
36	15 of 24	W/16.8	72.2 / -1.30	Chipworks Inc. 3685 Richmond Road Suite 500 Ottawa Ontario K2H 5B7 Ottawa ON	EBR
EBR Registry No:		IA04E0200		Decision Posted:	
Ministry Ref No:		0029-5VZP9B		Exception Posted:	
Notice Type:		Instrument Decision		Section:	
Notice Stage:				Act 1:	
Notice Date:		April 08, 2005		Act 2:	
Proposal Date:		February 10, 2004		Site Location Map:	
Year:		2004			
Instrument Type:		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
Off Instrument Name:					
Posted By:					
Company Name:		Chipworks Inc.			
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:		3685 Richmond Road , 500, Nepean Ontario, K2H 5B7			
Comment Period:					
URL:					
Summary:					
Site Location Details:					
3685 Richmond Road Suite 500 Ottawa Ontario K2H 5B7 Ottawa					
36	16 of 24	W/16.8	72.2 / -1.30	COMPUTING DEVICES 3685 RICHMOND RD NEPEAN ON K2H 5B7	NPCB
Company Code:		F1348			
Industry:		UNDEFINED			
Site Status:					
Transaction Date:					
Inspection Date:					
36	17 of 24	W/16.8	72.2 / -1.30	Chipworks Inc. 3685 Richmond Rd Suite 500 Nepean ON K2H 5B7	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established: Plant Size (ft²): Employment:		01-AUG-92			
--Details-- Description: SIC/NAICS Code:		Semiconductor and Other Electronic Component Manufacturing 334410			
Description: SIC/NAICS Code:		Other Specialized Design Services 541490			
Description: SIC/NAICS Code:		Computer Systems Design and Related Services 541510			
Description: SIC/NAICS Code:		Semiconductor and Other Electronic Component Manufacturing 334410			
36	18 of 24	W/16.8	72.2 / -1.30	Chipworks Inc. 3685 Richmond Road Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		5638-679SWM 2005 4/7/2005 Air Approved			
36	19 of 24	W/16.8	72.2 / -1.30	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267 3655 RICHMOND ROAD NEPEAN ON K2H 8X3	PES
Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF URL:		Vendor		Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
36	20 of 24	W/16.8	72.2 / -1.30	CHIPWORKS 3685 Richmond Rd Suite 500 Ottawa ON	GEN

Generator Info

Generator No:	ON2266400	Choice of Contact:	
Approval Years:	2009	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	334410
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Semiconductor and Other Electronic Component Manufacturing		

Waste Detail(s)

Waste Class:	122
Waste Class Name:	ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class:	241
Waste Class Name:	HALOGENATED SOLVENTS

Waste Detail(s)

Waste Class:	112
Waste Class Name:	ACID WASTE - HEAVY METALS

Waste Detail(s)

Waste Class:	263
Waste Class Name:	ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	267
Waste Class Name:	ORGANIC ACIDS

Waste Detail(s)

Waste Class:	148
Waste Class Name:	INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class:	212
Waste Class Name:	ALIPHATIC SOLVENTS

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

36	21 of 24	W/16.8	72.2 / -1.30	CHIPWORKS	GEN
--------------------	----------	--------	--------------	-----------	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				3685 Richmond Rd Suite 500 Ottawa ON	
<u>Generator Info</u>					
Generator No:	ON2266400			Choice of Contact:	
Approval Years:	2010			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	334410
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	Semiconductor and Other Electronic Component Manufacturing				
<u>Waste Detail(s)</u>					
Waste Class:	212				
Waste Class Name:	ALIPHATIC SOLVENTS				
<u>Waste Detail(s)</u>					
Waste Class:	267				
Waste Class Name:	ORGANIC ACIDS				
<u>Waste Detail(s)</u>					
Waste Class:	148				
Waste Class Name:	INORGANIC LABORATORY CHEMICALS				
<u>Waste Detail(s)</u>					
Waste Class:	241				
Waste Class Name:	HALOGENATED SOLVENTS				
<u>Waste Detail(s)</u>					
Waste Class:	263				
Waste Class Name:	ORGANIC LABORATORY CHEMICALS				
<u>Waste Detail(s)</u>					
Waste Class:	112				
Waste Class Name:	ACID WASTE - HEAVY METALS				
<u>Waste Detail(s)</u>					
Waste Class:	252				
Waste Class Name:	WASTE OILS & LUBRICANTS				
<u>Waste Detail(s)</u>					
Waste Class:	122				
Waste Class Name:	ALKALINE WASTES - OTHER METALS				
36	22 of 24	W/16.8	72.2 / -1.30	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267	PES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				3655 Richmond Road Nepean ON K2H 8X3	
Detail Licence No:	23-01-15321-0			Operator Box:	
Licence No:				Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:				Oper Area Code:	
Licence Type:	LIMITED			Oper Phone No:	
Licence Type Code:				Operator Ext:	
Licence Class:				Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					
PDF URL:					
36	23 of 24	W/16.8	72.2 / -1.30	Chipworks Inc. 3685 Richmond Road Ottawa ON K2H 5B7	ECA
Approval No:	5638-679SWM			MOE District:	Ottawa
Approval Date:	2005-04-07			City:	
Status:	Revoked and/or Replaced			Longitude:	-75.82483
Record Type:	ECA			Latitude:	45.325623
Link Source:	IDS			Geometry X:	
SWP Area Name:	Rideau Valley			Geometry Y:	
Approval Type:	ECA-AIR				
Project Type:	AIR				
Business Name:	Chipworks Inc.				
Address:	3685 Richmond Road				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/0029-5VZP9B-14.pdf				
PDF Site Location:					
36	24 of 24	W/16.8	72.2 / -1.30	METRO ONTARIO INC O/A METRO/FOOD BASICS # 267 3655 RICHMOND ROAD NEPEAN ON K2H8X3	PES
Detail Licence No:				Operator Box:	
Licence No:	15321			Operator Class:	
Status:				Operator No:	
Approval Date:				Operator Type:	
Report Source:	Legacy Licenses (Excluding TS)			Oper Area Code:	613
Licence Type:	Limited Vendor			Oper Phone No:	
Licence Type Code:	23			Operator Ext:	
Licence Class:	01			Operator Lot:	
Licence Control:				Oper Concession:	
Latitude:				Operator Region:	
Longitude:				Operator District:	
Lot:				Operator County:	
Concession:				Op Municipality:	
Region:				Post Office Box:	
District:				MOE District:	
County:				SWP Area Name:	
Trade Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL:					
37	1 of 1	W/19.6	73.9 / 0.38	ON	BORE
Borehole ID:	848417			Inclin FLG:	No
OGF ID:	215590043			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336104
Total Depth m:	4.4			Longitude DD:	-75.811914
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436384
Drill Method:	Hollow stem auger			Northing:	5020609
Orig Ground Elev m:	72.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	75.3				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560899			Mat Consistency:	
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL COMPACT GLACIAL TILL BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560900			Mat Consistency:	
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560897			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAYEY SILT TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504025.pdf

Well Completed Date: 03/20/1948
Year Completed: 1948
Depth (m): 32.004
Latitude: 45.3382108465178
Longitude: -75.8105836158474
X: -75.8105834547894
Y: 45.338210840084635
Path: 150\1504025.pdf

Bore Hole ID:	10026068	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436490.60
Code OB Desc:		North83:	5020842.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	03/20/1948	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930998179			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930998180			
Layer:		2			
Color:					
General Color:					
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930998181			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		90.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		961504025			
Method Construction Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574638			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044868			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		105.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504025			
Pump Set At:					
Static Level:		20.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:					
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		8.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457077			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:					
Water Found Depth UOM:		ft			
39	1 of 1	NW/22.6	69.7 / -3.78	ON	BORE
Borehole ID:	610770			Inclin FLG:	No
OGF ID:	215512281			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	MAR-1948			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Latitude DD:	45.338212
Total Depth m:	32			Longitude DD:	-75.810583
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436491
Drill Method:				Northing:	5020842
Orig Ground Elev m:	70.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	72				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386452			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	9.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				
Geology Stratum ID:	218386454			Mat Consistency:	Stiff
Top Depth:	27.4			Material Moisture:	
Bottom Depth:	32			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL. 00103LT, GRAVEL. BROWN, GREY. CLAY, SILT. BROWN, VERY STIFF, WEATHERED. CLAY, SILT, SAND **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386453			Mat Consistency:	
Top Depth:	9.1			Material Moisture:	
Bottom Depth:	27.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILT.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 03278 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Type:		Data Survey		Vertical Datum:	Mean Average Sea Level
Source Date:		1956-1972		Projection Name:	Universal Transverse Mercator
Scale or Resolution:		Varies			
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			

<u>40</u>	1 of 2	WNW/23.6	71.6 / -1.92	PETER KIEWIT SONS CO. LTD. 3529 RICHMOND ROAD NEPEAN ON K2H 8H8	GEN
---------------------------	--------	----------	--------------	--	------------

Generator Info

Generator No:	ON1589402	Choice of Contact:	
Approval Years:	95	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	4121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	HIGHWAYS, STR., ETC.		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

<u>40</u>	2 of 2	WNW/23.6	71.6 / -1.92	PETER (OUT OF BUS) 3529 RICHMOND ROAD NEPEAN ON K2H 8H8	GEN
---------------------------	--------	----------	--------------	--	------------

Generator Info

Generator No:	ON1589402	Choice of Contact:	
Approval Years:	96,97,98	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	4121
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	HIGHWAYS, STR., ETC.		

Waste Detail(s)

Waste Class:	213
Waste Class Name:	PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
41	1 of 1	W/24.4	74.9 / 1.42	ON	BORE
<div> <div> Borehole ID: 848425 OGF ID: 215590049 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 01-AUG-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 6.8 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 75.4 Elev Reliabil Note: DEM Ground Elev m: 76 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.335699 Longitude DD: -75.811959 UTM Zone: 18 Easting: 436380 Northing: 5020564 Location Accuracy: Accuracy: Within 10 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6560924 Top Depth: 2.9 Bottom Depth: 5.2 Material Color: Material 1: Till Material 2: Silt Material 3: Sand Material 4: Gravel Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL LOOSE **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6560923 Top Depth: 0 Bottom Depth: 2.9 Material Color: Brown-Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS STIFF TO VERY STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
<div> <div> Geology Stratum ID: 6560925 Top Depth: 5.2 Bottom Depth: 6.8 Material Color: Material 1: Bedrock Material 2: Sandstone Material 3: Material 4: Gsc Material Description: Stratum Description: BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
42	1 of 2	ESE/25.4	79.9 / 6.39	S 21(1)(f) of FIPPA 42 Sioux Crescent	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ottawa ON K2H 7E5					
Ref No: Year: Incident Dt: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: Incident Preceding Spill: Incident Reason: Incident Summary: Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:	7148-823RBR 1/26/2010 2/2/2010 Referral to others 42 Sioux Crescent<UNOFFICIAL> S 21(1)(f) of FIPPA Tank (Above Ground) Leak Equipment Failure TSSA - 42 Sioux Cres, leaking furnace Not Anticipated Other Impact(s) 90 ft3 90 ft3 13 FURNACE OIL Other TSSA - Fuel Safety Branch	Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:			
42	2 of 2	ESE/25.4	79.9 / 6.39	42 SIOUX CR., OTTAWA ON	INC
Incident No: Incident ID: Instance No: Status Code: Incident Status: Incident Severity: Task No:	315876 2467294 Causal Analysis Complete	Any Health Impact: Any Enviro Impact: Service Intrap: Was Prop Damaged: Reside App. Type: Commer App. Type: Indus App. Type:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Attribute Category: FS-Incident Context: Date of Occurrence: Time of Occurrence: Occr Insp Start Dt: Incident Creat On: Instance Creat Dt: Instance Install Dt: Approx Quant Rel: Unknown Tank Capacity: Fuels Occur Type: Occur Type Rpt: Occur Category: Fuel Type Involved: Fuel Type Reported: Enforcement Policy: Prc Escalation Req: Item: Item Description: Device Installed Location: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Regulator Location: Regulator Type: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Inventory Address: 42 SIOUX CR., OTTAWA - LEAK Invent Postal Code: Notes: Contact Natural Env: Yes Aff Prop Use Water: No Occurrence Narrative: Operation Type Involved: </div> <div> Institut App. Type: Depth Ground Cover: Operation Pressure: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Pump Flow Rate Cap: Contam. Migrated: Unknown Near Body of Water: No Drainage System: Unknown Sub Surface Contam: Yes Tank Material Type: Tank Storage Type: Tank Location Type: </div> </div>					
43	1 of 1	ESE/28.5	79.9 / 6.39	42 SIOUX CRES Ottawa ON	WWIS
<div> <div> Well ID: 7144019 Construction Date: Use 1st: Test Hole Use 2nd: Final Well Status: Test Hole Water Type: Casing Material: Audit No: Z106991 Tag: A094392 Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: OTTAWA CITY Site Info: </div> <div> Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 04/30/2010 Selected Flag: TRUE Abandonment Rec: Contractor: 6964 Form Version: 7 Owner: County: OTTAWA-CARLETON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7144019.pdf			
Additional Detail(s) (Map)					
Well Completed Date:	03/30/2010				
Year Completed:	2010				
Depth (m):	4.28				
Latitude:	45.3344985395101				
Longitude:	-75.8034679489075				
X:	-75.80346778711078				
Y:	45.33449853316057				
Path:	714\7144019.pdf				
Bore Hole Information					
Bore Hole ID:	1002966445	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		18	
Code OB:		East83:		437044.00	
Code OB Desc:		North83:		5020424.00	
Open Hole:		Org CS:		UTM83	
Cluster Kind:		UTMRC:		4	
Date Completed:	03/30/2010	UTMRC Desc:		margin of error : 30 m - 100 m	
Remarks:		Location Method:		wwr	
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	1003142148				
Layer:	4				
Color:	2				
General Color:	GREY				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:	84				
Material 2 Desc:	SILTY				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	2.450000047683716				
Formation End Depth:	4.28000020980835				
Formation End Depth UOM:	m				
Overburden and Bedrock					
Materials Interval					
Formation ID:	1003142146				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	05				
Material 1 Desc:	CLAY				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.10000000149011612			
Formation End Depth:		1.20000000476837158			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003142147			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		1.20000000476837158			
Formation End Depth:		2.4500000047683716			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003142145			
Layer:		1			
Color:					
General Color:					
Material 1:		02			
Material 1 Desc:		TOPSOIL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		0.10000000149011612			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003142151			
Layer:		2			
Plug From:		2.0999999046325684			
Plug To:		4.28000020980835			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003142150			
Layer:		1			
Plug From:		0.0			
Plug To:		2.0999999046325684			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003142156			
Method Construction Code:		9			
Method Construction:		Driving			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Other Method Construction:</u>					
<u>Pipe Information</u>					
Pipe ID:		1003142144			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003142153			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		2.549999952316284			
Casing Diameter:		3.5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003142154			
Layer:		1			
Slot:		10			
Screen Top Depth:		2.549999952316284			
Screen End Depth:		4.28000020980835			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.099999904632568			
<u>Water Details</u>					
Water ID:		1003142152			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1003142149			
Diameter:		5.599999904632568			
Depth From:		0.0			
Depth To:		4.28000020980835			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>44</u>	1 of 1	W/31.1	72.4 / -1.09	Richmond Rd con 2 Ottawa ON	WWIS
Well ID:	7350851			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	12/31/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z315242			Contractor:	6964
Tag:	A272531			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					

Additional Detail(s) (Map)

Bore Hole ID:	1007853886	Tag No:	A272531
Depth M:	6.7056	Contractor:	6964
Year Completed:	2019	Latitude:	45.3368625595446
Well Completed Dt:	12/06/2019	Longitude:	-75.8115803059287
Audit No:	Z315242	Y:	45.33686255341689
Path:		X:	-75.8115801443648

Bore Hole Information

Bore Hole ID:	1007853886	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436411.00
Code OB Desc:		North83:	5020693.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/06/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock**Materials Interval**

Formation ID:	1008149681
Layer:	2
Color:	2
General Color:	GREY
Material 1:	11
Material 1 Desc:	GRAVEL
Material 2:	
Material 2 Desc:	
Material 3:	66
Material 3 Desc:	DENSE
Formation Top Depth:	0.3330000042915344
Formation End Depth:	1.5
Formation End Depth UOM:	ft

Overburden and Bedrock**Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1008149680			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		27			
Material 1 Desc:		OTHER			
Material 2:					
Material 2 Desc:					
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		0.0			
Formation End Depth:		0.3330000042915344			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008149682			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		1.5			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150217			
Layer:		2			
Plug From:		11.0			
Plug To:		22.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150216			
Layer:		1			
Plug From:		0.0			
Plug To:		11.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1008151026			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1008148438			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008151436			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		12.0			
Casing Diameter:		2.0399999618530273			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1008151588			
Layer:		1			
Slot:		10			
Screen Top Depth:		12.0			
Screen End Depth:		22.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008152221			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1008150672			
Diameter:		8.0			
Depth From:		0.0			
Depth To:		22.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		Inch			
45	1 of 1	N/32.1	67.9 / -5.61	Bell 3212 Richmond Rd Nepean ON K2H 5B6	GEN

Generator Info

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Generator No:	ON5045215			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

Waste Detail(s)

Waste Class: 212 L
Waste Class Name: Aliphatic solvents and residues

2017 Generator Info

Gen No:	ON5045215	Choice of Contact:	CO_ADMIN
ID:	20018	Phone No Official:	514-870-6540 Ext.
Contaminated Fac:	N	Phone No Admin:	514-391-1021 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	517210	County Out:	
NAICS Code2:	517510	District:	402
NAICS Code3:	517910		
Gen Name:	Bell		
Gen Div:			
Gen Op Name:	Bell		
Gen Op Div:			
Site Adrs1:	3212 Richmond Rd		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Nepean		
Province Out:			
Site Postal Code:	K2H 5B6		
Site Country:	Canada		
Co Official:	Martin Girard		
Co Admin:	Chlo�� Lamothe-Luneau		

2017 Generator Manifest

ID:	44129	Sum Received Qty:	257.0
Generator No:	ON5045215	Waste Class Name:	ALIPHATIC SOLVENTS
Receiver Type:	035	Count Manifests:	1
Waste Char:	L	District:	402
Waste Code:	212		

2018 Generator Info

Gen No:	ON5045215	Choice of Contact:	CO_ADMIN
ID:	20123	Phone No Official:	514-870-6540 Ext.
Contaminated Fac:	N	Phone No Admin:	514-391-1021 Ext.
MHSW Facility:	N	County Ont:	OTTAWA CARLTON (RM)
NAICS Code1:	517210	County Out:	
NAICS Code2:	517510	District:	402
NAICS Code3:	517910		
Gen Name:	Bell		
Gen Div:			
Gen Op Name:	Bell		
Gen Op Div:			
Site Adrs1:	3212 Richmond Rd		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: Nepean Province Out: Site Postal Code: K2H 5B6 Site Country: Canada Co Official: Martin Girard Co Admin: Chlo� Lamothe-Luneau					

46 1 of 1 SSW/32.2 79.5 / 6.06 ON BORE

Borehole ID:	848408	Inclin FLG:	No
OGF ID:	215590038	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	02-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.333075
Total Depth m:	7.2	Longitude DD:	-75.809995
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436531
Drill Method:	Hollow stem auger	Northing:	5020271
Orig Ground Elev m:	80	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	81		
Concession:	CON 2 ON OTTAWA RIVER		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6560877	Mat Consistency:	
Top Depth:	4	Material Moisture:	
Bottom Depth:	7.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Bedrock	Geologic Formation:	
Material 2:	Sandstone	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	BEDROCK SANDSTONE WITH INTERBEDDED SANDY DOLOSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6560876	Mat Consistency:	
Top Depth:	3	Material Moisture:	
Bottom Depth:	4	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Gravel	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6560875	Mat Consistency:	Stiff
Top Depth:	0	Material Moisture:	
Bottom Depth:	3	Material Texture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:		Brown-Grey		Non Geo Mat Type:	
Material 1:		Clay		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:		Sand		Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS BROWN GREY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			
47	1 of 1	W/34.5	74.9 / 1.42	ON	BORE
Borehole ID:		848419		Inclin FLG:	
OGF ID:		215590045		SP Status:	
Status:		Decommissioned		Surv Elev:	
Type:		Borehole		Piezometer:	
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		01-AUG-1989		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	
Total Depth m:		5.3		Longitude DD:	
Depth Ref:		Ground Surface		UTM Zone:	
Depth Elev:				Easting:	
Drill Method:		Hollow stem auger		Northing:	
Orig Ground Elev m:		72.5		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	
DEM Ground Elev m:		76.2		Within 10 metres	
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		6560904		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		.3		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Topsoil		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6560905		Mat Consistency:	
Top Depth:		.3		Stiff	
Bottom Depth:		2.9		Material Moisture:	
Material Color:		Grey		Material Texture:	
Material 1:		Clay		Non Geo Mat Type:	
Material 2:		Silt		Geologic Formation:	
Material 3:		Sand		Geologic Group:	
Material 4:				Geologic Period:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT OCC SAND SEAMS GREY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6560906		Mat Consistency:	
Top Depth:		2.9		Material Moisture:	
Bottom Depth:		3.2		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Till		Geologic Formation:	
Material 2:		Silt		Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		HET MIXT OF SILT SAND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560907			Mat Consistency:	
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.			

[48](#)

1 of 1

SW/35.1

79.9 / 6.45

ON

[BORE](#)

Borehole ID:	848410	Inclin FLG:	No
OGF ID:	215590040	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	03-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.333269
Total Depth m:	5	Longitude DD:	-75.810572
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436486
Drill Method:	Hollow stem auger	Northing:	5020293
Orig Ground Elev m:	79.9	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	80.9		
Concession:	CON 2 ON OTTAWA RIVER		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6560881	Mat Consistency:	Firm
Top Depth:	0	Material Moisture:	
Bottom Depth:	2.3	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS GREY FIRM TO VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:	6560882	Mat Consistency:	
Top Depth:	2.3	Material Moisture:	
Bottom Depth:	3.5	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Gravel	Depositional Gen:	glacial

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560883			Mat Consistency:	
Top Depth:	3.5			Material Moisture:	
Bottom Depth:	5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK SANDSTONE WITH INTERBEDDED SANDY DOLOSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.			
49	1 of 1	SW/35.3	78.9 / 5.39	ON	BORE
Borehole ID:	848409			Inclin FLG:	No
OGF ID:	215590039			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.33369
Total Depth m:	4.6			Longitude DD:	-75.810859
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436464
Drill Method:	Hollow stem auger			Northing:	5020340
Orig Ground Elev m:	78.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	79.3				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560880			Mat Consistency:	
Top Depth:	2.7			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK SANDSTONE WITH INTERBEDDED SANDY DOLOSTONE SOUND UNWEATHERED DOLOSTONE **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560878			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS GREY FIRM TO STIFF **Note: Many records			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID:	6560879			Mat Consistency:	
Top Depth:	2			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

50	1 of 1	W/38.7	73.9 / 0.39	ON	BORE
Borehole ID:	848424			Inclin FLG:	No
OGF ID:	215590048			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.33641
Total Depth m:	7.8			Longitude DD:	-75.811982
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436379
Drill Method:	Hollow stem auger			Northing:	5020643
Orig Ground Elev m:	74.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	75				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum					
Geology Stratum ID:	6560921			Mat Consistency:	Compact
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	5.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL COMPACT TO VERY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	6560920			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS FIRM TO VERY STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560922 5.8 7.8 Bedrock Sandstone BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
51	1 of 5	N/39.3	67.9 / -5.61	Britannia Switching Station 3212 Richmond Road Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:	9798-5E4V3N 02 9/20/02 Industrial air Approved New Certificate of Approval Bell Canada 3212 Richmond Road, Pt. Lot 17, Conc. I I Ottawa This application is for the replacement of a generator with a 500 kW emergency generator to provide power in the event of a power failure.				
51	2 of 5	N/39.3	67.9 / -5.61	BELL CANADA 3212 RICHMOND RD OTTAWA ON	CFOT
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	61744990 Active 1996 10000 			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Fuel Oil Tank FS FUEL OIL TANK
51	3 of 5	N/39.3	67.9 / -5.61	BELL CANADA 3212 RICHMOND RD OTTAWA ON	CFOT
Inventory No: Inventory Status: Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model: Description:	64667387 Active 1996 10000 			Tank Material: Corrosion Protect: Overfill Protection: Inventory Context: Inventory Item:	Fiberglass (FRP) Fiberglass FS Fuel Oil Tank FS FUEL OIL TANK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
51	4 of 5	N/39.3	67.9 / -5.61	Bell Canada 3212 Richmond Road Ottawa ON	ECA
Approval No: 9798-5E4V3N Approval Date: 2002-09-20 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-AIR Project Type: AIR Business Name: Bell Canada Address: 3212 Richmond Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2607-5AJTNM-14.pdf PDF Site Location:					
51	5 of 5	N/39.3	67.9 / -5.61	Bell Canada 3212 Richmond Road Ottawa ON	GEN
<u>Generator Info as of Dec 2024</u>					
Generator No: ON001061555 Generator Company Name: Bell Canada Street: 3212 Richmond Road City: Ottawa Province State: Ontario Country: Canada Postal Code: K2B 8K5 Waste Class: 221 L Waste Class Decoded: 221 - LIGHT FUELS					
52	1 of 1	W/39.4	75.0 / 1.51	ON	BORE
Borehole ID: 848426 OGF ID: 215590050 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: JUL-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 9.3 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 76.6 Elev Reliabil Note: DEM Ground Elev m: 75.6 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.336039 Longitude DD: -75.812232 UTM Zone: 18 Easting: 436359 Northing: 5020602 Location Accuracy: Accuracy: Within 10 metres					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560927			Mat Consistency:	Stiff
Top Depth:	2.5			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS GREY STIFF TO VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560926			Mat Consistency:	Very Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAYEY SILT SOME SAND FILL GREY VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560929			Mat Consistency:	
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	9.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560928			Mat Consistency:	Compact
Top Depth:	5.2			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL COMPACT **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[53](#)

1 of 1

W/45.5

73.9 / 0.39

ON

BORE

Borehole ID: 848432
OGF ID: 215590055
Status: Decommissioned
Type: Borehole
Use: Geotechnical/Geological Investigation
Completion Date: 05-APR-1989
Static Water Level:
Primary Water Use:
Sec. Water Use:
Total Depth m: 7
Depth Ref: Ground Surface

Inclin FLG: No
SP Status: Initial Entry
Surv Elev: No
Piezometer: No
Primary Name:
Municipality:
Lot: LOT 15
Township: NEPEAN
Latitude DD: 45.3364
Longitude DD: -75.812084
UTM Zone: 18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev:				Easting:	436371
Drill Method:	Hollow stem auger			Northing:	5020642
Orig Ground Elev m:	74.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	74.9				
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6560949			Mat Consistency:	
Top Depth:	6			Material Moisture:	
Bottom Depth:	7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SANDSTONE BEDROCK SOUND	**Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6560947			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND FIRM BROWN TO GREY	**Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6560948			Mat Consistency:	Very Dense
Top Depth:	4.3			Material Moisture:	
Bottom Depth:	6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL VERY DENSE	**Note: Many records provided by the department have a truncated [Stratum Description] field.		

[54](#)

1 of 1

W/45.9

73.9 / 0.39

ON

BORE

Borehole ID:	848345			Inclin FLG:	No
OGF ID:	215589975			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336427
Total Depth m:	7			Longitude DD:	-75.812072
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436372
Drill Method:	Hollow stem auger			Northing:	5020645

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	74.4 74.9	CON 2 ON OTTAWA RIVER		Location Accuracy: Accuracy:	Within 20 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560720 0 4.3 Brown-Grey Clay Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm
		SILTY CLAY TO CLAYEY SILT SOME SAND FIRM BROWN GREY	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560722 6 7 Sandstone Bedrock			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		SANDSTONE BEDROCK SOUND	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560721 4.3 6 Till Silt - Sand - Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Very Dense glacial
		HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL VERY DENSE	**Note: Many records provided by the department have a truncated [Stratum Description] field.		

[55](#)

1 of 1

WSW/47.4

74.9 / 1.39

ON

BORE

Borehole ID:	848427	Inclin FLG:	No
OGF ID:	215590051	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	01-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.335401
Total Depth m:	5.8	Longitude DD:	-75.812095
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436369
Drill Method:	Hollow stem auger	Northing:	5020531
Orig Ground Elev m:	74.8	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DEM Ground Elev m: 74.8					
Concession: CON 2 ON OTTAWA RIVER					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560933			Mat Consistency:	
Top Depth:	4.1			Material Moisture:	
Bottom Depth:	5.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560930			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560931			Mat Consistency:	Firm
Top Depth:	.3			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT OCC SAND SEAMS GREY FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560932			Mat Consistency:	
Top Depth:	3			Material Moisture:	
Bottom Depth:	4.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
56	1 of 1	W/49.1	75.0 / 1.51	lot 15 con 2 ON	WWIS
Well ID:	1504024			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	02/08/1961
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:		Abandonment Rec:			
Audit No:		Contractor:			3504
Tag:		Form Version:			1
Constructn Method:		Owner:			
Elevation (m):		County:			OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:			015
Depth to Bedrock:		Concession:			02
Well Depth:		Concession Name:			OF
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504024.pdf			

Additional Detail(s) (Map)

Well Completed Date: 01/20/1961
Year Completed: 1961
Depth (m): 22.5552
Latitude: 45.3360830376742
Longitude: -75.8123400395047
X: -75.81233987816132
Y: 45.33608303144301
Path: 150\1504024.pdf

Bore Hole Information

Bore Hole ID:	10026067	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436350.60
Code OB Desc:		North83:	5020607.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	01/20/1961	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock**Materials Interval**

Formation ID: 930998178
Layer: 2
Color:
General Color:
Material 1: 18
Material 1 Desc: SANDSTONE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 17.0
Formation End Depth: 74.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998177			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504024			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574637			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044866			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044867			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		74.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504024			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		50.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			

Water Details

Water ID: 933457076
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 74.0
Water Found Depth UOM: ft

[57](#)

1 of 1

W/50.9

74.8 / 1.34

ON

BORE

Borehole ID:	848428	Inclin FLG:	No
OGF ID:	215590052	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	01-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.335831
Total Depth m:	8.9	Longitude DD:	-75.812395
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436346
Drill Method:	Hollow stem auger	Northing:	5020579
Orig Ground Elev m:	76.3	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	76.1		
Concession:	CON 2 ON OTTAWA RIVER		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6560935	Mat Consistency:	Dense
Top Depth:	6.1	Material Moisture:	
Bottom Depth:	7.3	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Gravel	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	1002710847			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	436735.00
Code OB Desc:				North83:	5021281.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03/18/2008			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002715752				
Layer:	1				
Plug From:	0.0				
Plug To:	2.430000066757202				
Plug Depth UOM:	m				
 <u>Method of Construction & Well Use</u>					
Method Construction ID:	1002715757				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	1002715749				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002715754				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	-0.699999988079071				
Depth To:					
Casing Diameter:	16.510000228881836				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					
Screen ID:	1002715755				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	m				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002715753			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1002715751			
Diameter:		16.510000228881836			
Depth From:		0.0			
Depth To:		29.260000228881836			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>59</u>	1 of 1	WSW/57.1	75.2 / 1.70	ON	BORE
Borehole ID:		848420		Inclin FLG:	No
OGF ID:		215590046		SP Status:	Initial Entry
Status:		Decommissioned		Surv Elev:	No
Type:		Borehole		Piezometer:	No
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		01-AUG-1989		Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.335516
Total Depth m:		5.3		Longitude DD:	-75.812301
Depth Ref:		Ground Surface		UTM Zone:	18
Depth Elev:				Easting:	436353
Drill Method:		Hollow stem auger		Northing:	5020544
Orig Ground Elev m:		72.9		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:		76.3			
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:		6560908		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		.3		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Topsoil		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:		6560909		Mat Consistency:	Stiff
Top Depth:		.3		Material Moisture:	
Bottom Depth:		3		Material Texture:	
Material Color:		Brown-Grey		Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560911			Mat Consistency:	
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560910			Mat Consistency:	Compact
Top Depth:	3			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND GRAVEL GLACIAL TILL COMPACT **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>60</u>	1 of 1	N/64.5	66.9 / -6.61	ON	BORE
Borehole ID:	610785			Inclin FLG:	No
OGF ID:	215512296			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	NOV-1972			Municipality:	
Static Water Level:	6.3			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.342196
Total Depth m:	8.9			Longitude DD:	-75.807321
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436751
Drill Method:				Northing:	5021282
Orig Ground Elev m:	66.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	67.9				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386507			Mat Consistency:	Dense
Top Depth:	3.8			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:	Sand			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		UNSPECIFIED,TILL, SAND,CLAY. DENSE.			
Geology Stratum ID:	218386510			Mat Consistency:	
Top Depth:	7.6			Material Moisture:	
Bottom Depth:	8.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY,SILT,GRAVEL. GREY, WATER STABLE AT 196.0 FEET.			
Geology Stratum ID:	218386506			Mat Consistency:	Dense
Top Depth:	3			Material Moisture:	
Bottom Depth:	3.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:	Till			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		UNSPECIFIED,TILL, SAND. DENSE.			
Geology Stratum ID:	218386503			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Asphalt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		ARTIFICIAL,ASPHALT, SAND,GRAVEL.			
Geology Stratum ID:	218386511			Mat Consistency:	
Top Depth:	8.2			Material Moisture:	
Bottom Depth:	8.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Unknown			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		UNSPECIFIED. 00000 010 00025 008 00050 013 00100 013 00125 013 00140 018 0 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218386509			Mat Consistency:	Dense
Top Depth:	5.3			Material Moisture:	
Bottom Depth:	7.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TILL,SAND,GRAVEL. DENSE.			
Geology Stratum ID:	218386505			Mat Consistency:	Dense
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Clay			Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386508 4.3 5.3 Sand Clay Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense Fine to Medium
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386504 .8 1.5 Sand Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
Source Type: Source Orig: Source Date: Confidence: Observatio: Source Name: Source Details: Confiden 1:	Data Survey Geological Survey of Canada 1956-1972 H			Source Appl: Source Ident: Scale or Res: Horizontal: Verticalda:	Spatial/Tabular 1 Varies NAD27 Mean Average Sea Level
	Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 032930 NTS_Sheet: 31G05C Logged by professional. Exact and complete description of material and properties.				
Source Identifier: Source Type: Source Date: Scale or Resolution: Source Name: Source Originators:	1 Data Survey 1956-1972 Varies Urban Geology Automated Information System (UGAIS) Geological Survey of Canada			Horizontal Datum: Vertical Datum: Projection Name:	NAD27 Mean Average Sea Level Universal Transverse Mercator
61	1 of 1	SSW/68.7	79.9 / 6.39	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev:	848546 215590167 Decommissioned Borehole Geotechnical/Geological Investigation 19-OCT-1988 0.7 10.4 Ground Surface			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting:	No Initial Entry No No LOT 15 NEPEAN 45.332786 -75.81022 18 436513

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Hollow stem auger 81 83	CON 2 ON OTTAWA RIVER		Nothing: Location Accuracy: Accuracy:	5020239 Within 10 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561344 .2 1.5 Grey-Brown Silt Clay Sand Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Loose
CLAYEY SILT AND SANDY SILT TRACE GRAVEL OCC SAND LAYER LOOSE GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561348 6.4 10.4 Grey Sand Bedrock			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SANDSTONE BEDROCK FRESH THIN TO THICKLY BEDDED GREY OCC GREY DOLOSTONE LAYER MARCH FORMATION **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561347 5 6.4 Grey Bedrock Sand Layered Shale			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
DOLOSTONE BEDROCK FRESH VERY THIN TO MEDIUM BEDDED GREY SOME SANDY LAYERS OCC SHALE PARTINGS MARCH FORMATION **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561343 0 .2 Topsoil			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1:	6561346 2.6 5 Grey-Brown Till			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation:	Loose

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2:	Silt - Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SANDY SILT TO SILTY SAND SOME GRAVEL TRACE CLAY GLACIAL TILL LOOSE GREY BROWN TO GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561345			Mat Consistency:	Very Stiff
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	2.6			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY AND CLAYEY SILT TRACE SAND AND GRAVEL VERY STIFF GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[62](#)

1 of 1

SW/69.5

79.2 / 5.70

ON

BORE

Borehole ID:	848412	Inclin FLG:	No
OGF ID:	215590042	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	02-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.333472
Total Depth m:	7.4	Longitude DD:	-75.8112
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436437
Drill Method:	Hollow stem auger	Northing:	5020316
Orig Ground Elev m:	79.4	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	79.8		
Concession:	CON 2 ON OTTAWA RIVER		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6560888	Mat Consistency:	
Top Depth:	3	Material Moisture:	
Bottom Depth:	4.1	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Gravel	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET MIXT OF SILT SAND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	6560889	Mat Consistency:	
Top Depth:	4.1	Material Moisture:	
Bottom Depth:	7.4	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Limestone	Geologic Formation:	
Material 2:	Bedrock	Geologic Group:	
Material 3:	Clay	Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE BEDROCK SOUND CLAY SEAM **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560887			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			

63	1 of 1	SW/70.9	78.6 / 5.08	ON	BORE
Borehole ID:	848411			Inclin FLG:	No
OGF ID:	215590041			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.333902
Total Depth m:	5			Longitude DD:	-75.811487
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436415
Drill Method:	Hollow stem auger			Northing:	5020364
Orig Ground Elev m:	78.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	78.9				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6560886			Mat Consistency:	
Top Depth:	3.5			Material Moisture:	
Bottom Depth:	5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Sandstone			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK SANDSTONE WITH INTERBEDDED SANDY DOLOSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560885			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	3.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560884			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS GREY FIRM TO VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<u>64</u>	1 of 1	ESE/72.5	80.9 / 7.39	ON	BORE
Borehole ID:	610752			Inclin FLG:	No
OGF ID:	215512263			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.333671
Total Depth m:	-999			Longitude DD:	-75.803627
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	437031
Drill Method:				Northing:	5020332
Orig Ground Elev m:	83.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	80.9				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	218386382			Mat Consistency:	Hard
Top Depth:	6.7			Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		BEDROCK,LIMESTONE. 60N,STIFF. CLAY,SILT. GREY,STIFF. SAND,SILT. BROWN,HARD. SAND,SILT. G **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	218386381			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	M			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032600 NTS_Sheet: 31G05C				
Confiden 1:	Reliable information but incomplete.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
65	1 of 1	WSW/72.9	75.2 / 1.70	ON	BORE
Borehole ID:	848418			Inclin FLG:	No
OGF ID:	215590044			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	06-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.335344
Total Depth m:	4.7			Longitude DD:	-75.812414
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436344
Drill Method:	Hollow stem auger			Northing:	5020525
Orig Ground Elev m:	73.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	74.5				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:	6560902			Mat Consistency:	Compact
Top Depth:	2.9			Material Moisture:	
Bottom Depth:	3.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt - Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL COMPACT GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560901			Mat Consistency:	Soft
Top Depth:	0			Material Moisture:	
Bottom Depth:	2.9			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT SOME SAND SOFT TO FIRM BROWN-GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560903			Mat Consistency:	
Top Depth:	3.8			Material Moisture:	
Bottom Depth:	4.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.				

66	1 of 1	SW/73.4	78.6 / 5.08	ON	BORE
Borehole ID:	848569			Inclin FLG:	No
OGF ID:	215590190			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	15-MAY-1984			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.333928
Total Depth m:	2.6			Longitude DD:	-75.811538
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436411
Drill Method:	Hollow stem auger			Northing:	5020367
Orig Ground Elev m:	74.8			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	78.8				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6561430			Mat Consistency:	Hard
Top Depth:	2			Material Moisture:	
Bottom Depth:	2.6			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	HETEROGENEOUS MIXTURE, SILTY CLAY WITH SAND, SOME GRAVEL, HARD **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561429			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3:	Sand			Geologic Period:	
Material 4:	Organic			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SAND, TRACE ORGANICS, FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[67](#)

1 of 1

SW/74.9

79.9 / 6.39

ON

BORE

Borehole ID:	848567	Inclin FLG:	No
OGF ID:	215590188	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	03-AUG-1989	Municipality:	
Static Water Level:		Lot:	LOT 15
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.332926
Total Depth m:	3.5	Longitude DD:	-75.810784
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436469
Drill Method:	Hollow stem auger	Northing:	5020255
Orig Ground Elev m:	80.7	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	83.2		
Concession:	CON 2 ON OTTAWA RIVER		
Location D:			
Survey D:			
Comments:			

Borehole Geology Stratum

Geology Stratum ID:	6561425	Mat Consistency:	Firm
Top Depth:	0	Material Moisture:	
Bottom Depth:	2.1	Material Texture:	
Material Color:	Brown	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	clay silt	Geologic Period:	
Material 4:	Sand	Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY TO CLAYEY SILT, SOME SAND, OCCASIONAL SAND SEAMS, BROWN, GREY, FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561426	Mat Consistency:	
Top Depth:	2.1	Material Moisture:	
Bottom Depth:	3.5	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt - Sand - Gravel	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET. MIXTURE OF SILT, SAND AND GRAVEL (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.		

[68](#)

1 of 1

WSW/77.8

76.6 / 3.08

ON

BORE

Borehole ID:	848429	Inclin FLG:	No
OGF ID:	215590053	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Completion Date: 02-AUG-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 5.5 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 77 Elev Reliabil Note: DEM Ground Elev m: 77.2 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments:					
Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.334959 Longitude DD: -75.812242 UTM Zone: 18 Easting: 436357 Northing: 5020482 Location Accuracy: Accuracy: Within 10 metres					
Borehole Geology Stratum					
Geology Stratum ID: 6560937 Top Depth: 0 Bottom Depth: 2 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS GREY VERY STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Very Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6560938 Top Depth: 2 Bottom Depth: 4 Material Color: Material 1: Till Material 2: Silt Material 3: Sand Material 4: Gravel Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND GRAVEL GLACIAL TILL COMPACT TO DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial					
Geology Stratum ID: 6560939 Top Depth: 4 Bottom Depth: 5.5 Material Color: Material 1: Bedrock Material 2: Sandstone Material 3: Material 4: Gsc Material Description: Stratum Description: BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
69	1 of 1	N/78.1	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID: 1511844 Construction Date: Use 1st: Domestic Use 2nd: 0 Final Well Status: Water Supply Water Type: Casing Material:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 08/18/1972 Selected Flag: TRUE Abandonment Rec:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:		Contractor:		3504	
Tag:		Form Version:		1	
Constructn Method:		Owner:			
Elevation (m):		County:		OTTAWA-CARLETON	
Elevatn Reliability:		Lot:		017	
Depth to Bedrock:		Concession:		02	
Well Depth:		Concession Name:		OF	
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511844.pdf			

Additional Detail(s) (Map)

Well Completed Date: 07/31/1972
Year Completed: 1972
Depth (m): 31.6992
Latitude: 45.3425050693182
Longitude: -75.8079644182961
X: -75.80796425628255
Y: 45.342505062302976
Path: 151\1511844.pdf

Bore Hole Information

Bore Hole ID:	10033838	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436700.60
Code OB Desc:		North83:	5021317.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	6
Date Completed:	07/31/1972	UTMRC Desc:	margin of error : 300 m - 1 km
Remarks:		Location Method:	p6
Location Method Desc:	Original Pre1985 UTM Rel Code 6: margin of error : 300 m - 1 km		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock**Materials Interval**

Formation ID: 931018859
Layer: 3
Color:
General Color:
Material 1: 11
Material 1 Desc: GRAVEL
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 103.0
Formation End Depth: 104.0
Formation End Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931018858			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		103.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931018857			
Layer:		1			
Color:					
General Color:					
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961511844			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10582408			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930060108			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		104.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991511844			
Pump Set At:					
Static Level:		18.0			
Final Level After Pumping:		33.0			
Recommended Pump Depth:		60.0			
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:		5.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934098488			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		18.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934384003			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		18.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934645576			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		18.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934894290			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		18.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933467123			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		104.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
70	1 of 1	WSW/82.9	75.9 / 2.42	ON	BORE
<div> <div> Borehole ID: 848568 OGF ID: 215590189 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 15-MAY-1984 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 3.5 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 78.7 Elev Reliabil Note: DEM Ground Elev m: 76.6 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.335137 Longitude DD: -75.812424 UTM Zone: 18 Easting: 436343 Northing: 5020502 Location Accuracy: Accuracy: Within 10 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6561427 Top Depth: 0 Bottom Depth: 1.2 Material Color: Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY, SOME SAND, SOFT TO FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Soft Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
<div> <div> Geology Stratum ID: 6561428 Top Depth: 1.2 Bottom Depth: 3.5 Material Color: Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gravel Gsc Material Description: Stratum Description: HETEROGENEOUS MIXTURE, SILTY CLAY WITH SAND, SOME GRAVEL, FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					

71	1 of 1	W/84.8	73.9 / 0.46	ON	BORE
<div> <div> Borehole ID: 848346 OGF ID: 215589976 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 06-APR-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 4.3 Depth Ref: Ground Surface </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.336884 Longitude DD: -75.812321 UTM Zone: 18 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev:				Easting:	436353
Drill Method:	Hollow stem auger			Northing:	5020696
Orig Ground Elev m:	72.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	72.9				
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560723			Mat Consistency:	Soft
Top Depth:	0			Material Moisture:	
Bottom Depth:	4.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY TO CLAYEY SILT WITH SOME SAND SOFT TO STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<u>72</u>	1 of 1	WSW/86.8	78.6 / 5.08	ON	BORE
Borehole ID:	610756			Inclin FLG:	No
OGF ID:	215512267			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	JAN-1953			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.334153
Total Depth m:	27.4			Longitude DD:	-75.811865
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436386
Drill Method:				Northing:	5020392
Orig Ground Elev m:	76.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	78.2				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386396			Mat Consistency:	Compact
Top Depth:	0			Material Moisture:	
Bottom Depth:	27.4			Material Texture:	Coarse
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND,LIMESTONE. BROWN. SAND,SILT-FINE. GREY,BROWN,COMPACT. SAND-MEDIUM TO COARSE. GREY,COMPA **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Source

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div><div><div><div>Source Type:</div><div>Source Orig:</div><div>Source Date:</div><div>Confidence:</div><div>Observatio:</div><div>Source Name:</div><div>Source Details:</div><div>Confiden 1:</div></div><div><div>Data Survey</div><div>Geological Survey of Canada</div><div>1956-1972</div><div></div><div></div><div>Urban Geology Automated Information System (UGAIS)</div><div>File: OTTAWA1.txt RecordID: 03264 NTS_Sheet:</div><div></div></div><div><div>Source Appl:</div><div>Source Iden:</div><div>Scale or Res:</div><div>Horizontal:</div><div>Verticalda:</div></div><div><div>Spatial/Tabular</div><div>1</div><div>Varies</div><div>NAD27</div><div>Mean Average Sea Level</div></div></div></div>					
<u>Source List</u>					
<div><div><div><div>Source Identifier:</div><div>Source Type:</div><div>Source Date:</div><div>Scale or Resolution:</div><div>Source Name:</div><div>Source Originators:</div></div><div><div>1</div><div>Data Survey</div><div>1956-1972</div><div>Varies</div><div>Urban Geology Automated Information System (UGAIS)</div><div>Geological Survey of Canada</div></div><div><div>Horizontal Datum:</div><div>Vertical Datum:</div><div>Projection Name:</div></div><div><div>NAD27</div><div>Mean Average Sea Level</div><div>Universal Transverse Mercator</div></div></div></div>					
73	1 of 1	WSW/86.8	78.6 / 5.08	lot 15 con 2 ON	WWIS
<div><div><div><div>Well ID:</div><div>Construction Date:</div><div>Use 1st:</div><div>Use 2nd:</div><div>Final Well Status:</div><div>Water Type:</div><div>Casing Material:</div><div>Audit No:</div><div>Tag:</div><div>Constructn Method:</div><div>Elevation (m):</div><div>Elevatn Reliabilty:</div><div>Depth to Bedrock:</div><div>Well Depth:</div><div>Overburden/Bedrock:</div><div>Pump Rate:</div><div>Static Water Level:</div><div>Clear/Cloudy:</div><div>Municipality:</div><div>Site Info:</div></div><div><div>1504022</div><div></div><div></div><div></div><div>Abandoned-Supply</div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div>NEPEAN TOWNSHIP</div></div><div><div>Flowing (Y/N):</div><div>Flow Rate:</div><div>Data Entry Status:</div><div>Data Src:</div><div>Date Received:</div><div>Selected Flag:</div><div>Abandonment Rec:</div><div>Contractor:</div><div>Form Version:</div><div>Owner:</div><div>County:</div><div>Lot:</div><div>Concession:</div><div>Concession Name:</div><div>Easting NAD83:</div><div>Northing NAD83:</div><div>Zone:</div><div>UTM Reliability:</div></div><div><div></div><div></div><div></div><div>1</div><div>06/12/1953</div><div>TRUE</div><div></div><div>3718</div><div>1</div><div></div><div>OTTAWA-CARLETON</div><div>015</div><div>02</div><div>OF</div><div></div><div></div><div></div></div></div></div>					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504022.pdf			
<u>Additional Detail(s) (Map)</u>					
<div><div><div><div>Well Completed Date:</div><div>Year Completed:</div><div>Depth (m):</div><div>Latitude:</div><div>Longitude:</div><div>X:</div><div>Y:</div><div>Path:</div></div><div><div>01/30/1953</div><div>1953</div><div>27.432</div><div>45.3341511170481</div><div>-75.811864460159</div><div>-75.81186429869337</div><div>45.33415111000685</div><div>150\1504022.pdf</div></div></div></div>					
<u>Bore Hole Information</u>					
<div><div><div><div>Bore Hole ID:</div><div>DP2BR:</div><div>Spatial Status:</div><div>Code OB:</div></div><div><div>10026065</div><div></div><div></div><div></div></div><div><div>Elevation:</div><div>Elevrc:</div><div>Zone:</div><div>East83:</div></div><div><div></div><div></div><div>18</div><div>436385.70</div></div></div></div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Code OB Desc:				North83:	5020392.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	01/30/1953			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998173			
Layer:		1			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		15			
Material 2 Desc:		LIMESTONE			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504022			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574635			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044864			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		90.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044863			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
74	1 of 1	W/89.4	76.0 / 2.47	ON	BORE
Borehole ID:		848347	Inclin FLG: No		
OGF ID:		215589977	SP Status: Initial Entry		
Status:		Decommissioned	Surv Elev: No		
Type:		Borehole	Piezometer: No		
Use:		Geotechnical/Geological Investigation	Primary Name:		
Completion Date:		06-APR-1989	Municipality:		
Static Water Level:			Lot: LOT 15		
Primary Water Use:			Township: NEPEAN		
Sec. Water Use:			Latitude DD: 45.33598		
Total Depth m:		7.9	Longitude DD: -75.812895		
Depth Ref:		Ground Surface	UTM Zone: 18		
Depth Elev:			Easting: 436307		
Drill Method:		Hollow stem auger	Northing: 5020596		
Orig Ground Elev m:		76.8	Location Accuracy:		
Elev Reliabil Note:			Accuracy: Within 20 metres		
DEM Ground Elev m:		76			
Concession:		CON 2 ON OTTAWA RIVER			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		6560726	Mat Consistency:		
Top Depth:		6.9	Material Moisture:		
Bottom Depth:		7.9	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Sandstone	Geologic Formation:		
Material 2:		Bedrock	Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen:		
Gsc Material Description:					
Stratum Description:		SANDSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6560725	Mat Consistency: Compact		
Top Depth:		5.6	Material Moisture:		
Bottom Depth:		6.9	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Till	Geologic Formation:		
Material 2:		Silt - Sand - Gravel	Geologic Group:		
Material 3:			Geologic Period:		
Material 4:			Depositional Gen: glacial		
Gsc Material Description:					
Stratum Description:		HET MIXT OF SILT SAND GRAVEL GLACIAL TILL COMPACT **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6560724	Mat Consistency: Very Soft		
Top Depth:		0	Material Moisture:		
Bottom Depth:		5.6	Material Texture:		
Material Color:			Non Geo Mat Type:		
Material 1:		Clay	Geologic Formation:		
Material 2:		Silt	Geologic Group:		
Material 3:		Sand	Geologic Period:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:					
Gsc Material Description:					
Stratum Description:					
SILTY CLAY TO CLAYEY SILT SOME SAND VERY SOFT TO FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.					
75	1 of 1	W/90.7	75.9 / 2.42	ON	BORE
Borehole ID:					
848430					
OGF ID:					
215590054					
Status:					
Decommissioned					
Type:					
Borehole					
Use:					
Geotechnical/Geological Investigation					
Completion Date:					
02-AUG-1989					
Static Water Level:					
Primary Water Use:					
Sec. Water Use:					
Total Depth m:					
7					
Depth Ref:					
Ground Surface					
Depth Elev:					
Drill Method:					
Hollow stem auger					
Orig Ground Elev m:					
75.2					
Elev Reliabil Note:					
DEM Ground Elev m:					
74.8					
Concession:					
CON 2 ON OTTAWA RIVER					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID:					
6560941					
Top Depth:					
.3					
Bottom Depth:					
4.7					
Material Color:					
Brown-Grey					
Material 1:					
Clay					
Material 2:					
Silt					
Material 3:					
Sand					
Material 4:					
Gsc Material Description:					
Stratum Description:					
SILTY CLAY TO CLAYEY SILT SOME SAND OCC SAND SEAMS FIRM TO STIFF BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID:					
6560940					
Top Depth:					
0					
Bottom Depth:					
.3					
Material Color:					
Material 1:					
Topsoil					
Material 2:					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description:					
TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID:					
6560943					
Top Depth:					
5.5					
Bottom Depth:					
7					
Material Color:					
Material 1:					
Bedrock					
Material 2:					
Sandstone					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description:					
BEDROCK SANDSTONE SOUND UNWEATHERED **Note: Many records provided by the department have a					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
truncated [Stratum Description] field.					
Geology Stratum ID:	6560942			Mat Consistency:	
Top Depth:	4.7			Material Moisture:	
Bottom Depth:	5.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
76	1 of 1	N/92.7	66.9 / -6.61	s. 21 Ottawa ON	SPL
Ref No:	7302-BTUKN4			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	9/27/2020			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	9/27/2020			Impact to Health:	2 - Minor Environment
Dt Document Closed:	2/8/2021			Agency Involved:	
Site No:	NA				
MOE Response:	No				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Intersection<UNOFFICIAL>				
Site Address:	s. 21				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:	5021329				
Easting:	436719				
Entity Operating Name:					
Client Name:					
Client Type:					
Source Type:	Motor Vehicle				
Incident Cause:					
Incident Preceding Spill:	Operator/Human error				
Incident Reason:	Unknown / N/A				
Incident Summary:	MVA: motor oil to CB, City of Ottawa response				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	0 other - see incident description				
Contaminant Qty 1:	0				
Contaminant Unit:	other - see incident description				
Contaminant Code:	15				
Contaminant Name:	MOTOR OIL				
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:	1993				
Receiving Medium:	Land				
Activity Preceding Spill:					
Property 2nd Watershed:					
Property Tertiary Watershed:					
Sector Type:	Miscellaneous Industrial				
SAC Action Class:					
Call Report Locatn Geodata:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Time Reported: System Facility Address:					
77	1 of 1	SSW/103.3	81.4 / 7.95	ON	BORE
Borehole ID: 848478		Inclin FLG: No			
OGF ID: 215590099		SP Status: Initial Entry			
Status: Decommissioned		Surv Elev: No			
Type: Borehole		Piezometer: No			
Use: Geotechnical/Geological Investigation		Primary Name:			
Completion Date: 29-JUN-1990		Municipality:			
Static Water Level:		Lot: ROAD			
Primary Water Use:		Township: NEPEAN			
Sec. Water Use:		Latitude DD: 45.332074			
Total Depth m: 14.9		Longitude DD: -75.808998			
Depth Ref: Ground Surface		UTM Zone: 18			
Depth Elev:		Easting: 436608			
Drill Method: Hollow stem auger		Northing: 5020159			
Orig Ground Elev m: 85.3		Location Accuracy:			
Elev Reliabil Note:		Accuracy: Within 10 metres			
DEM Ground Elev m: 83.3					
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					
Geology Stratum ID: 6561133		Mat Consistency:			
Top Depth: 11.8		Material Moisture:			
Bottom Depth: 12.1		Material Texture:			
Material Color: Grey		Non Geo Mat Type:			
Material 1: Till		Geologic Formation:			
Material 2: sand silt		Geologic Group:			
Material 3:		Geologic Period:			
Material 4:		Depositional Gen: glacial			
Gsc Material Description:					
Stratum Description:		SANDY SILT (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 6561129		Mat Consistency:			
Top Depth: 0		Material Moisture:			
Bottom Depth: .4		Material Texture:			
Material Color:		Non Geo Mat Type:			
Material 1: Fill		Geologic Formation:			
Material 2: Sand - Gravel		Geologic Group:			
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		FILL - MIXTURE OF SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 6561131		Mat Consistency: Stiff			
Top Depth: .7		Material Moisture:			
Bottom Depth: 4.4		Material Texture:			
Material Color: Grey-Brown		Non Geo Mat Type:			
Material 1: Clay		Geologic Formation:			
Material 2: Silt		Geologic Group:			
Material 3: Sand		Geologic Period:			
Material 4: Weathered		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		SILTY CLAY, OCCASIONAL SAND SEAM (WEATHERED CRUST). STIFF TO VERY STIFF. GREY BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
**Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID:	6561130			Mat Consistency:	
Top Depth:	.4			Material Moisture:	
Bottom Depth:	.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561132			Mat Consistency:	Firm
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	11.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SAND SEAM, FIRM, GREY, TRACE GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561134			Mat Consistency:	
Top Depth:	12.1			Material Moisture:	
Bottom Depth:	14.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	DOLOMITIC LIMESTONE BEDROCK WITH 356 MM NEAR VERTICAL SEAM, SOME SHALY PARTINGS AND SOME CALCITE INCLUSIONS AND NODULES, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
78	1 of 1	NNE/104.3	66.9 / -6.61	SHELL CANADA PRODUCTS LTD. 2 ALEUTIAN ROAD TANK TRUCK (CARGO) NEPEAN CITY ON K2H 7C8	SPL
Ref No:	65530			Municipality No:	20104
Year:				Nature of Damage:	
Incident Dt:	12/24/1991			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	12/24/1991			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:					
MOE Response:					
Site County/District:					
Site Geo Ref Meth:					
Site District Office:					
Nearest Watercourse:					
Site Name:					
Site Address:					
Site Region:					
Site Municipality:	NEPEAN CITY				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:					
Easting:					
Entity Operating Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>Client Name:</div> <div>Client Type:</div> <div>Source Type:</div> <div>Incident Cause:PIPE/HOSE LEAK</div> <div>Incident Preceding Spill:</div> <div>Incident Reason:ICE/FROST DAMAGE</div> <div>Incident Summary:SHELL: 11 L FURNACE OIL TO ROAD FROM TANK TRUCK DUE TO RUPTURED HOSE.</div> <div>Environment Impact:NOT ANTICIPATED</div> <div>Health Env Consequence:</div> <div>Nature of Impact:</div> <div>Contaminant Qty:</div> <div>Contaminant Qty 1:</div> <div>Contaminant Unit:</div> <div>Contaminant Code:</div> <div>Contaminant Name:</div> <div>Contaminant Limit 1:</div> <div>Contam Limit Freq 1:</div> <div>Contaminant UN No 1:</div> <div>Receiving Medium:LAND</div> <div>Activity Preceding Spill:</div> <div>Property 2nd Watershed:</div> <div>Property Tertiary Watershed:</div> <div>Sector Type:</div> <div>SAC Action Class:</div> <div>Call Report Locatn Geodata:</div> <div>Time Reported:</div> <div>System Facility Address:</div>					

79	1 of 1	SSW/105.8	79.8 / 6.36	ON	BORE
<div>Borehole ID:848472</div> <div>OGF ID:215590093</div> <div>Status:Decommissioned</div> <div>Type:Borehole</div> <div>Use:Geotechnical/Geological Investigation</div> <div>Completion Date:28-JUN-1990</div> <div>Static Water Level:</div> <div>Primary Water Use:</div> <div>Sec. Water Use:</div> <div>Total Depth m:9.8</div> <div>Depth Ref:Ground Surface</div> <div>Depth Elev:</div> <div>Drill Method:Hollow stem auger</div> <div>Orig Ground Elev m:85.5</div> <div>Elev Reliabil Note:</div> <div>DEM Ground Elev m:84.4</div> <div>Concession:CON 2 ON OTTAWA RIVER</div> <div>Location D:</div> <div>Survey D:</div> <div>Comments:</div>					
<div>Inclin FLG:No</div> <div>SP Status:Initial Entry</div> <div>Surv Elev:No</div> <div>Piezometer:No</div> <div>Primary Name:</div> <div>Municipality:</div> <div>Lot:LOT 15</div> <div>Township:NEPEAN</div> <div>Latitude DD:45.332302</div> <div>Longitude DD:-75.809882</div> <div>UTM Zone:18</div> <div>Easting:436539</div> <div>Northing:5020185</div> <div>Location Accuracy:</div> <div>Accuracy:Within 10 metres</div>					
<div><u>Borehole Geology Stratum</u></div> <div>Geology Stratum ID:6561105</div> <div>Top Depth:4</div> <div>Bottom Depth:8.2</div> <div>Material Color:Grey</div> <div>Material 1:Clay</div> <div>Material 2:Silt</div> <div>Material 3:Sand</div> <div>Material 4:</div> <div>Gsc Material Description:</div> <div>Mat Consistency:</div> <div>Material Moisture:</div> <div>Material Texture:</div> <div>Non Geo Mat Type:</div> <div>Geologic Formation:</div> <div>Geologic Group:</div> <div>Geologic Period:</div> <div>Depositional Gen:</div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		SILTY CLAY, OCCASIONAL SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561106			Mat Consistency:	
Top Depth:	8.2			Material Moisture:	
Bottom Depth:	9.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561103			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SANDY SILT, BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561102			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561104			Mat Consistency:	
Top Depth:	.7			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
80	1 of 1	SSW/109.8	81.4 / 7.95	ON	BORE
Borehole ID:	848479			Inclin FLG:	No
OGF ID:	215590100			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	29-JUN-1990			Municipality:	
Static Water Level:				Lot:	ROAD
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.332011
Total Depth m:	12.5			Longitude DD:	-75.808946
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436612

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Drill Method:	Hollow stem auger			Nothing:	5020152
Orig Ground Elev m:	85.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	83.4				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561135			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand - Gravel			Geologic Group:	
Material 3:	cobble			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	FILL - MIXTURE OF SAND AND GRAVEL, OCCASIONAL COBBLE.				
Geology Stratum ID:	6561137			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	4.6			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561138			Mat Consistency:	
Top Depth:	4.6			Material Moisture:	
Bottom Depth:	11.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SILTY FINE SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561139			Mat Consistency:	
Top Depth:	11.4			Material Moisture:	
Bottom Depth:	12.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561136			Mat Consistency:	
Top Depth:	1.1			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
81	1 of 1	ESE/110.3	82.0 / 8.54	lot 35 con 3 ON	WWIS
Well ID:		1506070	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Commerical	Data Entry Status:		
Use 2nd:		0	Data Src:		
Final Well Status:		Water Supply	Date Received:		
Water Type:			Selected Flag:		
Casing Material:			Abandonment Rec:		
Audit No:			Contractor:		
Tag:			Form Version:		
Constructn Method:			Owner:		
Elevation (m):			County:		
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1506070.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		11/27/1958			
Year Completed:		1958			
Depth (m):		45.72			
Latitude:		45.3334928695557			
Longitude:		-75.8031142540679			
X:		-75.80311409273814			
Y:		45.33349286346685			
Path:		150\1506070.pdf			
Bore Hole Information					
Bore Hole ID:		10028113	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			East83:		
Code OB Desc:			North83:		
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		
Date Completed:		11/27/1958	UTMRC Desc:		
Remarks:			Location Method:		
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931003714			
Layer:		2			
Color:					
General Color:					
Material 1:		15			
Material 1 Desc:		LIMESTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		52.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931003713			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961506070			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10576683			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930048975			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		52.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930048976			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		150.0			
Casing Diameter:		8.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991506070			
Pump Set At:					
Static Level:		38.0			
Final Level After Pumping:		110.0			
Recommended Pump Depth:					
Pumping Rate:		125.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		48			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933460145			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		150.0			
Water Found Depth UOM:		ft			
<hr/>					
<u>82</u>	1 of 1	W/113.6	73.9 / 0.43	ON	BORE
Borehole ID:	848338			Inclin FLG:	No
OGF ID:	215589968			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	05-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.337225
Total Depth m:	4.4			Longitude DD:	-75.812504
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436339
Drill Method:	Hollow stem auger			Northing:	5020734
Orig Ground Elev m:	72.2			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	72.4				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560703			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAYEY SILT TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560704			Mat Consistency:	
Top Depth:	.7			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560705			Mat Consistency:	Compact
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	3.2			Material Texture:	
Material Color:	Brown-Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt - Sand - Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL COMPACT GLACIAL TILL BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560706			Mat Consistency:	
Top Depth:	3.2			Material Moisture:	
Bottom Depth:	4.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SANDSTONE BEDORCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.				
83	1 of 1	SSW/123.9	80.8 / 7.34	ON	BORE
Borehole ID:	848460			Inclin FLG:	No
OGF ID:	215590081			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	28-JUN-1990			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.332263
Total Depth m:	9			Longitude DD:	-75.810302
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436506

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Hollow stem auger 85.5 84.9 CON 2 ON OTTAWA RIVER			Northing: Location Accuracy: Accuracy:	5020181 Within 10 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561034 0 .4 Topsoil			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561037 6.7 9 Grey Till sand silt Clay - Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	glacial
SANDY SILT, TRACE TO SOME CLAY AND GRAVEL (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561036 4 6.7 Grey Clay Silt Sand Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SILTY CLAY, OCCASIONAL SILTY SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561035 .4 4 Grey-Brown Clay Silt Sand Silt			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SILTY CLAY, OCCASIONAL SILTY SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.					
84	1 of 1	SSW/125.2	80.4 / 6.93	ON	BORE
Borehole ID: OGF ID: Status:	848435 215590057 Decommissioned			Inclin FLG: SP Status: Surv Elev:	No Initial Entry No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	03-AUG-1989			Municipality:	
Static Water Level:				Lot:	ROAD
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331884
Total Depth m:	12.2			Longitude DD:	-75.809084
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436601
Drill Method:	Hollow stem auger			Northing:	5020138
Orig Ground Elev m:	85.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	85				
Concession:					
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6560955	Mat Consistency:	Stiff
Top Depth:	0	Material Moisture:	
Bottom Depth:	8.7	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY TO CLAYEY SILT GREY OCC SAND SEAMS STIFF FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID:	6560956	Mat Consistency:	
Top Depth:	8.7	Material Moisture:	
Bottom Depth:	12.2	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Gravel	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

85**1 of 1****SSW/129.2****81.4 / 7.92****ON****BORE**

Borehole ID:	848480	Inclin FLG:	No
OGF ID:	215590101	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	13-JUL-1990	Municipality:	
Static Water Level:		Lot:	LOT 35
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.331832
Total Depth m:	14.7	Longitude DD:	-75.808854
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436619
Drill Method:	Hollow stem auger	Northing:	5020132
Orig Ground Elev m:	85.1	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Within 10 metres
DEM Ground Elev m:	84.1		
Concession:	CON 3		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561140			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561145			Mat Consistency:	
Top Depth:	12			Material Moisture:	
Bottom Depth:	14.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	DOLOMITIC LIMESTONE BEDROCK, FRESH, SOME SHALE PARTINGS, SOME COARSE SANDSTONE SEAMS, OCCASIONAL CALCITE INCLUSIONS, TRACE PYRITE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561144			Mat Consistency:	Very Loose
Top Depth:	9.5			Material Moisture:	
Bottom Depth:	12			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	clay silt			Geologic Period:	
Material 4:	Clay - Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SANDY SILT TO CLAYEY SILT, SOME CLAY AND GRAVEL (GLACIAL TILL), VERY LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561141			Mat Consistency:	Very Stiff
Top Depth:	.2			Material Moisture:	
Bottom Depth:	2.9			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND LAYER (WEATHERED CRUST), VERY STIFF TO STIFF, GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561142			Mat Consistency:	Firm
Top Depth:	2.9			Material Moisture:	
Bottom Depth:	8.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND LAYER, FIRM, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Geology Stratum ID:	6561143			Mat Consistency:	
Top Depth:	8.5			Material Moisture:	
Bottom Depth:	9.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND LAYERS, TRACE GRAVEL, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

86	1 of 1	W/129.5	75.6 / 2.14	ON	BORE
<hr/>					
Borehole ID:	848348			Inclin FLG:	No
OGF ID:	215589978			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	06-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336428
Total Depth m:	4.1			Longitude DD:	-75.813246
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436280
Drill Method:	Hollow stem auger			Northing:	5020646
Orig Ground Elev m:	74.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 20 metres
DEM Ground Elev m:	74.7				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6560727	Mat Consistency:	Soft
Top Depth:	0	Material Moisture:	
Bottom Depth:	3.7	Material Texture:	
Material Color:	Brown-Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY TO CLAYEY SILT SOME SAND SOFT TO FIRM BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.		
<hr/>			
Geology Stratum ID:	6560728	Mat Consistency:	
Top Depth:	3.7	Material Moisture:	
Bottom Depth:	4.1	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	Silt - Sand - Gravel	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
87	1 of 1	E/132.3	76.6 / 3.08	59 A Okanagan Drive Nepean ON K2H 7G3	EHS
Order No: 24021400336				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Custom Report				Client Prov/State: ON	
Report Date: 08-MAR-24				Search Radius (km): .25	
Date Received: 14-FEB-24				X: -75.80251925	
Previous Site Name:				Y: 45.33535081	
Lot/Building Size:					
Additional Info Ordered:					
88	1 of 1	SSW/133.0	80.4 / 6.93	ON	BORE
Borehole ID: 848656				Inclin FLG: No	
OGF ID: 215590276				SP Status: Initial Entry	
Status: Decommissioned				Surv Elev: No	
Type: Borehole				Piezometer: No	
Use: Geotechnical/Geological Investigation				Primary Name:	
Completion Date: 25-JUL-1990				Municipality:	
Static Water Level:				Lot: LOT 35	
Primary Water Use:				Township: NEPEAN	
Sec. Water Use:				Latitude DD: 45.331821	
Total Depth m: 9.8				Longitude DD: -75.809147	
Depth Ref: Ground Surface				UTM Zone: 18	
Depth Elev:				Easting: 436596	
Drill Method: Diamond Drill				Northing: 5020131	
Orig Ground Elev m: 86.2				Location Accuracy:	
Elev Reliabil Note:				Accuracy: Within 10 metres	
DEM Ground Elev m: 85.6					
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6561783				Mat Consistency:	
Top Depth: .4				Material Moisture:	
Bottom Depth: .7				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1: Topsoil				Geologic Formation:	
Material 2: Silt				Geologic Group:	
Material 3: Clay				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAYEY SILT TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 6561787				Mat Consistency: Very Loose	
Top Depth: 8.6				Material Moisture:	
Bottom Depth: 9.8				Material Texture:	
Material Color: Grey				Non Geo Mat Type:	
Material 1: Silt				Geologic Formation:	
Material 2: Sand				Geologic Group:	
Material 3: Gravel				Geologic Period:	
Material 4: Clay				Depositional Gen: glacial	
Gsc Material Description:					
Stratum Description:		VERY LOOSE TO DENSE GREY SANDY SILT SOME GRAVEL AND CLAY GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 6561784				Mat Consistency: Very Stiff	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	.7 4.1 Grey-Brown Clay Silt Sand			Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		VERY STIFF GREY BROWN SILTY CLAY OCC SILTY SAND SEAM (WEATHERED CRUST) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561786 6.2 8.6 Grey Sand Silt Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Very Loose
		VERY LOOSE GREY SILTY SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561782 0 .4 Brown Clay Silt Gravel Organic			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		DARK BROWN SILTY CLAY SOME GRAVEL AND ORGANIC MATTER **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561785 4.1 6.2 Grey Clay Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm
		FIRM TO STIFF GREY SILTY CLAY, OCC SILTY SAND SEAM **Note: Many records provided by the department have a truncated [Stratum Description] field.			
89	1 of 1	SE/135.5	82.9 / 9.39	2 Valley Stream Drive Ottawa ON	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20110412010 C Custom Report 4/18/2011 4/12/2011 9:24:09 AM			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -75.803809 45.33293
90	1 of 1	S/139.3	83.6 / 10.07	ON	BORE
Borehole ID:	848453			Inclin FLG:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OGF ID:	215590074			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	11-NOV-1989			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331727
Total Depth m:	12.8			Longitude DD:	-75.80838
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436656
Drill Method:	Hollow stem auger			Northing:	5020120
Orig Ground Elev m:	85.7			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	85				
Concession:		CON 3			
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6561011			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	Moist
Bottom Depth:	11.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGHT PLASTICITY CI-CH MARINE DEPOSIT FIRM TO STIFF GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561012			Mat Consistency:	Very Loose
Top Depth:	11.9			Material Moisture:	Wet
Bottom Depth:	12.8			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME CLAY WET LOW PLASTICITY TO NON PLASTIC SM-ML TILL VERY LOOSE DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[91](#)

1 of 1

N/140.7

66.9 / -6.61

ON

BORE

Borehole ID:	610786			Inclin FLG:	No
OGF ID:	215512297			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:				Municipality:	
Static Water Level:	7.7			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.342918
Total Depth m:	-999			Longitude DD:	-75.807076
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436771
Drill Method:				Northing:	5021362
Orig Ground Elev m:	67.5			Location Accuracy:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:		65.9			
Concession:					
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218386512		Mat Consistency:	Loose
Top Depth:		0		Material Moisture:	
Bottom Depth:		7.4		Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:		Sand		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND,SILT. LOOSE.			
Geology Stratum ID:		218386513		Mat Consistency:	Stiff
Top Depth:		7.4		Material Moisture:	
Bottom Depth:		7.7		Material Texture:	
Material Color:		Grey		Non Geo Mat Type:	
Material 1:		Clay		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. GREY,STIFF.			
Geology Stratum ID:		218386514		Mat Consistency:	Dense
Top Depth:		7.7		Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:		Brown		Non Geo Mat Type:	
Material 1:		Sand		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND. FIRM,GRADED. AY. BROWN,GREY,DENSE. UNSPECIFIED,TILL, SAND. DENSE. UNSPECIFIED,TILL, S **Note: Many records provided by the department have a truncated [Stratum Description] field.			
 <u>Source</u>					
Source Type:		Data Survey		Source Appl:	Spatial/Tabular
Source Orig:		Geological Survey of Canada		Source Iden:	1
Source Date:		1956-1972		Scale or Res:	Varies
Confidence:		H		Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA1.txt RecordID: 032940 NTS_Sheet: 31G05C			
Confiden 1:		Logged by professional. Exact and complete description of material and properties.			
 <u>Source List</u>					
Source Identifier:		1		Horizontal Datum:	NAD27
Source Type:		Data Survey		Vertical Datum:	Mean Average Sea Level
Source Date:		1956-1972		Projection Name:	Universal Transverse Mercator
Scale or Resolution:		Varies			
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
92	1 of 1	ESE/141.8	77.5 / 4.03	ON	BORE
Borehole ID: 610762 OGF ID: 215512273 Status: Type: Borehole Use: Completion Date: DEC-1972 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 12.2 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 78 Elev Reliabil Note: DEM Ground Elev m: 78.4 Concession: Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 45.334852 Longitude DD: -75.802112 UTM Zone: 18 Easting: 437151 Northing: 5020462 Location Accuracy: Accuracy: Not Applicable					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218386421 Top Depth: 2.7 Bottom Depth: 12.2 Material Color: Brown Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: CLAY,SILT,SAND. GREY,BROWN,FIRM,STIFF. 00090 040 000300140009000200055 038 00100 010 **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218386419 Top Depth: 0 Bottom Depth: .9 Material Color: Brown Material 1: Material 2: Sand Material 3: Gravel Material 4: Silt Gsc Material Description: Stratum Description: ARTIFICIAL,SAND, GRAVEL,SILT. BROWN,GREY,COMPACT.					
Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218386420 Top Depth: .9 Bottom Depth: 2.7 Material Color: Brown Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: CLAY,SILT. BROWN,VERY STIFF,WEATHERED.					
Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
<u>Source</u>					
Source Type: Data Survey Source Appl: Spatial/Tabular					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032700 NTS_Sheet: 31G05C				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

93	1 of 1	SSW/143.5	80.1 / 6.66	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	848473 215590094 Decommissioned Borehole Geotechnical/Geological Investigation 28-JUN-1990 11.1 Ground Surface Hollow stem auger 86 85.4 CON 2 ON OTTAWA RIVER			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No LOT 15 NEPEAN 45.331871 -75.809722 18 436551 5020137 Within 10 metres

Borehole Geology Stratum

Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561107 0 .5 Fill Sand Silt Gravel FILL - MIXTURE OF SAND SILT AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4:	6561110 4 8.6 Grey Clay Silt Fine Sand Silt	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		SILTY CLAY, OCCASIONAL SILTY FINE SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561111			Mat Consistency:	
Top Depth:	8.6			Material Moisture:	
Bottom Depth:	11.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561108			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	.9			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561109			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
94	1 of 1	WNW/145.6	73.2 / -0.30	ON	BORE
Borehole ID:	848571			Inclin FLG:	No
OGF ID:	215590192			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	02-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.337593
Total Depth m:	2.3			Longitude DD:	-75.812714
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436323
Drill Method:	Hollow stem auger			Northing:	5020775
Orig Ground Elev m:	71.7			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	72				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Geology Stratum ID:	6561436			Mat Consistency:	Compact
Top Depth:	.3			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt - Sand - Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	HET. MIXTURE OF SILT, SAND AND GRAVEL, GREY, COMPACT TO VERY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561435			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<u>95</u>	1 of 1	SSW/147.7	80.8 / 7.34	ON	BORE
Borehole ID:	848461			Inclin FLG:	No
OGF ID:	215590082			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	28-JUN-1990			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331985
Total Depth m:	12.1			Longitude DD:	-75.810183
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436515
Drill Method:	Hollow stem auger			Northing:	5020150
Orig Ground Elev m:	85.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	85.8				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6561039			Mat Consistency:	Stiff
Top Depth:	.2			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SILTY FINE SAND SEAMS (WEATHERED CRUST), STIFF TO VERY STIFF, BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561041			Mat Consistency:	Loose
Top Depth:	7			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	9.2 Grey Till sand silt Gravel Clay			Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial	
Stratum Description:	SANDY SILT, SOME GRAVEL AND CLAY, OCCASIONAL COBBLE (GLACIAL TILL), LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561042 9.2 12.1 Grey Limestone Dolomite Bedrock Shale			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Description:	DOLOMITIC LIMESTONE BEDROCK, FRESH, SOME SHALE PARTINGS, OCCASIONAL SANDSTONE LAYERS, TRACE PYRITE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561038 0 .2 Topsoil			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6561040 4 7 Grey Clay Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm
Stratum Description:	SILTY CLAY, OCCASIONAL SAND SEAMS, FIRM, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
96	1 of 1	S/150.5	80.8 / 7.27	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m:	848452 215590073 Decommissioned Borehole Geotechnical/Geological Investigation 10-NOV-1989 14.4 Ground Surface Hollow stem auger 84.5 85.5			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No LOT 35 NEPEAN 45.331635 -75.808698 18 436631 5020110 Within 10 metres

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Concession:		CON 3			
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561010			Mat Consistency:	
Top Depth:	11.9			Material Moisture:	
Bottom Depth:	14.4			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561008			Mat Consistency:	Stiff
Top Depth:	0			Material Moisture:	Moist
Bottom Depth:	10			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGHT PLASTICITY CI-CH MARINE DEPOSIT STIFF TO SOFT TO FIRM WITH DEPTH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561009			Mat Consistency:	Very Loose
Top Depth:	10			Material Moisture:	Wet
Bottom Depth:	11.9			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NON PLASTICITY SM-ML TILL VERY LOOSE DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
97	1 of 1	NNE/151.1	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID:	1517574			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Public			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	08/24/1981
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1119
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1517574.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		05/20/1981			
Year Completed:		1981			
Depth (m):		24.384			
Latitude:		45.342552706581			
Longitude:		-75.8063185152537			
X:		-75.80631835367849			
Y:		45.34255270042077			
Path:		151\1517574.pdf			
Bore Hole Information					
Bore Hole ID:		10039446		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	436829.60
Code OB Desc:				North83:	5021321.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:		05/20/1981		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Location Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		931035612			
Layer:		2			
Color:		2			
General Color:		GREY			
Material 1:		18			
Material 1 Desc:		SANDSTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
Overburden and Bedrock					
Materials Interval					
Formation ID:		931035611			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		961517574			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10588016			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930068981			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		31.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991517574			
Pump Set At:					
Static Level:		6.0			
Final Level After Pumping:		20.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934102105			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		20.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934375993			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		20.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933474073			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75.0			
Water Found Depth UOM:		ft			

<u>98</u>	1 of 1	W/152.7	74.8 / 1.36	ON	BORE
Borehole ID:	848570			Inclin FLG:	No
OGF ID:	215590191			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336823
Total Depth m:	5.3			Longitude DD:	-75.813315
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436275
Drill Method:	Hollow stem auger			Northing:	5020690
Orig Ground Elev m:	72.9			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	73.4				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6561432			Mat Consistency:	Stiff
Top Depth:	.3			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	clay silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT, SOME SAND, OCCASIONAL SAND SEAMS, STIFF, BROWN, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561434			Mat Consistency:	
Top Depth:	3.7			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sandstone			Geologic Formation:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Bedrock			Geologic Group: Geologic Period: Depositional Gen:	
		SANDSTONE, BEDROCK, SOUND	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color:	6561433 3 3.7			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	Compact
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Till Silt - Sand - Gravel			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	glacial
		HET. MIXTURE OF SILT, SAND AND GRAVEL (GLACIAL TILL), COMPACT	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
Geology Stratum ID: Top Depth: Bottom Depth: Material Color:	6561431 0 .3			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type:	
Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	Topsoil			Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
		TOPSOIL	**Note: Many records provided by the department have a truncated [Stratum Description] field.		
<u>99</u>	1 of 1	SSW/156.5	80.7 / 7.20	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	848451 215590072 Decommissioned Borehole Geotechnical/Geological Investigation 09-NOV-1989			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No LOT 35 NEPEAN 45.331597 -75.809055 18 436603 5020106 Within 10 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4:	6561005 0 7.6 Grey Clay Silt Fine Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Firm Moist

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Gsc Material Description:					
Stratum Description:		SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGHT PLASTICITY CI-CH MARINE DEPOSIT FIRM TO SOFT WITH DEPTH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561007			Mat Consistency:	
Top Depth:	11.5			Material Moisture:	
Bottom Depth:	13.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS VERY STRONG FRESH VERTICAL JOINTS AT APPROX 13m DEPTH OCC SHALY PARTINGS GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561006			Mat Consistency:	Very Loose
Top Depth:	7.6			Material Moisture:	Wet
Bottom Depth:	11.5			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NONPLASTICITY RAPID DILATANCY SM-ML TILL VERY LOOSE TO LOOSE DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
100	1 of 1	SSW/157.1	80.1 / 6.66	ON	BORE
Borehole ID:	848474			Inclin FLG:	No
OGF ID:	215590095			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	25-JUN-1990			Municipality:	
Static Water Level:				Lot:	ROAD
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331709
Total Depth m:	11.6			Longitude DD:	-75.809643
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436557
Drill Method:	Hollow stem auger			Northing:	5020119
Orig Ground Elev m:	86.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	85.8				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561113			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				FILL - MIXTURE OF SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				SILTY CLAY, OCCASIONAL SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), LOOSE, GREY, DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), LOOSE, GREY, DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.	
Geology Stratum ID:				Mat Consistency:	
Top Depth:				Material Moisture:	
Bottom Depth:				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:				SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), LOOSE, GREY, DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.	
<hr/>					
101	1 of 1	NNE/162.0	67.9 / -5.61	Greenbank Road & Fallowfield Road Ottawa ON	EHS
Order No:				Nearest Intersection:	
Status:				Municipality:	
Report Type:				Client Prov/State:	
Report Date:				Search Radius (km):	
Date Received:				X:	
Previous Site Name:				Y:	
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
102	1 of 1	SSW/163.2	81.3 / 7.80	ON	BORE
<div> <div> Borehole ID: 848434 OGF ID: 215590056 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 03-AUG-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 10.4 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 86.1 Elev Reliabil Note: DEM Ground Elev m: 86 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.331761 Longitude DD: -75.809976 UTM Zone: 18 Easting: 436531 Northing: 5020125 Location Accuracy: Accuracy: Within 10 metres </div> </div>					
Borehole Geology Stratum					
<div> <div> Geology Stratum ID: 6560954 Top Depth: 7.6 Bottom Depth: 10.4 Material Color: Material 1: Till Material 2: Silt Material 3: Sand Material 4: Gravel Gsc Material Description: Stratum Description: HET MIXT OF SILT SAND AND GRAVEL GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6560953 Top Depth: 0 Bottom Depth: 7.6 Material Color: Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT STIFF TO HARD FIRM OCC SAND SEAMS **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Hard Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
103	1 of 1	WSW/163.9	77.9 / 4.44	Richmond Rd E of Baseline Rd S Ottawa ON	EHS
<div> <div> Order No: 20051017027 Status: C Report Type: Site Report Report Date: 10/18/2005 Date Received: 10/17/2005 Previous Site Name: Lot/Building Size: Additional Info Ordered: </div> <div> Nearest Intersection: Municipality: Client Prov/State: QC Search Radius (km): 0.25 X: Y: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
104	1 of 1	N/167.0	66.9 / -6.61	21471798 - Richmond Rd Culvert Ottawa ON K2H	EHS
Order No: 21072700585		Nearest Intersection:			
Status: C		Municipality:			
Report Type: Standard Report		Client Prov/State: ON			
Report Date: 30-JUL-21		Search Radius (km): .25			
Date Received: 27-JUL-21		X: -75.8071943			
Previous Site Name:		Y: 45.3432141			
Lot/Building Size:					
Additional Info Ordered:					
105	1 of 1	SSW/167.0	80.7 / 7.17	ON	BORE
Borehole ID: 848450		Inclin FLG: No			
OGF ID: 215590071		SP Status: Initial Entry			
Status: Decommissioned		Surv Elev: No			
Type: Borehole		Piezometer: No			
Use: Geotechnical/Geological Investigation		Primary Name:			
Completion Date: 08-NOV-1989		Municipality:			
Static Water Level:		Lot: LOT 35			
Primary Water Use:		Township: NEPEAN			
Sec. Water Use:		Latitude DD: 45.331558			
Total Depth m: 12.1		Longitude DD: -75.809437			
Depth Ref: Ground Surface		UTM Zone: 18			
Depth Elev:		Easting: 436573			
Drill Method: Hollow stem auger		Northing: 5020102			
Orig Ground Elev m: 85.1		Location Accuracy:			
Elev Reliabil Note:		Accuracy: Within 10 metres			
DEM Ground Elev m: 86.8					
Concession: CON 3					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6561004		Mat Consistency:			
Top Depth: 10.6		Material Moisture:			
Bottom Depth: 12.1		Material Texture:			
Material Color: Grey		Non Geo Mat Type:			
Material 1: Limestone		Geologic Formation:			
Material 2: Bedrock		Geologic Group:			
Material 3: Dolomite		Geologic Period:			
Material 4: Shale		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID: 6561002		Mat Consistency: Firm			
Top Depth: 0		Material Moisture: Moist			
Bottom Depth: 6.2		Material Texture:			
Material Color: Grey		Non Geo Mat Type:			
Material 1: Clay		Geologic Formation:			
Material 2: Silt		Geologic Group:			
Material 3: Fine Sand		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGHT PLASTICITY CI-CH MARINE DEPOSIT FIRM GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID: 6561003 Top Depth: 6.2 Bottom Depth: 10.6 Material Color: Dark Material 1: Till Material 2: sand silt Material 3: Gravel Material 4: Clay Gsc Material Description: Stratum Description: SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NONPLASTICITY RAPID DILATANCY SM-ML TILL LOOSE DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
106	1 of 1	ESE/171.6	81.9 / 8.40	91 Valley Stream Dr Ottawa ON K2H9G8	EHS
Order No: 20170524035 Status: C Report Type: Standard Report Report Date: 30-MAY-17 Date Received: 24-MAY-17 Previous Site Name: Has always been apartment Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Ottawa Client Prov/State: ON Search Radius (km): .25 X: -75.802235 Y: 45.333277					
107	1 of 1	S/172.0	82.0 / 8.51	ON	BORE
Borehole ID: 848446 OGF ID: 215590068 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 04-NOV-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 16.3 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 86.4 Elev Reliabil Note: DEM Ground Elev m: 85.5 Concession: CON 3 Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 35 Township: NEPEAN Latitude DD: 45.331431 Longitude DD: -75.808338 UTM Zone: 18 Easting: 436659 Northing: 5020087 Location Accuracy: Accuracy: Within 10 metres					
Borehole Geology Stratum					
Geology Stratum ID: 6560986 Top Depth: 0 Bottom Depth: 1.3 Material Color: Brown Material 1: Fill Material 2: Sand Material 3: Silt Material 4: Gravel Gsc Material Description: Stratum Description: GRAVELLY SILTY SAND POSSIBLE FILL BROWN **Note: Many records provided by the department have a					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
truncated [Stratum Description] field.					
Geology Stratum ID:	6560990			Mat Consistency:	
Top Depth:	13.8			Material Moisture:	
Bottom Depth:	16.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Calcite			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC CALCITE FILLED VUGS AND SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560988			Mat Consistency:	Soft
Top Depth:	2.1			Material Moisture:	Moist
Bottom Depth:	12.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGH PLASTICITY CI-CH MARINE DEPOSIT SOFT TO FIRM GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560987			Mat Consistency:	
Top Depth:	1.3			Material Moisture:	
Bottom Depth:	2.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY SOME BLACK MOTTLING GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560989			Mat Consistency:	Compact
Top Depth:	12.8			Material Moisture:	
Bottom Depth:	13.8			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME GRAVEL AND SOME CLAY SM-ML TILL COMPACT DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

108	1 of 1	W/174.0	74.8 / 1.36	ON	BORE
Borehole ID:	848339			Inclin FLG:	No
OGF ID:	215589969			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	06-APR-1989			Municipality:	
Static Water Level:				Lot:	LOT 15
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.336848
Total Depth m:	4.7			Longitude DD:	-75.813597

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	Ground Surface Hollow stem auger 73.2 73.6	CON 2 ON OTTAWA RIVER		UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	18 436253 5020693 Within 20 metres
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560708 2.9 3.8 Till Silt - Sand - Gravel			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Compact glacial
HET MIXT OF SILT SAND GRAVEL COMPACT GLACIAL TILL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560707 0 2.9 Brown-Grey Clay Silt Sand			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Soft
SILTY CLAY TO CLAYEY SILT SOME SAND SOFT TO FIRM BROWN GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	6560709 3.8 4.7 Sandstone Bedrock			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SANSTONE BEDROCK SOUND **Note: Many records provided by the department have a truncated [Stratum Description] field.					
109	1 of 1	S/176.0	82.0 / 8.51	ON	BORE
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev:	848481 215590102 Decommissioned Borehole Geotechnical/Geological Investigation 27-JUN-1990			Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting:	No Initial Entry No No LOT 35 NEPEAN 45.331402 -75.808567 18 436641

Geology Stratum ID:	6561146	Mat Consistency:	
Top Depth:	0	Material Moisture:	
Bottom Depth:	.6	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Fill	Geologic Formation:	
Material 2:	Sand - Gravel	Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	FILL - MIXTURE OF SAND AND GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561149	Mat Consistency:	
Top Depth:	4	Material Moisture:	
Bottom Depth:	12.1	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Sand	Geologic Period:	
Material 4:	Silt	Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY, OCCASIONAL SILT SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561150	Mat Consistency:	
Top Depth:	12.1	Material Moisture:	
Bottom Depth:	13.5	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	sand silt	Geologic Group:	
Material 3:	Gravel	Geologic Period:	
Material 4:	Clay	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561147	Mat Consistency:	
Top Depth:	.6	Material Moisture:	
Bottom Depth:	.8	Material Texture:	
Material Color:		Non Geo Mat Type:	
Material 1:	Topsoil	Geologic Formation:	
Material 2:		Geologic Group:	
Material 3:		Geologic Period:	
Material 4:		Depositional Gen:	
Gsc Material Description:			
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561148	Mat Consistency:
Top Depth:	.8	Material Moisture:
Bottom Depth:	4	Material Texture:
Material Color:	Grey-Brown	Non Geo Mat Type:
Material 1:	Clay	Geologic Formation:
Material 2:	Silt	Geologic Group:
Material 3:	Fine Sand	Geologic Period:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:		Weathered		Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
110	1 of 1	SSW/176.1	82.8 / 9.29	ON	BORE
Borehole ID:		848462		Inclin FLG: No	
OGF ID:		215590083		SP Status: Initial Entry	
Status:		Decommissioned		Surv Elev: No	
Type:		Borehole		Piezometer: No	
Use:		Geotechnical/Geological Investigation		Primary Name:	
Completion Date:		28-JUN-1990		Municipality:	
Static Water Level:				Lot: ROAD	
Primary Water Use:				Township: NEPEAN	
Sec. Water Use:				Latitude DD: 45.331653	
Total Depth m:		10.4		Longitude DD: -75.810038	
Depth Ref:		Ground Surface		UTM Zone: 18	
Depth Elev:				Easting: 436526	
Drill Method:		Hollow stem auger		Northing: 5020113	
Orig Ground Elev m:		86.2		Location Accuracy:	
Elev Reliabil Note:				Accuracy: Within 10 metres	
DEM Ground Elev m:		86.4			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		6561043		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		.3		Material Texture:	
Material Color:		Brown		Non Geo Mat Type:	
Material 1:		Fill		Geologic Formation:	
Material 2:		Sand - Gravel		Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		FILL - SAND AND GRAVEL, BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6561048		Mat Consistency:	
Top Depth:		9.7		Material Moisture:	
Bottom Depth:		10.4		Material Texture:	
Material Color:		Grey		Non Geo Mat Type:	
Material 1:		Till		Geologic Formation:	
Material 2:		sand silt		Geologic Group:	
Material 3:		Clay - Gravel		Geologic Period:	
Material 4:				Depositional Gen: glacial	
Gsc Material Description:					
Stratum Description:		SANDY SILT, SOME CLAY AND GRAVEL (GLACIAL TILL), GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		6561047		Mat Consistency:	
Top Depth:		8.5		Material Moisture:	
Bottom Depth:		9.7		Material Texture:	
Material Color:		Grey		Non Geo Mat Type:	
Material 1:		Clay		Geologic Formation:	
Material 2:		Silt		Geologic Group:	
Material 3:		clay silt		Geologic Period:	
Material 4:		Layered		Depositional Gen:	
Gsc Material Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		SILTY CLAY AND CLAYEY SILT, LAYERED, SOME SAND SEAMS AND GRAVEL, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561046			Mat Consistency:	Firm
Top Depth:	4			Material Moisture:	
Bottom Depth:	8.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, OCCASIONAL SILTY SAND SEAMS, FIRM, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561045			Mat Consistency:	
Top Depth:	.5			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, OCCASIONAL SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561044			Mat Consistency:	
Top Depth:	.3			Material Moisture:	
Bottom Depth:	.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Dark-Coloured			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY TOPSOIL, DARK BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
111	1 of 1	ESE/177.4	81.9 / 8.40	91 Valley Stream Drive Ottawa, ON ON	EHS
Order No:		20111107057		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		11/14/2011		Search Radius (km):	0.25
Date Received:		11/7/2011 5:14:10 PM		X:	-75.802274
Previous Site Name:				Y:	45.333178
Lot/Building Size:					
Additional Info Ordered:					
112	1 of 1	S/182.4	81.9 / 8.39	ON	BORE
Borehole ID:	848566			Inclin FLG:	No
OGF ID:	215590187			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	03-AUG-1989			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331347

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Depth m:	12.2			Longitude DD:	-75.808681
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436632
Drill Method:	Hollow stem auger			Northing:	5020078
Orig Ground Elev m:	85.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	86.4				
Concession:	CON 3				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	6561424			Mat Consistency:	
Top Depth:	8.7			Material Moisture:	
Bottom Depth:	12.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt - Sand - Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	HET. MIXTURE OF SILT, SAND AND GRAVEL (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	6561423			Mat Consistency:	Firm
Top Depth:	0			Material Moisture:	
Bottom Depth:	8.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	clay silt			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY TO CLAYEY SILT, GREY, OCCASIONAL SAND SEAMS, FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.				

113 1 of 1 **SSW/183.9** **82.1 / 8.59** **ON** **BORE**

Borehole ID:	848449			Inclin FLG:	No
OGF ID:	215590070			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	08-NOV-1989			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.33151
Total Depth m:	12.2			Longitude DD:	-75.809845
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436541
Drill Method:	Hollow stem auger			Northing:	5020097
Orig Ground Elev m:	85.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	86.6				
Concession:	CON 3				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	6560999			Mat Consistency:	Stiff
Top Depth:	0			Material Moisture:	Moist
Bottom Depth:	6.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGH PLASTICITY CI-CH MARINE DEPOSIT STIFF TO FIRM WITH DEPTH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561001			Mat Consistency:	
Top Depth:	10			Material Moisture:	
Bottom Depth:	12.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561000			Mat Consistency:	Very Loose
Top Depth:	6.9			Material Moisture:	Wet
Bottom Depth:	10			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NONPLASTICITY SM-ML TILL VERY LOOSE TO COMPACT DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
114	1 of 1	SSW/187.8	81.8 / 8.31	ON	BORE
Borehole ID:	848445			Inclin FLG:	No
OGF ID:	215590067			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	03-NOV-1989			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331343
Total Depth m:	14.9			Longitude DD:	-75.809319
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436582
Drill Method:	Hollow stem auger			Northing:	5020078
Orig Ground Elev m:	86.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	86.9				
Concession:	CON 3				
Location D:					
Survey D:					
Comments:					

Borehole Geology Stratum

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	6560984			Mat Consistency:	Very Loose
Top Depth:	7			Material Moisture:	Wet
Bottom Depth:	12.2			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NON PLASTIC RAPID DILSTANCY SM-ML TILL VERY LOOSE TO COMPACT DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560982			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.9			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Fill			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVELLY SILTY SAND POSSIBLE FILL BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560983			Mat Consistency:	Very Stiff
Top Depth:	.9			Material Moisture:	Moist
Bottom Depth:	7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGH PLASTICITY CI-CH MARINE DEPOSIT VERY STIFF BECOMING FIRM WITH DEPTH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560985			Mat Consistency:	
Top Depth:	12.2			Material Moisture:	
Bottom Depth:	14.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Calcite			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC CALCITE FILLED VUGS AND SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

115	1 of 1	ESE/191.4	79.8 / 6.34	2960 Baseline Rd Nepean ON K2H 9E3	EHS
<hr/>					
Order No:	24022600489			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	22-MAR-24			Search Radius (km):	.25
Date Received:	26-FEB-24			X:	-75.80140614
Previous Site Name:				Y:	45.33397931
Lot/Building Size:					
Additional Info Ordered:	City Directory				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
116	1 of 1	S/192.4	81.9 / 8.39	ON	BORE
Borehole ID: 848482					
OGF ID: 215590103					
Status: Decommissioned					
Type: Borehole					
Use: Geotechnical/Geological Investigation					
Completion Date: 26-JUN-1990					
Static Water Level:					
Primary Water Use:					
Sec. Water Use:					
Total Depth m: 16.6					
Depth Ref: Ground Surface					
Depth Elev:					
Drill Method: Hollow stem auger					
Orig Ground Elev m: 85.8					
Elev Reliabil Note:					
DEM Ground Elev m: 85.6					
Concession: CON 3					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6561155					
Top Depth: 11.6					
Bottom Depth: 12					
Material Color: Grey					
Material 1: Silt					
Material 2: Clay					
Material 3: Layered					
Material 4:					
Gsc Material Description:					
Stratum Description: CLAYEY SILT TO SILTY CLAY, LAYERED, VERY STIFF, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6561152					
Top Depth: .4					
Bottom Depth: 3.2					
Material Color: Grey-Brown					
Material 1: Clay					
Material 2: Silt					
Material 3: Sand					
Material 4: Thin					
Gsc Material Description:					
Stratum Description: SILTY CLAY, OCCASIONAL VERY THIN SAND SEAMS (WEATHERED CRUST), STIFF TO VERY STIFF, GREY BROWN, FIRM **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6561151					
Top Depth: 0					
Bottom Depth: .4					
Material Color:					
Material 1: Topsoil					
Material 2:					
Material 3:					
Material 4:					
Gsc Material Description:					
Stratum Description: TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6561153					
Top Depth: 3.2					
Bottom Depth: 11					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SAND SEAM, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561157			Mat Consistency:	
Top Depth:	13.7			Material Moisture:	
Bottom Depth:	16.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Calcite			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	DOLOMITIC LIMESTONE BEDROCK, OCCASIONAL CALCITE POCKET, SOME SHALE PARTINGS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561154			Mat Consistency:	Firm
Top Depth:	11			Material Moisture:	
Bottom Depth:	11.6			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	clay silt			Geologic Period:	
Material 4:	Sand			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY AND CLAYEY SILT, OCCASIONAL SAND SEAMS AND GRAVEL, FIRM TO VERY STIFF, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561156			Mat Consistency:	Very Loose
Top Depth:	12			Material Moisture:	
Bottom Depth:	13.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Organic			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SANDY SILT, SOME ORGANICS, GRAVEL AND CLAY, OCCASIONAL COBBLE (GLACIAL TILL), VERY LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
117	1 of 1	ESE/198.4	75.2 / 1.75	Baseline Rd con 3 Ottawa ON	WWIS
Well ID:	7350853			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring and Test Hole			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	12/31/2019
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z315241			Contractor:	6964
Tag:	A147235			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	RF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy: Municipality: Site Info:				UTM Reliability:	
NEPEAN TOWNSHIP					
<u>Additional Detail(s) (Map)</u>					
Bore Hole ID:	1007853898			Tag No:	A147235
Depth M:	6.096			Contractor:	6964
Year Completed:	2019			Latitude:	45.3350976498342
Well Completed Dt:	12/11/2019			Longitude:	-75.80147270648
Audit No:	Z315241			Y:	45.33509764349637
Path:				X:	-75.8014725441346
<u>Bore Hole Information</u>					
Bore Hole ID:	1007853898			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	437201.00
Code OB Desc:				North83:	5020489.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/11/2019			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1008149686				
Layer:	1				
Color:	8				
General Color:	BLACK				
Material 1:	27				
Material 1 Desc:	OTHER				
Material 2:					
Material 2 Desc:					
Material 3:	73				
Material 3 Desc:	HARD				
Formation Top Depth:	0.0				
Formation End Depth:	0.5				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1008149687				
Layer:	2				
Color:	2				
General Color:	GREY				
Material 1:	11				
Material 1 Desc:	GRAVEL				
Material 2:					
Material 2 Desc:					
Material 3:	66				
Material 3 Desc:	DENSE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.5			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1008149688			
Layer:		3			
Color:		2			
General Color:		GREY			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		06			
Material 2 Desc:		SILT			
Material 3:		77			
Material 3 Desc:		LOOSE			
Formation Top Depth:		3.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150221			
Layer:		2			
Plug From:		9.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1008150220			
Layer:		1			
Plug From:		0.0			
Plug To:		9.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1008151029			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1008148440			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1008151438			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Depth To:		10.0			
Casing Diameter:		2.0399999618530273			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1008151590			
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1008152223			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
 <u>Hole Diameter</u>					
Hole ID:		1008150674			
Diameter:		8.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		Inch			
<hr/>					
<u>118</u>	1 of 1	NNE/198.5	66.9 / -6.61	Beaufield Resources Inc. 3208 Richmond Rd Nepean ON K2H 5B6	SCT
Established:		01-AUG-80			
Plant Size (ft²):					
Employment:					
 <u>--Details--</u>					
Description:		Other Support Activities for Mining			
SIC/NAICS Code:		213119			
Description:		All Other Metal Ore Mining			
SIC/NAICS Code:		212299			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
119	1 of 1	NNW/198.8	68.9 / -4.60	MINISTRY OF TRANSPORTATION 3229 RICHMOND ROAD NEPEAN ON K2H 8G4	GEN

Generator Info

Generator No:	ON4647846	Choice of Contact:	
Approval Years:	04	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	488990
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Other Support Activities for Transportation		

120	1 of 1	SSE/200.0	83.8 / 10.36	BASELINE RD WEST Ottawa ON	WWIS
---------------------	--------	-----------	--------------	-------------------------------	------

Well ID:	7348533	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:		Data Entry Status:	
Use 2nd:		Data Src:	
Final Well Status:	Abandoned-Other	Date Received:	12/03/2019
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	Yes
Audit No:	Z280729	Contractor:	7659
Tag:	A193888	Form Version:	7
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliability:		Lot:	
Depth to Bedrock:		Concession:	
Well Depth:		Concession Name:	
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/734\7348533.pdf

Additional Detail(s) (Map)

Well Completed Date:	06/12/2019
Year Completed:	2019
Depth (m):	
Latitude:	45.3314008515556
Longitude:	-75.8061934316678
X:	-75.80619327055183
Y:	45.331400845197614
Path:	734\7348533.pdf

Bore Hole Information

Bore Hole ID:	1007732356	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436827.00
Code OB Desc:		North83:	5020082.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	06/12/2019			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1008134244				
Layer:	1				
Plug From:	4.570000171661377				
Plug To:	0.20000000298023224				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1008134245				
Layer:	2				
Plug From:	0.0				
Plug To:	0.20000000298023224				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1008135072				
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:	AUGER				
<u>Pipe Information</u>					
Pipe ID:	1008132669				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1008135378				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	1.5199999809265137				
Depth To:	0.05000000074505806				
Casing Diameter:	50.0				
Casing Diameter UOM:	mm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1008135734				
Layer:	1				
Slot:	.01				
Screen Top Depth:	1.5199999809265137				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen End Depth:		4.570000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		mm			
Screen Diameter:		58.0			
Results of Well Yield Testing					
Pumping Test Method Desc:					
Pump Test ID:		1008136188			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
Water Details					
Water ID:		1008135901			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		3.3450000286102295			
Water Found Depth UOM:		m			
Hole Diameter					
Hole ID:		1008134664			
Diameter:		20.0			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

121	1 of 1	S/201.2	81.9 / 8.39	ON	BORE
Borehole ID:	848657	Inclin FLG:	No		
OGF ID:	215590277	SP Status:	Initial Entry		
Status:	Decommissioned	Surv Elev:	No		
Type:	Borehole	Piezometer:	No		
Use:	Geotechnical/Geological Investigation	Primary Name:			
Completion Date:	25-JUL-1990	Municipality:			
Static Water Level:		Lot:	LOT 35		
Primary Water Use:		Township:	NEPEAN		
Sec. Water Use:		Latitude DD:	45.331184		
Total Depth m:	9.8	Longitude DD:	-75.80887		
Depth Ref:	Ground Surface	UTM Zone:	18		
Depth Elev:		Easting:	436617		
Drill Method:	Diamond Drill	Northing:	5020060		
Orig Ground Elev m:	86.4	Location Accuracy:			
Elev Reliabil Note:		Accuracy:	Within 10 metres		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DEM Ground Elev m: 86.5 Concession: Location D: Survey D: Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6561790 Top Depth: 3 Bottom Depth: 3.7 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Material 4: Gsc Material Description: Stratum Description: STIFF GREY SILTY CLAY OCC HARD CLAY LUMPS **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6561794 Top Depth: 6.7 Bottom Depth: 8.6 Material Color: Grey Material 1: Sand Material 2: Silt Material 3: Gravel Material 4: Gsc Material Description: Stratum Description: COMPACT GREY SILTY FINE SAND SCATTERED TRACE GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Compact Material Moisture: Material Texture: Fine Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6561789 Top Depth: .3 Bottom Depth: 3 Material Color: Grey-Brown Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gsc Material Description: Stratum Description: VERY STIFF TO STIFF GREY BROWN SILTY CLAY OCC SILTY SAND SEAM (WEATHERED CRUST) **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Very Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6561791 Top Depth: 3.7 Bottom Depth: 4.4 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Gravel - Cobbles Gsc Material Description: Stratum Description: FIRM GREY SILTY CLAY SOME LAYERS OF SANDY SILT WITH SOME GRAVEL OCC COBBLE **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Mat Consistency: Firm Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 6561793 Top Depth: 5.8 Bottom Depth: 6.7 Material Color: Grey Material 1: Silt Material 2: Sand Material 3: Gravel Material 4: Gsc Material Description:					
Mat Consistency: Compact Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Stratum Description:		COMPACT GREY SANDY SILT AND SILTY SAND TRACE GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561788			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clay			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAYEY SILT TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561792			Mat Consistency:	Very Loose
Top Depth:	4.4			Material Moisture:	
Bottom Depth:	5.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		VERY LOOSE TO COMPACT GREY SANDY SILT SOME GRAVEL AND CLAY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561795			Mat Consistency:	Compact
Top Depth:	8.6			Material Moisture:	
Bottom Depth:	9.8			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		COMPACT GREY SANDY SILT SOME GRAVEL AND CLAY (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<u>122</u>	1 of 1	SSW/201.2	82.8 / 9.29	ON	BORE
Borehole ID:	848448			Inclin FLG:	No
OGF ID:	215590069			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	07-NOV-1989			Municipality:	
Static Water Level:				Lot:	ROAD
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.331471
Total Depth m:	11.9			Longitude DD:	-75.81024
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436510
Drill Method:	Hollow stem auger			Northing:	5020093
Orig Ground Elev m:	86.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	87.2				
Concession:					
Location D:					
Survey D:					
Comments:					
Borehole Geology Stratum					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Geology Stratum ID:	6560997			Mat Consistency:	Loose
Top Depth:	8.5			Material Moisture:	Wet
Bottom Depth:	10.3			Material Texture:	
Material Color:	Dark			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:	Clay			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET NON PLASTIC SM-ML TILL LOOSE TO COMPACT DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560995			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY WITH SOME GRAVEL BLACK MOTTLING AND OXIDATION STAINING GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560998			Mat Consistency:	
Top Depth:	10.3			Material Moisture:	
Bottom Depth:	11.9			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Limestone			Geologic Formation:	
Material 2:	Bedrock			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6560996			Mat Consistency:	Firm
Top Depth:	1.9			Material Moisture:	Moist
Bottom Depth:	8.5			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGH PLASTICITY CI-CH MARINE DEPOSIT FIRM TO STIFF GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[123](#)

1 of 1

SSW/202.2

82.8 / 9.36

ON

BORE

Borehole ID:	848444	Inclin FLG:	No
OGF ID:	215590066	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	03-NOV-1989	Municipality:	
Static Water Level:		Lot:	LOT 35
Primary Water Use:		Township:	NEPEAN
Sec. Water Use:		Latitude DD:	45.331304
Total Depth m:	14.3	Longitude DD:	-75.809765
Depth Ref:	Ground Surface	UTM Zone:	18

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 86.6 Elev Reliabil Note: DEM Ground Elev m: 86.9 Concession: CON 3 Location D: Survey D: Comments:				Easting: 436547 Northing: 5020074 Location Accuracy: Accuracy: Within 10 metres	
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 6560979 Top Depth: .9 Bottom Depth: 7 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Fine Sand Material 4: Gsc Material Description: Stratum Description:				Mat Consistency: Very Stiff Material Moisture: Moist Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SILTY CLAY OCC THIN LAYERS OF SILTY FINE SAND TO FINE SAND MOIST TO WET MEDIUM TO HIGH PLASTICITY CI-CH MARINE DEPOSIT VERY STIFF BECOMING SOFT TO FIRM WITH DEPTH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6560980 Top Depth: 7 Bottom Depth: 11.3 Material Color: Dark Material 1: Till Material 2: sand silt Material 3: Gravel Material 4: Clay Gsc Material Description: Stratum Description:				Mat Consistency: Loose Material Moisture: Wet Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
SAND AND SILT WITH SOME GRAVEL AND SOME CLAY WET LOW PLASTICITY TO NON PLASTIC RAPID DILANTANCY SM-ML TILL LOOSE DARK GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6560978 Top Depth: 0 Bottom Depth: .9 Material Color: Brown Material 1: Fill Material 2: Sand Material 3: Gravel Material 4: Silt Gsc Material Description: Stratum Description:				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
GRAVELLY SILTY SAND POSSIBLE FILL BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.					
Geology Stratum ID: 6560981 Top Depth: 11.3 Bottom Depth: 14.3 Material Color: Grey Material 1: Limestone Material 2: Bedrock Material 3: Dolomite Material 4: Calcite Gsc Material Description: Stratum Description:				Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
LIMESTONE BEDROCK WITH FREQUENT DOLOMITE BEDDINGS OCC CALCITE FILLED VUGS AND SHALY PARTINGS VERY STRONG FRESH GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
124	1 of 1	W/204.8	74.9 / 1.39	ON	BORE
<div> <div> Borehole ID: 848572 OGF ID: 215590193 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 03-AUG-1989 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 3.2 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 72.4 Elev Reliabil Note: DEM Ground Elev m: 73.2 Concession: CON 2 ON OTTAWA RIVER Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 15 Township: NEPEAN Latitude DD: 45.337116 Longitude DD: -75.813856 UTM Zone: 18 Easting: 436233 Northing: 5020723 Location Accuracy: Accuracy: Within 10 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6561439 Top Depth: 2.7 Bottom Depth: 3.2 Material Color: Grey Material 1: Till Material 2: Silt - Sand - Gravel Material 3: Material 4: Gsc Material Description: Stratum Description: HET. MIXTURE OF SILT, SAND AND GRAVEL (GLACIAL TILL), GREY, VERY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Very Dense Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
<div> <div> Geology Stratum ID: 6561438 Top Depth: .3 Bottom Depth: 2.7 Material Color: Grey Material 1: Clay Material 2: Silt Material 3: clay silt Material 4: Sand Gsc Material Description: Stratum Description: SILTY CLAY TO CLAYEY SILT, SOME SAND, GRE, STIFF TO VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Stiff Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
<div> <div> Geology Stratum ID: 6561437 Top Depth: 0 Bottom Depth: .3 Material Color: Material 1: Topsoil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field. </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
125	1 of 1	S/216.9	82.9 / 9.44	ON	BORE

Geology Stratum ID:	6561161	Mat Consistency:	Very Loose
Top Depth:	13.1	Material Moisture:	
Bottom Depth:	14.1	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Till	Geologic Formation:	
Material 2:	sand silt	Geologic Group:	
Material 3:	Clay - Gravel	Geologic Period:	
Material 4:	Sand	Depositional Gen:	glacial
Gsc Material Description:			
Stratum Description:	SANDY SILT, SOME CLAY AND GRAVEL, AND OCCASIONAL SILTY SAND AND GRAVEL LAYERS (GLACIAL TILL). VERY LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561159	Mat Consistency:	
Top Depth:	.5	Material Moisture:	
Bottom Depth:	3.1	Material Texture:	
Material Color:	Grey-Brown	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Fine Sand	Geologic Period:	
Material 4:	Silt	Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST). GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561160	Mat Consistency:	
Top Depth:	3.1	Material Moisture:	
Bottom Depth:	13.1	Material Texture:	
Material Color:	Grey	Non Geo Mat Type:	
Material 1:	Clay	Geologic Formation:	
Material 2:	Silt	Geologic Group:	
Material 3:	Fine Sand	Geologic Period:	
Material 4:	Silt	Depositional Gen:	
Gsc Material Description:			
Stratum Description:	SILTY CLAY, GREY, SOME SILTY FINE SAND LAYERS, GREY, TRACE GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Geology Stratum ID:	6561158	Mat Consistency:
Top Depth:	0	Material Moisture:
Bottom Depth:	.5	Material Texture:
Material Color:		Non Geo Mat Type:
Material 1:	Topsoil	Geologic Formation:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:		Geologic Group: Geologic Period: Depositional Gen: TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			
126	1 of 2	WSW/217.4	78.5 / 5.06	SILVER SPRING FARMS 3501 RICHMOND ROAD SILVER SPRING FARMS FURNACE OIL TANK OTTAWA CITY ON K2H 8H8	SPL
Ref No: 14776 Year: Incident Dt: 2/14/1989 Dt MOE Arvl on Scn: MOE Reported Dt: 2/14/1989 Dt Document Closed: Site No: MOE Response: Site County/District: Site Geo Ref Meth: Site District Office: Nearest Watercourse: Site Name: Site Address: Site Region: Site Municipality: OTTAWA CITY Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Client Type: Source Type: Incident Cause: ABOVE-GROUND TANK LEAK Incident Preceding Spill: Incident Reason: UNKNOWN Incident Summary: FURNACE OIL TANK Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: LAND Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		Municipality No: 20101 Nature of Damage: Discharger Report: Material Group: Impact to Health: Agency Involved:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
126	2 of 2	WSW/217.4	78.5 / 5.06	OTTAWA & DIST ASS FOR MENTALLY 29-562 RETARDED SILVER SPRING FARM 3501 RICHMOND RD. NEPEAN ON K2H 8H8	GEN

Generator Info

Generator No: ON0391201
Approval Years: 92,93,94,95,96,97,98
Status:
PO Box No:
Country:
Co Admin:
Phone No Admin:
SIC Description:

Choice of Contact:
Contaminated Fac:
MHSW Facility:
SIC Code: 8699

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

127	1 of 1	SSW/222.5	83.1 / 9.66	ON	BORE
<div> Borehole ID: 848463 OGF ID: 215590084 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 28-JUN-1990 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 14.1 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 86.3 Elev Reliabil Note: DEM Ground Elev m: 86.8 Concession: CON 3 Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 35 Township: NEPEAN Latitude DD: 45.331079 Longitude DD: -75.809635 UTM Zone: 18 Easting: 436557 Northing: 5020049 Location Accuracy: Accuracy: Within 10 metres </div>					

Borehole Geology Stratum

Geology Stratum ID: 6561054 Top Depth: 6.7 Bottom Depth: 11.4 Material Color: Material 1: Till Material 2: sand silt Material 3: Gravel Material 4: Clay Gsc Material Description: Stratum Description: SANDY SILT, SOME GRAVEL AND CLAY, OCCASIONAL COBBLE (GLACIAL TILL) **Note: Many records provided by the department have a truncated [Stratum Description] field.	Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial
Geology Stratum ID: 6561051 Top Depth: 3.7 Bottom Depth: 4.9	Mat Consistency: Firm Material Moisture: Material Texture:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	sand silt			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SILTY SAND SEAMS, FIRM, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561052			Mat Consistency:	
Top Depth:	4.9			Material Moisture:	
Bottom Depth:	5.3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Silt - Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCC. SILT AND SAND SEAMS, TRACE GRAVEL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561053			Mat Consistency:	Loose
Top Depth:	5.3			Material Moisture:	
Bottom Depth:	6.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Silt			Geologic Period:	
Material 4:	Sand			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SANDY SILT TO SILTY SAND, SOME GRAVEL AND CLAY. OCCASIONAL COBBLE (GLACIAL TILL), LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561055			Mat Consistency:	
Top Depth:	11.4			Material Moisture:	
Bottom Depth:	14.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Limestone			Geologic Group:	
Material 3:	Dolomite			Geologic Period:	
Material 4:	Shale			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	DOLOMITIC LIMESTONE BEDROCK, SOME SHALE PARTINGS, OCCASIONAL CALCITE POCKETS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561049			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561050			Mat Consistency:	Very Stiff
Top Depth:	.4			Material Moisture:	
Bottom Depth:	3.7			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SILTY SAND SEAMS (WEATHERED CRUST), VERY STIFF TO STIFF, GREY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.					
128	1 of 1	SW/222.7	80.2 / 6.70	ON	BORE
Borehole ID:	610746			Inclin FLG:	No
OGF ID:	215512257			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	APR-1951			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.332616
Total Depth m:	9.8			Longitude DD:	-75.8128
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436311
Drill Method:				Northing:	5020222
Orig Ground Elev m:	65.5			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	83				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386359			Mat Consistency:	Compact
Top Depth:	6.1			Material Moisture:	
Bottom Depth:	9.8			Material Texture:	Fine
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Gravel			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	GRAVEL. 00032ONE. GREY. 00068MPACT. SAND,SILT-FINE. BROWN,COMPACT. 00030027SAND. GR				
	**Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218386358			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	6.1			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 03254 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					

Well ID:	1504018	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	08/08/1951
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	3725
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	OTTAWA-CARLETON
Elevatn Reliabilty:		Lot:	014
Depth to Bedrock:		Concession:	02
Well Depth:		Concession Name:	OF
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP		
Site Info:			

Additional Detail(s) (Map)

Well Completed Date: 04/10/1951
Year Completed: 1951
Depth (m): 9.7536
Latitude: 45.3326142260523
Longitude: -75.8127996467785
X: -75.81279948514921
Y: 45.33261421915709
Path: 150\1504018.pdf

Bore Hole Information

Bore Hole ID:	10026061	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436310.70
Code OB Desc:		North83:	5020222.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	04/10/1951	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Location Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998163			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998164			
Layer:		2			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504018			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574631			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044856			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504018			
Pump Set At:					
Static Level:		8.0			
Final Level After Pumping:		10.0			
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457068			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32.0			
Water Found Depth UOM:		ft			
130	1 of 1	N/225.5	66.9 / -6.61	ON	BORE
Borehole ID:	848378			Inclin FLG:	No
OGF ID:	215590008			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	12-JUL-1989			Municipality:	
Static Water Level:				Lot:	LOT 17
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.343762
Total Depth m:	9.7			Longitude DD:	-75.807173
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436764
Drill Method:	Hollow stem auger			Northing:	5021456
Orig Ground Elev m:	66.4			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 50 metres
DEM Ground Elev m:	67.8				
Concession:	CON 2 ON OTTAWA RIVER				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6560806			Mat Consistency:	Firm
Top Depth:	4.1			Material Moisture:	
Bottom Depth:	7.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY INTERBEDDED WITH SANDY SILT GREY FIRM TO STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560807			Mat Consistency:	Dense
Top Depth:	7.3			Material Moisture:	
Bottom Depth:	9.7			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND TRACE SILT AND GRAVEL GREY DENSE **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6560805			Mat Consistency:	Very Stiff
Top Depth:	0			Material Moisture:	
Bottom Depth:	4.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:	Clay			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND AND CLAY BROWN VERY STIFF **Note: Many records provided by the department have a truncated [Stratum Description] field.			

131	1 of 1	ENE/227.1	71.6 / -1.92	City of Ottawa 26 Okanagan Drive Ottawa ON K2H 7G1	SPL
Ref No:	3504-BDBUJB			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	6/20/2019			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	2 - Minor Environment
MOE Reported Dt:	6/20/2019			Impact to Health:	
Dt Document Closed:				Agency Involved:	
Site No:	NA				
MOE Response:	No				
Site County/District:					
Site Geo Ref Meth:					
Site District Office:	Ottawa				
Nearest Watercourse:					
Site Name:	Residence<UNOFFICIAL>				
Site Address:	26 Okanagan Drive				
Site Region:	Eastern				
Site Municipality:	Ottawa				
Site Lot:					
Site Conc:					
Site Geo Ref Accu:					
Site Map Datum:					
Northing:	5020858.5				
Easting:	437122.61				
Entity Operating Name:					
Client Name:	City of Ottawa				
Client Type:	Municipal Government				
Source Type:					
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Equipment Failure				
Incident Summary:	PIR - City of Ottawa reports 1L oil spill to CB - Nepean				
Environment Impact:					
Health Env Consequence:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Land Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Land Spills Call Report Locatn Geodata: Time Reported: System Facility Address:					

132	1 of 1	N/228.1	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID:	1504032			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10/04/1962
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3504
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliabilty:				Lot:	017
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504032.pdf				

Additional Detail(s) (Map)

Well Completed Date: 08/30/1962
Year Completed: 1962
Depth (m): 32.3088
Latitude: 45.3438146528239
Longitude: -75.8073448238067
X: -75.80734466227386
Y: 45.343814646068914
Path: 150\1504032.pdf

Bore Hole Information

Bore Hole ID:	10026075	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436750.60

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:				North83:	5021462.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		08/30/1962		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Location Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998205			
Layer:		5			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		106.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998203			
Layer:		3			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998201			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998202			
Layer:		2			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		09			
Material 2 Desc:		MEDIUM SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		20.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930998204			
Layer:		4			
Color:					
General Color:					
Material 1:		08			
Material 1 Desc:		FINE SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961504032			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574645			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044880			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		106.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:	PUMP				
Pump Test ID:	991504032				
Pump Set At:					
Static Level:	12.0				
Final Level After Pumping:	18.0				
Recommended Pump Depth:					
Pumping Rate:	20.0				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933457086				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	106.0				
Water Found Depth UOM:	ft				
133	1 of 1	SSW/228.6	83.0 / 9.55	ON	BORE
Borehole ID:	848475			Inclin FLG:	No
OGF ID:	215590096			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	03-JUL-1990			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.330948
Total Depth m:	13.1			Longitude DD:	-75.809109
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436598
Drill Method:	Hollow stem auger			Northing:	5020034
Orig Ground Elev m:	86.6			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	86.6				
Concession:	CON 3				
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561120			Mat Consistency:	Loose
Top Depth:	8.7			Material Moisture:	
Bottom Depth:	13.1			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	Gravel			Geologic Period:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:	Clay			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:		SANDY SILT, SOME GRAVEL AND CLAY (GLACIAL TILL), LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561118			Mat Consistency:	
Top Depth:	.4			Material Moisture:	
Bottom Depth:	3.1			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561119			Mat Consistency:	
Top Depth:	3.1			Material Moisture:	
Bottom Depth:	8.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SILTY CLAY, SOME SAND SEAMS **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:	6561117			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.			

[134](#)

1 of 1

SSW/228.8

84.0 / 10.51

ON

BORE

Borehole ID:	610743	Inclin FLG:	No
OGF ID:	215512254	SP Status:	Initial Entry
Status:		Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	OCT-1971	Municipality:	
Static Water Level:		Lot:	
Primary Water Use:	Not Used	Township:	
Sec. Water Use:		Latitude DD:	45.331106
Total Depth m:	6.2	Longitude DD:	-75.809971
Depth Ref:	Ground Surface	UTM Zone:	18
Depth Elev:		Easting:	436531
Drill Method:	Power auger	Northing:	5020052
Orig Ground Elev m:	86.7	Location Accuracy:	
Elev Reliabil Note:		Accuracy:	Not Applicable
DEM Ground Elev m:	87.1		
Concession:			
Location D:			
Survey D:			
Comments:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386351			Mat Consistency:	Stiff
Top Depth:	.8			Material Moisture:	
Bottom Depth:	3.4			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT. GREY,BROWN, VERY STIFF TO STIFF,WEATHERED.				
Geology Stratum ID:	218386350			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:				Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:	Gravel			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	ARTIFICIAL,SAND, GRAVEL. BROWN.				
Geology Stratum ID:	218386352			Mat Consistency:	Firm
Top Depth:	3.4			Material Moisture:	
Bottom Depth:	6.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY,SILT,SAND. GREY,FIRM,STIFF. 00025 040 00110 050 00025011FF, FISSURED. CLAY,SILT,S **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:	H			Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 032510 NTS_Sheet: 31G05C				
Confiden 1:	Logged by professional. Exact and complete description of material and properties.				
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
135	1 of 1	S/233.5	82.9 / 9.44	ON	BORE
Borehole ID:	848484			Inclin FLG:	No
OGF ID:	215590105			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	04-JUL-1990			Municipality:	
Static Water Level:				Lot:	LOT 35
Primary Water Use:				Township:	NEPEAN
Sec. Water Use:				Latitude DD:	45.330873
Total Depth m:	14.3			Longitude DD:	-75.808215
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436668
Drill Method:	Hollow stem auger			Northing:	5020025
Orig Ground Elev m:	86.3			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	86				
Concession:		CON 3			
Location D:					
Survey D:					
Comments:					
 <u>Borehole Geology Stratum</u>					
Geology Stratum ID:	6561163			Mat Consistency:	
Top Depth:	.2			Material Moisture:	
Bottom Depth:	2.9			Material Texture:	
Material Color:	Grey-Brown			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, OCCASIONAL SILTY SAND SEAMS (WEATHERED CRUST), GREY BROWN **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561165			Mat Consistency:	Loose
Top Depth:	13.2			Material Moisture:	
Bottom Depth:	14.3			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	sand silt			Geologic Group:	
Material 3:	clay silt			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	SANDY SILT AND CLAYEY SILT, SOME GRAVEL (GLACIAL TILL), LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561162			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Topsoil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	6561164			Mat Consistency:	
Top Depth:	2.9			Material Moisture:	
Bottom Depth:	13.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Fine Sand			Geologic Period:	
Material 4:	Silt			Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILTY CLAY, SOME SILTY FINE SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
136	1 of 2	N/239.7	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID:		1504030		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Domestic		Data Entry Status:	
Use 2nd:		0		Data Src:	
Final Well Status:		Water Supply		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		NEPEAN TOWNSHIP			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504030.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/10/1953			
Year Completed:		1953			
Depth (m):		31.0896			
Latitude:		45.3438182605166			
Longitude:		-75.8068342960593			
X:		-75.8068341345953			
Y:		45.34381825439272			
Path:		150\1504030.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10026073		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		03/10/1953		UTMRC Desc:	
Remarks:				Location Method:	
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998193			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998194			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998195			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		102.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961504030			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574643			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930044877					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 102.0					
Casing Diameter: 4.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
Results of Well Yield Testing					
Pumping Test Method Desc: PUMP					
Pump Test ID: 991504030					
Pump Set At:					
Static Level: 12.0					
Final Level After Pumping: 16.0					
Recommended Pump Depth:					
Pumping Rate: 8.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 1					
Pumping Duration HR: 0					
Pumping Duration MIN: 30					
Flowing: No					
Water Details					
Water ID: 933457084					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 102.0					
Water Found Depth UOM: ft					
136	2 of 2	N/239.7	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID: 1504031					
Construction Date:					
Use 1st: Domestic					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality: NEPEAN TOWNSHIP					
Site Info:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 08/19/1957					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 3566					
Form Version: 1					
Owner:					
County: OTTAWA-CARLETON					
Lot: 017					
Concession: 02					
Concession Name: OF					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504031.pdf			
<hr/>					
<u>Additional Detail(s) (Map)</u>					
<hr/>					
Well Completed Date:		06/07/1957			
Year Completed:		1957			
Depth (m):		31.3944			
Latitude:		45.3438182605166			
Longitude:		-75.8068342960593			
X:		-75.8068341345953			
Y:		45.34381825439272			
Path:		150\1504031.pdf			
<hr/>					
<u>Bore Hole Information</u>					
<hr/>					
Bore Hole ID:		10026074		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				18	
Code OB Desc:				East83:	
Open Hole:				436790.60	
Cluster Kind:				North83:	
Date Completed:		06/07/1957		5021462.00	
Remarks:				Org CS:	
Location Method Desc:		Original Pre1985 UTM Rel Code 9: unknown UTM		UTMRC:	
Elevrc Desc:				9	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				unknown UTM	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p9	
Supplier Comment:					
<hr/>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<hr/>					
Formation ID:		930998196			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<hr/>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<hr/>					
Formation ID:		930998200			
Layer:		5			
Color:					
General Color:					
Material 1:		18			
Material 1 Desc:		SANDSTONE			
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		103.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998197			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		26.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998198			
Layer:		3			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		26.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998199			
Layer:		4			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961504031			
Method Construction Code:		1			
Method Construction:		Cable Tool			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Other Method Construction:</u>					
<u>Pipe Information</u>					
Pipe ID:		10574644			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044878			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		61.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044879			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		103.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504031			
Pump Set At:					
Static Level:		15.0			
Final Level After Pumping:		15.0			
Recommended Pump Depth:					
Pumping Rate:		12.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457085			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		103.0			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
137	1 of 1	SSW/241.4	83.1 / 9.66	ON	BORE
<div> <div> Borehole ID: 848464 OGF ID: 215590085 Status: Decommissioned Type: Borehole Use: Geotechnical/Geological Investigation Completion Date: 03-JUL-1990 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 12.2 Depth Ref: Ground Surface Depth Elev: Drill Method: Hollow stem auger Orig Ground Elev m: 86.8 Elev Reliabil Note: DEM Ground Elev m: 86.8 Concession: CON 3 Location D: Survey D: Comments: </div> <div> Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: LOT 35 Township: NEPEAN Latitude DD: 45.330874 Longitude DD: -75.809478 UTM Zone: 18 Easting: 436569 Northing: 5020026 Location Accuracy: Accuracy: Within 10 metres </div> </div>					
<u>Borehole Geology Stratum</u>					
<div> <div> Geology Stratum ID: 6561057 Top Depth: .2 Bottom Depth: 2.9 Material Color: Grey-Brown Material 1: Clay Material 2: Silt Material 3: Fine Sand Material 4: Silt Gsc Material Description: Stratum Description: </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
SILTY CLAY, SOME SILTY FINE SAND SEAMS (WEATHERED CRUST), GREY BRWON **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<div> <div> Geology Stratum ID: 6561059 Top Depth: 7.1 Bottom Depth: 12.2 Material Color: Grey Material 1: Till Material 2: sand silt Material 3: Clay Material 4: Gravel - Cobbles Gsc Material Description: Stratum Description: </div> <div> Mat Consistency: Loose Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: glacial </div> </div>					
SANDY SILT, SOME CLAY, SOME GRAVEL AND COBBLES (GLACIAL TILL), LOOSE, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<div> <div> Geology Stratum ID: 6561056 Top Depth: 0 Bottom Depth: .2 Material Color: Material 1: Topsoil Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: </div> <div> Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen: </div> </div>					
TOPSOIL **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<div> <div> Geology Stratum ID: 6561058 Top Depth: 2.9 Bottom Depth: 7.1 </div> <div> Mat Consistency: Material Moisture: Material Texture: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material Color: Grey Material 1: Clay Material 2: Silt Material 3: Sand Material 4: Silt Gsc Material Description: Stratum Description: SILTY CLAY, SOME SILTY SAND SEAMS, GREY **Note: Many records provided by the department have a truncated [Stratum Description] field.					
138	1 of 1	N/242.9	66.9 / -6.61	ON	BORE
Borehole ID: 610794 OGF ID: 215512305 Status: Type: Borehole Use: Completion Date: Static Water Level: 23.5 Primary Water Use: Sec. Water Use: Total Depth m: -999 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 65.5 Elev Reliabil Note: DEM Ground Elev m: 68.1 Concession: Location D: Survey D: Comments:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 45.343908 Longitude DD: -75.80709 UTM Zone: 18 Easting: 436771 Northing: 5021472 Location Accuracy: Accuracy: Not Applicable					
Borehole Geology Stratum					
Geology Stratum ID: 218386547 Top Depth: 2.7 Bottom Depth: 22.9 Material Color: Material 1: Sand Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: SAND.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218386549 Top Depth: 27.4 Bottom Depth: 35.1 Material Color: Material 1: Sand Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description: SAND. WATER STABLE AT 138.0 FEET.					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:					
Geology Stratum ID: 218386548 Top Depth: 22.9 Bottom Depth: 27.4 Material Color: Material 1: Sand Material 2: Gravel Material 3:					
Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND, GRAVEL.			
Geology Stratum ID:		218386551		Mat Consistency: Dense	
Top Depth:		65.5		Material Moisture:	
Bottom Depth:		Material Texture:			
Material Color:		Non Geo Mat Type:			
Material 1:		Bedrock		Geologic Formation:	
Material 2:		Sandstone		Geologic Group:	
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		BEDROCK, SANDSTONE. AND, GRAVEL, TILL. VERY DENSE. SAND, GRAVEL, SILT. DENSE TO VERY DENSE. SAND **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		218386550		Mat Consistency:	
Top Depth:		35.1		Material Moisture:	
Bottom Depth:		65.5		Material Texture:	
Material Color:		Non Geo Mat Type:			
Material 1:		Bedrock		Geologic Formation:	
Material 2:		Limestone		Geologic Group:	
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		BEDROCK, LIMESTONE.			
Geology Stratum ID:		218386546		Mat Consistency:	
Top Depth:		0		Material Moisture:	
Bottom Depth:		2.7		Material Texture:	
Material Color:		Non Geo Mat Type:			
Material 1:		Clay		Geologic Formation:	
Material 2:		Geologic Group:			
Material 3:		Geologic Period:			
Material 4:		Depositional Gen:			
Gsc Material Description:					
Stratum Description:		CLAY.			
Source					
Source Type:		Data Survey		Source Appl: Spatial/Tabular	
Source Orig:		Geological Survey of Canada		Source Idem: 1	
Source Date:		1956-1972		Scale or Res: Varies	
Confidence:		M		Horizontal: NAD27	
Observatio:				Verticalda: Mean Average Sea Level	
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Details:		File: OTTAWA1.txt RecordID: 033020 NTS_Sheet: 31G05C			
Confiden 1:		Reliable information but incomplete.			
Source List					
Source Identifier:		1		Horizontal Datum: NAD27	
Source Type:		Data Survey		Vertical Datum: Mean Average Sea Level	
Source Date:		1956-1972		Projection Name: Universal Transverse Mercator	
Scale or Resolution:		Varies			
Source Name:		Urban Geology Automated Information System (UGAIS)			
Source Originators:		Geological Survey of Canada			
139	1 of 1	NNE/244.2	66.9 / -6.61	lot 17 con 2 ON	WWIS
Well ID:		1504033		Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Commerical			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	01/19/1960
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3504
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	OTTAWA-CARLETON
Elevatn Reliability:				Lot:	017
Depth to Bedrock:				Concession:	02
Well Depth:				Concession Name:	OF
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	NEPEAN TOWNSHIP				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1504033.pdf				

Additional Detail(s) (Map)

Well Completed Date: 11/20/1959
Year Completed: 1959
Depth (m): 80.772
Latitude: 45.3431081304978
Longitude: -75.8054201336599
X: -75.80541997216935
Y: 45.34310812311601
Path: 150\1504033.pdf

Bore Hole Information

Bore Hole ID:	10026076	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18
Code OB:		East83:	436900.60
Code OB Desc:		North83:	5021382.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/20/1959	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Location Method Desc:	Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock**Materials Interval**

Formation ID: 930998210
Layer: 5
Color:
General Color:
Material 1: 15
Material 1 Desc: LIMESTONE
Material 2:
Material 2 Desc:
Material 3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		115.0			
Formation End Depth:		215.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998207			
Layer:		2			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		9.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998206			
Layer:		1			
Color:					
General Color:					
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		02			
Material 2 Desc:		TOPSOIL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998208			
Layer:		3			
Color:					
General Color:					
Material 1:		11			
Material 1 Desc:		GRAVEL			
Material 2:		08			
Material 2 Desc:		FINE SAND			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998211			
Layer:		6			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Material 1:		18			
Material 1 Desc:		SANDSTONE			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		215.0			
Formation End Depth:		265.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930998209			
Layer:		4			
Color:					
General Color:					
Material 1:		09			
Material 1 Desc:		MEDIUM SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		90.0			
Formation End Depth:		115.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961504033			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10574646			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930044882			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		265.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930044881			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		115.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		991504033			
Pump Set At:					
Static Level:		12.0			
Final Level After Pumping:		49.0			
Recommended Pump Depth:		49.0			
Pumping Rate:		172.0			
Flowing Rate:					
Recommended Pump Rate:		200.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		48			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933457087			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		265.0			
Water Found Depth UOM:		ft			
140	1 of 1	NNE/244.3	66.9 / -6.61	ON	BORE
Borehole ID:	610789			Inclin FLG:	No
OGF ID:	215512300			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	NOV-1959			Municipality:	
Static Water Level:	4.3			Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.34311
Total Depth m:	80.8			Longitude DD:	-75.80542
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	436901
Drill Method:				Northing:	5021382
Orig Ground Elev m:	64			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	66.2				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218386524			Mat Consistency:	
Top Depth:	0			Material Moisture:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	2.7 Clay Soil 			Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386526 22.9 27.4 Gravel Sand 	CLAY,SOIL.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386528 35.1 62.5 Limestone 			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386529 62.5 80.8 Black Sandstone 			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	Dense
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386525 2.7 22.9 Sand 	SANDSTONE. 00265E. LIMESTONE,GRANITE, QUARTZITE. WHITE. GRANITE. BLACK. 00110Y. DENSE.		Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386527 27.4 35.1 Sand 			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	
Geology Stratum ID: Top Depth: Bottom Depth: Material Color: Material 1: Material 2: Material 3: Material 4: Gsc Material Description: Stratum Description:	218386527 27.4 35.1 Sand 			Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:	

Source

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA1.txt RecordID: 03297 NTS_Sheet:				
Confiden 1:					

Source List

Source Identifier:	1	Horizontal Datum:	NAD27
Source Type:	Data Survey	Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972	Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies		
Source Name:	Urban Geology Automated Information System (UGAIS)		
Source Originators:	Geological Survey of Canada		

Unplottable Summary

Total: 30 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA		Pt. Lot 16, Conc. 2, (Rideau Front)	Nepean ON	
CA	2871220 CANADA LIMITED	BASELINE RD., HOME DEPOT	NEPEAN CITY ON	
CA	R.M. OF OTTAWA-CARLETON	BASELINE ROAD EXTENSION (SWM)	OTTAWA CITY ON	
CA	OTTAWA CITY	RICHMOND ROAD	OTTAWA CITY ON	
CA		Pt. Lot 16, Conc. 2, (Rideau Front)	Nepean ON	
CA	South Ottawa Collector	Lot 15, 16, 17, 18, 19, 20, 21, 22, Conc. 1, 2, 3	Ottawa ON	
CA		Richmond Road	Ottawa ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CA	City of Ottawa	Richmond Road	Ottawa ON	
CA	2871220 CANADA LIMITED	BASELINE RD., HOME DEPOT STORE	OTTAWA CITY ON	
CA	BELL-NORTHERN RESEARCH LIMITED	BASELINE ROAD	NEPEAN CITY ON	
CA	COMPUTING DEVICES COMPANY	RICHMOND RD.	NEPEAN CITY ON	
CA	BEAVER LUMBER CO. LTD. - LOT 9/CONC. II	ROBERTSON ROAD	NEPEAN CITY ON	
CA	NON-PROFIT HOUSING CORPORATION	RICHMOND RD.NON-PROFIT HOUSING	OTTAWA CITY ON	
CA	BEAVER LUMBER CO. LTD. - LOT 9/CONC. II	ROBERTSON ROAD	NEPEAN CITY ON	
CA	OTTAWA CITY	RICHMOND ROAD	OTTAWA CITY ON	

CA	WEDGEWOOD BUILDING CORPORATION	ROBERTSON RD.	NEPEAN CITY ON	
CA	COMPUTING DEVICES COMPANY	RICHMOND RD.	NEPEAN CITY ON	
CA	MINTO CONSTRUCTION LTD. FOSTER DRAIN	W. OF CEDARVIEW RD.	NEPEAN CITY ON	
CA	2871220 CANADA LIMITED	BASELINE RD.,HOME DEPOT (SWM)	NEPEAN CITY ON	
CA	RON ENGINEERING & CONSTRUCTION LTD.	BASELINE RD.	OTTAWA CITY ON	
ECA	City of Ottawa	Lot 15, 16, 17, 18, 19, 20, 21, 22, Conc. 1, 2, 3	Ottawa ON	K1P 1J1
EHS		Baseline Rd	Ottawa ON	
GEN	KIEWIT/EUROVIA/VINCI PARTNERSHIP	Richmond Road	Ottawa ON	
PTTW	Shell Canada Products Ltd.	Lot 16, Concession 2, Township of Murray, County of Northumberland. NEPEAN	ON	
SPL	TEXACO	RICHMOND RD. SERVICE STATION	OTTAWA CITY ON	
SPL	BUS	BASELINE STATION TRANSITWAY MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON	
WWIS		lot 16 con 2	ON	
WWIS		lot 16 con 2	ON	

Unplottable Report

Site: *Pt. Lot 16, Conc. 2, (Rideau Front) Nepean ON* **Database:** *CA*

Certificate #: 6012-4HNL23
Application Year: 00
Issue Date: 3/28/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Tartan Lane Corporation
Client Address: 331 Cooper Street
Client City: Ottawa
Client Postal Code:
Project Description: Extension of local sewer system in the Longfields Subdivision in the City of Nepean.
Contaminants:
Emission Control:

Site: *2871220 CANADA LIMITED
BASELINE RD., HOME DEPOT NEPEAN CITY ON* **Database:** *CA*

Certificate #: 3-1307-96-
Application Year: 96
Issue Date: 1/8/1997
Approval Type: Municipal sewage
Status: Underwent 1st revision in 97
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *R.M. OF OTTAWA-CARLETON
BASELINE ROAD EXTENSION (SWM) OTTAWA CITY ON* **Database:** *CA*

Certificate #: 3-0701-96-
Application Year: 96
Issue Date: 9/4/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *OTTAWA CITY
RICHMOND ROAD OTTAWA CITY ON* **Database:** *CA*

Certificate #: 3-0159-96-

Application Year: 96
Issue Date: 4/1/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Pt. Lot 16, Conc. 2, (Rideau Front) Nepean ON*

Database:
CA

Certificate #: 8002-4HNKET
Application Year: 00
Issue Date: 3/28/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Tartan Lane Corporation
Client Address: 331 Cooper Street
Client City: Ottawa
Client Postal Code:
Project Description: Extension of local water distribution system in the Longfields Subdivision in the City of Nepean.
Contaminants:
Emission Control:

Site: *South Ottawa Collector
 Lot 15, 16, 17, 18, 19, 20, 21, 22, Conc. 1, 2, 3 Ottawa ON*

Database:
CA

Certificate #: 5781-5D7RDZ
Application Year: 02
Issue Date: 9/13/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: Amended CofA
Client Name: City of Ottawa
Client Address: 110 Laurier Avenue West
Client City: City of Ottawa
Client Postal Code: K1P 1J1
Project Description: Enhanced flow control and flooding protection for the Green Creek Collector and provide further reduction in the potential to divert sediments to the South Ottawa Tunnel (SOT) by reducing the accumulation of grit within the upstream Green Creek Collector and Walkley Chamber.
Contaminants:
Emission Control:

Site: *Richmond Road Ottawa ON*

Database:
CA

Certificate #: 7965-5ERRRZ
Application Year: 02
Issue Date: 10/11/02
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: City of Ottawa
Client Address: 110 Laurier Avenue West
Client City: Ottawa
Client Postal Code: K1P 1J1
Project Description: This application is for the construction of storm and sanitary sewers and appurtenances on Richmond Road
Contaminants:

Emission Control:

Site: City of Ottawa
Richmond Road Ottawa ON

Database:
CA

Certificate #: 1424-6CXJGA
Application Year: 2005
Issue Date: 6/3/2005
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Richmond Road Ottawa ON

Database:
CA

Certificate #: 6859-5X8K46
Application Year: 2004
Issue Date: 3/23/2004
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: City of Ottawa
Richmond Road Ottawa ON

Database:
CA

Certificate #: 7893-5NLQJH
Application Year: 2003
Issue Date: 6/18/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 2871220 CANADA LIMITED
BASELINE RD., HOME DEPOT STORE OTTAWA CITY ON

Database:
CA

Certificate #: 3-1082-96-
Application Year: 96
Issue Date: 10/21/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:

Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **BELL-NORTHERN RESEARCH LIMITED**
 BASELINE ROAD NEPEAN CITY ON

Database:
CA

Certificate #: 8-4088-88-
Application Year: 88
Issue Date: 8/17/1989
Approval Type: Industrial air
Status: Underwent 1st revision in 1989
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: FUME HOOD
Contaminants:
Emission Control: No Controls

Site: **COMPUTING DEVICES COMPANY**
 RICHMOND RD. NEPEAN CITY ON

Database:
CA

Certificate #: 7-1397-87-
Application Year: 87
Issue Date: 9/17/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **BEAVER LUMBER CO. LTD. - LOT 9/CONC. II**
 ROBERTSON ROAD NEPEAN CITY ON

Database:
CA

Certificate #: 7-1679-90-
Application Year: 90
Issue Date: 11/16/1990
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **NON-PROFIT HOUSING CORPORATION**
 RICHMOND RD. NON-PROFIT HOUSING OTTAWA CITY ON

Database:
CA

Certificate #: 7-0925-87-
Application Year: 87
Issue Date: 7/7/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **BEAVER LUMBER CO. LTD. - LOT 9/CONC. II**
ROBERTSON ROAD NEPEAN CITY ON

Database:
CA

Certificate #: 3-2065-90-
Application Year: 90
Issue Date: 11/16/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **OTTAWA CITY**
RICHMOND ROAD OTTAWA CITY ON

Database:
CA

Certificate #: 3-1088-90-
Application Year: 90
Issue Date: 6/26/1990
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **WEDGEWOOD BUILDING CORPORATION**
ROBERTSON RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-0682-88-
Application Year: 88
Issue Date: 5/13/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **COMPUTING DEVICES COMPANY**
RICHMOND RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-1688-87-
Application Year: 87
Issue Date: 9/17/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **MINTO CONSTRUCTION LTD. FOSTER DRAIN**
W. OF CEDARVIEW RD. NEPEAN CITY ON

Database:
CA

Certificate #: 3-0519-87-
Application Year: 87
Issue Date: 7/18/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **2871220 CANADA LIMITED**
BASELINE RD.,HOME DEPOT (SWM) NEPEAN CITY ON

Database:
CA

Certificate #: 3-1307-96-
Application Year: 96
Issue Date: 11/25/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **RON ENGINEERING & CONSTRUCTION LTD.**
BASELINE RD. OTTAWA CITY ON

Database:
CA

Certificate #: 8-4052-87-
Application Year: 87
Issue Date: 6/19/1987
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:

Client Address:
Client City:
Client Postal Code:
Project Description: FUMEHOOD
Contaminants:
Emission Control:

Site: **City of Ottawa**
Lot 15, 16, 17, 18, 19, 20, 21, 22, Conc. 1, 2, 3 Ottawa ON K1P 1J1

Database:
ECA

Approval No: 5781-5D7RDZ
Approval Date: 2002-09-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: City of Ottawa
Address: Lot 15, 16, 17, 18, 19, 20, 21, 22, Conc. 1, 2, 3
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/6977-5ATUWY-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: **Baseline Rd Ottawa ON**

Database:
EHS

Order No: 20051017031
Status: C
Report Type: Site Report
Report Date: 10/18/2005
Date Received: 10/17/2005
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: QC
Search Radius (km): 0.25
X:
Y:

Site: **KIEWIT/EUROVIA/VINCI PARTNERSHIP**
Richmond Road Ottawa ON

Database:
GEN

Generator Info as of Dec 2024

Generator No: ON001071819
Generator Company Name: KIEWIT/EUROVIA/VINCI PARTNERSHIP
Street: Richmond Road
City: Ottawa
Province State: Ontario
Country: Canada
Postal Code: K2B 6R2
Waste Class: 221 L

Waste Class Decoded:

221 - LIGHT FUELS

Site: **Shell Canada Products Ltd.**
Lot 16, Concession 2, Township of Murray, County of Northumberland. NEPEAN ON

Database:
PTTW

EBR Registry No: IA6E0942
Ministry Ref No: 2624802
Notice Type: Instrument Decision
Notice Stage:

Decision Posted:
Exception Posted:
Section:
Act 1:

Notice Date: May 06, 1997
Proposal Date: July 03, 1996
Year: 1996
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Shell Canada Products Ltd.
Site Address:
Location Other:
Proponent Name:
Proponent Address: Don Mills Division, 75 Wynford Drive, Don Mills Ontario, M3C 2Z4
Comment Period:
URL:
Summary:

Act 2:
Site Location Map:

Site Location Details:

Lot 16, Concession 2, Township of Murray, County of Northumberland. NEPEAN

Site: **TEXACO**
RICHMOND RD. SERVICE STATION OTTAWA CITY ON

Database:
SPL

Ref No:	14431	Municipality No:	20101
Year:		Nature of Damage:	
Incident Dt:	2/2/1989	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	2/2/1989	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	OTTAWA CITY		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			
Entity Operating Name:			
Client Name:			
Client Type:			
Source Type:			
Incident Cause:	OTHER CAUSE (N.O.S.)		
Incident Preceding Spill:			
Incident Reason:	ERROR		
Incident Summary:			
Environment Impact:	NOT ANTICIPATED		
Health Env Consequence:			
Nature of Impact:			
Contaminant Qty:			
Contaminant Qty 1:			
Contaminant Unit:			
Contaminant Code:			
Contaminant Name:			
Contaminant Limit 1:			
Contam Limit Freq 1:			
Contaminant UN No 1:			
Receiving Medium:	LAND		
Activity Preceding Spill:			
Property 2nd Watershed:			

Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site: **BUS**
BASELINE STATION TRANSITWAY MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Database:
SPL

Ref No: 71210 **Municipality No:** 20101
Year: **Nature of Damage:**
Incident Dt: 5/27/1992 **Discharger Report:**
Dt MOE Arvl on Scn: **Material Group:**
MOE Reported Dt: 5/27/1992 **Impact to Health:**
Dt Document Closed: **Agency Involved:**
Site No:
MOE Response:
Site County/District:
Site Geo Ref Meth:
Site District Office:
Nearest Watercourse:
Site Name:
Site Address:
Site Region:
Site Municipality: OTTAWA CITY
Site Lot:
Site Conc:
Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Entity Operating Name:
Client Name:
Client Type:
Source Type:
Incident Cause: PIPE/HOSE LEAK
Incident Preceding Spill:
Incident Reason: OVERSTRESS/OVERPRESSURE
Incident Summary: REG. MUNICIPALITY OF OTTAWA CARELTON - 25 L OF DIESEL TO GROUND
Environment Impact: NOT ANTICIPATED
Health Env Consequence:
Nature of Impact:
Contaminant Qty:
Contaminant Qty 1:
Contaminant Unit:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Site:
lot 16 con 2 ON

Database:
WWIS

Well ID: 1520450 **Flowing (Y/N):**
Construction Date: **Flow Rate:**

Use 1st: Domestic
Use 2nd:
Final Well Status: Recharge Well
Water Type:
Casing Material:
Audit No:
Tag:
Constructn Method:
Elevation (m):
Elevatn Reliabilty:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Clear/Cloudy:
Municipality: 15000
Site Info:

Data Entry Status:
Data Src: 1
Date Received: 03/03/1986
Selected Flag: TRUE
Abandonment Rec:
Contractor: 3142
Form Version: 1
Owner:
County: OTTAWA-CARLETON
Lot: 016
Concession: 02
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10042293
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 02/12/1986
Remarks:
Location Method Desc: Not Applicable i.e. no UTM
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 931044800
Layer: 3
Color: 2
General Color: GREY
Material 1: 18
Material 1 Desc: SANDSTONE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 31.0
Formation End Depth: 74.0
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931044798
Layer: 1
Color: 6
General Color: BROWN
Material 1: 05
Material 1 Desc: CLAY
Material 2: 79
Material 2 Desc: PACKED

Material 3:**Material 3 Desc:****Formation Top Depth:** 0.0**Formation End Depth:** 9.0**Formation End Depth UOM:** ft**Overburden and Bedrock****Materials Interval****Formation ID:** 931044799**Layer:** 2**Color:** 6**General Color:** BROWN**Material 1:** 28**Material 1 Desc:** SAND**Material 2:** 11**Material 2 Desc:** GRAVEL**Material 3:** 13**Material 3 Desc:** BOULDERS**Formation Top Depth:** 9.0**Formation End Depth:** 31.0**Formation End Depth UOM:** ft**Method of Construction & Well****Use****Method Construction ID:** 961520450**Method Construction Code:** 1**Method Construction:** Cable Tool**Other Method Construction:****Pipe Information****Pipe ID:** 10590863**Casing No:** 1**Comment:****Alt Name:****Construction Record - Casing****Casing ID:** 930073808**Layer:** 1**Material:** 1**Open Hole or Material:** STEEL**Depth From:****Depth To:** 32.0**Casing Diameter:** 6.0**Casing Diameter UOM:** inch**Casing Depth UOM:** ft**Construction Record - Casing****Casing ID:** 930073809**Layer:** 2**Material:** 4**Open Hole or Material:** OPEN HOLE**Depth From:****Depth To:** 74.0**Casing Diameter:** 6.0**Casing Diameter UOM:** inch**Casing Depth UOM:** ft**Results of Well Yield Testing**

Pumping Test Method Desc: BAILER
Pump Test ID: 991520450
Pump Set At:
Static Level: 12.0
Final Level After Pumping: 25.0
Recommended Pump Depth: 30.0
Pumping Rate: 40.0
Flowing Rate:
Recommended Pump Rate: 7.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934906031
Test Type:
Test Duration: 60
Test Level: 25.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934111942
Test Type:
Test Duration: 15
Test Level: 25.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934386807
Test Type:
Test Duration: 30
Test Level: 25.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934648951
Test Type:
Test Duration: 45
Test Level: 25.0
Test Level UOM: ft

Water Details

Water ID: 933477694
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 48.0
Water Found Depth UOM: ft

Water Details

Water ID: 933477695
Layer: 2
Kind Code: 5

Kind: Not stated
 Water Found Depth: 72.0
 Water Found Depth UOM: ft

Site:
 lot 16 con 2 ON

Database:
WWIS

Well ID: 1520451
 Construction Date:
 Use 1st: Domestic
 Use 2nd:
 Final Well Status: Water Supply
 Water Type:
 Casing Material:
 Audit No:
 Tag:
 Constructn Method:
 Elevation (m):
 Elevatn Reliabilty:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Clear/Cloudy:
 Municipality: 15000
 Site Info:

Flowing (Y/N):
 Flow Rate:
 Data Entry Status:
 Data Src: 1
 Date Received: 03/03/1986
 Selected Flag: TRUE
 Abandonment Rec:
 Contractor: 3142
 Form Version: 1
 Owner:
 County: OTTAWA-CARLETON
 Lot: 016
 Concession: 02
 Concession Name:
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

Bore Hole Information

Bore Hole ID: 10042294
 DP2BR:
 Spatial Status:
 Code OB:
 Code OB Desc:
 Open Hole:
 Cluster Kind:
 Date Completed: 02/15/1986
 Remarks:
 Location Method Desc: Not Applicable i.e. no UTM
 Elevrc Desc:
 Location Source Date:
 Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Elevation:
 Elevrc:
 Zone: 18
 East83:
 North83:
 Org CS:
 UTMRC: 9
 UTMRC Desc: unknown UTM
 Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 931044801
 Layer: 1
 Color: 6
 General Color: BROWN
 Material 1: 28
 Material 1 Desc: SAND
 Material 2:
 Material 2 Desc:
 Material 3:
 Material 3 Desc:
 Formation Top Depth: 0.0
 Formation End Depth: 30.0
 Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931044802
Layer: 2
Color: 2
General Color: GREY
Material 1: 18
Material 1 Desc: SANDSTONE
Material 2:
Material 2 Desc:
Material 3:
Material 3 Desc:
Formation Top Depth: 30.0
Formation End Depth: 63.0
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 961520451
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10590864
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930073811
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 63.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930073810
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 30.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: BAILER
Pump Test ID: 991520451
Pump Set At:
Static Level: 14.0
Final Level After Pumping: 22.0
Recommended Pump Depth: 30.0
Pumping Rate: 40.0
Flowing Rate:
Recommended Pump Rate: 7.0

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 2
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934111943
Test Type:
Test Duration: 15
Test Level: 22.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934648952
Test Type:
Test Duration: 45
Test Level: 22.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934906032
Test Type:
Test Duration: 60
Test Level: 22.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934386808
Test Type:
Test Duration: 30
Test Level: 22.0
Test Level UOM: ft

Water Details

Water ID: 933477696
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 61.0
Water Found Depth UOM: ft

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2025

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:Federal [CDRY](#)

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2023

Commercial Fuel Oil Tanks:Provincial [CFOT](#)

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:Private [CHM](#)

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2025

Compressed Natural Gas Stations:Private [CNG](#)

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Apr 2025

Inventory of Coal Gasification Plants and Coal Tar Sites:Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Apr 2025

Certificates of Property Use:Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - May 31, 2025

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024**Delisted Fuel Tanks:**

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023**Environmental Activity and Sector Registry:**

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011 - May 31, 2025**Environmental Registry:**

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - May 31, 2025**Environmental Compliance Approval:**

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011 - May 31, 2025**Environmental Effects Monitoring:**

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024**Environmental Issues Inventory System:**

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment, Conservation and Parks (MECP). These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2024

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Jan 2025

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. As of January 1, 2023, businesses and institutions subject to the amended Reg. 347: General – Waste Management are required to report their activities and pay fees through Resource Productivity & Recovery Authority (RPRA) online Hazardous Waste Program Registry (HWPR) rather than the Hazardous Waste Information Network (HWIN) system previously operated by the Ministry of the Environment, Conservation and Parks (MECP). Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Dec 31, 2024

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Apr 2024

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2025

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment Conservation and Parks (MECP) provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act. MECP publicly releases the Environmental Compliance Report (ECR) on the Ontario Data Catalogue. In Ontario, all facilities with regulated wastewater discharges or air emissions under the Ontario Water Resources Act and the Environmental Protection Act must monitor and report any cases where approved operating limits have been exceeded.

Government Publication Date: Dec 31, 2023

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-May 31, 2025

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024

National Pollutant Release Inventory - Historic:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 28, 2025

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - May 31, 2025

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011 - May 31, 2025

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct-Nov 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - May 31, 2025

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-May 2025

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2025

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug-Mar 2025

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - May 31, 2025

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario
Queensway Carleton Hospital
Cambium Reference: 23906-001
November 26, 2025

Appendix F

Freedom of Information



Ministry of the Environment, Conservation and Parks

Freedom of Information Request for Property Information

Instructions

Use this form to:

- submit and pay for a new FOI request for access to records/information about a property
- pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (*) are mandatory.

Are you: *

- ☒ Submitting a new FOI Request for Property Information
- ☐ Paying a deposit or final fee for an existing FOI Request for Property Information

Section 1 – Description of Records Requested

Time Period for Records Requested

From (yyyy/mm/dd) *

1900/01/01

To (yyyy/mm/dd) *

2025/07/08

Type of Record(s) *

- ☒ All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- ☒ Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

<https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en>.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at:
<https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
- RSC records filed after July 2011 are available at:
https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc_search?request_locale=en

☐ Other Specific Document(s)

Type of Approval/Registration *

- ☒ Drinking Water Licenses
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Pesticide Licenses

- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Permits to Take Water
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- Water Source *
- ☒ Groundwater ☒ Surface Water
- ☒ Noise Vibrations Approvals/Registrations
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Air Emissions Approvals/Registrations
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Sewage – Treatment, Stormwater, Storm, Leachate & Lieachate Treatment & Sewage pump stations, Sanitary
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Waste Water - Industrial discharge
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
- ☒ Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems)
- ☒ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents

Company Name

- ☒ Waste Generator Registration - number/class

List any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating from your organization/business; records already in your possession, prior year(s) annual reports for approvals)

Please provide any additional relevant information relating to your request. For example, does your request relate to any other ministry business? Please note that this information is being requested only in order to provide contextual information to the Access and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

Section 2 – Requester Information

Last Name *

VanNorman

First Name *

Candice

Middle Initial

Business/Organization Name (if applicable or indicate "N/A") *

Cambium Inc

Project/Reference Number (if applicable)

23906-001

Are you submitting this request on behalf of a client? *

☐ Yes ☒ No

Mailing Address

Unit Number

Street Number *

Street Name *

31

Hyperion Court

PO Box

City/Town *

Province *

Postal Code *

Kingston

ON

K7K 7G3

Telephone Number *

613-453-0821

ext.

Email Address *

candice.vannorman@cambium-inc.com

Is there an alternate contact (e.g. office admin)? *

☒ Yes ☐ No

Alternate Contact

Last Name *

Frommann

First Name *

Kurt

Telephone Number *

613-876-5784

ext.

Email Address *

kurt.frommann@cambium-inc.com

Section 3 – Current Property Address Information

Is the property a:

☐ Park ☐ Lake ☐ First Nation Band ☐ Wind Farm ☐ Federal Land ☐ Island ☐ Unsurveyed Land

Are you requesting information about multiple addresses? *

☐ Yes ☒ No

Property Address

Unit Number

Street Number

Street Name

3045

Baseline Road

Full Lot Number

Concession

Geographic Township

City/Town/Village *

Ottawa

Closest Intersection

Baseline Road and John Sutherland Drive

Section 4 – Previous Property Address Information

Do you want the ministry to search all prior historical addresses for this property/site for the time period of the records requested? *

☐ Yes ☒ No

Section 5 – Owner Information

Please provide all present and previous property owner and/or tenant names for the search years requested.

Current Property Owner/Tenant

3045 Baseline Road
Ottawa

Owner Name

N/A

Date of Ownership (yyyy/mm/dd)

Tenant Name

Section 6 – Supporting Documents

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

1. File Name

Total File Size

Payment confirmation number: 33314936



Technical Standards and
Safety Authority
345 Carlingview Drive
Toronto, Ontario
M9W 6N9
Web Site: www.tssa.org

Payment Receipt

Account Name: CAMBIUM INC
Account Number: 450100
Applicant Name: Candice VanNorman
Applicant Email: peterboroughlocates@cambium-inc.com
Payment Method: Visa
Payment Date: 2025-07-08
Amount Paid: \$61.59
Application Number: AP00039651
Portal Transaction: PortalTxn_314137
Job Reference Number: 23906-001 3045 Baseline

Fees:

GST/HST Registration No: 891131369

Description	Quantity	Unit Price(\$)	Sub Total(\$)	Tax(\$)	Total Amount(\$)
Locations or No Record Letters - FS	1.00	\$54.50	\$54.50	\$7.09	\$61.59

Sub Total:	\$54.50
Tax:	\$7.09
Total Amount Owning:	\$61.59
Total Amount Paid:	\$61.59

Note:

Prepayment relating to Minimum fees will be subject to additional billing for excess time above the minimum hours included in the minimum fee. This will be billed at the applicable hourly labour rate in ¼ hour increments. All labour rates are per inspector or engineer. Prepayment relating to Flat fees for engineering services or initial inspection may be subject to additional billing if excessive engineering review/initial inspection time is required.

TSSA now offers payment for invoices online via TSSA Client Portal.

As part of TSSA's continuous efforts to provide customers with a simpler and more efficient service, we are pleased to offer paperless invoicing. Simply register at <https://forms.tssa.org/Sign-Up-for-Paperless-Invoicing>.

For all enquiries:

Contact our Customer Contact Centre
Monday through Friday from 8 a.m. to 5 p.m.
(Excluding statutory holidays)
Toll Free: 1.877.682.8772
E-mail: customerservices@tssa.org



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

06 August 2025

Candice VanNorman
Cambium Inc
BOX 325 – 52 Hunter Street East
Peterborough, ON, K9H 1G5

Subject: 3045 Baseline Rd, Ottawa, Ontario, Canada, K2H 8P4
Your File No.: 23906-001 3045 Baseline
WO No.: 14711496

Dear Madam/Sir:

We are in receipt of your correspondence wherein you requested the release of information regarding the above noted address.

Requested records relating to the following Program(s) were located:

<u>Program</u>	<u>Record</u>	<u>Documents Attached</u>
Fuels Safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Boiler/Pressure Vessel**	<input type="checkbox"/>	<input type="checkbox"/>
Elevating & Amusement Devices	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>

**For BPV, if it has been indicated that records have been located but are not attached, it is likely that TSSA may not be the keeper of the records you are looking for, see note below.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

Should you have any questions, please contact Public Information at publicinformationservices@tssa.org.

Yours truly,

M. Fowler

Melanie Fowler
Public Information Services Agent

Limitations and Notices:

General:

TSSA, as a safety regulator, uses inspection resources to address the greatest harm posed to the public. Thus, inspection only follows-up on safety orders it issues based on the degree of risk posed by the non-compliance identified in the order(s). All high-risk orders will result in a follow-up inspection by TSSA until the non-compliance is resolved. TSSA no longer follows-up on low or medium risk orders referred to as safety tasks, therefore, TSSA can no longer provide you with a report indicating the safety tasks (low and medium-risk orders) have been resolved. This information should be obtained from the device/facility owner or their contractor. One can also engage a third-party contractor to confirm device/facility compliance.

The Public Information Department, (PID), can only provide **existing** records for a specific location, facility, or device. If an inspection or any other type of record does not exist, PID cannot instruct TSSA to do work, such as an inspection, to create a record. TSSA, as an outcome-based regulator, deploys all of its resources, including, inspections to address the greatest harm posed to the public; and as such, cannot deploy resources to create records to satisfy an inquiry.

Please Note: While the PID provides existing records for a specific location, facility, or device; it does not interpret or provide further explanations of the content contained in the document.

Change of Ownership

Please be advised, if the new owner has acquired a property that contains TSSA regulated devices, i.e. elevators, boilers and pressure vessels, they would be required to complete a change of ownership to obtain new licences. Visit our website at www.tssa.org under the Licencing & Registration section for the Change of Ownership process or contact our Customer Service department at 1.877.682.8772

TSSA Fuels Safety:

If you have environmental concerns regarding this property, you should consider hiring an environmental consultant to conduct an environmental assessment of the property in question.

- Sites that have not been licensed since 1987 may not be in TSSA records.
- Be advised, TSSA Fuels Safety Division did not register:
 - private fuel underground/ aboveground storage tanks prior to January of 1990; and
 - furnace oil tanks prior to May 1, 2002.
- If records being released to you relate to private fuel outlets (“PFOs”) or fuel oil furnace tanks, please note the following:
 - PFOs are defined in O. Reg. 217/01 (Liquid Fuels), where “private outlet” means “any premise, other than a retail outlet, where gasoline or an associated product is put into the fuel tanks of motor vehicles or floating motorized watercraft or into portable containers”. After 2001, PFOs were no longer required to be licenced in Ontario. Thus, TSSA’s records and information regarding PFOs is dated and unverified.
 - Underground furnace fuel oil tanks were required to be registered with TSSA commencing in 2001. These underground tanks are registered; however, TSSA does not inspect or verify the registered tank information. It is incumbent on the fuel distributor to ensure that the tanks are registered. Above ground fuel oil furnace tanks do not require TSSA registration.
 - Please be advised that while the TSSA releases information relating to PFOs or fuel oil furnace tanks pursuant to the TSSA’s Access and Privacy Code, the TSSA cautions against reliance on this information.

- In particular, because PFOs do not require a license and there is no requirement to submit any documentation to TSSA for review or approval, TSSA has limited information on these facilities. The TSSA cautions that any information provided may be inaccurate, incomplete, or out of date.
- Fuels Safety Division does not register
 - private waste oil tanks in apartments, office buildings, residences etc.; and
 - aboveground gas or diesel tanks.
- The *Technical Standards and Safety Act* and associated regulations do not require the registration of private fuel outlets, nor does it require that any documentation on these facilities be submitted to or reviewed or approved by TSSA. As a result, TSSA has limited information on these facilities. TSSA cautions that any information provided may be inaccurate, incomplete or out of date.

TSSA Elevating & Amusement Devices Program Notice:

- All orders and/or directions issued by the TSSA Inspector have a compliance date and the owner or designated contractor are required to comply within the specified time limit. Compliance is the responsibility of the owner or operator of the device.
- All written declarations of compliance (where eligible) should be sent to TSSA. Once a declaration of compliance has been received, the outstanding order will be resolved.
- Each report shows the details and date of the inspection conducted by TSSA at the requested location.
- The Ontario Amusement Devices Regulation (O. Reg. 221/01) was adopted in 2001. Since that time, TSSA retains copies of technical dossiers of new amusement devices in Ontario (as per TSSA's retention policy). However, for rides that existed prior to the adoption of the Regulation, which were subject to a "grandfathering-in" clause, technical dossiers were not required to be filed with the TSSA. However, if the amusement ride remains in operation, as per ASTM requirements, the owner/licensee must possess an operations document for the device in question.

Federal Elevators

- Please be advised that without the express written consent of the owner, the TSSA does not release any information with respect to federal elevators or federal elevating equipment. The TSSA is a provincial regulator for the province of Ontario and federal elevators do not fall within the scope of TSSA's provincial mandate and the *Technical Standards and Safety Act* and associated Regulations. Further, the TSSA's Access and Privacy Code only applies to information collected, used, or disclosed by the TSSA in the course of TSSA's administration of the *Act*. Therefore, information with respect to federal elevators or federal elevator equipment is outside of the administration of the *Act*, and outside of the scope of the TSSA's Access and Privacy Codes.

Indigenous Lands

- Please be advised that the TSSA does not release any information with respect to indigenous lands, which are outside of the TSSA's mandate, without the express written permission from the Band. The *Technical Standards and Safety Act*, associated regulations, and TSSA's Access and Privacy Code does not apply to indigenous lands.

TSSA Boilers and Pressure Vessels (BPVs) Program Notice:

- Be advised, TSSA does not typically periodically inspect BPVs. These inspections are usually performed by insurance companies.
- **Inspection reports may not be submitted to TSSA by insurance companies; therefore, while TSSA may have some evidence of a BPV at a location on file, there may be no inspection records pertaining to BPVs located at the address provided.
- As of July 1, 2018, BPVs in Ontario may not be operated unless the Director has issued a current certificate of inspection (COI) to the owner or operator. A COI will be issued to the owner or operator of the BPV by TSSA after TSSA has received a Record of Inspection (ROI) from the insurer/third-party inspector, the associated fees have been paid and the BPV has passed a periodic inspection.
- Please note that if the BPV in question is insured, the insurance company may have additional inspection records. Please contact the insurer directly should you wish to obtain further information.

Fuels Inventory - 3045 Baseline Rd, Ottawa, Ontario, Canada, K2H 8P4

Inventory Address	Inventory City	Inventory Province	Inventory Postal Code	Asset Type / Inventory Item	Inventory Status Reason Code	Inventory Number	FS Capacity	FS Corrosion Protection	FS Description	FS Fuel Type	FS Fuel Type 2	FS Installation Year	FS Model	FS Tank Material	FS Appliance Type
3045 BASELINE RD	NEPEAN	ON	K2H 8P4	FS FUEL OIL TANK	Active	63972271	20000	Fiberglass				2008		Fiberglass (FRP)	
3045 BASELINE RD	NEPEAN	ON	K2H 8P4	FS APPLIANCE	Registered/Approved	100014528			Hot Water Boiler	NG	Propane	2022	CB700X-600		Boiler - Water Heater/Solution Heater/ Water Boiler



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14393833

Inspection Report # 10196933

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s): 100014528	Inspection Completion Date: Sep 10, 2024
	Facility Type:	Equipment Type: FS Appliance
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Follow-up Inspection Field Approval - Multiple Fuels	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

Where inspection orders are issued, TSSA will perform a follow-up inspection to confirm compliance. The responsible party is expected to make all the necessary corrections within the compliance time specified.

TSSA inspector Ian Proulx perform a follow up field Approval inspection on September 10 and 11 2024 located at 3045 Baseline Road for the Queensway Carleton Hospital in Ottawa Ontario. Inspector Proulx met with Marc Villeneuve a representative of BGIS ITS Canada Ltd to complete a Field Approvals application SR 8184533.

1) One boiler manufactured by Cleaver Brooks Model # CB700X-600 and Serial # S-58785

Testing of the safety limits and interlocks for operation of Cleaver Brooks boiler model # CB700X-600 concluded to be satisfactory.

TSSA Field Approval Label FSD 21710 has been affixed to the nameplate of the unit.

Billing applied as per Technical Standards and Safety Act/2000, Section 19 and TSSA billing policy.

Inspection is complete.

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

INDIVIDUAL(S) ENSURING COMPLIANCE: Martin Julien

No.	Resolved / Revoked Inspection Order(s)	Issued Date	Status
-----	--	-------------	--------

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14393833

Inspection Report # 10196933

1.	<p>CAN/CSA-B149.1 Natural Gas and Propane Installation Code Clause 4.2.1 An appliance, accessory, component, equipment, or material used in an installation shall be of a type and rating approved for the specific purpose for which it is employed.</p> <p>Comply with Clause 4.2.1 of the CAN/CSA-B149.1 Code, and ensure any appliance, accessory, component, equipment, or material used in an installation is approved for the specific purpose for which it is employed.</p>	Feb 01, 2024	Resolved
2.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 5.3.3 Readily ignitable materials, including weeds and long dry grass, shall be removed from the area within 10 ft (3 m) of a container, and this area shall be kept clear of such material at all times.</p> <p>Comply with clause 5.3.3 of the CAN/CSA-B149.2 Code, and remove any readily ignitable materials within 10 ft (3 m) of any propane storage container.</p>	Jun 07, 2024	Resolved
3.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 7.1.12 Return lines from pumps, meters, or dispensing devices, if connected to the liquid space of a tank, shall be equipped with a back check valve.</p> <p>Please add description</p>	Jun 07, 2024	Resolved

This report is issued under the *Technical Standards and Safety Authority Act, 2000*, s. 17(1)

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,

- (a) ensuring compliance with this Act, the regulations or Minister's order;
- (b) ensuring that an authorization holder remains entitled to the authorization; or
- (c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By: mjulien@qch.on.ca	Customer Contact Number:	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14344539
Inspection Report # 10185470

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s): 100014528	Inspection Completion Date: Jul 23, 2024
	Facility Type:	Equipment Type: FS Appliance
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Follow-up Inspection Field Approval - Multiple Fuels	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

Where inspection orders are issued, TSSA will perform a follow-up inspection to confirm compliance. The responsible party is expected to make all the necessary corrections within the compliance time specified.

TSSA Inspector Ian Proulx conducted a follow up field approval inspection on July 23, 2024, located at 3045 Baseline Road for the Queensway Carleton Hospital in Ottawa. Inspector Proulx met with Marc Villeneuve a representative May 10, 2024, of BGIS ITS Canada LTD one G1 certificate holder and we proceed to reviews safety check and perform set up combustion test to 100 % firing rate on a hot water boiler dual fuel natural gas only and propane, manufacturer by Cleaver Brooks Model# CB700X-600, Serial# S-58785 at the above address.

Please Note: This boiler will be allowed to fire at 100% on natural gas only. Also, this inspector as perform a visual inspection on the propane supply tank outside that supply propane as a second alternative fuel to the Cleaver Brooks Boiler and this inspector as notice these deficiencies on site.

- 1) The Propane Tank outside will need to be Painted and piping.
- 2) The propane vaporizer will also require documentation on site for service and clearance, distance from the propane tank if required.
- 3) This inspector will require to see the Cleaver Brooks operating on propane and perform safety check and combustion test on the propane fuel as well with Combustion test.
- 4) The grass will required to be removed in the compound area as per order below.
- 5) THIS INSPECTOR WILL REQUIRE A CURRENT COPY OF THE COMPREHENSIVE INSPECTION REPORT FOR THIS PROPANE FACILITY FROM SUPERIOR PROPANE.

This was explain Martin Julien Chief Engineer with a new compliance date with all peoples involved regarding these observations and deficiencies, Also as indicated above this inspector will allow the leave the Cleaver Brooks Boiler operating at 100% capacity on Natural Gas Only until the compliance shown below.

inspection not complete

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14344539

Inspection Report # 10185470

INDIVIDUAL(s) ENSURING COMPLIANCE:

No.	Inspection Order(s)	Issued Date	Compliance Date
1.	<p>CAN/CSA-B149.1 Natural Gas and Propane Installation Code Clause 4.2.1 An appliance, accessory, component, equipment, or material used in an installation shall be of a type and rating approved for the specific purpose for which it is employed.</p> <p>Comply with Clause 4.2.1 of the CAN/CSA-B149.1 Code, and ensure any appliance, accessory, component, equipment, or material used in an installation is approved for the specific purpose for which it is employed.</p>	Feb 01, 2024	Sep 05, 2023
2.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 5.3.3 Readily ignitable materials, including weeds and long dry grass, shall be removed from the area within 10 ft (3 m) of a container, and this area shall be kept clear of such material at all times.</p> <p>Comply with clause 5.3.3 of the CAN/CSA-B149.2 Code, and remove any readily ignitable materials within 10 ft (3 m) of any propane storage container.</p>	Jun 07, 2024	Sep 05, 2024
3.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 7.1.12 Return lines from pumps, meters, or dispensing devices, if connected to the liquid space of a tank, shall be equipped with a back check valve.</p> <p>Please add description</p>	Jun 07, 2024	Sep 05, 2024

This report is issued under the *Technical Standards and Safety Authority Act*, 2000, s. 17(1)

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,
 (a) ensuring compliance with this Act, the regulations or Minister's order;
 (b) ensuring that an authorization holder remains entitled to the authorization; or
 (c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By:	Customer Contact Number:	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
 (Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14315793

Inspection Report # 10177326

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s): 100014528 Facility Type:	Inspection Completion Date: Jun 7, 2024 Equipment Type: FS Appliance
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Follow-up Inspection Field Approval - Multiple Fuels The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

Where inspection orders are issued, TSSA will perform a follow-up inspection to confirm compliance. The responsible party is expected to make all the necessary corrections within the compliance time specified.

TSSA Inspector Ian Proulx conducted a follow up field approval inspection on June 07, 2024, located at 3045 Baseline Road for the Queensway Carleton Hospital in Ottawa. Inspector Proulx met with Marc Villeneuve a representative May 10, 2024, of BGIS ITS Canada LTD one G1 certificate holder and we proceed to reviews safety check and perform set up combustion test to 100 % firing rate on a hot water boiler

dual fuel natural gas only and propane, manufacturer by Cleaver Brooks Model# CB700X-600, Serial# S-58785 at the above address. Please Note: This boiler will be allowed to fire at 100% on natural gas only. Also, this inspector as perform a visual inspection on the propane supply tank outside that supply propane as a second alternative fuel to the Cleaver Brooks Boiler and this inspector as notice these deficiencies on site.

- 1) The Propane Tank outside will need to be Painted and piping.
- 2) The propane vaporizer will also require documentation on site for service and clearance, distance from the propane tank if required.
- 3) This inspector will required to see the Cleaver Brooks operating on propane and perform safety check and combustion test on the propane fuel as well with Combustion test.
- 4) The grass will required to be removed in the compound area as per order below.
- 5) THIS INSPECTOR WILL REQUIRE A CURRENT COPY OF THE COMPREHENSIVE INSPECTION REPORT FOR THIS PROPANE FACILITY FROM SUPERIOR PROPANE.

This was explain Martin Julien Chief Engineer with a new compliance date with all peoples involved regarding these observations and deficiencies, Also as indicated above this inspector will allow the leave the Cleaver Brooks Boiler operating at 100% capacity on Natural Gas Only until the compliance shown below.

*** Please Note this will be this Inspector last extension for this File. ***

***PLEASE NOTE THAT THIS INSPECTOR WILL ALLOWED ONLY Marc Villeneuve AND Andy Boisvert TO PERFORM REPAIR AND SETUP TO OPERATED ON ONE Cleaver Brooks HAS MENTION ABOVE FOR THE DURATION BEFORE THE COMPLIANCE DATE SHOWN BELOW ***

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14315793

Inspection Report # 10177326

Inspection not complete

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

INDIVIDUAL(S) ENSURING COMPLIANCE: Andrew Hazeldean

No.	Inspection Order(s)	Issued Date	Compliance Date
1.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 5.3.3 Readily ignitable materials, including weeds and long dry grass, shall be removed from the area within 10 ft (3 m) of a container, and this area shall be kept clear of such material at all times.</p> <p>Comply with clause 5.3.3 of the CAN/CSA-B149.2 Code, and remove any readily ignitable materials within 10 ft (3 m) of any propane storage container.</p>	Jun 07, 2024	Jul 19, 2024
2.	<p>CAN/CSA-B149.2 Propane Storage and Handling Code Clause 7.1.12 Return lines from pumps, meters, or dispensing devices, if connected to the liquid space of a tank, shall be equipped with a back check valve.</p> <p>Please add description</p>	Jun 07, 2024	Jul 19, 2024
3.	<p>CAN/CSA-B149.1 Natural Gas and Propane Installation Code Clause 4.2.1 An appliance, accessory, component, equipment, or material used in an installation shall be of a type and rating approved for the specific purpose for which it is employed.</p> <p>Comply with Clause 4.2.1 of the CAN/CSA-B149.1 Code, and ensure any appliance, accessory, component, equipment, or material used in an installation is approved for the specific purpose for which it is employed.</p>	Feb 01, 2024	Jul 19, 2024

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14315793

Inspection Report # 10177326

This report is issued under the *Technical Standards and Safety Authority Act, 2000, s. 17(1)*

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,

- (a) ensuring compliance with this Act, the regulations or Minister's order;
- (b) ensuring that an authorization holder remains entitled to the authorization; or
- (c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By: AndrewH2@airongroup.ca	Customer Contact Number: 613 315-9123	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14228141
Inspection Report # 10157190

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s): 100014528	Inspection Completion Date: May 10, 2024
	Facility Type:	Equipment Type: FS Appliance
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Follow-up Inspection Field Approval - Multiple Fuels	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

Where inspection orders are issued, TSSA will perform a follow-up inspection to confirm compliance. The responsible party is expected to make all the necessary corrections within the compliance time specified.

TSSA Inspector Ian Proulx conducted a follow up field approval inspection on May 10, 2024, located at 3045 Baseline Road for the Queensway Carleton Hospital in Ottawa. Inspector Proulx met with Marc Villeneuve a representative January 30, 2024, of BGIS ITS Canada LTD one G1 certificate holder and we proceed to reviews safety check and perform set up combustion test to 100 % firing rate on a hot water boiler dual fuel natural gas only and propane, manufacturer by Cleaver Brooks Model# CB700X-600, Serial# S-58785 at the above address. Please Note: This boiler will be allowed to fire at 100% on natural gas only. Also, this inspector as perform a visual inspection on the propane supply tank outside that supply propane as a second alternative fuel to the Cleaver Brooks Boiler and this inspector as notice these deficiencies on site.

- 1) The Propane Tank outside will need to be Painted and piping.
- 2) This inspector will require from a CIVIL professional engineer a letter sign, that the base (Footing) is safe for the weight of This massive propane tank made in 1975. This is Due to this inspector observation that Groundhog have made a home around the Base.
(Footing) saddle closer the Hospital.
- 3) The propane vaporizer will also require documentation on site for service and clearance, distance from the propane tank if required.
- 4) This inspector will required to see the Cleaver Brooks operating on propane and perform safety check and combustion test on the propane fuel as well with Combustion test.

This was explain Martin Julien Chief Engineer with a new compliance date with all peoples involved regarding these observations and deficiencies, Also as indicated above this inspector will allow the leave the Cleaver Brooks Boiler operating at 100% capacity on Natural Gas Only until the compliance shown below.

*** Please Note this will be this Inspector last extension for this File. ***

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 14228141

Inspection Report # 10157190

***PLEASE NOTE THAT THIS INSPECTOR WILL ALLOWED ONLY Marc Villeneuve AND Andy Boisvert TO PERFORM REPAIR AND SETUP TO OPERATED ON ONE Cleaver Brooks HAS MENTION ABOVE FOR THE DURATION BEFORE THE COMPLIANCE DATE SHOWN BELOW ***

Inspection not complete

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

INDIVIDUAL(S) ENSURING COMPLIANCE: mjulien@qch.on.ca

No.	Inspection Order(s)	Issued Date	Compliance Date
1.	<p>CAN/CSA-B149.1 Natural Gas and Propane Installation Code Clause 4.2.1</p> <p>An appliance, accessory, component, equipment, or material used in an installation shall be of a type and rating approved for the specific purpose for which it is employed.</p> <p>Comply with Clause 4.2.1 of the CAN/CSA-B149.1 Code, and ensure any appliance, accessory, component, equipment, or material used in an installation is approved for the specific purpose for which it is employed.</p>	Feb 01, 2024	May 31, 2024

This report is issued under the *Technical Standards and Safety Authority Act, 2000, s. 17(1)*

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,

- (a) ensuring compliance with this Act, the regulations or Minister's order;
- (b) ensuring that an authorization holder remains entitled to the authorization; or
- (c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By: Martin Julien	Customer Contact Number: mjulien@qch.on.ca	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 8184533

Inspection Report # 10055081

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s): 100014528 Facility Type:	Inspection Completion Date: Jul 25, 2023 Equipment Type: FS Appliance
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Field Approval Inspection - Multiple Fuels The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

Where inspection orders are issued, TSSA will perform a follow-up inspection to confirm compliance. The responsible party is expected to make all the necessary corrections within the compliance time specified.

TSSA Inspector Ian Proulx conducted a follow up field approval inspection on January 30, 2024, located at 3045 Baseline Road for the Queensway

Carleton Hospital in Ottawa. Inspector Proulx met with Marc Villeneuve a representative of BGIS ITS Canada LTD one G1 certificate holder and we proceed to reviews safety check and perform set up combustion test to 100 % firing rate on a hot water boiler dual fuel natural gas only and propane, manufacturer by Cleaver Brooks Model# CB700X-600, Serial# S-58785 at the above address. Please Note: This boiler will be allowed to fire at 100% on natural gas only. Also, this inspector as perform a visual inspection on the propane supply tank outside that supply propane as a second alternative fuel to the Cleaver Brooks Boiler and this inspector as notice these deficiencies on site.

1) The Propane Tank outside will need to be Painted and piping.

2) This inspector will require from a CIVIL professional engineer a letter sign, that the base (Footing) is safe for the weight of this massive propane tank made in 1975. This is Due to this inspector observation that Groundhog have made a home around the Base. (Footing) saddle closer the Hospital.

3) The propane vaporizer will also require documentation on site for service and clearance, distance from the propane tank if required.

4) This inspector will required to see the Cleaver Brooks operating on propane and perform safety check and combustion test on the propane fuel as well with Combustion test.

5) Also, the chimney flashing will need to be install (on the Ground in Mechanical room) will required to be install at chimney wall to seal mechanical for fresh air.

6) This Inspector will require a Letter sign from a Mechanical Engineer for the total BTU in the Boiler room for proper fresh air, this

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.

(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 8184533

Inspection Report # 10055081

will review by TSSA engineer for approval.

This was explain Martin Julien Chief Engineer with all peoples involved regarding these observations and deficiencies, Also as indicated above this inspector will allowed the leave the Cleaver Brooks Boiler operating at 100% capacity on Natural Gas Only until the compliance shown below.

*** Please Note this will be this Inspector last extension for this File.***

***PLEASE NOTE THAT THIS INSPECTOR WILL ALLOWED ONLY Marc Villeneuve AND Andy Boisvert TO PERFORM REPAIR AND SETUP TO OPERATED ON ONE Cleaver Brooks HAS MENTION ABOVE FOR THE DURATION BEFORE THE COMPLIANCE DATE SHOWN BELOW ***

Inspection not complete

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

INDIVIDUAL(s) ENSURING COMPLIANCE: Martin Julien

No.	Inspection Order(s)	Issued Date	Compliance Date
1.	<p>CAN/CSA-B149.1 Natural Gas and Propane Installation Code Clause 4.2.1 An appliance, accessory, component, equipment, or material used in an installation shall be of a type and rating approved for the specific purpose for which it is employed.</p> <p>Comply with Clause 4.2.1 of the CAN/CSA-B149.1 Code, and ensure any appliance, accessory, component, equipment, or material used in an installation is approved for the specific purpose for which it is employed.</p>	Feb 01, 2024	Apr 25, 2024

This report is issued under the *Technical Standards and Safety Authority Act, 2000, s. 17(1)*

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,

- (a) ensuring compliance with this Act, the regulations or Minister's order;
- (b) ensuring that an authorization holder remains entitled to the authorization; or
- (c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By: Martin Julien	Customer Contact Number: mjulien@qch.on.ca	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 8122974

Inspection Report # 10043067

Inspection Address: 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Reference Number(s):	Inspection Completion Date: May 31, 2022
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY-CARLETON HOSPITAL 3045 BASELINE RD NEPEAN ON K2H 8P4 Canada	Task Type: FS Inspection Consultation	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

INSPECTION NOTES

Inspection Order(s) are issued pursuant to my authority under section 21. (1) of the Technical Standards and Safety Act, 2000.

TSSA inspector Ian Proulx conducted a consultation inspection on May 19, 2022, at Queensway Carleton Hospital located at 3045 Baseline Road in Ottawa. Inspector Proulx was invited by Matthew Desjardins a Project Manager Planning at the Queensway Carleton Hospital to consult on a new installation of a Cain Industries Heat Recovery Systems Serial # 9246. After inspecting the condition inside and the installation arrangement of the chimney and the deterioration of the steel of the chimney this inspector as theses recommendation.

- 1) The exiting Cogen engine on site, that the chimney is attached in conjunction with the new Cain unit that being install, will required to have a Variance application approval by TSSA.
- 2) The Venting will be required to be approved due to the Product of combustion produce by the Cogen engine and entering the Cain Industries heat recovery systems
- 3) If fabricated it will need to meet the NMPA/211 the building code of Ontario with a (P Eng. Letter) or a certified chimney install by a registered contractor and a certificated holder

This inspector as explain this to Matthew Desjardins the Project Manager of Planning at the Queensway Carleton Hospital to apply for a Variance for the Cain unit being install and venting.

Cost recovery fees will be billed to the above-named client by Authority of Section 19 of the TSSAct, 2000 and according to TSSA billing policy.

INSPECTION ORDER(S) ISSUED TO: QUEENSWAY-CARLETON HOSPITAL

INDIVIDUAL(S) ENSURING COMPLIANCE: Matthew Desjardin

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

Inspection Report

Work Order # 8122974

Inspection Report # 10043067

This report is issued under the *Technical Standards and Safety Authority Act, 2000, s. 17(1)*

17. (1) An inspector may conduct an inspection and may, as part of that inspection, enter and inspect at any reasonable time the lands and premises where any of the things, parts of the things or classes of things to which this Act, the regulations or a Minister's order apply are used, operated, installed, made, manufactured, repaired, renovated or offered for sale for the purpose of,
(a) ensuring compliance with this Act, the regulations or Minister's order;
(b) ensuring that an authorization holder remains entitled to the authorization; or
(c) determining whether a hazardous condition exists. 2006, c. 34, s. 25 (5)

Customer Signature & Position / Date:		Inspector Name: Ian Proulx	Inspector Contact Number: +1 613-325-3893
Report Received By: Matthew Desjardin	Customer Contact Number: 613 415 7260	Inspector Email: iproulx@tssa.org	

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
(Note: This is not an invoice)



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

September 15, 2021

MARTIN JULIEN
QUEENSWAY CARLETON HOSPITAL
3045 BASELINE RD
NEPEAN ON K2H 8P4
MJULIEN@QCH.ON.CA

FS Variance

Service Request No.: 2993604

Installed at: 3045 BASELINE RD, NEPEAN

Request for Variance from Clause 4.5.2 of the B149.1-20 Code, O. Reg. 212/01

Dear MARTIN JULIEN,

This is in response to your variance application involving the chimney for Cleaver Brooks boiler Model #: CB-700-X-600, Serial #: S-58785.

Your variance request was to allow for continued use of the existing chimney until it is replaced by August 1, 2022.

Please be advised that your variance application has been approved because we have received a letter dated September 10, 2021 from Andy Hazeldean (G1) informing us that the chimney is in good condition and it will be fine to operate during this upcoming heating season. They will continue to monitor the chimney during the heating season to ensure that there are no issues.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The installation/system/appliance dealt with in this variance must be inspected and may be periodically audited by TSSA. Please contact Ian Proulx at 613-325-3893 or by email at iproulx@tssa.org to arrange for the inspection;
- The variance is approved until August 1, 2022;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility for any impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;
- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;

- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance; and
- A copy of the variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/equipment.

This variance only relates to the Act and regulations made thereunder and does not exempt you from compliance with other applicable regulatory requirements. The installation may be subject to an inspection to ensure compliance with the terms of the variance.

Should you have any questions or require further assistance, please contact Marek Kulik at 416.734.3465 or by email at mkulik@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,



Zenon J. Fraczkowski, P. Eng.
Manager, Fuels Safety Engineering
Delegated Authority under section 36(3) (c) of TSS Act

c. Ian Proulx, TSSA (iproulx@tssa.org)
Mike Goldberg, TSSA (mgoldberg@tssa.org)

<p>A legible copy of this letter shall be kept readily available near the appliance/equipment. This variance is not valid unless all variance conditions in this letter have been met.</p>
--



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2993604
Inspection Report #	8853017

Inspection Address: 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: JAN 18, 2021
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Task Type: FS-Variance Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

PO Number: 38855

Task Notes
<p>TSSA Inspector Ian Proulx received and review a Variance application to allow temporary operation of a repair of an non certified chimney serving a Cleaver Brooks boiler Model# CB 700-X-600 Serial # S-58785 at Queensway Carleton Hospital located at 3045 Baseline Road in Ottawa and has been approved to operated till August 01, 2021.</p> <p>Inspector Proulx verified as per the Variance application and condition for Clause 4.5.2 of the CSA B149.1-15 code of Ontario.</p> <p>TSSA Variance SR 2993604 approval letter dated October 13, 2021. The remaining items listed on said letter where found to comply with the terms and conditions listed therein.</p> <p>Cost recovery fees will be billed to the above-named client by authority of Section 19 of the TSSAct, 2011 and according to TSSA billing policy.</p> <p>***Please note that a copy of the variance approval letter is to be kept readily available and permanently legible near the appliance/equipment affected as required in said letter. ***</p> <p>***Please Note That this Variance will expires August 01, 2021; ***</p> <p>Variance complete</p>

Customer Signature & Position / Date:		Inspector Name: Proulx, Ian	Inspector Contact Number: 613-325-3893
Report Received By:	Customer Contact Number:	Inspector Email: iproulx@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

January 13, 2021

MARTIN JULIEN
QUEENSWAY CARLETON HOSPITAL
3045 BASELINE RD
NEPEAN ON K2H 8P4
MJULIEN@QCH.ON.CA

FS Variance

Service Request No.: 2993604

Installed at: 3045 BASELINE RD, NEPEAN

Request for a variance from clause 4.5.2 of the B149.115 Code, O.Reg. 2121/01

Dear MARTIN JULIEN,

Please be advised that your variance application dated January 7, 2021 to allow a temporary operation of the repaired chimney serving Cleaver Brooks boiler Model#: CB-700-X-600, Serial #: S-58785, has been approved based on information submitted by Andy Hazeldean (G1) confirming that: 1) the chimney is in good condition with the only issue being internal corrosion where the chimney penetrates the wall and attaches to the vertical run. The entire corroded section will be cut out from the vertical attachment back to good solid material, 48". A new section will be weld in, 1/8" steel rolled to the exact same dimensions as the existing one and weld it to the vertical and horizontal runs (as per drawing: QCH stack drawing); 2) he has a confidence of the safety and integrity of this proposed repair.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The variance is approved until August 1, 2021;
- The chimney shall not to be used until it is repaired and tested for leaks (passes test);
- A CO detector shall be installed near the repaired section where the workers work;
- The installation shall be inspected by a TSSA inspector prior to operation. Please call Ian Proulx at 613-325-3893 to arrange for the inspection;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility for any impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;
- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;

- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted, and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance;
- A copy of the variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/device.

This variance only relates to the Act and regulations made thereunder and does not exempt you from compliance with other applicable regulatory requirements. The installation may be subject to an inspection to ensure compliance with the term of the variance.

Should you have any questions or require further assistance, please contact Marek Kulik at 416.734.3465, or by e-mail at mkulik@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,



Zenon J. Fraczkowski, P. Eng.
Manager, Fuels Engineering
Delegated Authority under section 36(3) (c) of TSS Act

Copy:

Ian Proulx, TSSA, iproulx@tssa.org

Mike Goldberg, TSSA, mgoldberg@tssa.org



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2993018
Inspection Report #	8843116

Inspection Address: 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date:
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Task Type: FS-Unscheduled Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: QUEENSWAY CARLETON HOSPITAL:

Line	Reference and Order(s)	Compliance Date
90368 4-1	CAN/CSA B149.1-15 Natural Gas and Propane Installation Code Clause 4.1.3 - An appliance, accessory, component, equipment, or any other item shall be installed in accordance with the manufacturer's certified instructions and this Code. TSSA inspection as determined that Queensway Carleton Hospital has failed to comply with this code henceforth. You are hereby ordered to comply with clause 4.1.3 of the CAN/CSA B149.1-15 Code and ensure any appliance, accessory, component or equipment is installed in accordance with the manufacturer's certified instructions and the CAN/CSA B149.1-15 Code.	JAN 07, 2021
90368 4-4	Unlisted Deficiency The following Order is issued January 07, 2021 4.5.2 The use of an appliance, accessory, component, equipment, or material shall be prohibited where a hazard is created. TSSA inspection has determined that Queensway Carleton Hospital has failed to comply with this code Henceforth.	JAN 07, 2021

Task Notes

TSSA inspector Ian Proulx conducted an unscheduled inspection on January 07, 2021 at Queensway Carleton Hospital located at 3045 Baseline Road in Ottawa. Inspector Proulx was made aware of an issued during a contractor inspecting the inside of the chimney of one boiler Cleaver Brooks CB Packaged Boiler serial # S 58785 in boiler Room. After inspecting the condition outside and the picture supply by the contractor for inside of the chimney also due to the deterioration of the steel of the chimney this inspector as issued these orders.

Also, please note that this boiler venting will need to be repair and this inspector will need to modify before putting in to use.

This inspector as explain this to Martin Julien the Facilities Manager and chief Planning and Facilities.

The above Inspector's Orders are a result of the inspection. Cost recovery fees will be billed to the above-named client by Authority of Section 19 of the TSSAct, 2000 and according to TSSA billing policy. Pursuant to my Authority under Section 21 of the TSSAct, 2000, you are hereby ordered to comply with the above Orders forthwith.

Customer Signature & Position / Date:	Inspector Name: Proulx, Ian	Inspector Contact Number: 613-325-3893
Report Received By: Martin Julien via: mjulien@qch.on.ca	Customer Contact Number: (613) 721-2000 Ext 1308	Inspector Email: iproulx@tssa.org
		Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2993018
Inspection Report #	8843116

Inspection Address: 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date:
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD NEPEAN;ON CA K2H 8P4	Task Type: FS-Unscheduled Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Customer Signature & Position / Date:		Inspector Name: Proulx, Ian	Inspector Contact Number: 613-325-3893
Report Received By: Martin Julien via: mjuilien@qch.on.ca	Customer Contact Number: (613) 721-2000 Ext 1308	Inspector Email: iproulx@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2212564
Inspection Report #	7054138

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: DEC 18, 2017
	Facility Type:	Equipment Type:
Customer Name and Address: TP CRAWFORD LTD 4549 SOUTHCLARK PL GLOUCESTER;ON CA K1T 3V2	Task Type: FS-Unscheduled Inspect The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: TP CRAWFORD LTD

Line	Reference and Order(s)	Compliance Date
81055 1-1	<p>CAN/CSA-B149.2-15 Propane Storage and Handling Code Clause 6.5.3.9 Cylinders on building rooftops shall comply with the following requirements:</p> <p>(a) A propane cylinder shall not be on the roof of a building unless the cylinder is to be connected for work undertaken on the roof during the current or the immediate following work shift.</p> <p>(b) Cylinders not in use shall be stored in accordance with provisions of Clause 6.5.3.2, and the following requirements shall also apply:</p> <p>(i) The weight of the cylinder(s) shall not exceed the net load capacity of the roofing structure as specified by building owner/management.</p> <p>(ii) The storage area shall be at least 10 ft (3 m) from the building edge or a change in elevation of more than 3 feet (0.9 m).</p> <p>(iii) Cylinders shall be secured to maintain the cylinders in the proper storage position during inclement weather.</p> <p>(iv) All cylinders shall be removed upon completion of the work.</p> <p>(c) Cylinders properly connected in an approved manner to the appliance they serves shall be adequately secured from inclement weather.</p> <p>(d) No more than 1000 lb (450 kg) of propane in total capacity shall be on the roof.</p> <p>The following Order is issued Dec.18th, 2017.</p> <p>TSSA Inspection has determined T.P. Crawford Ltd; does not comply with this code (6x100lb propane cylinders were stored next to the building edge).</p> <p>You are hereby Ordered to comply with CAN/CSA-B149.2-15 Propane Storage and Handling Code Clause 6.5.3.9 from this day forward.</p>	DEC 18, 2017

Task Notes

TSSA Inspector David Barclay travelled to 3045 Baseline Rd; Ottawa (Queensway Carleton Hospital) on Dec.14th, 2017 to conduct an inspection of the propane cylinder storage and handling.

During this inspection the following code infraction was discovered:

*6x100lb propane cylinders were stored next to the building's edge.

On Dec.18th, 2017 this Inspector travelled to 4549 South Clark Place, Gloucester and consulted with Mr. Kevin Macintyre regarding the storage of propane cylinders at the construction site.

Cost recovery fees will be billed to the above named client by Authority of Section 19 of the TSSAct, 2011 and according to TSSA billing policy.

Customer Signature & Position / Date:	Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Kevin Macintyre via: kevinmacintyre@tpcrawford.ca	Customer Contact Number: (613) 223-6826	Inspector Email: dbarclay@tssa.org
		Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2212564
Inspection Report #	7054138

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: DEC 18, 2017
	Facility Type:	Equipment Type:
Customer Name and Address: TP CRAWFORD LTD 4549 SOUTHCLARK PL GLOUCESTER;ON CA K1T 3V2	Task Type: FS-Unscheduled Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Pursuant to my Authority under Section 21 of the TSSAct, 2011, you are hereby Ordered to comply with the above Order forthwith.

Customer Signature & Position / Date:		Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Kevin Macintyre via: kevinmacintyre@tpcrawford.ca	Customer Contact Number: (613) 223-6826	Inspector Email: dbarclay@tssa.org	Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

345 Carlingview Drive
Toronto, Ontario M9W 6N9
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	2210366
Inspection Report #	7050250

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: DEC 15, 2017
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Unscheduled Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: No Orders Issued

Task Notes
<p>TSSA Inspector David Barclay travelled to 3045 Baseline Rd; Ottawa, Queensway Carleton Hospital on December 14th, 2017 to conduct an inspection of the storage and handling of the propane cylinders on site.</p> <p>Consulted with Mr. Steven Black - Site Supervisor. Conducted an inspection of the propane cylinders 12x100lb located in a fenced in area on the south/west side of the hospital with No Smoking signage and located approx. 20ft from the building and in an area without vehicular traffic. Inspection of the propane cylinders on the roof found two sets of cylinders 6x100lb and 4x100lb cylinders tied together with 3 fire extinguishers located near by. A fire had occurred on the week of Dec.4th, 2017, propane not involved. No deficiencies found.</p> <p>Inspection Complete.</p>

Customer Signature & Position / Date:		Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Internal use only.	Customer Contact Number:	Inspector Email: dbarclay@tssa.org	Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	1674318
Inspection Report #	5855424

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: OCT 06, 2015
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Follow up Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: QUEENSWAY CARLETON HOSPITAL

Task Notes
<p>TSSA Inspector David Barclay travelled to 3045 Baseline Rd; Ottawa (Queensway Carleton Hospital) to conduct a follow up inspection of the propane storage tank on October 6th, 2015.</p> <p>On site inspection to verify compliance with Order issued. This inspector has found the propane storage tank at this site repainted and the code infraction has been resolved.</p> <p>Inspection Complete.</p> <p>Cost recovery fees will be billed to the above named client by Authority of Section 19 of the TSSAct, 2009 and according to TSSA billing policy.</p>

Customer Signature & Position / Date:		Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Gilles Lecuyer via: glecuyer@qch.on.ca	Customer Contact Number: (613) 721-2000 ext. 1320	Inspector Email: dbarclay@tssa.org	Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	1674318
Inspection Report #	5628250

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: SEP 02, 2015
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Follow up Inspect The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: QUEENSWAY CARLETON HOSPITAL

Line	Reference and Order(s)	Compliance Date
73129 9-1	CAN/CSA-B149.2-10 Propane Storage and Handling Code. 7.1.4 Every steel tank shall be kept painted. The following Order is issued July 2nd, 2015. TSSA Inspection has determined Queensway Carleton Hospital does not comply with this code (propane storage tank is rusty). You are hereby Ordered to make the necessary correction before the compliance date.	OCT 02, 2015
73129 9-2	Technical Standards and Safety Act. 37 (1) - Offences Every person who, (a) contravenes or fails to comply with any provision of this Act, the regulations or a Minister's order; (b) knowingly makes a false statement or furnishes false information under this Act, the regulations or a Minister's order; (c) contravenes or fails to comply with a term or condition of an authorization; (d) contravenes or fails to comply with an order or requirement of a director or an inspector, or obstructs an inspector, is guilty of an offence and on conviction is liable to a fine of not more than \$50,000 or to imprisonment for a term of not more than one year, or to both, or, if the person is a body corporate, to a fine of not more than \$1,000,000. 2000, c. 16, s. 37 (1); 2009, c. 28, s. 14 (1). The following Order is issued Sept. 2nd, 2015. TSSA Inspection has determined this facility has failed to comply with sec. 37(1)(d) of the TSSAct. You are hereby Ordered to have the propane storage tank repainted by the compliance date issued.	OCT 02, 2015

Task Notes

TSSA Inspector David Barclay travelled to 3045 Baseline Rd; Ottawa (Queensway Carleton Hospital) on September 2nd, 2015 to conduct a follow up inspection of the propane storage tank.

On site inspection has found the Order issued July 2nd, 2015 to have the rusty propane storage tank painted was not complied with. A compliance date of October 2nd, 2015 has been issued.

Inspection complete.

Cost recovery fees will be billed to the above named client by Authority of Section 19 of the TSSAct, 2000 and according to TSSA billing policy.

Customer Signature & Position / Date:	Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Gilles Lecuyer via: glecuyer@qch.on.ca	Customer Contact Number: (613) 721-2000 ext. 1320	Inspector Email: dbarclay@tssa.org
		Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	1674318
Inspection Report #	5628250

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: SEP 02, 2015
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Follow up Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Pursuant to my Authority under Section 21 of the TSSAct, 2000, you are hereby Ordered to comply with the above Orders forthwith.

Customer Signature & Position / Date:		Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Gilles Lecuyer via: glecuyer@qch.on.ca	Customer Contact Number: (613) 721-2000 ext. 1320	Inspector Email: dbarclay@tssa.org	Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	1674318
Inspection Report #	5626209

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: JUL 02, 2015
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Unscheduled Inspect The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: QUEENSWAY CARLETON HOSPITAL

Line	Reference and Order(s)	Compliance Date
73129 9-1	CAN/CSA-B149.2-10 Propane Storage and Handling Code. 7.1.4 Every steel tank shall be kept painted. The following Order is issued July 2nd, 2015. TSSA Inspection has determined Queensway Carleton Hospital does not comply with this code (propane storage tank is rusty). You are hereby Ordered to make the necessary correction before the compliance date.	SEP 02, 2015

Task Notes

TSSA Inspector David Barclay travelled to 3045 Baseline Rd; Ottawa (Queensway Carleton Hospital) to conduct an inspection of the propane storage tank on June 12th, 2015.

On site inspection found propane storage tank does not comply with CAN/CSA B149.2-10 sec. 7.1.4. Propane tank is rusty and needs to be repainted.

This inspector consulted with Gilles Lecuyer advised of the requirement to keep the propane storage tank painted and of the compliance date to have this code infraction resolved September 2nd, 2015.

Inspection Complete.

Cost recovery fees will be billed to the above named client by Authority of Section 19 of the TSSAct, 2009 and according to TSSA billing policy.

Pursuant to my Authority under Section 21 of the TSSAct, 2009, you are hereby Ordered to comply with the above Orders forthwith.

Customer Signature & Position / Date:	Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Gilles Lecuyer via: glecuyer@qch.on.ca	Customer Contact Number: (613) 721-2000 ext. 1320	Inspector Email: dbarclay@tssa.org
		Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
www.tssa.org

FS Inspection Report

Service Request #	1674318
Inspection Report #	5626209

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: JUL 02, 2015
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Unscheduled Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Customer Signature & Position / Date:		Inspector Name: Barclay, David	Inspector Contact Number: 613-808-2727
Report Received By: Gilles Lecuyer via: glecuyer@qch.on.ca	Customer Contact Number: (613) 721-2000 ext. 1320	Inspector Email: dbarclay@tssa.org	Inspector Fax: 647-789-2129

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	877750
Inspection Report #	4055835

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: OCT 19, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Variance Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Task Notes

Conducted inspection of the newly installed Propane Vaporizer/ Propane-Air Mixer at the Queensway Carleton Hospital, Ottawa
The system was manufactured by Algas SDI, Model # Vaporaire V100-8, Serial # 1105786
Contractor in charge of the installation: Modern Niagara, contractor registration # 007649942
Certificate holders:
- Steve Robertson for propane gas and propane/air mixture, G1 certificate # FS-C-2004-00745240
- Derek O'Neill for liquid propane, license # 0124050
- Charles William Eadie for boilers commissioning, certificate # FS-C-1995-0717056

400 psi pressure test tag affixed
Installation in compliance with B149.1 and B149.2. Propane-air mixture tank CRN14587.5. Components bear Canadian certification marks.
Set up done by the supplier technician. Boilers fired on propane/air mixture. Testing confirmed a proper operation as outlined in the commissioning report from Charles Eadie.
The propane tank 18025 USWG existing, previously registered with TSSA.

Labour Detail

Date	Activity	Hours	Comments
OCT 10, 2012	Travel	5	Travel Toronto-Ottawa
OCT 11, 2012	Inspection	1	On-site inspection
OCT 11, 2012	Travel	5	Travel Ottawa-Toronto
OCT 19, 2012	Review	1	Review and inspection report

Customer Signature & Position / Date:		Inspector Name: Drndarevic, Fedja	Inspector Contact Number: 416-734-3547
Report Received By:	Customer Contact Number:	Inspector Email: FDrdarevic@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

October 04, 2012

Mr. Jody Piette
Queensway Carleton Hospital
3045 Baseline Rd.
Ottawa, ON K2H 8P4

FS Variance
Service Request No: 877750

Variance Request from Clause 4.2.1 of the CSA B149.2-05 Code, O. Reg. 212/01, for 3045 Baseline Rd., Ottawa

Dear Mr. Piette:

Please be advised that your variance application dated September 10, 2012, for permission to allow permanent use of an unapproved Propane/Air Mixer, Manufactured by Algas SDI, Model # Vaporaire V100-8, Serial # 1105786, at the above address, has been approved.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The installation shall be inspected prior to being put into operation. Please contact our Field Approvals Engineer Mr. Fedja Drndarevic at (416) 734-3547, or by e-mail at fdrndarevic@tssa.org to arrange for the site inspection;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility for any impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;
- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;
- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted, and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance; and

- A copy of the variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/equipment.

This variance only relates to the Act and regulations made thereunder and does not exempt you from compliance with other applicable regulatory requirements. The installation may be subject to an inspection to ensure compliance with the terms of the variance.

Should you have any questions or require further assistance, please contact Mr. Fedja Drndarevic at (416) 734-3547, or by e-mail at fdrndarevic@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,



John R. Marshall
Director, Fuels Safety Program
Tel. 416-734-3424
Toll. 1-877-682-8772
Fax. 416-231-7525
jmarshall@tssa.org



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	863214
Inspection Report #	4000096

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: SEP 04, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: MODERN NIAGARA OTTAWA INC 85 DENZIL DOYLE CRT KANATA;ON CA K2M 2G8	Task Type: FS-Insp Consult	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: No Orders Issued.

Task Notes
<p>TSSA Inspector Craig Wilson conducted an onsite consultation regarding the installation of propane vapourizers and a mixer located at 3045 Baseline Rd., the site of the Queensway Carleton Hospital on September 4th, 2012 as requested by Steve Robertson of Modern Niagara.</p> <p>This Inspector discussed various code issues requirements as requested.</p> <p>It is to be noted that at time of Inspection, the equipment in question was currently not yet in operation.</p> <p>Inspection Complete.</p>

Labour Detail			
Date	Activity	Hours	Comments
AUG 23, 2012	Inspection	.5	Time To Set Up Service Request, Book Appt. With Steve Robertson Of Modern Niagara
SEP 04, 2012	Inspection	1	Inspection Time Onsite.

Other Charges Detail			
Date	Activity	Qty	Comments
SEP 04, 2012	Travel	1	Travel - Flat Rate.

Customer Signature & Position / Date:		Inspector Name: Wilson, Craig	Inspector Contact Number:
Report Received By:	Customer Contact Number:	Inspector Email: cwilson@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	705032
Inspection Report #	3830340

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: MAY 24, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL >> 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Variance Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

PO Number: 106093

Task Notes			
<p>Arrived on site May 17, 2012 for Variance inspection of Seven Cleaver Brooks Boilers c/w individual Preferred Instruments [E Link JC 22D] draft control systems located at 3045 Baseline Rd. Nepean, ON.</p> <p>Met on site with Steve Robertson, Modern Niagara Ottawa Inc. Charles Edie, John M. Schermerhorn Ltd. and Kevin Toll, Total HVAC.</p> <p>Review of SR 705032 and proceeded with testing of E Link Draft Control Systems (JC 22D) for seven Cleaver Brooks Boilers.</p> <p>Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler FLX 700 500 160 HW; Serial BT 03914 2 1</p> <p>7) Proof of Closure (SSOV) OK 8) Open Damper Switch OK 9) Boiler Start Interlock OK 10) High Pressure (Stack) interlock (pos .30 "wc) OK 11) Excess (Negative) Draft interlock (neg .30 "wc) OK 12) Watchdog Timer OK</p> <p>Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler FLX 700 500 160 HW; Serial BT 03914 2 3</p> <p>7) Proof of Closure (SSOV) OK 8) Open Damper Switch OK 9) Boiler Start Interlock OK 10) High Pressure (Stack) interlock (pos .30 "wc) OK 11) Excess (Negative) Draft interlock (neg .30 "wc) OK 12) Watchdog Timer OK</p> <p>Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler FLX 700 500 160 HW; Serial BT 03914 2 2</p> <p>7) Proof of Closure (SSOV) OK 8) Open Damper Switch OK 9) Boiler Start Interlock OK 10) High Pressure (Stack) interlock (pos .30 "wc) OK 11) Excess (Negative) Draft interlock (neg .30 "wc) OK 12) Watchdog Timer OK</p>			
Customer Signature & Position / Date:		Inspector Name: Janes, Anthony	Inspector Contact Number: 905-986-1251
Report Received By: Queensway Carleton Hospital / John Martin	Customer Contact Number: 613 721 4700	Inspector Email: AJanes@tssa.org	Inspector Fax: 905-986-1358

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First


**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	705032
Inspection Report #	3830340

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: MAY 24, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL >> 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Variance Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler M5LWV 7500; Serial 03914 1 1

- 7) Proof of Closure (SSOV) OK
- 8) Open Damper Switch OK
- 9) Boiler Start Interlock OK
- 10) High Pressure (Stack) interlock (pos .50 "wc) OK
- 11) Excess (Negative) Draft interlock (neg .30 "wc) OK
- 12) Watchdog Timer OK

Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler M5LWV 7500; Serial 03914 1 2

- 7) Proof of Closure (SSOV) OK
- 8) Open Damper Switch OK
- 9) Boiler Start Interlock OK
- 10) High Pressure (Stack) interlock (pos .50 "wc) OK
- 11) Excess (Negative) Draft interlock (neg .30 "wc) OK
- 12) Watchdog Timer OK

Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler M5LWV 7500; Serial 03914 1 3

- 7) Proof of Closure (SSOV) OK
- 8) Open Damper Switch OK
- 9) Boiler Start Interlock OK
- 10) High Pressure (Stack) interlock (pos .50 "wc) OK
- 11) Excess (Negative) Draft interlock (neg .30 "wc) OK
- 12) Watchdog Timer OK

Proceeded with testing of operation of E Link Draft Control System (JC 22D) for Cleaver Brooks Boiler M5LWV 7500; Serial 03914 1 4

- 7) Proof of Closure (SSOV) OK
- 8) Open Damper Switch OK
- 9) Boiler Start Interlock OK
- 10) High Pressure (Stack) interlock (pos .50 "wc) OK
- 11) Excess (Negative) Draft interlock (neg .30 "wc) OK
- 12) Watchdog Timer OK

Testing of the operation of Seven Cleaver Brooks Boilers c/w individual Preferred Instruments [E Link JC 22D] draft control systems is complete and concluded to be satisfactory and in compliance with conditions as identified in Variance SR 705032.

Inspection Complete

A copy of the Variance Letter shall always be kept available and permanently legible in the vicinity of the appliance / equipment.

Customer Signature & Position / Date:		Inspector Name: Janes, Anthony	Inspector Contact Number: 905-986-1251
Report Received By: Queensway Carleton Hospital / John Martin	Customer Contact Number: 613 721 4700	Inspector Email: AJanes@tssa.org	Inspector Fax: 905-986-1358

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First


**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	705032
Inspection Report #	3830340

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: MAY 24, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: QUEENSWAY CARLETON HOSPITAL >> 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Task Type: FS-Variance Inspect	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Billing applied as per Technical Standards and Safety Act / 2000, Section 19 and TSSA billing policy.

Labour Detail			
Date	Activity	Hours	Comments
MAY 16, 2012	Travel	4	Travel to Hotel Ottawa
MAY 17, 2012	Travel	.25	Travel to site from Hotel Ottawa
MAY 17, 2012	Inspection	7.5	Site Inspection
MAY 17, 2012	Travel	.25	Return Travel - Hotel Ottawa
MAY 18, 2012	Travel	2	Return Travel - Office
MAY 24, 2012	Inspection	1.5	Worked on Report / Processed Report "Complete"

Customer Signature & Position / Date:		Inspector Name: Janes, Anthony	Inspector Contact Number: 905-986-1251
Report Received By: Queensway Carleton Hospital / John Martin	Customer Contact Number: 613 721 4700	Inspector Email: AJanes@tssa.org	Inspector Fax: 905-986-1358

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

May 10, 2012

Mr. John Martin
Queensway Carleton Hospital
3045 Baseline Road,
Nepean, ON K2H 8P4

Variance Application
Service Request No.: 705032

Variance Request from O. Reg. 212/01, Gaseous Fuels Regulation, Clause 4.2.1 of CSA-B149.1-05, "Natural Gas and Propane Installation Code" at the above address.

Dear Mr. Martin,

This is in response to your variance application to allow the addition of individual electronic draft control systems to seven boilers that are operating at this site. The individual draft controllers will be located in each of the seven vent connectors that connect the boilers to a common chimney.

You have submitted detailed electrical schematics and the information sheets for the Cleaver Brooks Flame Safeguards that you will be using. The FSG's are model CB780E, which include a Valve Proving System. The boilers do not use continuous pilots. The draft control dampers have an end switch to prove that the damper is full open both during the purge and prior to ignition. The damper switch is also interlocked in series with the boiler starting interlocks. The draft control dampers are equipped with both a Draft Sensor/High Breeching Pressure Cut-Out Switch and an Excessive Negative Draft Cut-Out Switch. Both of these cut-out switches are hard wired directly in series to their boiler's Flame Safe Guard system (not through the controller). In the case of a damper failing closed or failing open and exceeding either of the draft set points for longer than four seconds, the boiler will be shutdown, along with the fuel supply to the boilers.

Your application is approved.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The Boilers and their associated control and safety systems must be as described above and as shown in the submitted documents;
- This installation must be inspected prior to full operation. Please call Mr. Anthony Janes at (905) 986-1251 to arrange for the site inspection;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility for any



impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;

- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;
- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted, and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance; and
- A copy of this variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/equipment.

Should you have any questions or require further assistance, please contact Richard Huggins at (416) 734-3345, or by e-mail at rhuggins@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Please note that this variance only relates to the Technical Standards and Safety Act and Regulations made there under and does not exempt you from compliance with other applicable jurisdictional requirements.

Yours truly,

John R. Marshall
Director - Fuels Safety


**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	706712
Inspection Report #	3657193

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s): 	Inspection Completion Date: MAR 08, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: MODERN NIAGARA OTTAWA INC 85 DENZIL DOYLE CRT KANATA;ON CA K2M 2G8	Task Type: FS-Insp Consult The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Orders Issued To: No Orders Issued.

Task Notes
<p>TSSA Inspector Craig Wilson conducted an onsite consultation at 3045 Baseline Rd., the site of the Queensway Carleton Hospital beginning on December 20th, 2011 ending on March 8th, 2012 as requested by Steve Robertson of Modern Niagara.</p> <p>This Inspector discussed various existing code issues and variance requirements as requested.</p> <p>It is to be noted that at time of Inspection, the equipment in question was currently not yet in operation.</p> <p>Inspection Complete.</p>

Labour Detail			
Date	Activity	Hours	Comments
DEC 20, 2011	Consultation	2.5	Consultation Time With Steve Robertson Onsite.
JAN 03, 2012	Customer Inquiries	.5	Inquiry From Steve Robertson of MN Re: Tag Issue
JAN 23, 2012	Consultation	.25	Time To Speak With Contractor Re: Request To Attend Site.
FEB 14, 2012	Consultation	.5	Consultation On Code Clarification W/ Steve Robertson.
MAR 08, 2012	Consultation	2.25	Completion Of Onsite Consultation, Review File, Process Report And Deliver.

Other Charges Detail			
Date	Activity	Qty	Comments
MAR 08, 2012	Travel	1	Travel - Flat Rate.

Customer Signature & Position / Date:		Inspector Name: Wilson, Craig	Inspector Contact Number:
Report Received By:	Customer Contact Number:	Inspector Email: cwilson@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First


**TECHNICAL STANDARDS
and SAFETY AUTHORITY**

14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario M8X 2X4
Toll free 1-877-682-8772
Fax (416) 231-1626
www.tssa.org

FS Inspection Report

Service Request #	706712
Inspection Report #	3657193

Inspection Address: 3045 BASELINE RD OTTAWA;ON CA K2H 8P4	Reference Number(s):	Inspection Completion Date: MAR 08, 2012
	Facility Type:	Equipment Type:
Customer Name and Address: MODERN NIAGARA OTTAWA INC 85 DENZIL DOYLE CRT KANATA;ON CA K2M 2G8	Task Type: FS-Insp Consult	
	The facility/equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service.	

Customer Signature & Position / Date:		Inspector Name: Wilson, Craig	Inspector Contact Number:
Report Received By:	Customer Contact Number:	Inspector Email: cwilson@tssa.org	Inspector Fax:

As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis. An Invoice will be issued for the Total Charges Incurred.

(Note: This is not an invoice)

Putting Public Safety First



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

Rush

July 8, 2010

J. Ross Keys, P. Eng.,
AltEng Inc.,
126 Holm Crescent,
Thornhill, ON L3T 5J3

FS Variance
Service Request No.: 418142

**Request for variance from clause 7.10.2 of the B149.2-05 Code, O.Reg. 211/01 for
Queensway Carleton Hospital, 3045 Baseline Rd., Nepean.**

Dear Mr. Keys,

Please be advised that your rush variance application dated July 5, 2010, proposing to construct a concrete block wall to maintain the required clearance approved in Variance 410064 from an 18,025 USWG aboveground propane tanks for consumer application has been accepted with one modification. The modification is related to the wall height, that shall be increased as shown in the drawing No. P-101, File No. 10130D here attached.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The wall shall be constructed in accordance with drawing No. P-101, File No. 10130D, as modified, approval dated July 8, 2010, which requires the addition of 1,610 mm to the wall height. This will make the wall 3,460 mm high when looking from the tank side;
- The installation of wall and vehicle protection shall be inspected by Don Heyworth, TSSA Fuels Safety Inspector. To schedule an inspection please contact him at (905) 640-8501;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility

...2

J. Ross Keys, P. Eng.,
July 8, 2010
Page 2

for any impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;

- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;
- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted, and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance;
- A copy of the variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/device.

This variance only relates to the Act and regulations made thereunder and does not exempt you from compliance with other applicable regulatory requirements. The installation may be subject to an inspection to ensure compliance with the term of the variance.

Should you have any questions or require further assistance, please contact Oscar Alonso at 416.734.3353, or by e-mail at oonsonso@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,



John R. Marshall
Director, Fuels Safety Program
Tel. : (416) 734-3424
Fax : (416) 231-7525
Email : jmarshall@tssa.org



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

June 23, 2010

J. Ross Keys, P. Eng.,
AltEng Inc.,
126 Holm Crescent,
Thornhill, ON L3T 5J3

FS Variance
Service Request No.: 410064

**Request for variance from clause 7.10.2 of the B149.2-05 Code, O.Reg. 211/01 for
Queensway Carleton Hospital, 3045 Baseline Rd., Nepean.**

Dear Mr. Keys,

Please be advised that your variance application dated June 14, 2010 to accept installation of an 18,025 USWG aboveground propane tanks for consumer application, has been approved.

This variance is allowed under the authority of subsection 36.(3)(c) of the *Technical Standards and Safety Act, 2000*, (the "Act") and subject to such conditions as may be specified herein, being that:

- The minimum distance to property lines and buildings shall be 50 feet;
- The handicap parking lot planned to be installed near the propane tank shall be designed such that no vehicle would be able to be parked closer than 30' from the tank. Vehicle protection, such as posts, New Jersey Turnpike barriers or equivalent must be installed;
- The installation shall be inspected by Don Heyworth, TSSA Fuels Safety Inspector. To schedule an inspection please contact him at (905) 640-8501;
- Non-conformity with the conditions specified shall thereby cause the allowed variance to become null and void;
- The applicant accepts full responsibility for any and all damages resulting from the use of the thing to which the variance applies. The applicant further accepts full responsibility for any impacts to the health and safety of any person in consequence of the allowance of the variance or of non-conformity with the conditions specified. The Technical Standards and Safety Authority accepts no responsibility for any such damages or impacts;

...2

J. Ross Keys, P. Eng.,

June 23, 2010


Page 2

- In the event of any claims against the Technical Standards and Safety Authority arising from allowance of the variance or non-conformity with the conditions specified, the applicant agrees to indemnify the Technical Standards and Safety Authority and agrees to hold it harmless from such claims and attendant costs;
- The variance process is subject to public access under the TSSA Access and Privacy Code (available upon request). The fact that a variance has been granted, and information about any public conditions, such as a requirement to post a sign, may be released on request. Subject to law and the TSSA Access and Privacy Code, proprietary information will not be subject to release;
- The applicant shall pay the fee associated with the review of the variance;
- A copy of the variance letter shall always be kept readily available and permanently legible in the vicinity of the appliance/device.

This variance only relates to the Act and regulations made thereunder and does not exempt you from compliance with other applicable regulatory requirements. The installation may be subject to an inspection to ensure compliance with the term of the variance.

Should you have any questions or require further assistance, please contact Oscar Alonso at 416.734.3353, or by e-mail at oonso@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,



John R. Marshall
Director, Fuels Safety Program
Tel. : (416) 734-3424
Fax : (416) 231-7525
Email : jmarshall@tssa.org

1/fsesb/fs eng jobs/3045 Baseline Rd., Nepean


**TECHNICAL STANDARDS and
SAFETY AUTHORITY**
www.tssa.org

 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario M8X 2X4
 Ph - (416) 734-3300, Fax - (416) 231-1626
 Toll - 1-877-682-8772

Fuel Safety Inspection Report

1 Report Number: **FS-2009-0004644**
 2 File Number: **FS INS 2009-04643**

Technical Standards and Safety Act, 2000

3 Location Address 3045 BASELINE RD. OTTAWA, ON -	4 License/Serial Number	5 Job Type Inspection (FS)	6 Inspection Date Mar 18, 2009
8 Client TRIANGLE PUMP SERVICE LIMITED 2565 DELZOTTO AVE GLOUCESTER, ON K1T 3V6 CA		7 Operation Type Institutional The Facility/Equipment is inspected in accordance with Ontario's Technical Standards & Safety Act and the appropriate regulations and codes. When an Inspector's order is issued, time limits for compliance reflect the severity of the violation and serve to avoid disruption of service. In the interim period the recipient must ensure that additional precautions are taken for safe use.	

INSPECTION NOTE: March 17, 2009 Pressure testing of UST double wall piping, tank and transition sump pits. Tank has been backfilled to the top with small stone. Sump located at south west corner of excavated area has five exterior leaks between the sump and the piping exiting the sump. The main tank bushing is also leaking. Leaks could not be repaired at the time of inspection. Pressure testing failed. March 18, 2009 Re inspection of pressure testing. All leaks at transition sump are repaired. One small bubble leak developed at tank sump from the union fitting. This leak was repaired and the testing completed and passed. Tank may be backfilled pending engineering approval of layout..

Inspection Activity - Time Allocation Detail				
Date	Activity	Hours	Rate	Comments
Mar 17, 2009	Inspection-Billable	0.50	Straight	Preliminary report
Mar 17, 2009	Inspection-Billable	1.00	Straight	testing failed
Mar 17, 2009	Travel-Billable	1.50	Straight	travel to site
Mar 18, 2009	Inspection-Billable	1.50	Straight	Pressure testing passed.
Mar 18, 2009	Travel-Billable	1.00	Straight	travel to site
Mar 23, 2009	Inspection-Billable	1.00	Straight	complete report.

13 Total Time 6.5	14 Travel Time 2.5	15 Billable Hours 6.5	16 Additional Charges
------------------------------------	-------------------------------------	--	------------------------------

Voluntary Compliance Option* - Eligible? ☐ Yes ☒ No

*Please, refer to guidelines

I hereby confirm that all the Inspector's orders, appearing on this inspection report have been completed.

 Print Name Triangle pump

Client Signature _____

Wayne Pilon
(613) 925-3598

Inspector

Inspector Fax Number

 As a not-for-profit regulatory authority, TSSA operates on a cost recovery basis.
 An invoice will be issued for this activity.

Putting Public Safety First
(Note: This is not an invoice)



Appendix G

Aerial Photo Summary



Year	Source	Notes
1958	NAPL	The Site appears to consist of vacant undeveloped/agricultural land. The surrounding area appears to consist primarily of vacant undeveloped/agricultural land with associated residential dwellings north, south and west of the Site. It should be noted that the surrounding area south of the Site was only partially covered.
1960	NAPL	There are no significant changes to the Site and surrounding area, with the exception that a railway line oriented in an east-west direction is evident south of the Site.
1973	NAPL	There are no significant changes to the Site and surrounding area, with the exception of residential dwellings east of the Site.
1987	NAPL	The Site appears to consist of a building, similar in size and configuration to the original portion of Site Building A. There are no significant changes to the surrounding area, with the exception of commercial buildings and community land north of the Site and residential dwellings south of the Site.
1994	NAPL	There are no significant changes to the Site and surrounding area.
2007	Ottawa	There are no significant changes to the Site and surrounding area, with the exception that an addition is evident on the east portion of Site Building A.
2017	Ottawa	The Site appears to consist of two buildings, similar in size and configuration to the current Site Buildings. There are no significant changes to the surrounding area.
2024	Drape	There are no significant changes to the Site and surrounding area.

Ottawa – City of Ottawa

NAPL – National Air Photo Library

Drape – Digital Raster Acquisition Project Eastern



Phase One Environmental Site Assessment - 3045 Baseline Road, Ottawa, Ontario
Queensway Carleton Hospital
Cambium Reference: 23906-001
November 26, 2025

Appendix H

Photographs



Photo 1 Partial view of the north portion of Site Building A, July 8, 2025.



Photo 2 Partial view of the south portion of Site Building A, July 8, 2025.



Photo 3 Partial view of the east portion of Site Building A, July 8, 2025.



Photo 4 Partial view of the west portion of Site Building A, July 8, 2025.



Photo 5 North portion of Site Building B, July 8, 2025.



Photo 6 South portion of Site Building B, July 8, 2025.



Photo 7 Diesel UST located adjacent to the east of the generator room of Site Building B, July 8, 2025.



Photo 8 Diesel AST adjacent to the east of the generator room of Site Building B, July 8, 2025.



Photo 9 General view of the diesel ASTs located within the emergency generator room of Site Building B, July 8, 2025.



Photo 10 General view of the liquid oxygen ASTs located adjacent to the north portion of Site Building A, July 8, 2025.



Photo 11 General view of the office trailer located on the central portion of the Site, July 8, 2025.



Photo 12 General view of the steel-framed, fabric-covered, road salt and sand storage structure, located on the north portion of the Site, July 8, 2025.



Photo 13 Property located north of the Site, July 8, 2025.



Photo 14 Property located south of the Site, July 8, 2025.



Photo 15 Property located east of the Site, July 8, 2025.



Photo 16 Property located west of the Site, July 8, 2025.