

# patersongroup

Geotechnical  
Engineering

Environmental  
Engineering

Hydrogeology

Geological  
Engineering

Materials Testing

Building Science

**Terrain Analysis and Hydrogeological Study**  
Proposed Residential Subdivision  
1730 Wilhaven Drive  
Ottawa (Cumberland), Ontario

Prepared For:

2183144 Ontario Ltd.

**Paterson Group Inc.**  
Consulting Engineers  
28 Concourse Gate - Unit 1  
Ottawa (Nepean), Ontario  
Canada K2E 7T7

Tel: (613) 226-7381  
Fax: (613) 226-6344  
[www.patersongroup.ca](http://www.patersongroup.ca)

December 10, 2009

Report: PH1236-REP.02

**TABLE OF CONTENTS**

|      | <b>PAGE</b>                                  |
|------|--|
| 1.0  | <b>INTRODUCTION</b>                          |
| 1.1  | Terms of Reference ..... 1                   |
| 1.2  | Background ..... 1                           |
| 2.0  | <b>METHOD OF STUDY</b>                       |
| 2.1  | Terrain Analysis ..... 3                     |
| 2.2  | Test Well Installation ..... 4               |
| 2.3  | Aquifer Analysis ..... 6                     |
| 2.4  | Field Survey ..... 7                         |
| 2.5  | Laboratory Testing ..... 7                   |
| 3.0  | <b>SITE DESCRIPTION</b>                      |
| 3.1  | Surface Conditions ..... 9                   |
| 3.2  | Surrounding Land Use ..... 9                 |
| 4.0  | <b>GEOLOGY</b>                               |
| 4.1  | Surficial Geology ..... 10                   |
| 4.2  | Bedrock Geology ..... 11                     |
| 5.0  | <b>REGIONAL HYDROGEOLOGY</b> ..... 12        |
| 6.0  | <b>SITE HYDROGEOLOGY</b> ..... 13            |
| 7.0  | <b>AQUIFER ANALYSIS</b>                      |
| 7.1  | Aquifer Characteristics ..... 15             |
| 7.2  | Groundwater Geochemistry Assessment ..... 15 |
| 7.3  | Aquifer Analysis Summary ..... 17            |
| 7.4  | Water Conditioning Considerations ..... 20   |
| 7.5  | Potential Well Interference ..... 21         |
| 8.0  | <b>DEVELOPMENT RECOMMENDATIONS</b>           |
| 8.1  | Site Development ..... 22                    |
| 8.2  | Lot Development Plan ..... 22                |
| 8.3  | Predictive Impact Assessment ..... 23        |
| 8.4  | Sewage System Design ..... 24                |
| 8.5  | Well Design ..... 25                         |
| 9.0  | <b>CONCLUSIONS</b> ..... 27                  |
| 10.0 | <b>RECOMMENDATIONS</b> ..... 28              |

## **APPENDICES**

- Appendix 1      Soil Profile and Test Data Sheets  
                     Symbols and Terms
- Appendix 2      Published MOE Well Data  
                     Local Well Records
- Appendix 3      Soil Laboratory Test Results  
                     Water Laboratory Test Results
- Appendix 4      Aquifer Analysis Data  
                     Potential Well Interference Calculations
- Appendix 5      Figure 1 - Site Location Plan  
                     Figure 2 - Terrain Unit Delineation  
                     Figure 3 - Bedrock Mapping  
                     Figure 4 to   - Graphical Summary Well Head Water  
                     Figure 7      Quality Analysis of Test Wells During Pumping Test.  
                     Drawing PH1236-1 - Test Hole Location Plan  
                     Drawing PH1236-2 - Lot Development Plan  
                     Drawing PH1236-3 - Hydrogeological Cross Section

## **1.0 INTRODUCTION**

### **1.1 Terms of Reference**

Paterson Group (Paterson) was retained by 2183144 Ontario Ltd. to conduct a terrain analysis and hydrogeological study for a proposed rural residential subdivision situated on the North Parts of Lots D & E, Concession 7, RP50R844 Part 2, former Township of Cumberland, now the City of Ottawa, Ontario, having the municipal address of 1730 Wilhaven Drive, hereafter referred to as the subject property. (Refer to Figure 1-Site Location Plan, which can be found in Appendix 5)

The purpose of this study has been to ascertain and assess the specific terrain and hydrogeological conditions which currently exist beneath the subject property as they relate to the suitability of the site for residential development on private services with minimal impact on groundwater resources.

The following report has been prepared specifically and solely for the aforementioned project which is described herein. It contains our findings and recommendations pertaining to the private services for the subject development as it is understood at the time of writing this report.

### **1.2 Background**

The subject property is located south of the Village of Cumberland, Ontario, along the south side of Wilhaven Drive, east of Frank Kenney Road and immediately west of O'Toole Road. An old farmstead, consisting of a small bungalow, shed and medium sized wood clad barn, is presently situated on the central quadrant of the site with pasture lands to the west and east. A heavily treed area is present immediately south of the building area and extends as a narrow treeline along the southern property limits from east to west. The individual pasture lands are separated by narrow groupings of trees, also.

The subject property encompasses a total area of approximately 21.85 hectares (49.3 acres), based on available property information provided by the City of Ottawa, and is proposed to be developed into 21 individual lots. The average minimum lot size for each of the proposed lots has been assigned at 0.8 hectares (1.98 acres). It is proposed that the subdivision will be serviced by individual onsite wells and septic systems.

Paterson has conducted extensive hydrogeological investigations in the Ottawa area and is quite familiar with the geology and hydrogeology of the subject area. In addition to local experience, Paterson has reviewed numerous available hydrogeological studies in the area, including available studies in support of neighbouring residential subdivisions.

## **2.0 METHOD OF STUDY**

### **2.1 Terrain Analysis**

As part of this study, a series of test pits were put down on the subject property to delineate the subsurface soil conditions beneath the site. The field investigation was conducted on December 3, 2009. During this investigation a total of 12 test pits were put down across the subject property, using a small track mounted excavator. The test pit locations were selected by Paterson personnel to maximize the lot coverage within the open areas to minimize the inevitable gaps in the subsurface profile resulting from a heavily treed area situated along the south-central quadrant of the site.

All of the test holes were advanced to depths ranging between 2 and 3 m, measured below ground surface (bgs). The test pit locations are denoted with the appropriate symbol on Drawing No. PH1236-1- Test Hole Location Plan, located in Appendix 5.

Each test hole location was recorded and the subsurface conditions, including the soil morphology and depth to the groundwater table (where encountered), were carefully recorded as the test holes were advanced. Representative samples of the soils were recovered from the test holes. All samples were classified texturally in the field and sealed in proper containers for further perusal and analysis in our laboratory.

The depths at which the soil samples were recovered from the test holes are shown as "G" on the Soil Profile and Test Data sheets provided in Appendix 1. The locations of the test pits put down on the subject property are referenced on Drawing No. PH1236-1, entitled "Test Hole Location Plan", and is located in Appendix 5 of this report.

#### **Sample Storage**

All samples will be stored in the laboratory for a period of one (1) month after issuance of this report. They will then be discarded unless we are otherwise directed.

## **2.2 Test Well Installation**

In order to evaluate the water supply aquifer(s) underlying the site, a total of three (3) test wells, hereafter denoted as TW1 to TW3, inclusive, were constructed across the site. These wells were constructed to compliment an existing drilled well which services the small bungalow in the property. The locations of the wells were selected by Paterson and located in the field by Annis, O'Sullivan, Vollebekk Ltd. Ontario Land Surveyors. Reference should be made to Paterson Drawing No. PH1236-1- Test Hole Location Plan, located in Appendix 5.

A rigorous review of available Water Well Records for the immediate area, published by the Ontario Ministry of the Environment (MOE) was undertaken prior to the placement of the test wells. Overburden thickness, depth of casing, aquifer interception points and reported well yields were reviewed in detail in order to establish a conceptual hydrogeological model for the site.

The Water Well Record for the existing well was obtained directly from Bourgeois Well Drilling who drilled the well in 2003. This well, hereafter denoted as HW, was a significant factor in the development of the conceptual hydrogeological model. A comprehensive well construction protocol was subsequently established based on the conceptual model.

The general well locations were chosen in order to ensure adequate areal coverage across the site, while, at the same time, endeavoring to maintain sufficient proximity such that response could be measured in observation wells during the pumping tests. The test well installation program was carried out by Air Rock Drilling Company Ltd. between November 5, 2009 and November 10, 2009. A engineer from Paterson was present during the creation of the casing hole, installation of the casing and grouting of the annular space for each test well. The Ministry of the Environment (MOE) Water Well Records for each test well appear in Appendix 2.

### **Construction of TW1**

With respect to the construction of TW1, a 228 mm diameter casing hole was advanced using a rotary tri-cone bit through the shallow overburden, to the underlying limestone bedrock. The casing hole was advanced into the bedrock an additional 2.3 m to ensure that each casing was seated into competent (i.e. unfractured) bedrock and that a total casing length of 6.2 m bgs was realized.

A new, 150 mm diameter steel casing, having an approximate length of 6.7 m, was installed in the casing hole, thereby providing for a casing stickup of approximately 0.5m. The annular space was grouted utilizing a neat cement slurry introduced into the

bottom of the annular space and pumped, using pressure grouting equipment, to the surface of the ground. The return of the cement slurry to the surface of the ground, was visually observed by Paterson staff. As such, the casing installation and grouting of the annular space is considered to be in general compliance with Ontario Regulation 903, the current regulation governing water well construction in the Province of Ontario.

After sufficient set-up time, the open borehole was advanced using a 150 mm diameter air percussion button bit. Several potential aquifer intercepts were encountered during drilling of the open borehole. At each potential intercept, the well contractor repeatedly surged the formation with air and attempted to establish preliminary yield estimates, if water was found. Once the water supply aquifer was encountered, the formation was repeatedly surged with air and allowed to clear. Preliminary well yield was estimated and the well was purged until the water was observed to be in a sand free state.

Following completion of the drilling and purging process, the static water level was allowed to stabilize. Air Rock, in accordance with Ontario Regulation 903, proceeded to chlorinate the well and a one hour constant rate pumping test was carried out within approximately 7 to 10 days following completion of each test well. The rate chosen for the one hour pumping test was based on the preliminary findings of the well contractor at the time of installation and are those which are reflected on the published MOE Water Well Records.

### **Construction of TW2 and TW3**

After TW1 was constructed successfully, thereby validating the well construction protocol and supporting the conceptual hydrogeological model, the remaining test wells were constructed.

Each of the remaining test wells were constructed utilizing the same construction protocol as had been demonstrated in TW1. In each case, the casing was advanced into the limestone bedrock a sufficient depth in order to ensure that the minimum casing length extended 6.2 m below ground surface.

Open borehole construction, surging and well development activities were carried out in general conformity to the well construction program, as detailed in the construction of TW1. Each well was sufficiently chlorinated and subjected to a one hour constant rate pumping test by Air Rock, prior to Paterson carrying out any detailed testing.



## **Construction of HW**

Based on the MOE Water Well Record, which can be found in Appendix 2, the existing drilled well (HW) was completed with approximately 7.9 m of 150 mm diameter steel casing (7.3 m bgs and a 0.6 m stickup) set into grey limestone bedrock. Cement grout was utilized to seal the annular space.

The open borehole was constructed with a rotary air drilling rig, the same drilling equipment as was utilized by Air Rock for TW1, TW2 and TW3. The well contractor reported drilling through grey limestone bedrock with shale interbeds. An aquifer intercept was encountered at a depth of 18.3 m bgs and the total well depth was reported to be 26 m below ground surface. The overall well depth was confirmed by Paterson personnel during the course of the pumping test program.

### **2.3 Aquifer Analysis**

Each of the four (4) test wells were subjected to a constant rate pumping test set at the pumping rate as recommended by Air Rock during their one hour constant rate pumping test, as noted in Section 2.2. The duration for each test was specified to be the greater of the time in which steady state was achieved, or after six (6) hours of continuous pumping.

TW1, TW2 and TW3 were pumped using a 1.5 HP electric submersible pump and portable generator package supplied by Air Rock. HW was pumped utilizing the existing submersible pump installed in the well. A garden hose was connected to the hose bib on the pressure tank and a constant discharge rate was established. In all cases, the pump discharge line was placed downgradient of the subject well at a sufficient distance in order to minimize the potential for short-circuiting and recharge of the pumped well. Observation wells were closely monitored during each pumping test, in order to attempt to utilize the drawdown data in the observation wells to accurately estimate the aquifer storativity.

During the pumping test, the pumping rate was constantly monitored in order to ensure that the rate did not vary by more than 5%. Furthermore, a series of chemical analyses of the pumped water were carried out at the well head during each pumping test. The parameters tested at the well head included: turbidity, free chlorine residual, total dissolved solids, pH, temperature and electrical conductivity.

Recovery data was collected for each of the test wells following the completion of pumping. Recovery times varied from well to well and were considered to be generally slow. All wells were noted to have at least 95% recovery within 24 hours after the completion of each pumping test.

Pumping test data was analyzed using Aquifer Test v. 2.5 aquifer analysis software package, by Waterloo Hydrogeologic. The following analytical methods were applied (where relevant data was available):

- Transmissivity Parameters: (Theis & Jacob Recovery ); and
- Storativity Parameters: Cooper Jacob's Time Drawdown and Theis (Curve Matching).

The results of the aquifer analysis are presented and discussed in Section 7 of this report.

## **2.4 Topographical Survey**

A detailed topographical survey had not been carried out on the subject property at the time of preparation of this report. Rather, the ground surface elevations for the three (3) new test wells were augmented with the detailed topographical information furnished by the City of Ottawa, through their interactive mapping website. The electronic contour mapping was carefully overlain onto the site plan provided by AOV in order to achieve the base mapping illustrated on Drawing No. PH1236-1. The test pit elevations were interpolated from the available topographic information.

## **2.5 Laboratory Testing**

### **Gradation of Soils**

The soil samples recovered from the test holes were returned to our laboratory and visually examined to review the results of the field logging. Four (4) representative samples were selected for grain size analyses in our laboratory. The results of the soil testing are provided on the Grain Size Distribution curves in Appendix 3.

### **Overburden Groundwater Assessment**

The depth at which groundwater infiltration was observed in each of the test pits (where encountered) was recorded as part of the terrain analysis program. In addition, three (3) monitoring wells were installed across the site at TP1, TP9 and TP11, respectively. Groundwater samples were recovered from each of the monitoring wells after providing sufficient time for the groundwater to equalize after being disturbed during the test

pitting program. These samples were submitted to Exova Accutest Laboratories, located in Ottawa, Ontario, for chemical analysis for relevant nitrogen species (i.e. nitrite and nitrate). The results of this analysis were not available at the time of preparation of this study.

### **Bedrock Aquifer Groundwater Assessment**

Raw water samples were collected from each of the four (4) test wells during the pumping tests. Specifically, one (1) sample was collected after three (3) hours of pumping and one (1) sample was collected at the completion of pumping.

Prior to collection of the water samples, the free chlorine residual was verified to be non detectable. After collection, the water samples were properly stored in a cooler and transported to Exova Accutest Laboratories, located in Ottawa, Ontario. The samples were submitted for comprehensive testing of bacteriological, chemical and physical water quality parameters.

### **3.0 SITE DESCRIPTION**

#### **3.1 Surface Conditions**

Further to the establishment of the general description of the subject property in Section 1.1 of this report, the subject property is located in a rural area of the former township of Cumberland. The site topography slopes at a modest grade from west to east towards the central to south central quadrant of the site. Drainage is imperfect to fair in the western quadrant.

From the central quadrant, which is heavily treed, the site is flat and the drainage is imperfect to poor. The existing land surface is primarily grassed, with three of the smaller parcels along the eastern quadrant of the site being utilized for field crops (soybeans). The poor crop performance noted during the field investigation in these fields corroborates the poor surficial drainage in this area.

#### **3.2 Surrounding Land Uses within 500 m**

The subject property is located in an area of relatively low density development, bound by Wilhaven Drive to the north and O'Toole Road to the east. To the south, agricultural and wooded lands are present. To the west, and beyond Wilhaven Drive to the north, a series of residential developments are present. A series of individual lots developed as rural estates, are situated along the north and south sides of Wilhaven Drive extending from Frank Kenney Road to the subject property. Agricultural lands are present beyond O'Toole Road to the east.

Based on the available information, there are no obvious indicators of potential groundwater contamination present on the surrounding lands within 500 m of the subject property, which may negatively impact the proposed development.

## **4.0 GEOLOGY**

### **4.1 Surficial Geology**

The surficial soils in the vicinity of the subject area generally consist of series of marine deposits associated with the Champlain Sea. Typically, a shallow deposit of medium to fine grained clayey silty sand is present overlying a marine clay of variable thickness and intermittent presence within the subject area. Glacial till, of marine origins, is typically present beneath the shallower deposits and, which in turn, overlies on bedrock.

Based on the test pit excavation program, overburden thickness across the site averages approximately 3 m in depth. Using well recognized techniques for the field identification of soils, four (4) unique stratigraphic units were identified in the areas investigated. The soils were classified using the Unified Soil Classification System (USCS) and percolation rates were estimated based on published data correlating soil types to permeability while accounting for variability in the consistency of the soil as identified by the soil morphology. The stratigraphic units are summarized in Table 1, below, and the grain size distribution curves are provided in Appendix 1.

Test pit locations and corresponding stratigraphy of the main soil types are summarized on the Test Hole Locations Plan (Drawing No. PH1236-1 in Appendix 5). The test pit logs are provided in Appendix 1.

To assist in the understanding of the areal coverage of the unit stratigraphic units, a plan (refer to Figure 2 in Appendix 5) has been prepared for illustration purposes.

| <b>Table 1: Summary of Unique Stratigraphic Units Encountered on Subject Property Based on Test Pit Excavations<sup>1</sup> in Study Area</b> |  |                              |  |
|---|--|------------------------------|--|
| <b>Stratigraphic Unit</b>   | <b>General Description (USCS Classification)</b> | <b>General Thickness (m)</b> | <b>Estimated Percolation Rate (min/cm)</b> |
| 1   | SC- Clayey silty sand                            | 0.3 to 0.6                   | 25 to 35                                   |
| 2   | CH-CL- Silty Clay                                | 0.4 to 1.0                   | 30 to 40                                   |
| 3   | ML-CH- Clayey silt to sandy silt                 | 0.8 to 2.2                   | 25 to 40                                   |
| 4   | GC- Glacial Till                                 | more than 3 m                | 30 to 40                                   |

1. Maximum depth of test pit excavation of 3.0 m.

## 4.2 Bedrock Geology

Published geological mapping (Refer to Figure 3 located in Appendix 5), provided by the Geologic Survey of Canada (2003), and courtesy of Natural Resources Canada, reveals that the site and immediate surroundings are underlain by limestone of the Bobcaygeon formation of the Paleozoic Period. Beyond the Bobcaygeon Formation, to the east and west lies bedrock of the Gull River Formation. Lindsay Formation limestone is present beyond the site to the south.

A cursory review of the MOE Water Well Records also confirms that the significant majority of the wells drilled in the immediate area have been constructed into the limestone of the Bobcaygeon Formation.

## 5.0 REGIONAL HYDROGEOLOGY

A search of available published MOE Water Well Records for the immediate area surrounding the subject property (upwards of 750 m radius) yielded 43 water well records. Careful analysis of these records excluded 4 records due to incorrect information regarding location and obvious surficial and/or bedrock geology deficiencies, and general lack of defining information, in addition to records noting well decommissioning. In all, a total of 39 Water Well Records were utilized to assess the regional hydrogeology of the area. Of these records, 11 Water Well Records were located on Wilhaven Drive to the immediate west and east of the subject property.

Based on an analysis of the available water well records, the adjacent wells are drilled wells typically intercepting a water supply aquifer within the limestone of the Bobcaygeon. Some of the wells beyond the immediate area were reported to encounter a grey and green limestone which would suggest the Rockcliffe Formation was encountered.

Through comparative analysis, the majority of wells within the immediate vicinity of the subject property appear to intercept the water supply aquifer located within the limestone at three (3) different depth ranges. These ranges are:

- 25 m to 27 m;
- 53 m to 77 m; and
- 93 m to 100 m.

A few of the wells were reported to intercept a lower water supply aquifer below the lower depth range. Of these wells, the deepest point of aquifer intercept was reported to be 134 m.

Beyond the immediate subject area, approximately 46 % of the well intercepted a water supply aquifer within the 50 m to 80 m depth range and 32% intercepted a water supply aquifer in the 90 to 100 m range. 11% of the wells were reported to intercept a water supply aquifer at a depth of between 25 to 30 m. 7% of the wells intercepted a water supply aquifer at a depth greater than 100 m.

With respect to well yields, the adjacent wells in the immediate vicinity have reported well yields in the order of 1.5 IGPM to 10 IGPM. Beyond the immediate subject area, well yields are equally variable with appear to have well yields of between 5 and 30 IGPM.

## 6.0 SITE HYDROGEOLOGY

As previously stated in this report, a total of three (3) test wells were constructed at the subject site during the well construction program (refer to Drawing No. PH1236-1- Test Hole Location Plan in Appendix 5 for well locations) to augment the existing drilled well on the site. Hydrogeological details of the construction of each test well and the house well, based on the MOE Water Well Records, and engineering site notes, are graphically presented in the Generalized Hydrogeological Cross Section of the Subject Property- Drawing No. PH1236-4 in Appendix 5.

A review of Drawing No. PH1236-3 reveals that the hydrogeology of the test well construction is consistent with the other wells constructed in the immediate vicinity of the site. The water supply aquifer located within the Bobcaygeon Formation appears, based on the findings of the pumping test program, which are discussed in detail in Section 7.0 of this report, to consist of a series of individual aquifer intercepts. Based on the results of the pumping test program, the individual intercepts do not appear to be interconnected. As such, it is believed that there are at least three (3) distinct aquifers located beneath the subject property. The first is present at a depth of approximately 20 m below ground surface. The next two(2) aquifers are located in the depth ranges of 103m to 106 m bgs and 130 to 131 m bgs, respectively.

Based on the information contained within the water well record for TW3, the lower aquifer appears to be present within the Rockcliffe or Lindsay Formations. Both of these formations, especially the Rockcliffe formation are younger bedrock with significant shale present throughout the vertical depth. Also, the water quality of aquifers present in these formations are well documented by Paterson and others to have elevated concentrations of iron, and sodium. Hardness is often low in Rockcliffe aquifers as a natural softening process occurs within the aquifer which is generally responsible for the elevated sodium levels.

Based on the available data, the potentiometric head pressure on the aquifer is more than 50 m (on average (excluding HW)). Using the Bernoulli equation for incompressible flow, and assuming a stationary vertical column of water, the confining force on the water in the aquifer can be calculated as follows:

$$\frac{P_1}{\partial} + \frac{V_1^2}{2g} + z_1 = \frac{P_2}{\partial} + \frac{V_2^2}{2g} + z_2$$

where:

P= pressure (kNm<sup>-2</sup>)

V= velocity (ms<sup>-1</sup>)

z = height of water column above datum (m)

∂ = specific weight of water (kNm<sup>-3</sup>)

g = acceleration due to gravity (9.81 ms<sup>-2</sup>)



Assuming that the column of water is stationary,  $V_1=V_2=0$ . Furthermore, using the aquifer depth as the datum,  $z_1 = 0$  m. Assuming  $P_2$ =atmospheric pressure (101.325 kPa) and assuming a water temperature of 10 °C, substituting the known values into the equation and solving for  $P_1$  yields:

$$\begin{aligned} P_1 &= 9.81 \text{ kNm}^{-3} \times \left[ \frac{(101.325 \text{ kN/m}^2)}{9.81 \text{ kNm}^{-3}} + 50\text{m} \right] \\ &= 591 \text{ kPa} \\ &= \sim 6 \text{ atmospheres (std.)} \end{aligned}$$

The presence of these significant pressures suggests that the aquifer is being acted on by two aquitards, thus creating a confined aquifer. By definition, "**a confined aquifer is an aquifer that is confined between two aquitards.**" (Freeze & Cherry, 1979). As such, the Paleozoic bedrock overlying and underlying the water supply aquifer, is considered to be an aquitard. This, combined with the strong upward gradient as evidenced by static water levels significantly above the surface of the ground, provide sufficient evidence to support the opinion that the water supply aquifers located within the Bobcaygeon Formation at the depth ranges specified above, are present in a confined environment and are isolated from passive surficial impacts.

### **Direction of Groundwater Flow**

Typically, the static water levels in at least three (3) wells intercepting the same water supply aquifer is utilized to provide an interpolated direction of groundwater flow. In this instance, the test wells appear to intercept different aquifers with different confining pressures. As such, the direction of groundwater flow cannot be interpolated in this traditional manner.

Instead, the information gathered from previous hydrogeological studies carried out by Paterson in the area suggest the direction of groundwater flow is north towards the Ottawa River.

## 7.0 AQUIFER ANALYSIS

The results of the pumping tests performed on the test wells are presented in the following sections.

### 7.1 Aquifer Characteristics

The aquifer characteristics determined from the compilations of the pumping tests for the four (4) test wells are summarized below:

| Parameter                                       | Test Well Number      |                       |                       |                       |
|---|-----------------------|-----------------------|-----------------------|-----------------------|
|   | TW1                   | TW2                   | TW3                   | HW                    |
| Transmissivity <sup>1</sup> (m <sup>2</sup> /d) | 0.5                   | 10.2                  | 1.5                   | 3.3                   |
| Storativity <sup>2</sup>                        | N/A                   | N/A                   | 3.8x 10 <sup>-4</sup> | N/A                   |
| Pumping Rate (L/min)                            | 15.2                  | 19.1                  | 15.2                  | 30                    |
| Available Drawdown (m)                          | 150                   | 58                    | 81                    | 18.2                  |
| Maximum Drawdown (m)                            | 77.8                  | 5.1                   | 8.9                   | 5.2                   |
| % Drawdown                                      | 52%                   | 9%                    | 11%                   | 29%                   |
| Specific Capacity (L/min/m drawdown)            | 0.2                   | 3.7                   | 1.7                   | 5.8                   |
| 20 Year Safe Yield(m <sup>3</sup> /day)         | 5.1 x 10 <sup>1</sup> | 4.0 x 10 <sup>2</sup> | 8.4 x 10 <sup>1</sup> | 1.3 x 10 <sup>2</sup> |

1. Transmissivity values calculated from numerical averages of values derived from the Theis & Jacobs Recovery method of analysis. In the case of TW3, transmissivity was calculated as the numerical average of the three (3) analytical results through the use of observation well data.
2. Storativity values calculated based on the numerical averages of all storativity values obtained from both Theis and Cooper & Jacobs Time-Drawdown analytical methods.

### 7.2 Groundwater Geochemistry Assessment

Table 3, presented in this section, summarize the overall laboratory geochemistry of the water supply aquifers located beneath the subject property. Data obtained from well head monitoring during the pumping tests is summarized, graphically, in Figures 4 through 7, in Appendix 5.

**Table 3: Summary of Health and Aesthetic/Operation Objective Parameters for Original Test Wells**

| Parameter  | Units     | TW No. 1 |        | TW No.2 |        | TW No.3 |        | HW     |        |
|--|-----------|----------|--------|---------|--------|---------|--------|--------|--------|
|  |           | 3 Hour   | 6 Hour | 3 Hour  | 6 Hour | 3 Hour  | 6 Hour | 3 Hour | 6 Hour |
| <b>Microbiological Parameters (Health)</b>                                   |           |          |        |         |        |         |        |        |        |
| <i>Escherichia Coli</i>  | ct/100 mL | 0        | 0      | 0       | 0      | 0       | 0      | N/A    | N/A    |
| nFaecal Coliforms  | ct/100 mL | 0        | 0      | 0       | 0      | 0       | 0      | N/A    |        |
| Faecal Streptococcus   | ct/100 mL | 2        | 11     | 0       | 0      | 2       | 0      | N/A    |        |
| Heterotrophic Plate Count  | ct/1 mL   | 135      | 291    | >500    | >500   | 181     | 11     | N/A    |        |
| Total Coliforms  | ct/100 mL | 0        | 60     | 0       | 0      | 11      | 0      | N/A    | N/A    |
| <b>Chemical Parameters (Health)</b>  |           |          |        |         |        |         |        |        |        |
| Fluoride   | mg/L      | 0.12     | 0.16   | 1.94    | 1.96   | 0.61    | 0.63   | 0.11   | N/A    |
| Nitrite  | mg/L      | <0.10    | <0.10  | <0.10   | <0.10  | <0.10   | <0.10  | <0.10  | N/A    |
| Nitrate  | mg/L      | 0.41     | 0.42   | <0.10   | <0.10  | <0.10   | <0.10  | <0.10  | N/A    |
| <b>Chemical Parameters with Aesthetic Objectives/ Operational Guidelines</b> |           |          |        |         |        |         |        |        |        |
| Alkalinity   | mg/L      | 408      | 403    | 212     | 213    | 244     | 244    | 257    | 258    |
| Chloride   | mg/L      | 718      | 666    | 153     | 153    | 304     | 305    | 24     | 25     |
| Colour   | TCU       | <2       | <2     | <2      | <2     | 10      | 5      | 7      | <2     |
| DOC  | mg/L      | 1.7      | 1.5    | 0.9     | 0.9    | 1.7     | 1.6    | 1.6    | 1.3    |
| Hydrogen Sulfide   | mg/L      | <0.01    | <0.01  | <0.01   | <0.01  | <0.01   | <0.01  | 0.06   | 0.01   |
| pH   |           | 7.81     | 7.85   | 8.18    | 8.18   | 7.88    | 7.93   | 7.74   | 7.76   |
| Sulphate   | mg/L      | 121      | 117    | 295     | 287    | 768     | 784    | 19     | 20     |
| Hardness   | mg/L      | 808      | 662    | 166     | 157    | 687     | 691    | 274    | 277    |
| Sodium   | mg/L      | 382      | 418    | 272     | 266    | 345     | 340    | 4      | 4      |
| Iron   | mg/L      | 5.51     | 0.73   | <0.03   | <0.03  | 1.55    | 0.06   | 0.78   | 0.50   |
| Manganese  | mg/L      | 0.15     | 0.06   | <0.01   | <0.01  | 0.04    | 0.03   | 0.04   | 0.04   |
| Total Dissolved Solids   | mg/L      | 2080     | 1980   | 975     | 962    | 2180    | 2220   | 377    | 382    |
| Turbidity (lab)  | NTU       | 81.7     | 15.4   | 0.7     | 0.3    | 19.4    | 1.3    | 15.1   | 6.7    |

Note: Additional General Chemical Parameters have not been summarized in this section as they have not been deemed relevant to this analysis. The data can be found on the individual laboratory reports in Appendix 3.

## 7.3 Aquifer Analysis Summary

### Water Quantity Assessment

Using the procedure summarized in the document entitled, "*Procedure D-5-5 Technical Guideline for Private Wells: Water Supply Assessment*", prepared by the Ontario Ministry of the Environment, last revised August 2006, an analysis of the suitability of the aquifer to supply the proposed development can be completed. Using the values contained within Procedure D-5-5, the per-person water requirement is set at 450 L/day. The peak demand, which occurs over a 120 minute period each day, equates to a peak demand rate of 3.75 L/min per person. Procedure D-5-5 suggest the utilization of the number of bedrooms plus one, to determine the minimum number of people per house. As the proposed development will likely witness three bedroom single family homes, using the Procedure D-5-5 methodology, the number of persons would be four (4) and the total peak demand rate is calculated to be 15 L/min.

Analysis of Table 3 in Section 7.1, reveals that the pumping rates chosen for each of the pumping wells are at or above this minimum pumping rate. Furthermore, all of the test wells were reported to have utilized less than 50% of the available drawdown during the pumping tests. This information, combined with the calculated 20 year long term safe yield values, suggests, in our professional opinion, that the specified well yields are representative of the yields which residents of the development are likely to obtain from future wells put down on the site.

### Water Quality

A review of the water quality analysis data, received to date, for the test wells reveals that the raw water meets all health related parameters of the Ontario Drinking Water Standards (ODWS), with the exception of TW1. Moreover, it appears to be consistent with the surrounding water quality, based on other works carried out by Paterson, and, as such, is considered to be indicative of future, long term water quality.

Total coliforms and faecal streptococcus counts were noted to increase during the pumping test period. The laboratory was approached to discuss this anomaly and it uncertain whether or not the sample results may have been mixed up. As such, retesting of TW1 will be necessary and could not be completed prior to the preparation of this report.

With respect to aesthetic objectives and operational guidelines, the water contains modestly elevated concentrations of chloride, colour, hardness, iron, sodium and TDS. The laboratory turbidity levels were slightly elevated in the test wells also.

Observed levels of **colour** were noted to be below the aesthetic objective of 5 True Colour Units (TCU) at the completion of the pump tests for all of the test wells. Given that the iron and manganese concentrations in these wells were elevated, the colour is anticipated to be primarily a function of these ions, especially considering the low concentrations of tannin & lignin, and can be adequately removed using the same treatment devices. In the case of TW3, the colour may be indicative of the Rockcliffe aquifer itself.

**Iron (Fe)** concentrations were observed to be above the aesthetic objective of 0.3 mg/L in only TW1 after the completion of the pumping tests. Similarly, **manganese (Mn)** concentrations were observed to be above the aesthetic objective of 0.05 mg/L in TW1. At the measured concentrations for both iron and manganese, common point of use water treatment devices, designed specifically for residential flows, will be more than adequate to significantly reduce these concentrations to aesthetic objective levels.

**Sodium (Na)** concentrations in TW1, TW2 and TW3 were noted to be elevated. The sodium concentration did not show significant reductions during the pumping tests. Although sodium is not toxic and no maximum acceptable concentration has been set, concentrations above 20 mg/L require that the Medical Officer of Health be notified so that this information may be passed on to local physicians for use in treatment of those requiring a sodium-restricted diet.

**Hardness**, an operational guideline, does not appear in the ODWS. Rather it appears in the Technical Support Documents for Drinking Water Standards, Objectives and Guidelines (Technical Support Documents) as a parameter with an operational guideline of 100 mg/L. At the measured concentrations, the water is considered to be hard to very hard. TW2 and the HW reported hardness concentrations below the reasonable treatable limit of 500 mg/L specified in Table 3 of the guidance document, entitled, "Procedure D-5-5: Technical Guideline for Private Wells: Water Supply Assessment", published by the MOE in 1995.

With respect to turbidity, the field turbidity was measured at regular intervals through the pumping tests for each of the test wells. With the exception of

TW1, the turbidity fell below 5 NTU after the completion of the pumping test. The field measured turbidity for TW1 was reported to be significantly lower than the laboratory turbidity. This phenomenon has been experienced in many instances where iron and/or manganese are present in moderate concentrations. As the raw water is collected, air is allowed to enter the water stream and air is in the sample bottles prior to collection. As a result, a series of reduction-oxidation reactions take place with the iron and manganese resulting in the precipitation of iron oxide and/or manganese oxide. The higher the pumping rate and longer the sample is stored prior to the laboratory analysing the sample, the greater the precipitation of these oxides.

With respect to Total Dissolved Solids (TDS), the Technical Support Documents state an aesthetic objective of 500 mg/L. Based on the fundamentals of groundwater chemistry, it is typical that ions of calcium, chloride, magnesium, sodium and sulphate, and hardness account for more than 90% of the TDS concentration measured in groundwater. TDS is a gross measurement of dissolved material and the aesthetic objective set out in the Technical Support Documents reflects both the tendency to have balanced water and the minimization of ionic concentrations that could affect the palatability of the water.

In accordance with Procedure D-5-5, Table 3 does not reflect a maximum concentration considered reasonably treatable for TDS. Rather, Procedure D-5-5 requires written rationale that corrosion, encrustation, or taste problems will not occur. The Langelier Saturation Index (LSI) indicates the corrosivity of water. The LSI is explained in the Table 8 below:

| Table 6:<br>Summary of Explanation of Langelier Saturation Index Values |                                |
|---|--------------------------------|
| LSI Value   | Explanation                    |
| less than -0.5  | Water is corrosive             |
| between -0.5 and +0.5   | Water is in equilibrium        |
| higher than +0.5  | Water has high scale potential |

The LSI value for the water in the aquifer intercepted by TW1 is **+0.93** based on the field measured pH and temperature, and the laboratory analyses for calcium, alkalinity and TDS. Based on the calculated LSI, the water is in equilibrium with a significant potential for creation of scale but is not corrosive.

## **7.4 Water Conditioning Considerations**

As the water within the preferred zone of aquifer interception contains elevated hardness and, to a lesser extent, iron, the raw water can be suitably conditioned to remove these two aesthetic parameters. A standard residential grade water softener can be installed to remove both the hardness and iron concentrations in the raw water. Regeneration rates may be slightly higher given the concentration of iron in a few of the test wells, however the iron concentrations are not anticipated to substantially contribute to a reduction in resin capacity.

As the water is considered to be very hard, it is recommended that should a water softener be selected for installation, that consideration be made to installing a separate tap for drinking water which bypasses the softener.

With respect to the slightly increased turbidity in both the field and laboratory samples, as there is no need for water treatment to control bacteriological parameters, the turbidity values are considered to be within the acceptable range of values contained within Procedure D-5-5. It is anticipated that extended well development, at a rate of not more than 5 L/min for at least 24 hours, will be sufficient to remove any residual turbidity resulting from well construction for each newly constructed well at the site.

In summary, the water quality from the test wells indicates that there are, indeed, three distinctly different aquifers located beneath the site. The deepest aquifers, intercepted by TW3 and TW1, specifically, have the least desirable aesthetic water quality. HW, which intercepts the shallowest aquifer, has the most desirable aesthetic water quality. TW2, which, based on the water quality and aquifer response, appears to be influenced by another aquifer. The reported aquifer intercept point for TW2 was between 103 and 106 m bgs. This, based on the hydrogeological cross section (refer to PH1236-3 in Appendix 5), shows a similar intercept elevation as in the case of TW1. While TW1 and TW2 share some similar water geochemistry markers, they are significantly different. This suggests that there may be mixing of multiple aquifers taking place in TW2. This hypothesis is furthered by the fact that the drawdown curve for TW2 (refer to Appendix 4) shows gapping which would suggest the test well is influenced by another aquifer of lower yield.

## **7.5 Potential Well Interference**

It is anticipated that a series of individual water supply wells, in addition to the existing test wells, will be constructed at the subject property in order to provide individual water supplies for each lot. As these wells are anticipated to intercept aquifers located in Bobcaygeon Formation, and considering the inherent intermittent nature of pumping, potential well interference with offsite uses is anticipated to be negligible. This is further corroborated by the 20 year safe yield estimates established earlier in this report.

As the pumping is anticipated to be intermittent with several wells in operation at any given time, with the expectation of 100% recovery within a few hours of termination of pumping, a potential well interference model was created to reflect a hypothetical worst case scenario for drawdown at the site. The model, assumes series of wells, located along concentric circular spacings extending outward from one central well, each pumping continuously at a rate of 2000 L/day (average peak water demand) over a period of 20 years. The analytical model is presented in Appendix 4.

In the long term model, the maximum anticipated drawdown, based on a total of 29 wells pumping continuously for 20 years at 2,000L/day, is 15.50m. As the average anticipated well depth is approximately 100 m, this drawdown represents a removal of 15% of the available drawdown. Given that a conservative, but reasonable Transmissivity value was utilized (3.2 m<sup>2</sup>/day (HW)) and the overall conservative approach of the model, this drawdown is considered to be an acceptable worst case scenario.

In the second model, a single well having an average available drawdown of 24 m was modelled to be pumped at 50,000L for 24 hours. This is the maximum allowable volume of pumping before a Permit to Take Water is required by the MOE. In this model, again a transmissivity of 3.3 m<sup>2</sup>/day and a storativity of  $3.8 \times 10^{-4}$  was chosen. At a radial distance of 50 m, a distance approximately one half of the closest distance between future adjacent wells, a drawdown of 3.31 m is anticipated. This corresponds to a reduction in available drawdown of only 3%.

Given the very conservative nature of the models presented above, it is opined that the potential well interference between wells, and beyond the property limits is acceptable in the worst case scenario models. Considering the intermittent pumping, rapid recovery values and significant 20 year safe yield estimates, actual drawdown in offsite wells is anticipated to be negligible.



## **8.0 DEVELOPMENT RECOMMENDATIONS**

The following sections outline the recommendations for development which have been formulated from the data collected in this study.

### **8.1 Site Development**

Based on the results of our study, this site is considered to be suitable for the development of the 21 lots as described in Section 1.0 of this report. The on-site sewage disposal needs can be accommodated with standard Class 4 sewage systems consisting of a septic tank and fully raised leaching bed, as per Part 8 of the Ontario Building Code. Furthermore, an adequate water supply aquifer of sufficient quality and quantity is located beneath the subject property and can be intercepted by private wells drilled in accordance with Ontario Regulation 903.

### **8.2 Lot Development Plan**

One objective of the hydrogeological study is to enhance development and minimize the effects of sewage systems on the surrounding environment. This is achieved through prevention of the accumulation of surface water, by ensuring the proper construction of water supply wells and sewage systems, and by coordinating the overall positioning of the services to maximize separations. A minimum separation of 18 m for fully-raised systems is required between a well and a Class 4 sewage system. Clearance distances also apply to wells and septic systems located on neighbouring lots.

The proposed Lot Development Plan (Drawing No. PH1236-2) in Appendix 5 shows the proposed lot development plan for the site. The purpose of this drawing is to show that a typical home and private services will fit onto the proposed lot, and can meet all pertinent regulations without causing environmental constraints. The houses shown in this drawing covers a plan area of 160 m<sup>2</sup>, assuming a four (4) bedroom, two-storey 300 m<sup>2</sup> (3,500 ft<sup>2</sup>) home, with a garage of 50 m<sup>2</sup>, and is serviced by a sewage system with the capacity of 3,000 L/day. In actuality, the daily sewage flows will likely be significantly lower than this value.

In all instances, careful, site specific analysis of the soil morphology in the area of each proposed leaching bed is required during the design stages of the leaching bed in order to determine if sufficient soil exists to facilitate the use of native soil for subgrade preparation. Detailed soil morphology should only be determined by a qualified geotechnical specialist.

It is not the intent of the Lot Development Plan (Drawing No. PH1236-2) to restrict placement of a dwelling on each lot. While the actual configuration and position of the home may change, the relative position of the home, sewage system and well should be maintained. In all cases, the separation criteria for the immediate and neighbouring lots should be followed.

The required separation distance from a fully raised leaching bed to a surface water body or drilled well is 18 m. Furthermore, in accordance with Ontario Regulation 903, all drilled wells, in addition to the prescribed separation distances to the sewage system, must also be located a minimum of 15 m from a potential source of contamination. (i.e. fuel oil tanks, Regional Roads, etc.)

### **8.3 Predictive Impact Assessment**

#### **Hydrogeological Sensitivity**

In accordance with Section 5.0 of the MOE publication, entitled, "Procedure D-5-4 Technical Guidelines for Individual On-site Sewage Systems: Water Quality Impact Risk Assessment", the groundwater impacts from on-site sewage systems must be addressed in a step-wise manner. In order to establish the initial step, it is essential to demonstrate whether or not the site is considered hydrogeologically sensitive.

Given the significant confining pressures exerted by the aquifer combined with the substantial thickness of competent bedrock present beneath the study area, **the subject property is not considered hydrogeologically sensitive.**

#### **Isolation of Supply Aquifer**

As established in Section 6.0 of this report, the supply aquifer is considered to be a confined aquifer with the overburden material and bedrock acting as an aquitard. By definition, "**..the term aquitard has been coined to describe the less-permeable beds in a stratigraphic sequence.**" (Freeze & Cherry, 1979). The upper layers of the limestone bedrock are considered to be an aquitard, which explains the confining pressure and Theis like response to pumping. Analysis of the available MOE Water Well Records within a 500 m radius of the site indicate significant thicknesses of limestone are present between the surface of the ground and the depth of the water supply aquifer on most, if not all of the drilled wells, combined with the absence of nitrates in the water supply aquifer our opinion, supports the belief that the hydrogeological isolation extends well beyond the property limits.

### **Nitrate Impact Assessment**

In accordance with the interpretation of the City of Ottawa relating to MOE Procedure D-5-4 and D-5-5, the minimum proposed lot size shall be at least 0.8 ha. As such, there is no requirement to carry out a nitrate impact assessment. Moreover, it has been sufficiently demonstrated that the water supply aquifer is hydrogeologically isolated from surface activities and that the isolation extends a significant distance beyond the property in all directions. As such, regardless of the minimum proposed lot size, there is no requirement, as specified in Procedure D-5-4, to continue the stepwise evaluation.

#### **8.4 Sewage System Design**

Sewage systems must be designed according to Part 8 of the Ontario Building Code (OBC). The OBC sets out minimum design and construction standards for all approved classes of sewage systems. It is proposed that this site be serviced with traditional Class 4 sewage systems consisting of a septic tank and separate leaching bed.

OBC requirements state that there must be a minimum of 900 mm of suitable soil or leaching bed fill present between the base of the absorption trenches and the high groundwater table, bedrock or soil with a percolation rate greater than 50 min/cm. Given the moderately low permeability of the clayey sand and silty sand within the overburden soils, combined with the flat topography, most Class 4 absorption trench style leaching beds are expected to be fully raised above the existing ground surface. An imported sand mantle having a minimum thickness of 250 mm and extending a minimum of 15 m beyond the absorption trenches in the direction of effluent flow will also be required.

Based on OBC design sewage flow tables, a large 4 bedroom luxury residence with a finished floor area of 300 m<sup>2</sup> may produce in the order of 3,000 L/day of sewage effluent per day. Based on the quality of the sand deposits available in the local pits, imported sand is anticipated to have a percolation rate (a.k.a. T-time) of between 6 and 8 min/cm. Considering the design flows and percolation rate of the available imported sand, a tile length of 140 metres is required. The Lot Development Plan (PH1236-2) illustrates the size of such tile beds, complete with minor alternative configurations due to irregular lot shapes and other constraints. The sewage system should be placed down slope from any nearby wells, where possible.

The sewage system layouts detailed in Drawing No. PH1236-2 are shown to be fully raised leaching beds with a 15 m imported sand mantle. With due consideration to the low permeable terrain unit which dominates the subject property, the Lot Development Plan (Drawing No. PH1236-2) has been prepared to illustrate that the maximum foreseeable size of leaching bed utilized on any given lot, can be easily accommodated. Moreover, the purpose of the drawing is to illustrate that adequate space exists on each lot to accommodate such a sewage system. The end, or toe, of the mantles will be required to be unobstructed and free draining; the existing topsoil layer is likely to receive the polished effluent from the toe.

## **8.6 Well Design**

Drilled wells, completed in the bedrock aquifer, should be used for the water supply in this development. The wells should be drilled by a licensed well contractor experienced in the study area, and should be completed in accordance with Ontario Regulation 903, as amended.

A minimum well yield of 3 IGPM is recommended for an average residence and is considered to be easily obtainable on this site. As it is desirable to drill the future wells to achieve the highest quality water, the wells should be drilled to a depth of not more than 30 m before first surging and flushing the well in order to maximize exposure to the upper aquifer. Moreover, it may be prudent to utilize a cable tool to construct the future wells as the inherent nature of the pounding of a cable tool is known to maximize the fracturing within limestone bedrock to open up a formation in a manner which a rotary drill cannot.

The casing hole should be constructed such that the hole extends into sound bedrock such that the casing penetration is at least 2 m into the bedrock and the casing length, measured below ground surface, should not be less than 6 m.

The casing should be fitted with an appropriate drive shoe prior to installation and the annular space should be grouted with cement grout delivered from the bottom of the annular space to the ground surface using a method permitted by Ontario Regulation 903, as amended. The creation of the casing hole, the installation of the casing and the grouting of the annular space should be inspected by a qualified Professional Engineer from Paterson Group Inc.

Creation of the open borehole should continue until the borehole reaches a depth of not more than 30 m below ground surface before first surging and purging the well as described above..

The well should be developed by surging or pumping until the water is developed to a sand free state at the time of construction in accordance with Ontario Regulation 903. If the water is observed to be cloudy at the completion of the prescribed well development, extended well development should be performed until all visible turbidity is removed.

Chlorine should be introduced at the completion of well development in sufficient quantity to produce a free chlorine residual of at least 50 mg/L (ppm). The chlorine should be mixed with the standing water in the casing using a procedure that will result in the thorough vertical mixing of the chlorine over the entire depth of the well.

The well should be completed with a submersible pump, pitless adaptor and vermin proof well cap. All such mechanical work connected to the well is to be completed by a qualified well contractor possessing a valid Class 4 pump installer's license. After completion of the mechanical work in the well, the well should be disinfected as described above.

The grading around the well casing should be slightly elevated to direct surface runoff away from the well. The casing should project approximately 400 mm above the mounded soil within 3 m in all directions from the casing.

## 9.0 CONCLUSIONS

Based on the information contained within the body of this report, the following conclusions can be drawn:

1. The subject property is located in a relatively flat to slightly sloping setting with all areas exhibiting poor to imperfect drainage characteristics.
2. There is minimal potential impacts from surrounding land uses within 500 m of the site, based on available information. Moreover, offsite impacts from the proposed density of residential development are considered to be negligible.
3. The surficial geology of the subject property generally consists of a mixture of silty sand to silty clay deposits overlying bedrock over the subject area. The soils types and areal delineation are consistent with available soils mapping.
4. The bedrock geology beneath the site consists of limestone of the Bobcaygeon Formation. The Bobcaygeon formation is bordered on the west and east by younger bedrock of the Rockcliffe and Gull River Formations respectively. The direction of groundwater flow is interpreted to be north towards the Ottawa River.
5. The construction of the test wells on the subject property appear have intercepted at least three (3) individual water supply aquifers of suitable quantity. The quality of the shallowest aquifer is such that it is the preferred aquifer for future wells.
6. The most consistent zones of aquifer intercept of the test wells and neighbouring wells is between 25 m to 27 m, 53 m to 77 m and 93 m to 100 m below ground surface.
7. Significant confining pressures are present on the water supply aquifer at the interception points. An adequate quantity of water is present in all of the encountered aquifers, however the highest well yields were reported in TW2 and HW. Water quality of the upper aquifer, based on the analyses conducted in this report, is considered to be excellent for domestic use.
8. Potential well interference with neighbouring, offsite wells, is considered to be minimal and, based on the aquifer parameters determined by this study, the anticipated water demand from this subdivision will have minimal impact on the safe yield of the water supply aquifers.
9. Sewage systems, containing fully raised leaching beds, are easily accommodated on each of the proposed lots.
10. The subject property is suitable for development as a residential subdivision at the proposed density. Impacts to the neighbouring low density residential development area is expected to be minimal, at best.


## 10.0 RECOMMENDATIONS

Based on the information presented in the body of this report, the following recommendations can be made:

1. In accordance with the intent of Procedure D-5-5, the Medical Officer of Health must be notified where sodium concentrations in the new wells exceed 20 mg/L. This requirement is specified in order for the information to be disseminated to local physicians in order to treat persons with sodium reduced dietary needs.
2. If the use of water softeners are considered, it is recommended that a separate water supply tap be installed. This tap should bypass the water softener to prevent the increased sodium concentration which will result by softening the water with sodium chloride.
3. Wells should be constructed such that the casing hole extends into sound bedrock such that the casing penetration is at least 2 m into the bedrock and the casing length, measured below ground surface, should not be less than 6 m. The annular space should be grouted in a manner consistent with the construction of the test wells detailed in this study.
4. The preferred zone of aquifer interception for future wells should be set at approximately 25 m to 27 m measured below the ground surface. Wells should be constructed with cable tool drill to a depth of not more than 100 m before aggressive surging and purging has taken place.
5. The creation of the casing hole, installation of the casing, and grouting of the annular space, should be inspected by a qualified Professional Engineer of Ontario. Furthermore, it is recommended that a qualified Professional Engineer of Ontario oversee the construction of the open borehole in order to ensure well depths do not exceed those recommended in this study. All well construction must be carried out by a qualified, and experienced well technician.
6. TW1 should be chlorinated and resampled to ensure the well is free of microbiological parameters.
7. Wells should be developed to a sand free state in order to ensure that the residual turbidity created by the well drilling activities is completely purged from the well. Additional well development, prior to placing the well into use, is strongly recommended in order to provide adequate development of the formation and remove extraneous rock debris from the aquifer pathways.

In summary, it is our professional opinion that this site is suitable for development as a residential subdivision at the proposed lot density. The hydrogeological recommendations contained within this report, if followed, will ensure that the development takes place in an effective manner, with a minimal impact on the natural environment.

**PATERSON GROUP INC.**



Robert A. Passmore, P.Eng.  
Hydrogeologist



Stephen J. Walker, P.Eng.  
Senior Hydrogeologist





# **APPENDIX 1**

- SOIL PROFILE & TEST DATA SHEETS**
- SYMBOLS AND TERMS**

28 Concourse Gate, Unit 1, Ottawa, ON K2E 7T7

Terrain Analysis & Hydrogeological Study  
1730 Wilhaven Drive  
Ottawa, Ontario

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 1-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION  | STRATA PLOT | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|---|-------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|   |             | TYPE   | NUMBER | % RECOVERY | N VALUE or RQD |           |           | 20   | 40 | 60 | 80 |                         |  |
| GROUND SURFACE  |             |        |        |            |                | 0         | 100.50    |  |    |    |    |                         |  |
| TOPSOIL   | 0.23        |        |        |            |                |           |           |  |    |    |    |                         |  |
| Brown <b>SILTY SAND</b> with clay   |             | G      | 1      |            |                |           |           |  |    |    |    |                         |  |
|   | 0.81        |        |        |            |                |           |           |  |    |    |    |                         |  |
| <b>GLACIAL TILL:</b> Brown silty sand with clay, gravel, cobbles and boulders |             | G      | 2      |            |                | 1         | 99.50     |  |    |    |    |                         |  |
|   |             |        |        |            |                | 2         | 98.50     |  |    |    |    |                         |  |
|   |             |        |        |            |                | 3         | 97.50     |  |    |    |    |                         |  |
| End of Test Pit   | 3.02        |        |        |            |                |           |           |  |    |    |    |                         |  |
| Refusal on inferred bedrock @ 3.02m depth                                     |             |        |        |            |                |           |           |  |    |    |    |                         |  |
| (Water infiltration @ 2.6m depth)   |             |        |        |            |                |           |           |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**

▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

REMARKS

FILE NO. **PH1236**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

HOLE NO. **TP 2-09**

| SOIL DESCRIPTION   | STRATA PLOT | SAMPLE |        |          |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|--|-------------|--------|--------|----------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|  |             | TYPE   | NUMBER | RECOVERY | N VALUE or ROD |           |           | 20   | 40 | 60 | 80 |                         |  |
| GROUND SURFACE   |             |        |        |          |                | 0         | 99.25     |  |    |    |    |                         |  |
| TOPSOIL  |             |        |        |          |                |           |           |  |    |    |    |                         |  |
| Brown SILTY CLAY   | 0.25        | G      | 1      |          |                |           |           |  |    |    |    |                         |  |
| GLACIAL TILL: Brown silty clay with sand, gravel, cobbles and boulders | 1.22        |        |        |          |                | 1         | 98.25     |  |    |    |    |                         |  |
| GLACIAL TILL: Coarse sand with gravel, clay, cobbles and boulders      | 1.65        | G      | 2      |          |                |           |           |  |    |    |    |                         |  |
| End of Test Pit  | 2.44        |        |        |          |                | 2         | 97.25     |  |    |    |    |                         |  |
| (Water infiltration @ 0.9m depth)                                      |             |        |        |          |                |           |           |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. PH1236

REMARKS

HOLE NO. TP 3-09

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION   | STRATA PLOT          | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |
|--|----------------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|
|  |                      | TYPE   | NUMBER | RECOVERY % | N VALUE or RQD |           |           | ○ Water Content %                            |    |    |    |                         |
| GROUND SURFACE   |                      |        |        |            |                |           |           | 20   | 40 | 60 | 80 |                         |
| TOPSOIL  | [REDACTED]           |        |        |            |                | 0         | 99.10     |  |    |    |    |                         |
| Brown SILTY CLAY, some sand  | [DIAGNOSTIC PATTERN] | G      | 1      |            |                |           |           |  |    |    |    |                         |
| GLACIAL TILL: Grey-brown silty clay with sand, gravel and cobbles      | [DIAGNOSTIC PATTERN] | G      | 2      |            |                |           |           |  |    |    |    |                         |
|  | [DIAGNOSTIC PATTERN] | G      | 3      |            |                | 1         | 98.10     |  |    |    |    |                         |
| GLACIAL TILL: Brown silty sand with clay, gravel, cobbles and boulders | [DIAGNOSTIC PATTERN] | G      | 4      |            |                | 2         | 97.10     |  |    |    |    | ▽                       |
| End of Test Pit<br>(Water infiltration @ 1.6m depth)                   | [DIAGNOSTIC PATTERN] |        |        |            |                |           |           |  |    |    |    |                         |

20 40 60 80 100  
Shear Strength (kPa)  
▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 4-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION  | STRATA PLOT | SAMPLE |        |          |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|---|-------------|--------|--------|----------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|   |             | TYPE   | NUMBER | RECOVERY | N VALUE or RQD |           |           | ○ Water Content %                            |    |    |    |                         |  |
| GROUND SURFACE  |             |        |        |          |                |           |           | 20   | 40 | 60 | 80 |                         |  |
| TOPSOIL   | 0.25        |        |        |          |                | 0         | 100.50    |  |    |    |    |                         |  |
| Brown <b>SILTY CLAY</b> , some sand and gravel  | 0.71        | G      | 1      |          |                |           |           |  |    |    |    |                         |  |
| <b>GLACIAL TILL:</b> Brown silty sand with gravel, cobbles and boulders                                   | 2.34        | G      | 2      |          |                | 1         | 99.50     |  |    |    |    |                         |  |
| End of Test Pit<br>Refusal on inferred bedrock surface @ 2.34m depth<br>(Water infiltration @ 1.6m depth) |             |        |        |          |                | 2         | 98.50     |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 5-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION   | STRATA PLOT | SAMPLE |        |          |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |
|--|-------------|--------|--------|----------|----------------|-----------|-----------|--|----|----|----|-------------------------|
|  |             | TYPE   | NUMBER | RECOVERY | N VALUE or ROD |           |           | ○ Water Content %                            |    |    |    |                         |
| GROUND SURFACE   |             |        |        |          |                |           |           | 20   | 40 | 60 | 80 |                         |
| TOPSOIL  | [REDACTED]  |        |        |          |                | 0         | 99.80     |  |    |    |    |                         |
| Brown SILTY SAND with clay   | [REDACTED]  | G      | 1      |          |                |           |           |  |    |    |    |                         |
| Red-brown SILTY CLAY   | [REDACTED]  | G      | 2      |          |                |           |           |  |    |    |    |                         |
| GLACIAL TILL: Brown silty sand with clay, gravel, cobbles and boulders | [REDACTED]  |        |        |          |                | 1         | 98.80     |  |    |    |    | ✓                       |
| End of Test Pit<br>(Water infiltration @ 1.0m depth)                   | [REDACTED]  |        |        |          |                | 2         | 97.80     |  |    |    |    |                         |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.


FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 6-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09



DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 7-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION  | STRATA PLOT | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|---|-------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|   |             | TYPE   | NUMBER | % RECOVERY | N VALUE or RQD |           |           | 20   | 40 | 60 | 80 |                         |  |
| GROUND SURFACE  |             |        |        |            |                | 0         | 99.20     |  |    |    |    |                         |  |
| TOPSOIL   | 0.23        |        |        |            |                |           |           |  |    |    |    |                         |  |
| Brown SANDY SILT, trace clay  | 1.07        |        |        |            |                | 1         | 98.20     |  |    |    |    |                         |  |
| GLACIAL TILL: Brown fine to coarse sand with gravel, cobbles and boulders<br>- grey by 2.1m depth | 2.90        | G      | 1      |            |                | 2         | 97.20     |  |    |    |    |                         |  |
| End of Test Pit<br>(Water infiltration @ 1.1m depth)  |             |        |        |            |                |           |           |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded



DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 8-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION                                     | STRATA PLOT | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |
|--|-------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|
|  |             | TYPE   | NUMBER | % RECOVERY | N VALUE or RQD |           |           | ○ Water Content %                            |    |    |    |                         |
| GROUND SURFACE                                       |             |        |        |            |                |           |           | 20   | 40 | 60 | 80 |                         |
| TOPSOIL  | 0.25        |        |        |            |                | 0         | 99.00     |  |    |    |    |                         |
| Brown SANDY SILT, trace clay                         |             |        |        |            |                | 1         | 98.00     |  |    |    |    | ▽                       |
| Brown fine to medium sand with clay seams            |             |        |        |            |                | 2         | 97.00     |  |    |    |    |                         |
| Firm, grey SILTY CLAY                                |             |        |        |            |                | 3         | 96.00     |  |    |    |    |                         |
| End of Test Pit<br>(Water infiltration @ 1.5m depth) |             |        |        |            |                |           |           |  |    |    |    |                         |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.


FILE NO. **PH1236**

REMARKS

HOLE NO. **TP 9-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09



DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.


FILE NO. **PH1236**

REMARKS

HOLE NO. **TP10-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09



DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP11-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION  | STRATA PLOT | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|---|-------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|   |             | TYPE   | NUMBER | RECOVERY % | N VALUE or RQD |           |           | ○ Water Content %                            |    |    |    |                         |  |
| GROUND SURFACE  |             |        |        |            |                |           |           | 20   | 40 | 60 | 80 |                         |  |
| TOPSOIL   | 0.30        |        |        |            |                | 0         | 99.30     |  |    |    |    |                         |  |
| Brown SANDY SILT, trace clay  | 2.34        |        |        |            |                | 1         | 98.30     |  |    |    |    |                         |  |
| Grey SILTY CLAY, trace sand   | 3.50        |        |        |            |                | 2         | 97.30     |  |    |    |    |                         |  |
| GLACIAL TILL: Grey silty sand with clay, gravel, cobbles and boulders | 3.83        |        |        |            |                | 3         | 96.30     |  |    |    |    |                         |  |
| End of Test Pit<br>(Water infiltration @ 2.0m depth)                  |             |        |        |            |                |           |           |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**  
▲ Undisturbed    △ Remoulded

## SOIL PROFILE AND TEST DATA

Terrain Analysis & Hydrogeological Study  
1730 Wilhaven Drive  
Ottawa, Ontario

DATUM Elevations interpolated based on topographic information supplied by the City of Ottawa.

FILE NO. **PH1236**

REMARKS

HOLE NO. **TP12-09**

BORINGS BY Hydraulic Shovel

DATE 3 Dec 09

| SOIL DESCRIPTION   | STRATA PLOT | SAMPLE |        |            |                | DEPTH (m) | ELEV. (m) | Pen. Resist. Blows/0.3m<br>● 50 mm Dia. Cone |    |    |    | Piezometer Construction |  |
|--|-------------|--------|--------|------------|----------------|-----------|-----------|--|----|----|----|-------------------------|--|
|  |             | TYPE   | NUMBER | % RECOVERY | N VALUE or RQD |           |           | 20   | 40 | 60 | 80 |                         |  |
| GROUND SURFACE   |             |        |        |            |                | 0         | 100.50    |  |    |    |    |                         |  |
| TOPSOIL  | 0.28        |        |        |            |                |           |           |  |    |    |    |                         |  |
| GLACIAL TILL: Brown silty sand with clay, gravel, cobbles and boulders | 0.28        |        |        |            |                | 1         | 99.50     |  |    |    |    |                         |  |
|  |             |        |        |            |                | 2         | 98.50     |  |    |    |    |                         |  |
| End of Test Pit<br>(Water infiltration @ 2.1m depth)                   | 2.90        |        |        |            |                |           |           |  |    |    |    |                         |  |

20 40 60 80 100  
**Shear Strength (kPa)**

▲ Undisturbed    △ Remoulded

# SYMBOLS AND TERMS

## SOIL DESCRIPTION

Behavioural properties, such as structure and strength, take precedence over particle gradation in describing soils. Terminology describing soil structure are as follows:

|                  |   |  |
|------------------|---|--|
| Desiccated       | - | having visible signs of weathering by oxidation of clay minerals, shrinkage cracks, etc.                                   |
| Fissured         | - | having cracks, and hence a blocky structure.   |
| Varved           | - | composed of regular alternating layers of silt and clay.   |
| Stratified       | - | composed of alternating layers of different soil types, e.g. silt and sand or silt and clay.                               |
| Well-Graded      | - | having wide range in grain sizes and substantial amounts of all intermediate particle sizes (see Grain Size Distribution). |
| Uniformly-Graded | - | predominantly of one grain size (see Grain Size Distribution).   |

The standard terminology to describe the strength of cohesionless soils is the relative density, usually inferred from the results of the Standard Penetration Test (SPT) 'N' value. The SPT N value is the number of blows of a 63.5 kg hammer, falling 760 mm, required to drive a 51 mm O.D. split spoon sampler 300 mm into the soil after an initial penetration of 150 mm.

| Relative Density | 'N' Value | Relative Density % |
|------------------|-----------|--------------------|
| Very Loose       | <4        | <15                |
| Loose            | 4-10      | 15-35              |
| Compact          | 10-30     | 35-65              |
| Dense            | 30-50     | 65-85              |
| Very Dense       | >50       | >85                |

The standard terminology to describe the strength of cohesive soils is the consistency, which is based on the undisturbed undrained shear strength as measured by in situ or laboratory vane tests, penetrometer tests, unconfined compression tests, or occasionally by Standard Penetration Tests.

| Consistency | Undrained Shear Strength (kPa) | 'N' Value |
|-------------|--------------------------------|-----------|
| Very Soft   | <12                            | <2        |
| Soft        | 12-25                          | 2-4       |
| Firm        | 25-50                          | 4-8       |
| Stiff       | 50-100                         | 8-15      |
| Very Stiff  | 100-200                        | 15-30     |
| Hard        | >200                           | >30       |

## SYMBOLS AND TERMS (continued)

### SOIL DESCRIPTION (continued)

Cohesive soils can also be classified according to their "sensitivity". The sensitivity is the ratio between the undisturbed undrained shear strength and the remoulded undrained shear strength of the soil.

Terminology used for describing soil strata based upon texture, or the proportion of individual particle sizes present is provided on the Textural Soil Classification Chart at the end of this information package.

### ROCK DESCRIPTION

The structural description of the bedrock mass is based on the Rock Quality Designation (RQD).

The RQD classification is based on a modified core recovery percentage in which all pieces of sound core over 100 mm long are counted as recovery. The smaller pieces are considered to be a result of closely-spaced discontinuities (resulting from shearing, jointing, faulting, or weathering) in the rock mass and are not counted. RQD is ideally determined from NXL size core. However, it can be used on smaller core sizes, such as BX, if the bulk of the fractures caused by drilling stresses (called "mechanical breaks") are easily distinguishable from the normal in-situ fractures.

| RQD %  | ROCK QUALITY   |
|--------|--|
| 90-100 | Excellent, intact, very sound                                |
| 75-90  | Good, massive, moderately jointed or sound                   |
| 50-75  | Fair, blocky and seamy, fractured                            |
| 25-50  | Poor, shattered and very seamy or blocky, severely fractured |
| 0-25   | Very poor, crushed, very severely fractured                  |

### SAMPLE TYPES

|    |   |   |
|----|---|---|
| SS | - | Split spoon sample (obtained in conjunction with the performing of the Standard Penetration Test (SPT))                       |
| TW | - | Thin wall tube or Shelby tube   |
| PS | - | Piston sample   |
| AU | - | Auger sample or bulk sample   |
| WS | - | Wash sample   |
| RC | - | Rock core sample (Core bit size AXT, BXL, etc.) Rock core samples are obtained with the use of standard diamond drilling bits |

## SYMBOLS AND TERMS (continued)

### GRAIN SIZE DISTRIBUTION

|                 |   |   |
|-----------------|---|---|
| MC%             | - | Natural moisture content or water content of sample, %  |
| LL              | - | Liquid limit, % (water content above which soil behaves as a liquid)  |
| PL              | - | Plastic limit, % (water content above which soil behaves plastically)   |
| PI              | - | Plasticity index, % (difference between LL and PL)  |
| D <sub>xx</sub> | - | Grain size at which xx% of the soil, by weight, is of finer grain sizes<br>These grain size descriptions are not used below 0.075 mm grain size |
| D <sub>10</sub> | - | Grain size at which 10% of the soil is finer (effective grain size)   |
| D <sub>60</sub> | - | Grain size at which 60% of the soil is finer  |
| C <sub>c</sub>  | - | Concavity coefficient = $(D_{30})^2 / (D_{10} \times D_{60})$   |
| C <sub>u</sub>  | - | Uniformity coefficient = $D_{60} / D_{10}$  |

C<sub>c</sub> and C<sub>u</sub> are used to assess the grading of sands and gravels:

Well-graded gravels have:  $1 < C_c < 3$  and  $C_u > 4$

Well-graded sands have:  $1 < C_c < 3$  and  $C_u > 6$

Sand and gravels not meeting the above requirements are poorly-graded or uniformly-graded.

C<sub>c</sub> and C<sub>u</sub> are not applicable for the description of soils with more than 10% silt and clay (more than 10% finer than 0.075 mm or the #200 sieve)

### CONSOLIDATION TEST

|                 |   |  |
|-----------------|---|--|
| $p'_o$          | - | Present effective overburden pressure at sample depth          |
| $p'_c$          | - | Preconsolidation pressure of (maximum past pressure on) sample |
| C <sub>cr</sub> | - | Recompression index (in effect at pressures below $p'_o$ )     |
| C <sub>c</sub>  | - | Compression index (in effect at pressures above $p'_o$ )       |
| OC Ratio        |   | Overconsolidation ratio = $p'_c / p'_o$                        |
| Void Ratio      |   | Initial sample void ratio = volume of voids / volume of solids |
| W <sub>o</sub>  | - | Initial water content (at start of consolidation test)         |


### PERMEABILITY TEST

|   |   |  |
|---|---|--|
| k | - | Coefficient of permeability or hydraulic conductivity is a measure of the ability of water to flow through the sample. The value of k is measured at a specified unit weight for (remoulded) cohesionless soil samples, because its value will vary with the unit weight or density of the sample during the test. |
|---|---|--|



## SYMBOLS AND TERMS (continued)


### STRATA PLOT



## MONITORING WELL AND PIEZOMETER CONSTRUCTION

Monitoring Well Construction

Piezometer Construction



# APPENDIX 2

- PUBLISHED MOE WELL DATA
- WELL RECORDS FOR TEST WELLS
  - TW 1
  - TW2
  - TW3
  - HW4

Ontario Ministry of the Environment  
 Measurements recorded in:  Metric  Imperial

Well Tag: **A089388** (low)

Well Record Regulation 902 Ontario Water Resources Act  
 Page      of     

**TW1**

**Well Owner's Information**

First Name: **FRED FARS** Last Name / Organization: **FARS** E-mail Address: **92183144 Ontario**  
 Mailing Address (Street Number/Name): **1255 Byrnes Terrace** Municipality: **Cumberland Ont.** Province: **Ontario** Postal Code: **K4C 1A9**  
 Telephone No. (inc. area code): **846 1119**

**Well Location**

Address of Well Location (Street Number/Name): **#1730 Willhaven Drive** Township: **Cumberland** Lot: **NPLD#E 7**  
 County/District/Municipality: **Ottawa-Carleton** City/Town/Village: **Cumberland** Province: **Ontario** Postal Code: **K4C 1A9**  
 UTM Coordinates: Zone: **18Q** Easting: **465558** Northing: **5038265** Municipal Plan and Sublot Number: **PLAN RPSOR 844 PART 2**

**Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)**

| General Colour | Most Common Material          | Other Materials | General Description | Depth (m)            |
|----------------|-------------------------------|-----------------|---------------------|----------------------|
|                | <b>Sandy Clay + Gravel</b>    |                 |                     | <b>0' - 12' 6"</b>   |
|                | <b>Gray + Black Limestone</b> |                 |                     | <b>12' 6" - 500'</b> |

**Test Well #1**

| Depth Set at (m) | Annular Space         | Volume Placed (lit) |
|------------------|-----------------------|---------------------|
| 20' 10'          | Neat Cement Slurry    | 468                 |
| 10' 0'           | Neat Bentonite Slurry | 804                 |

| Method of Construction                         | Well Use  |
|--|---|
| <input type="checkbox"/> Cable Tool            | <input type="checkbox"/> Public                     |
| <input type="checkbox"/> Rotary (Conventional) | <input checked="" type="checkbox"/> Domestic        |
| <input type="checkbox"/> Rotary (Reverse)      | <input type="checkbox"/> Commercial                 |
| <input checked="" type="checkbox"/> Boring     | <input type="checkbox"/> Municipal                  |
| <input type="checkbox"/> Air percussion        | <input type="checkbox"/> Test Hole                  |
| <input type="checkbox"/> Other, specify        | <input type="checkbox"/> Cooling & Air Conditioning |

| Construction Record - Casing |            |           | Status of Well |      |
|------------------------------|------------|-----------|----------------|------|
| Inside Diameter (mm)         | Depth (m)  | Material  | From           | To   |
| 6"                           | 188'       | Steel     | 20'            | 20'  |
| 5 7/8"                       | 20' - 500' | Open hole | 20'            | 500' |


| Construction Record - Screen |          |          | Status of Well |    |
|------------------------------|----------|----------|----------------|----|
| Outside Diameter (mm)        | Material | Slot No. | From           | To |
|                              |          |          |                |    |

| Water Details                             |                             | Hole Diameter              |                   |
|---|-----------------------------|----------------------------|-------------------|
| Water found at Depth (m): <b>30'</b>      | Kind of Water: <b>Fresh</b> | Depth (m) From: <b>0'</b>  | To: <b>20' 6"</b> |
| Water found at Depth (m): <b>20' 500'</b> | Kind of Water: <b>Fresh</b> | Depth (m) From: <b>20'</b> | To: <b>500'</b>   |

**Well Contractor and Well Technician Information**  
 Business Name of Well Contractor: **AIR ROCK DRILLING LTD** Well Contractor's License No.: **1119**  
 Business Address (Street Number/Name): **RR #1** Municipality: **RICHMOND**  
 Province: **ON** Postal Code: **K4A 2Z0** Business E-mail Address: **ENT K4A2Z0**

Bus. Telephone No. (inc. area code): **613 888 2170** Name of Well Technician (Last Name, First Name): **PURCELL STANLON**  
 Well Technician's License No.: **T 022654** Signature of Technician and/or Contractor: **[Signature]** Date Submitted: **2009/11/05**

| Results of Well Yield Testing                           |              |                 |                 |
|---|--------------|-----------------|-----------------|
| After test of well yield, water was:                    | Draw Down    | Time            | Recovery        |
| <input checked="" type="checkbox"/> Clear and sand free | Time (min)   | Water Level (m) | Water Level (m) |
| <input checked="" type="checkbox"/> Pumped              | Static Level |                 |                 |
| If pumping discontinued, give reason:                   |              |                 |                 |
|   | 1            | 193'            |                 |
| Pump intake set at (m): <b>300'</b>                     | 2            | 193'            |                 |
| Pumping rate (l/min) (GPM): <b>1</b>                    | 3            | 192.8"          |                 |
| Duration of pumping: <b>1</b> hrs = <b>0</b> min        | 4            | 192.5"          |                 |
| Final water level end of pumping (m): <b>219'</b>       | 5            | 192.1"          |                 |
| If flowing give rate (l/min) (GPM): <b>150</b>          | 10           | 190.3"          |                 |
| Recommended pump depth (m): <b>490'</b>                 | 15           | 188.9"          |                 |
| Recommended pump rate (l/min) (GPM): <b>1</b>           | 20           | 186.7"          |                 |
| Well production (l/min) (GPM): <b>1</b>                 | 25           | 184.9"          |                 |
| Disinfected? <b>Yes</b>                                 | 30           | 183.1"          |                 |
|   | 40           | 178"            |                 |
|   | 50           | 173.2"          |                 |
|   | 60           | 168"            |                 |



Comments: **Test Well #1**

|  |                           |
|--|---------------------------|
| Well owner's information package delivered: <b>2009/11/3</b> | Ministry Use Only         |
| Date Work Completed: <b>2009/11/05</b>                       | Audit No.: <b>2102654</b> |



Ministry of the Environment

Well ID: A 089412

Well Record

Regulation 909 Ontario Water Resources Act

TWZ

Measurements recorded in: Metric Imperial

Page of

Well Owner's Information

First Name: FRED FARSI, Last Name / Organization: 92183144 Ontario Ltd, E-mail Address: [blank], Well Constructed by: [blank]

Well Location

Address of Well Location (Street Number/Name): #1730 Wilhaven Drive, Township: Cumberland, NPLD#E1, Concession: 7, City/Town/Village: Ottawa-Carleton, City/Town/Village: Cumberland, Province: Ontario, Postal Code: [blank], Telephone No. (for some code): K4C 1A9

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth (m) From. Entries: Sandy Clay + Gravel (0' 10'), Gray + Brown Limestone (10' 36')

Test Well #2

Table with columns: Depth Set at (m) From, Annular Space, Type of Sealing Used (Material and Type), Volume Placed (m³). Entries: 20' 10' Neat Cement Slurry 4.68, 10' 0' Neat Bentonite Slurry 8.4


Table with columns: Method of Construction, Well Use. Methods: Cable Tool, Rotary (Conventional), Rotary (Reverse), Boring, Air percussion, Other, specify. Well Use: Public, Commercial, Municipal, Test hole, Cooling & Air Conditioning, Domestic, Livestock, Irrigation, Industrial, Other, specify.

Table with columns: Construction Record - Casing, Status of Well, Construction Record - Screen. Casing: 6" Steel, 5 7/8" open hole, 188" to 20' 20', 20' 36'. Status of Well: Water Supply, Replacement Well, Test Hole, Recharge Well, Dewatering Well, Observation and/or Monitoring Hole, Alteration, Abandonment, Insufficient Supply, Abandoned, Poor Water Quality, Abandoned, other, specify.

Table with columns: Water Details, Hole Diameter. Water Details: Water found at Depth: Kind of Water: Fresh, Untested. Hole Diameter: 0' 20' 6", 20' 36' 5 7/8".

Well Contractor and Well Technician Information: Business Name of Well Contractor: AIR ROCK DRILLING CO LTD 1119, Business Address (Street Number/Name): [blank], Municipality: RICHMOND, Province: [blank], Postal Code: [blank], Business E-mail Address: [blank], Business Telephone No. (for area code): 613 838 3210, Name of Well Technician (Last Name, First Name): PURCELL SHANNON, Signature of Technician and/or Contractor Date Submitted: 10/22/09

Results of Well Yield Testing. Table with columns: Draw Down, Recovery. Includes draw down curve and recovery data points.



Comments: Test Well #2. Well owner's information: Data Package Delivered: 2009.11.13, Ministry Use Only: Audit No. 2102633, Data Work Completed: 2009.11.09.



Ministry of the Environment

We A 089359 (inc Below) A089359

Well Record

Regulation 903 Ontario Water Resources Act

TW3

Measurements recorded in:  Metric  Imperial

Page of

Well Owner's Information

First Name: FRED FARST Last Name / Organization: 92183144 Ontario Well Constructed:  Mailing Address (Street Number/Name): 1285 Byrnes Terrace Municipality: Cumberland Ont Postal Code: K4C1A9 Telephone No. (inc area code):

Well Location

Address of Well Location (Street Number/Name): # 1730 Wilhaven Drive Township: Cumberland NPLD# E 7 County/District/Municipality: Ottawa-Carleton City/Town/Village: Cumberland Province: Ontario Postal Code: UTM Coordinates: NAD 83 18466005503847 Zones: Easting: Northing: Municipal Plan and Sublot Number: PLAN# RP50R844 PART 2

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth From. Rows include Clay & Gravel, Grey limestone, Grey + Brown limestone, Green limestone, Black Shale.

Test Well # 3

Table for Annular Space with columns: Depth Set At (m/ft) From, Type of Sealant Used (Material and Type), Volume Placed (m³/ft³). Rows show sealant details for 20' 10' and 10' 0' depths.

Method of Construction and Well Use. Method of Construction includes Cable Tool, Rotary (Conventional), Rotary (Reverse), Boring, etc. Well Use includes Public, Commercial, Domestic, etc.


Construction Record - Casing. Table with columns: Inside Diameter (m/ft), Open Hole OR Material (Galvanized, Fiberglass, Concrete, Plastic, Steel), Well Thickness (m/ft), Depth (m/ft) From To, Status of Well (Water Supply, Replacement Well, etc.).

Construction Record - Screen. Table with columns: Outside Diameter (m/ft), Material (Plastic, Galvanized, Steel), Slot No., Depth (m/ft) From To.

Water Details and Hole Diameter. Water Details table shows water found at depths of 430' (m/ft), 0' 50' 6", and 20' 440' 5 7/8". Hole Diameter table shows diameters at various depths.

Well Contractor and Well Technician Information. Business Name: AIR ROCK DRILLING CO LTD 119. Business Address: 1191 Richmond. Province: ONT. Postal Code: K0A2Z0. Business E-mail Address: info@airrock.com. Well Technician's Name: PURCELL STANNON. Well Technician's License No.: T2222.

Results of Well Yield Testing. Table with columns: Draw Down, Recovery, Static Level, Pumping rate (l/min (GPM)), Duration of pumping, Final water level end of pumping (m/ft), Recommended pump depth (m/ft), Recommended pump rate (l/min (GPM)), Well production (l/min (GPM)).



Comments: Test Well # 3. Well owner's information package delivered: 2009/11/3. Date Work Completed: 2009/11/0. Ministry Use Only: Audit No. 2102630.



The Ontario Water Resources Act WATER WELL RECORD

House Well (HW)

Print only in spaces provided. Mark correct box with a checkmark, where applicable.

|  |            |   |  |  |                 |
|--|------------|---|--|--|-----------------|
| County or District<br><i>Ottawa Carleton</i> |            | Township/Borough/City/Town/Village<br><i>Cumberland</i>               |  | Con block tract survey, etc.<br><i>7</i> | Lot<br><i>D</i> |
| Owner's surname<br><i>FitzPatrick Esq</i>    | First Name | Address of Well Location<br><i>1730 Wilbourn Drive Ottawa, K2A1S0</i> |  | Date completed<br><i>30/09/03</i>        |                 |
| Zone   |            | Easting   |  | Northing                                 |                 |

| General colour | Most common material  | Other materials | General description | Depth - feet |           |
|----------------|-----------------------|-----------------|---------------------|--------------|-----------|
|                |                       |                 |                     | From         | To        |
| <i>Brown</i>   | <i>Till</i>           | <i>Boulders</i> | <i>Dense</i>        | <i>0</i>     | <i>10</i> |
| <i>Grey</i>    | <i>Till</i>           | <i>"</i>        | <i>"</i>            | <i>10</i>    | <i>14</i> |
| <i>Grey</i>    | <i>limestone Rock</i> | <i>Shale</i>    | <i>Layered</i>      | <i>14</i>    | <i>83</i> |


| Water found at - feet | Kind of water  |
|-----------------------|--|
| <i>60</i>             | <input checked="" type="checkbox"/> Fresh<br><input type="checkbox"/> Salty<br><input type="checkbox"/> Sulphur Minerals Gas<br><input type="checkbox"/> Fresh Sulphur Minerals Gas<br><input type="checkbox"/> Salty Sulphur Minerals Gas<br><input type="checkbox"/> Fresh Sulphur Minerals Gas<br><input type="checkbox"/> Salty Sulphur Minerals Gas<br><input type="checkbox"/> Fresh Sulphur Minerals Gas<br><input type="checkbox"/> Salty Sulphur Minerals Gas |

| Inside diam inch | Material  | Wall thickness inches | Depth - feet |           |
|------------------|---|-----------------------|--------------|-----------|
|                  |   |                       | From         | To        |
| <i>8 3/4"</i>    | <input type="checkbox"/> Steel<br><input type="checkbox"/> Galvanized<br><input type="checkbox"/> Concrete<br><input checked="" type="checkbox"/> Open hole<br><input type="checkbox"/> Plastic |                       | <i>0</i>     | <i>26</i> |
| <i>6 1/4"</i>    | <input checked="" type="checkbox"/> Steel<br><input type="checkbox"/> Galvanized<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Open hole<br><input type="checkbox"/> Plastic | <i>188</i>            | <i>+2</i>    | <i>26</i> |
| <i>6"</i>        | <input type="checkbox"/> Steel<br><input type="checkbox"/> Galvanized<br><input type="checkbox"/> Concrete<br><input checked="" type="checkbox"/> Open hole<br><input type="checkbox"/> Plastic |                       | <i>26</i>    | <i>83</i> |

| Screen | Size of opening (Slot No.) | Diameter inches | Length feet                 |
|--------|----------------------------|-----------------|-----------------------------|
|        |                            |                 |                             |
|        | Material and type          |                 | Depth at top of screen feet |

| Depth set at - feet |           | Material and type (Cement grout, concrete, etc.) |
|---------------------|-----------|--|
| From                | To        |  |
| <i>0</i>            | <i>26</i> | <i>Cement grout</i>                              |

|   |  |  |
|---|--|--|
| Pumping test method<br><i>Flow Pump</i>         | Pumping rate<br><i>7 GPM</i>               | Duration of pumping<br><i>1 Hour 0 Min</i> |
| Water level at end of pumping<br><i>83 feet</i> | Water levels during pumping                | Recovery                                   |
|   | 15 minutes: <i>22 feet</i>                 | 30 minutes: <i>22 feet</i>                 |
|   | 45 minutes: <i>22 feet</i>                 | 60 minutes: <i>22 feet</i>                 |
| Recommended pump type<br><i>Station Deep</i>    | Recommended pump setting<br><i>70 feet</i> | Recommended pump rate<br><i>6 GPM</i>      |



|  |   |   |
|--|---|---|
| FINAL STATUS OF WELL                             |   |   |
| <input checked="" type="checkbox"/> Water supply | <input type="checkbox"/> Abandoned, insufficient supply | <input type="checkbox"/> Unfinished       |
| <input type="checkbox"/> Observation well        | <input type="checkbox"/> Abandoned, poor quality        | <input type="checkbox"/> Replacement well |
| <input type="checkbox"/> Test hole               | <input type="checkbox"/> Abandoned (Other)              |   |
| <input type="checkbox"/> Recharge well           | <input type="checkbox"/> Dewatering                     |   |
| WATER USE  |   |   |
| <input checked="" type="checkbox"/> Domestic     | <input type="checkbox"/> Commercial                     | <input type="checkbox"/> Not use          |
| <input type="checkbox"/> Stock                   | <input type="checkbox"/> Municipal                      | <input type="checkbox"/> Other            |
| <input type="checkbox"/> Irrigation              | <input type="checkbox"/> Public supply                  |   |
| <input type="checkbox"/> Industrial              | <input type="checkbox"/> Cooling & air conditioning     |   |
| METHOD OF CONSTRUCTION                           |   |   |
| <input type="checkbox"/> Cable tool              | <input type="checkbox"/> Air percussion                 | <input type="checkbox"/> Driving          |
| <input type="checkbox"/> Rotary (conventional)   | <input type="checkbox"/> Boring                         | <input type="checkbox"/> Digging          |
| <input type="checkbox"/> Rotary (wireline)       | <input type="checkbox"/> Drilled                        | <input type="checkbox"/> Other            |
| <input checked="" type="checkbox"/> Rotary (S&C) | <input type="checkbox"/> Jetting                        |   |

|  |  |
|--|--|
| Name of Well Contractor<br><i>Bourgeois Well Drill</i> | Well Contractor's Licence No.<br><i>1414</i>   |
| Name of Well Technician<br><i>Albert Oute</i>          | Well Technician's Licence No.<br><i>1-0264</i> |
| Signature<br><i>Raymond</i>                            | Submission date<br><i>30/09/03</i>             |

|                   |
|-------------------|
| MINISTRY USE ONLY |
|                   |
|                   |

Print only in spaces provided.  
Mark correct box with a checkmark, where applicable.

11

1531266

Municipality: 15011 Con: CON 07

|  |   |  |                 |
|--|---|--|-----------------|
| County or District<br><u>OTTAWA - Carleton</u> | Township/Borough/City/Town/Village<br><u>Cumberland</u> | Con block tract survey, etc<br><u>Conc 7 D</u> | Lot<br><u>D</u> |
| Address<br><u>1592 - Wilburton Dr</u>          |   | Date completed<br><u>05/07/00</u>              |                 |

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions) |                      |                 |                     |              |            |
|--|----------------------|-----------------|---------------------|--------------|------------|
| General colour   | Most common material | Other materials | General description | Depth - feet |            |
|  |                      |                 |                     | From         | To         |
| <u>Brown</u>   | <u>Clay</u>          | <u>Boulder</u>  | <u>HOUSE</u>        | <u>0</u>     | <u>7</u>   |
| <u>Grey</u>  | <u>limestone</u>     |                 | <u>Hard</u>         | <u>7</u>     | <u>35</u>  |
| <u>Brown</u>   | <u>SHALE</u>         |                 | <u>Porous</u>       | <u>35</u>    | <u>55</u>  |
| <u>Grey</u>  | <u>limestone</u>     |                 | <u>Hard</u>         | <u>55</u>    | <u>203</u> |


| WATER RECORD          |   |
|-----------------------|---|
| Water found at - feet | Kind of water   |
| <u>100</u>            | <input checked="" type="checkbox"/> Fresh<br><input type="checkbox"/> Salty |
| <u>176</u>            | <input checked="" type="checkbox"/> Fresh<br><input type="checkbox"/> Salty |
| <u>20</u>             | <input type="checkbox"/> Fresh<br><input type="checkbox"/> Salty            |
| <u>25</u>             | <input type="checkbox"/> Fresh<br><input type="checkbox"/> Salty            |
| <u>30</u>             | <input type="checkbox"/> Fresh<br><input type="checkbox"/> Salty            |

| CASING & OPEN HOLE RECORD |   |                       |              |            |
|---------------------------|---|-----------------------|--------------|------------|
| Inside diam inches        | Material  | Well thickness inches | Depth - feet |            |
|                           |   |                       | From         | To         |
| <u>6 1/2</u>              | <input checked="" type="checkbox"/> Steel<br><input type="checkbox"/> Galvanized<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Open hole<br><input type="checkbox"/> Plastic | <u>1.88</u>           | <u>0</u>     | <u>20</u>  |
| <u>6</u>                  | <input type="checkbox"/> Steel<br><input type="checkbox"/> Galvanized<br><input type="checkbox"/> Concrete<br><input type="checkbox"/> Open hole<br><input type="checkbox"/> Plastic            |                       | <u>20</u>    | <u>203</u> |

| SCREEN | Size of opening (Slot No.) | Diameter | Length                 |
|--------|----------------------------|----------|------------------------|
|        |                            | Inches   | feet                   |
|        |                            |          | Depth at top of screen |

| PLUGGING & SEALING RECORD |   |
|---------------------------|---|
| Depth set at - feet       | Material and type (Cement grout, bentonite, etc.) |
| <u>0</u>                  | <u>Cement Grout</u>                               |
| <u>20</u>                 | <u># 30</u>                                       |

| PUMPING TEST  |   |
|---|---|
| Pumping test method   | Duration of pumping                       |
| <input checked="" type="checkbox"/> Pump<br><input type="checkbox"/> Bailer                           | <u>2</u> Hours                            |
| Water level end of pumping  | Water level during                        |
| <u>10</u> feet  | <u>160</u> feet                           |
| <u>200</u> feet   | <u>135</u> feet                           |
| <u>200</u> feet   | <u>120</u> feet                           |
| <u>100</u> feet   | <u>100</u> feet                           |
| Recommended pump type<br><input type="checkbox"/> Shallow<br><input checked="" type="checkbox"/> Deep | Recommended pump rate<br><u>1 1/2</u> GPM |



| FINAL STATUS OF WELL                                 |   |
|--|---|
| <input checked="" type="checkbox"/> Observation well | <input type="checkbox"/> Abandoned, insufficient supply |
| <input type="checkbox"/> Test hole                   | <input type="checkbox"/> Abandoned, poor quality        |
| <input type="checkbox"/> Recharge well               | <input type="checkbox"/> Abandoned (Other)              |
|  | <input type="checkbox"/> Dewatering                     |
|  | <input type="checkbox"/> Unfinished                     |
|  | <input type="checkbox"/> Replacement well               |

| WATER USE                                    |   |
|--|---|
| <input checked="" type="checkbox"/> Domestic | <input type="checkbox"/> Commercial                 |
| <input type="checkbox"/> Stock               | <input type="checkbox"/> Municipal                  |
| <input type="checkbox"/> Irrigation          | <input type="checkbox"/> Public supply              |
| <input type="checkbox"/> Industrial          | <input type="checkbox"/> Cooling & air conditioning |
|  | <input type="checkbox"/> Not use                    |
|  | <input type="checkbox"/> Other                      |

| METHOD OF CONSTRUCTION                         |   |
|--|---|
| <input type="checkbox"/> Cable tool            | <input type="checkbox"/> Air percussion |
| <input type="checkbox"/> Rotary (conventional) | <input type="checkbox"/> Boring         |
| <input type="checkbox"/> Rotary (reverse)      | <input type="checkbox"/> Diamond        |
| <input type="checkbox"/> Jetting               | <input type="checkbox"/> Other          |
|  | <input type="checkbox"/> Driving        |
|  | <input type="checkbox"/> Digging        |

|  |  |
|--|--|
| Name of Well Contractor<br><u>DRY-WATER WELL DRILLING 6006</u> | Well Contractor's Licence No.<br><u>6006</u>       |
| Name of Well Technician<br><u>Lucas Desnoyers</u>              | Well Technician's Licence No.<br><u>T-0625</u>     |
| Signature of Well Contractor<br><u>[Signature]</u>             | Signature of Well Technician<br><u>[Signature]</u> |

|                                     |                             |
|-------------------------------------|-----------------------------|
| Date received<br><u>AUG 08 2000</u> | Inspector<br><u>CSS.ES0</u> |
| Remarks<br><u>CSS.ES0</u>           |                             |



Ministry of the Environment

Well Tag Number (Place sticker and print number below)

A 000750

Well Record Regulation 903 Ontario Water Resources Act

page 1 of 3

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Ministry Use Only

Well Owner's Information and Location of Well Information MUN 15011 CON (CN) 07 LOT D

Address of Well Location (County/District/Municipality) 1550 Villhaven Dr. ↑  
 RR#/Street Number/Name  
 City/Town/Village Ottawa  
 County/District/Municipality Cumberland  
 Lot 8+E Concession 7  
 Site/Compartment/Block/Tract etc. Parts S-11 Plan H27732  
 GPS Reading NAD Zone Easting Northing Unit Make/Model Mode of Operation: Undifferentiated / Differentiated, specify  
 8 3 18 462290 5032057 MaseLAN UTM

Log of Overburden and Bedrock Materials (see Instructions)

| General Colour | Most common material | Other Materials | General Description | Depth From Metres | Metres To |
|----------------|----------------------|-----------------|---------------------|-------------------|-----------|
| Brown          | clay                 |                 | soft                | 0                 | 1.8/8     |
| grey           | SHALE                | concl.          | loose               | 1.8/8             | 3.030     |
| grey           | limestone            |                 | Hard                | 3.030             | 30.30     |

| Hole Diameter |                      |
|---------------|----------------------|
| Depth Metres  | Diameter Centimetres |
| From To       |                      |
| 0 3.63        | 22.25                |

| Water Record          |                        |
|-----------------------|------------------------|
| Water found at Metres | Kind of Water          |
| 4.28m                 | Fresh Sulphur Minerals |
|                       | Gas Salty              |
|                       | Other                  |
|                       | Fresh Sulphur Minerals |
|                       | Gas Salty              |
|                       | Other                  |
|                       | Fresh Sulphur Minerals |
|                       | Gas Salty              |
|                       | Other                  |

After test of well yield, water was  
 Clear and sediment free  
 Other, specify

Chlorinated  Yes  No

| Construction Record      |   |                            |                   |           |
|--------------------------|---|----------------------------|-------------------|-----------|
| Inside diam. centimetres | Material                                      | Wall thickness centimetres | Depth From Metres | Metres To |
| Casing                   |   |                            |                   |           |
| 15.55                    | Steel Fibreglass Plastic Concrete Galvanized  | 1.88                       | 0                 | 3.63      |
| Screen                   |   |                            |                   |           |
| Outside diam.            | Steel Fibreglass Plastic Concrete Galvanized  | Slot No.                   |                   |           |
| No Casing or Screen      |   |                            |                   |           |
|                          | <input checked="" type="checkbox"/> Open hole |                            | 3.63              | 30.30     |

| Test of Well Yield                        |           |                    |          |                    |
|---|-----------|--------------------|----------|--------------------|
| Pumping test method                       | Draw Down |                    | Recovery |                    |
|   | Time min  | Water Level Metres | Time min | Water Level Metres |
| Submersible                               |           |                    |          |                    |
| Pump intake set at (metres)               | 28.78     | Static Level 0.95  |          |                    |
| Pumping rate (litres/min)                 | 18        | 1 1.67             | 1        | 1.67               |
| Duration of pumping (hrs + min)           | 2         | 2.00               | 2        | 1.67               |
| Final water level end of pumping (metres) | 3         | 2.16               | 3        | 1.67               |
| Recommended pump type                     | 4         | 2.33               | 4        | 2.16               |
| Recommended pump depth (metres)           | 5         | 2.44               | 5        | 2.16               |
| Recommended pump rate (litres/min)        | 10        | 2.92               | 10       | 3.57               |
|   | 15        | 3.28               | 15       | 3.57               |
| If flowing give rate (litres/min)         | 20        | 3.57               | 20       | 3.57               |
|   | 25        | 3.80               | 25       | 4.00               |
| If pumping discontinued, give reason      | 30        | 4.00               | 30       | 4.00               |
|   | 40        | 4.36               | 40       | 4.00               |
|   | 50        | 5.84               | 50       | 4.36               |
|   | 60        | 5.84               | 60       | 5.84               |

| Plugging and Sealing Record |   |                              | <input checked="" type="checkbox"/> Annular space | <input type="checkbox"/> Abandonment |
|-----------------------------|---|------------------------------|---|--------------------------------------|
| Depth set at Metres         | Material and type (benonite slurry, neat cement slurry) etc | Volume Placed (cubic metres) |   |                                      |
| 0 3.63                      | Cement grout  |                              |   |                                      |

| Method of Construction                         |  |                                  |                                  |
|--|--|----------------------------------|----------------------------------|
| <input type="checkbox"/> Cable Tool            | <input checked="" type="checkbox"/> Rotary (air) | <input type="checkbox"/> Diamond | <input type="checkbox"/> Digging |
| <input type="checkbox"/> Rotary (conventional) | <input type="checkbox"/> Air percussion          | <input type="checkbox"/> Jetting | <input type="checkbox"/> Other   |
| <input type="checkbox"/> Rotary (reverse)      | <input type="checkbox"/> Boring                  | <input type="checkbox"/> Driving |                                  |

| Water Use                                    |                                     |   |                                |
|--|-------------------------------------|---|--------------------------------|
| <input checked="" type="checkbox"/> Domestic | <input type="checkbox"/> Industrial | <input type="checkbox"/> Public Supply              | <input type="checkbox"/> Other |
| <input type="checkbox"/> Stock               | <input type="checkbox"/> Commercial | <input type="checkbox"/> Not used                   |                                |
| <input type="checkbox"/> Irrigation          | <input type="checkbox"/> Municipal  | <input type="checkbox"/> Cooling & air conditioning |                                |

| Final Status of Well                             |   |   |   |
|--|---|---|---|
| <input checked="" type="checkbox"/> Water Supply | <input type="checkbox"/> Recharge well                  | <input type="checkbox"/> Unfinished       | <input type="checkbox"/> Abandoned, (Other) |
| <input type="checkbox"/> Observation well        | <input type="checkbox"/> Abandoned, insufficient supply | <input type="checkbox"/> Dewatering       |   |
| <input type="checkbox"/> Test Hole               | <input type="checkbox"/> Abandoned poor quality         | <input type="checkbox"/> Replacement well |   |

| Location of Well  |                     |      |       |
|---|---------------------|------|-------|
| In diagram below show distances of well from road, lot line, and building. Indicate north by arrow. |                     |      |       |
|   |                     |      |       |
| Audit No. Z 00840   | Date Well Completed | Year | MM DD |
|   |                     | 2004 | 03 17 |
| Was the well owner's information package delivered?   | Date Delivered      | Year | MM DD |
| <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No                                 |                     | 2004 | 10 16 |

| Well Contractor/Technician Information                             |  |
|--|--|
| Name of Well Contractor<br>DAB-water-well-Drilling                 | Well Contractor's Licence No.<br>6006  |
| Business Address (street name, number, city etc)<br>St-Albert-on   |  |
| Name of Well Technician (last name, first name)<br>Louis Desnoyers | Well Technician's Licence No.<br>1-625 |
| Signature of Technician/Contractor<br>[Signature]                  | Date Submitted<br>2004 10 13           |

| Ministry Use Only            |                               |
|------------------------------|-------------------------------|
| Data Source                  | Contractor                    |
| Date Received<br>MAY 11 2004 | Date of Inspection<br>6008    |
| Remarks<br>CSSE              | Well Record Number<br>1534621 |





Ministry of the Environment

Well Tag Number A 004837

Well Record Regulation 903 Ontario Water Resources Act

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
All Sections must be completed in full to avoid delays in processing.
Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
All metre measurements shall be reported to 1/10th of a metre.
Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information MUN 15 d 11 CON C 0 N 07 LOT 0



Address of well location (County/District/Municipality) Ottawa Carleton Township Cumberland Lot D+E Concession 7
RR# / Street Number / Name 1600 Wilhaven City / Town / Village Cumberland Site / Compartment / Block / Tract etc. Part 2 Plan 4K17732
GPS Reading NAD 83 Zone 18 Easting 465378 Northing 6008139 Unit Make / Model Magellan Mode of Operation: Undifferentiated or Averaged or Differentiated, specify


Log of Overburden and Bedrock Materials (see instructions) Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Metres To. Includes entries for clay fill and grey+green limestone.

Hole Diameter and Water Record tables. Hole Diameter table shows depth from 0 to 67.4m and diameter 14.91cm. Water Record table shows water found at 61.0m, tested, and chlorinated.

Construction Record table. Includes sections for Casing (15.88m depth, 48cm thickness), Screen, and No Casing or Screen (6.1m depth, 67.4m total).

Test of Well Yield table. Shows pumping test method as Sub pump, with draw down and recovery data for various pumping rates and durations.

Plugging and Sealing Record table. Shows depth set at 6.1m, material used as Cement Slurry, and volume placed as 0.1271 cubic metres.



Method of Construction and Water Use tables. Method of Construction includes Rotary (air) and Air percussion. Water Use includes Domestic, Stock, and Irrigation.

Audit No. Z 04945 Date Well Completed 2004 05 17
Was the well owner's information package delivered? Yes No

Well Contractor/Technician Information: Name of Well Contractor: Mr. Roch, Dr. King, Ltd. Well Contractor's Licence No. 1119
Name of Well Technician: Purdy, Shannon Well Technician's Licence No. 1232

Ministry Use Only: Date Source, Date Received (JUL 06 2004), Date of Inspection, Well Record Number 1534787



Ministry of the Environment

Well Tag Number (Place sticker and print number below)

A 014099

A 014099

Well Record Regulation 903 Ontario Water Resources Act

page 1 of 3

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
All metre measurements shall be reported to 1/10th of a metre.
Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only
MUN 15011 CON C10N LOT 10

Address of Well Location (County/District/Municipality) Ottawa - Chateaufort
Township Cumberland
Lot D-F
Concession 7
RR# Street Number Name 1530 Promenade Withnau
City/Town/Village Cumberland-Ottawa
Site/Compartment/Block/Tract etc. 48-17732
GPS Reading NAD 83 Zone 18 Easting 1465184 Northing 5038057 Unit Make/Model Magellan Mode of Operation: UTM

Log of Overburden and Bedrock Materials (see instructions)

Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Depth To. Includes entries for Brown Clay, Grey Limestone, Boulder, Hoop, and Hoop.

Construction Record and Test of Well Yield sections. Includes details on casing materials (15SS), screen, and pumping test results (Schmersillo) such as pumping rate, duration, and water level.

Plugging and Sealing Record, Method of Construction, Water Use, and Final Status of Well sections. Includes details on cement grout (120 kg) and well status (Water Supply).

Well Contractor/Technician Information and Ministry Use Only sections. Includes contractor name (DXR-WATER-Well-Drilling), technician name (Desrochers Louis), and well record number (1534819).



Ministry of the Environment

Well Tag Number (Pencil sticker and print number below)

A 014115

H014115

Well Record

Regulation 903 Ontario Water Resources Act


page \_\_\_ of \_\_\_

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

|     |        |     |  |     |  |
|-----|--------|-----|--|-----|--|
| MUN | 150117 | CON |  | LOT |  |
|-----|--------|-----|--|-----|--|



Address of Well Location (County/District/Municipality) OTTAWA City Township Pembroke Lot 18 Concession

RPR/Street Number/Name 1260- Gauthier ST. 19.00 City/Town/Village Pembroke Site/Compartment/Block/Tract etc. SOM-182

GPS Reading NAD 83 Zone 18 Easting 466509 Northing 5030958 Unit Make/Model Musellan Mode of Operation:  Undifferentiated  Averaged  Differentiated, specify WTM


Log of Overburden and Bedrock Materials (see Instructions)

| General Colour | Most common material | Other Materials | General Description | Depth Metres |        |
|----------------|----------------------|-----------------|---------------------|--------------|--------|
|                |                      |                 |                     | From         | To     |
| yellow         | Sand                 | 0-75            | Soft                | 0            | 1.81   |
| Grey           | Limestone            | 75-100          | Hard                | 1.81         | 100.00 |

| Hole Diameter  |           |   | Construction Record     |            |                            |            | Test of Well Yield        |                     |                    |                    |                   |                    |
|----------------|-----------|---|-------------------------|------------|----------------------------|------------|---------------------------|---------------------|--------------------|--------------------|-------------------|--------------------|
| Depth From     | Metres To | Diameter Centimetres  | Inside diam centimetres | Material   | Wall thickness centimetres | Depth From | Metres To                 | Pumping test method | Draw Down Time min | Water Level Metres | Recovery Time min | Water Level Metres |
| 0              | 6.06      | 22.23   | 15.55                   | Steel      | 0.18                       | 0          | 6.66                      | Submersible         | 1                  | 15.40              | 1                 | 54.54              |
| Water Record   |           |   | Screen                  |            |                            |            | Pumping rate (litres/min) |                     |                    |                    |                   |                    |
| Water found at | Metres    | Kind of Water   | Outside diam            | Material   | Slot No.                   | 2750       |                           |                     |                    |                    |                   |                    |
| 5.305          |           | Fresh   | 15.55                   | Steel      |                            | 17.40      |                           |                     |                    |                    |                   |                    |
| 8.39           |           | Fresh   |                         | Plastic    |                            | 20.84      |                           |                     |                    |                    |                   |                    |
|                |           | Gas   |                         | Concrete   |                            | 22.27      |                           |                     |                    |                    |                   |                    |
|                |           | Salty   |                         | Galvanized |                            | 24.44      |                           |                     |                    |                    |                   |                    |
|                |           | Other   |                         | Galvanized |                            | 26.83      |                           |                     |                    |                    |                   |                    |
|                |           | Sulphur   |                         | Open hole  |                            | 37.70      |                           |                     |                    |                    |                   |                    |
|                |           | Minerals  |                         |            |                            | 38.55      |                           |                     |                    |                    |                   |                    |
|                |           | Other   |                         |            |                            | 39.82      |                           |                     |                    |                    |                   |                    |
|                |           | After test of well yield, water was clear and sediment free |                         |            |                            | 41.04      |                           |                     |                    |                    |                   |                    |
|                |           | Other, specify  |                         |            |                            | 42.04      |                           |                     |                    |                    |                   |                    |
| Chlorinated    | Yes       | No  |                         |            |                            | 44.04      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 45.01      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 47.02      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 48.04      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 49.04      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 50.04      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 51.54      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 52.54      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 54.54      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 56.54      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 58.54      |                           |                     |                    |                    |                   |                    |
|                |           |   |                         |            |                            | 60.54      |                           |                     |                    |                    |                   |                    |

Plugging and Sealing Record  Annular space  Abandonment

Depth set at - Metres From 0 To 6.06 Material and type (portland slurry, neat cement slurry) etc. Percutaneous Grout Volume Placed (cubic metres) 100kg



Method of Construction

Cable Tool  Rotary (air)  Diamond  Digging

Rotary (conventional)  Air percussion  Jetting  Other

Rotary (reverse)  Boring  Driving

Water Use

Domestic  Industrial  Public Supply  Other

Stock  Commercial  Not used

Irrigation  Municipal  Cooling & air conditioning

Final Status of Well

Water Supply  Recharge well  Unfinished  Abandoned, (Other)

Observation well  Abandoned, insufficient supply  Dewatering

Test Hole  Abandoned, poor quality  Replacement well

Audit No. Z 14138 Date Well Completed 2004 08 09

Was the well owner's information package delivered?  Yes  No Date Delivered 2004 08 17

Well Contractor/Technician Information

Name of Well Contractor DAR WATER Well Drilling Well Contractor's Licence No. 6006

Business Address (street name, number, city etc.) St. Albans Dr

Name of Well Technician (last name, first name) Deshay Well Technician's Licence No. 7-623

Signature of Technician/Contractor [Signature] Date Submitted 1 07 2004

Ministry Use Only

Date Source 6008 Contractor 6008

Date Received OCT 07 2004 Date of Inspection 2004 08 07

Remarks  Well Record Number 1535079

**Instructions for Completing Form**

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

**Well Owner's Information and Location of Well Information**

MUN **15011** CON **CON** LOT **07**

Address of Well Location (County/District/Municipality) **OTTAWA City** Township **Cumberland** Precinct **E-D Parc. 7**

RR#/Street Number/Name **1495 Frank-Kenny-Rd** City/Town/Village **Cumberland** Site/Compartment/Block/Tract, etc. **4B-11132**

GPS Reading NAD Zone Easting Northing Unit Make/Model Mode of Operation Unfinished/Sealed Averaged Differentiated, specify

**18 46519.0 50378.841 MAGELLAN 4TH**


**Log of Overburden and Bedrock Materials (see instructions)**

| General Colour | Most common material | Other Materials | General Description | Depth From Metres | Metres To |
|----------------|----------------------|-----------------|---------------------|-------------------|-----------|
| Brown          | Clay                 | Boulder         | Soft                | 0.0               | 3.00      |
| Grey           | limstone             | Sty             | Hard                | 3.00              | 101.51    |

| Hole Diameter   |           |                      | Construction Record   |          |                            |            | Test of Well Yield        |                     |          |                    |                   |                    |
|---|-----------|----------------------|---|----------|----------------------------|------------|---------------------------|---------------------|----------|--------------------|-------------------|--------------------|
| Depth From  | Metres To | Diameter Centimetres | Inside diam centimetres   | Material | Wall thickness centimetres | Depth From | Metres To                 | Pumping test method | Time min | Water Level Metres | Recovery Time min | Water Level Metres |
| 0   | 6.06      | 22.25                | 15.23   | Concrete | 0.48                       | 0          | 6.66                      | Submersible         | 1        | 2.09               | 1                 | 14.10              |
| Water Record  |           |                      | Screen  |          |                            |            | Pumping rate (litres/min) |                     |          |                    |                   |                    |
| Fresh <input checked="" type="checkbox"/> Sulphur <input type="checkbox"/> Salty <input type="checkbox"/> Minerals <input type="checkbox"/> |           |                      | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized <input type="checkbox"/> |          |                            |            | 2 4.90 2 10.28            |                     |          |                    |                   |                    |
| After test of well yield, water was clear and sediment free   |           |                      | No Casing or Screen   |          |                            |            | 3 5.73 3 8.06             |                     |          |                    |                   |                    |
| Chlorinated <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No   |           |                      | 15.23 <input checked="" type="checkbox"/> open hole   |          |                            |            | 4 6.44 4 7.33             |                     |          |                    |                   |                    |
|   |           |                      | 6.66 101.51   |          |                            |            | 5 6.43 5 6.57             |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 10 8.73 10 4.17           |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 15 10.02 15 3.92          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 20 10.33 20 3.97          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 25 11.24 25 3.76          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 30 12.18 30 3.72          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 40 13.06 40 3.51          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 50 13.62 50 3.36          |                     |          |                    |                   |                    |
|   |           |                      |   |          |                            |            | 60 14.10 60 3.23          |                     |          |                    |                   |                    |

**Plugging and Sealing Record**

Depth set at: 0 From 6.06 To Cement Grout Volume Placed (cubic metres) 120 kg



**Method of Construction**

Cable Tool  Rotary (air)  Diamond  Digging

Rotary (conventional)  Air percussion  Jetting  Other

Rotary (reverse)  Boring  Driving

**Water Use**

Domestic  Industrial  Public Supply  Other

Stock  Commercial  Not used

Irrigation  Municipal  Cooling & air conditioning

**Final Status of Well**

Water Supply  Recharge well  Unfinished  Abandoned, (Other)

Observation well  Abandoned, insufficient supply  Dewatering

Test Hole  Abandoned, poor quality  Replacement well

**Well Contractor/Technician Information**

Name of Well Contractor **Dart Water Well Drilling** Well Contractor's Licence No. **6006**

Business Address (street name, number, city etc.) **St. Albert 2001**

Name of Well Technician (last name, first name) **Desrochers Alexis** Well Technician's Licence No. **120010930**

Signature of Well Contractor **[Signature]** Date Submitted **2004 09 30**

Audit No. **Z 14152** Date Well Completed **2004 09 30**

Was the well owner's information package delivered?  Yes  No Date Delivered **2004 09 30**

**Ministry Use Only**

Data Source **6006** Contractor

Date Received **OCT 07 2004** Date of Inspection **2004 09 30**

Remarks **1535083** Well Record Number

**Instructions for Completing Form**

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

**Ministry Use Only**

**Well Owner's Information and Location of Well Information**

MUN: \_\_\_\_\_ CON: \_\_\_\_\_ LOT: \_\_\_\_\_



Address of Well Location (County/District/Municipality): **OTTAWA - City** Township: **Cumberland** Lot: **Sub-Block 1** Concession: **7**

RR#/Street Number/Name: **1620 Withaven Dr** City/Town/Village: **Cumberland** Site/Compartment/Block/Tract etc.: **48-17732**

GPS Reading: NAD: **83** Zone: **18** Easting: **465567** Northing: **5032312** Unit Make/Model: **Minglan** Mode of Operation:  Undifferentiated  Averaged  Differentiated, specify \_\_\_\_\_

**Log of Overburden and Bedrock Materials (see instructions)**

| General Colour | Most common material | Other Materials | General Description | Depth From | Metres To |
|----------------|----------------------|-----------------|---------------------|------------|-----------|
| Brown          | Clay                 | SHAPE-Boulders  | Loose               | 0          | 1.21      |
| Grey           | Limestone            | Sandstone       | Hard                | 1.21       | 84.84     |

**Hole Diameter**

| Depth | Metres | Diameter    |
|-------|--------|-------------|
| From  | To     | Centimetres |
| 0     | 6.06   | 25.40       |

**Water Record**

Water level at \_\_\_\_\_ metres Kind of Water

Fresh  Sulphur  Gas  Salty  Minerals  Other

\_\_\_\_\_ m  Fresh  Sulphur  Gas  Salty  Minerals  Other

\_\_\_\_\_ m  Fresh  Sulphur  Gas  Salty  Minerals  Other

After test of well yield, water was  Clear and sediment free  Other, specify \_\_\_\_\_

Chlorinated  Yes  No

**Construction Record**

| Inside diam centimetres    | Material   | Wall thickness centimetres | Depth Metres |       |
|----------------------------|--|----------------------------|--------------|-------|
|                            |  |                            | From         | To    |
| <b>Casing</b>              |  |                            |              |       |
| 15.55                      | <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized | 0.48                       | 0            | 6.66  |
| <b>Screen</b>              |  |                            |              |       |
| Outside diam               | <input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized            | Slot No.                   |              |       |
| <b>No Casing or Screen</b> |  |                            |              |       |
|                            |  |                            | 6.66         | 84.84 |

Open hole

**Test of Well Yield**

| Pumping test method                   | Draw Down          |                    | Recovery |                    |
|---------------------------------------|--------------------|--------------------|----------|--------------------|
|                                       | Time min           | Water Level Metres | Time min | Water Level Metres |
| Submersible                           |                    |                    |          |                    |
| Pump intake set at - (metres)         | 72.72              | Static Level 18.24 |          | 64.74              |
| Pumping rate - (litres/min)           | 22.75              | 1 19.06            | 1        | 63.06              |
| Duration of pumping                   | 1 hrs + 02 min     | 2 20.36            | 2        | 61.10              |
| Final water level end of pumping      | 21.75              | 3 21.16            | 3        | 59.96              |
| Recommended pump type                 |                    | 4 22.24            | 4        | 58.56              |
| Recommended pump depth                | 12.33 metres       | 5 23.26            | 5        | 57.15              |
| Recommended pump rate                 | 21.75 (litres/min) | 10 24.92           | 10       | 53.20              |
| If flowing give rate - (litres/min)   |                    | 15 26.01           | 15       | 52.08              |
|                                       |                    | 20 27.63           | 20       | 51.16              |
|                                       |                    | 25 29.75           | 25       | 49.32              |
| If pumping discontinued, give reason. |                    | 30 33.24           | 30       | 48.20              |
|                                       |                    | 40 50.79           | 40       | 46.56              |
|                                       |                    | 50 52.06           | 50       | 45.02              |
|                                       |                    | 60 64.74           | 60       | 43.00              |

**Plugging and Sealing Record**  Annular space  Abandonment

| Depth set - Metres | Material and type (bentonite slurry, neat cement slurry) etc. | Volume Placed (cubic metres) |
|--------------------|---|------------------------------|
| From To            |   |                              |
| 0 6.06             | Cement Grout  | 120 Kgs.                     |

**Method of Construction**

Cable Tool  Rotary (air)  Diamond  Digging

Rotary (conventional)  Air percussion  Jetting  Other

Rotary (reverse)  Boring  Drilling

**Water Use**

Domestic  Industrial  Public Supply  Other

Stock  Commercial  Not used

Irrigation  Municipal  Cooling & air conditioning

**Final Status of Well**

Water Supply  Recharge well  Unfinished  Abandoned, (Other)

Observation well  Abandoned, insufficient supply  Dewatering

Test Hole  Abandoned, poor quality  Replacement well

**Location of Well**

In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.

Audi No. **Z 14210** Date Well Completed **2005 07 22**

Was the well owner's information package delivered?  Yes  No Date Delivered **2005 07 22**

**Well Contractor/Technician Information**

Name of Well Contractor: **DAB WATER-Well-Drilling** Well Contractor's Licence No.: **6006**

Business Address (street name, number, city etc.): **PP 98 St-Albert - ON**

Name of Well Technician (last name, first name): **Desnoyers Louis** Well Technician's Licence No.: **7-625**

Signature: *[Signature]* Date Submitted: **2005 07 22**

**Ministry Use Only**

Data Source: Contractor **6006**

Date Received: **AUG 10 2005** Date of Inspection: \_\_\_\_\_

Remarks: \_\_\_\_\_ Well Record Number: \_\_\_\_\_

**A076053**

**Well Owner's Information**

Address of Well Location (Street, Number, Name) **1649 Wilhaven Rd. Cumberland P/L** Concession **2**  
 County District Municipality **Ottawa - Carleton** **Cumberland** **Ontario** **Posta Code**  
 LTM Coordinates Zone, Easting Northing **18AB591535038303** **PLAN 4R-15934** **PART 1**

**Overburden and Bedrock Materials/Abandonment Sealing Record** (see instructions on the back of this form)

General Course **Sand/Earth** **Grey Limestone** **0:5.18**  
 Other Materials **5.18:134.11**

**Annular Space**  
 Depth of Seal (m) **6.40**  
 Material and Type **Neat Cement Slurry**  
 Volume Placed (m<sup>3</sup>) **1816**

**Method of Construction**  
 Drilling  
 Open hole  
 Other

**Well Use**  
 Domestic  
 Industrial  
 Other

**Construction Record - Casing**  
 Material **Steel**  
 Depth (m) **15.88**  
 Material **open hole**  
 Depth (m) **15.23**

**Construction Record - Screen**  
 Material **Steel**  
 Depth (m) **15.88**  
 Material **open hole**  
 Depth (m) **15.23**


**Water Details**  
 Depth (m) **93.51**  
 Kind of Water **Fresh**  
 Depth (m) **134.11**  
 Kind of Water **Fresh**

**Well Contractor and Well Technician Information**  
 Name of Well Contractor **AIR ROCK DRILLING CO LTD**  
 Name of Well Technician **Shannon Purcell**  
 License No. **20080930**

**Results of Well Yield Testing**

After stop of test yield water was **NOT TESTED**

| Draw Down | Time (min) | Water Level (m) | Recovery (min) | Water Level (m) |
|-----------|------------|-----------------|----------------|-----------------|
| 1         | 7:20       | 7:26            | 1              | 7:40            |
| 2         | 7:26       | 7:30            | 2              | 7:50            |
| 3         | 7:30       | 7:34            | 3              | 7:30            |
| 4         | 7:34       | 7:40            | 4              | 7:20            |
| 5         | 7:40       | 7:50            | 5              | 7:18            |
| 10        | 7:50       | 7:56            | 10             | 7:16            |
| 15        | 7:56       | 7:57            | 15             | 7:16            |
| 20        | 7:57       | 7:57            | 20             | 7:16            |
| 25        | 7:57       | 7:57            | 25             | 7:16            |
| 30        | 7:57       | 7:57            | 30             | 7:16            |
| 40        | 7:57       | 7:57            | 40             | 7:16            |
| 50        | 7:57       | 7:57            | 50             | 7:16            |
| 60        | 7:57       | 7:57            | 60             | 7:16            |



**Ministry Use Only**  
 Audit No. **Z 82447**  
 Date Package Delivered **20080904**  
 Date Work Completed **20080820**

UTM 1182 4165 11710E

19R 0 103 818 210N


Elev. 19R 0 21910

Basin 215 1 1 1

O.F. Con I Rot 22



The Water-well Drillers Act, 1954  
Department of Mines



1513095

# Water-Well Record

County or Territorial District Russell Township, Village, Town or City Cumberland  
 Con. 10 Lot 22 Street and Number (if in Village, Town or City) \_\_\_\_\_  
 Owner \_\_\_\_\_ Address Cumberland Ontario  
 Date completed 22 5 56  
 (day) (month) (year)

### Pipe and Casing Record

### Pumping Test


|                                    |                                |
|------------------------------------|--------------------------------|
| Casing diameter(s) <u>4</u> inches | Static level <u>9</u> feet     |
| Length(s) <u>21</u> Feet           | Pumping rate <u>8</u> gpm      |
| Type of screen _____               | Pumping level <u>14</u> Feet   |
| Length of screen _____             | Duration of test <u>1</u> hour |

### Well Log

### Water Record

| Overburden and Bedrock Record | From ft. | To ft. | Depth (s) at which water (s) found | No. of feet water rises | Kind of water (fresh, salty, or sulphur) |
|-------------------------------|----------|--------|------------------------------------|-------------------------|--|
| Red Sand                      | 0        | 6      | 69 Feet                            | 60 Feet                 | fresh                                    |
| lime stone rock               | 6        | 69     |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |
|                               |          |        |                                    |                         |  |

For what purpose(s) is the water to be used?  
Domestic  
 Is water clear or cloudy? clear  
 Is well on upland, in valley, or on hillside?  
hillside  
 Drilling firm T. H. Adams  
 Address Hurdman's Bridge  
Ottawa, Ontario  
 Name of Driller T. H. Adams  
 Address Hurdman's Bridge  
Ottawa, Ontario  
 Licence Number 42



I certify that the foregoing statements of fact are true.

Date July 8 T. H. Adams  
Signature of Licensee



The Ontario Water Resources Commission Act

# WATER WELL RECORD

31G/11W

Water Management in Ontario 1. PRINT ONLY IN SPACES PROVIDED

2. CHECK  CORRECT BOX WHERE APPLICABLE

11

5601301 56000 OF 022

|                                      |   |   |                            |
|--------------------------------------|---|---|----------------------------|
| COUNTY OR DISTRICT<br><b>Russell</b> | TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE<br><b>Cumberland</b> | CONV.; BLOCK, TRACT, SURVEY, ETC.<br><b>Lot. from Ottawa R.</b> | LOT<br>25-27<br><b>022</b> |
| ADDRESS<br><b>Cumberland, Ont.</b>   |   | DATE COMPLETED<br>DAY <b>28</b> MO. <b>11</b> YR. <b>79</b>     |                            |

|                     |                        |                            |                                   |                  |                        |                     |
|---------------------|------------------------|----------------------------|-----------------------------------|------------------|------------------------|---------------------|
| U ZONE<br><b>21</b> | EASTING<br><b>1718</b> | NORTHING<br><b>1465350</b> | NO. ELEVATION<br><b>151338.50</b> | NO.<br><b>14</b> | BASIN CODE<br><b>6</b> | DATE<br><b>LAST</b> |
|---------------------|------------------------|----------------------------|-----------------------------------|------------------|------------------------|---------------------|

### LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

| GENERAL COLOUR | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|----------------|----------------------|-----------------|---------------------|--------------|-----|
|                |                      |                 |                     | FROM         | TO  |
| blue           | clay & boulders      |                 |                     | 0            | 5   |
| grey           | limestone            |                 |                     | 5            | 150 |
|                |                      |                 |                     |              |     |

1513100

|    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|
| 31 | 10 | 14 | 15 | 21 | 32 | 43 | 54 | 65 | 75 | 80 |
| 32 | 10 | 14 | 15 | 21 | 32 | 43 | 54 | 65 | 75 | 80 |

#### 41 WATER RECORD

| WATER FOUND<br>FEET | KIND OF WATER  |
|---------------------|--|
| 0150                | <input checked="" type="checkbox"/> FRESH<br><input checked="" type="checkbox"/> SALTY<br><input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL |
| 15-19               | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY<br><input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL                       |
| 20-23               | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY<br><input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL                       |
| 25-28               | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY<br><input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL                       |
| 30-33               | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY<br><input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL                       |

#### 51 CASING & OPEN HOLE RECORD

| INSIDE<br>DIAMETER<br>INCHES | MATERIAL                                      | WALL<br>THICKNESS<br>INCHES | DEPTH - FEET |
|------------------------------|---|-----------------------------|--------------|
| 06                           | <input checked="" type="checkbox"/> STEEL     | 188                         | 0            |
|                              | <input type="checkbox"/> GALVANIZED           |                             | 0020         |
|                              | <input type="checkbox"/> CONCRETE             |                             |              |
|                              | <input type="checkbox"/> OPEN HOLE            |                             |              |
| 17-18                        | <input type="checkbox"/> STEEL                |                             | 20-33        |
|                              | <input type="checkbox"/> GALVANIZED           |                             |              |
|                              | <input type="checkbox"/> CONCRETE             |                             |              |
|                              | <input checked="" type="checkbox"/> OPEN HOLE |                             | 0150         |
| 24-25                        | <input type="checkbox"/> STEEL                |                             | 27-30        |
|                              | <input type="checkbox"/> GALVANIZED           |                             |              |
|                              | <input type="checkbox"/> CONCRETE             |                             |              |
|                              | <input type="checkbox"/> OPEN HOLE            |                             |              |

#### 52 SCREEN RECORD


|                               |                        |        |
|-------------------------------|------------------------|--------|
| SIZE(S) OF OPENING (SLOT NO.) | DIAMETER               | LENGTH |
|                               |                        |        |
| MATERIAL AND TYPE             | DEPTH TO TOP OF SCREEN |        |
|                               |                        |        |

#### 61 PLUGGING & SEALING RECORD

| DEPTH SET AT - FEET | MATERIAL AND TYPE                 |
|---------------------|-----------------------------------|
| FROM TO             | (CEMENT GROUT, LEAD PACKER, ETC.) |
| 10-13 (4-17)        |                                   |
| 18-21               | 22-25                             |
| 28-29               | 30-33                             |

#### 71 PUMPING TEST

|  |  |   |
|--|--|---|
| PUMPING TEST METHOD<br><input type="checkbox"/> PUMP <input checked="" type="checkbox"/> BAILEY    | PUMPING RATE<br>GPM <b>0005</b>                        | DURATION OF PUMPING<br>15-16 HOURS <b>00</b> 17-18 MINS.  |
| STATIC WATER LEVEL<br>19-21<br><b>010</b> FEET   | WATER LEVEL END OF PUMPING<br>22-24<br><b>140</b> FEET | WATER LEVELS DURING PUMPING<br>15 MINUTES 26-28 <b>055</b> FEET<br>30 MINUTES 29-31 <b>080</b> FEET<br>45 MINUTES 32-34 <b>110</b> FEET<br>60 MINUTES 35-37 <b>140</b> FEET |
| IF FLOWING, SEIVE RATE<br>38-41<br>GPM <b>140</b>  | PUMP INTAKE SET AT<br>FEET <b>140</b>                  | WATER AT END OF TEST<br><input checked="" type="checkbox"/> CLEAR <input type="checkbox"/> CLOUDY   |
| RECOMMENDED PUMP TYPE<br><input type="checkbox"/> SHALLOW <input checked="" type="checkbox"/> DEEP | RECOMMENDED PUMP SETTING<br>FEET <b>140</b>            | RECOMMENDED PUMPING RATE<br>GPM <b>0004</b>   |
| 30-33 <b>000.0</b> GPM / FT. SPECIFIC CAPACITY   |  |   |



#### FINAL STATUS OF WELL

|  |   |
|--|---|
| <input checked="" type="checkbox"/> WATER SUPPLY | <input type="checkbox"/> ABANDONED, INSUFFICIENT SUPPLY |
| <input type="checkbox"/> OBSERVATION WELL        | <input type="checkbox"/> ABANDONED, POOR QUALITY        |
| <input type="checkbox"/> TEST HOLE               | <input type="checkbox"/> UNFINISHED                     |
| <input type="checkbox"/> RECHARGE WELL           |   |

#### WATER USE

|  |  |
|--|--|
| <input checked="" type="checkbox"/> DOMESTIC | <input type="checkbox"/> COMMERCIAL                  |
| <input type="checkbox"/> STOCK               | <input type="checkbox"/> MUNICIPAL                   |
| <input type="checkbox"/> IRRIGATION          | <input type="checkbox"/> PUBLIC SUPPLY               |
| <input type="checkbox"/> INDUSTRIAL          | <input type="checkbox"/> COOLING OR AIR CONDITIONING |
| <input type="checkbox"/> OTHER               | <input type="checkbox"/> NOT USED                    |

#### METHOD OF DRILLING

|  |                                  |
|--|----------------------------------|
| <input checked="" type="checkbox"/> CABLE TOOL | <input type="checkbox"/> BORING  |
| <input type="checkbox"/> ROTARY (CONVENTIONAL) | <input type="checkbox"/> DIAMOND |
| <input type="checkbox"/> ROTARY (REVERSE)      | <input type="checkbox"/> JETTING |
| <input type="checkbox"/> ROTARY (AIR)          | <input type="checkbox"/> DRIVING |
| <input type="checkbox"/> AIR PERCUSSION        |                                  |

#### CONTRACTOR

|  |  |
|--|--|
| NAME OF WELL CONTRACTOR<br><b>E. Charbonneau, Diamond &amp; Cable Drilling, 1504</b> | LICENCE NUMBER   |
| ADDRESS<br><b>R. R. 2, Box 194, Orleans, Ont.</b>                                    |  |
| NAME OF DRILLER OR BORER<br><b>G. Charbonneau</b>                                    | LICENCE NUMBER   |
| SIGNATURE OF CONTRACTOR<br><i>G. Charbonneau</i>                                     | SUBMISSION DATE<br>DAY <b>28</b> NO. <b>11</b> YR. <b>79</b> |

#### OFFICE USE ONLY

|                         |                           |                                |
|-------------------------|---------------------------|--------------------------------|
| DATE SOURCE<br><b>1</b> | CONTRACTOR<br><b>1504</b> | DATE RECEIVED<br><b>230271</b> |
| DATE OF INSPECTION      | INSPECTOR<br><b>P/Km</b>  |                                |
| REMARKS                 |                           |                                |





Ministry of the Environment

Well ID: **A 052474** (number below)  
**A052474**

**Well Record**  
 Regulation 903 Ontario Water Resources Act

page \_\_\_ of \_\_\_

**Instructions for Completing Form**

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections **must** be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Help Desk (Toll Free) at 1-888-396-9355.
- **All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.**
- Please print clearly in blue or black ink only.

**Ministry Use Only**

|     |     |     |
|-----|-----|-----|
| MUN | CON | LOT |
|-----|-----|-----|

**Well Owner's Information and Location of Well Information**

Address of Well Location (County/District/Municipality): **Ottawa-Carleton** Township: **Chamberland** Lot: **23** Concession: **1**  
 RR#/Street Number/Name: **#100 King Arthur** City/Town/Village: **Chamberland** Site/Compartment/Block/Tract/etc.: **P1030K-1034/2a**  
 GPS Reading: NAD 83 Zone: **18** Easting: **465118** Northing: **2038709** Unit Make/Model: **Magellan** Mode of Operation:  Undifferentiated  Averaged  Differentiated, specify \_\_\_\_\_


**Log of Overburden and Bedrock Materials (see instructions)**

| General Colour | Most common material     | Other Materials | General Description | Depth (Metres) |       |
|----------------|--------------------------|-----------------|---------------------|----------------|-------|
|                |                          |                 |                     | From           | To    |
|                | <b>Clay &amp; Gravel</b> |                 |                     | 0              | 11.58 |
|                | <b>Gray Limestone</b>    |                 |                     | 11.58          | 73.15 |

| Hole Diameter |           |                      | Construction Record     |  |                            |            | Test of Well Yield |                     |  |          |                    |                    |                    |                    |
|---------------|-----------|----------------------|-------------------------|--|----------------------------|------------|--------------------|---------------------|--|----------|--------------------|--------------------|--------------------|--------------------|
| Depth From    | Metres To | Diameter Centimetres | Inside diam centimetres | Material   | Wall thickness centimetres | Depth From | Metres To          | Pumping test method | Draw Down                              | Recovery | Time min           | Water Level Metres | Time min           | Water Level Metres |
| 0             | 73.15     | 14.91                | 6.88                    | Steel <input checked="" type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/> | 480                        | 13.29      | 0                  | 73.15               | <b>Sub Pump</b>                        | Time min | Water Level Metres | Time min           | Water Level Metres |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Pump Intake set at (metres)            | 1        | 6.85               | 1                  | 2.00               |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Pumping rate (litres/min)              | 1        | 9.48               | 1                  | 32.40              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Duration of pumping (hrs + min)        | 2        | 11.10              | 2                  | 20.00              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Final water level end of pump (metres) | 3        | 12.33              | 3                  | 17.00              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Recommended pump type                  | 4        | 13.44              | 4                  | 16.01              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Recommended pump depth (metres)        | 5        | 14.39              | 5                  | 14.60              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | Recommended pump rate (litres/min)     | 10       | 17.69              | 10                 | 10.48              |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | If flowing give rate - (litres/min)    | 15       | 15.45              | 15                 | 9.37               |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     | If pumping discontinued, give reason.  | 20       | 21.22              | 20                 | 7.26               |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     |  | 25       | 22.16              | 25                 | 6.85               |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     |  | 30       | 23.10              | 30                 |                    |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     |  | 40       | 24.12              | 40                 |                    |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     |  | 50       | 25.06              | 50                 |                    |                    |
|               |           |                      |                         | Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/><br>Plastic <input type="checkbox"/> Concrete <input type="checkbox"/><br>Galvanized <input type="checkbox"/>            |                            |            |                    |                     |  | 60       | 26.00              | 60                 |                    |                    |
| Chlorinated   | Yes       | No                   | Open hole               |  |                            | 17.68      | 73.15              |                     |  |          |                    |                    |                    |                    |

**Plugging and Sealing Record**  Annular space  Abandonment

| Depth set at - Metres | Material and type (bentonite slurry, neat cement slurry) etc. | Volume Placed (cubic metres) |
|-----------------------|---|------------------------------|
| 17.68                 | Neat Cement Slurry  | 4086                         |



**Method of Construction**

Cable Tool  Rotary (air)  Diamond  Digging  
 Rotary (conventional)  Air percussion  Jetting  Other  
 Rotary (reverse)  Boring  Driving

**Water Use**

Domestic  Industrial  Public Supply  Other  
 Stock  Commercial  Not used  
 Irrigation  Municipal  Cooling & air conditioning

**Final Status of Well**

Water Supply  Recharge well  Unfinished  Abandoned, (Other)  
 Observation well  Abandoned, insufficient supply  Dewatering  
 Test Hole  Abandoned, poor quality  Replacement well

**Well Contractor/Technician Information**

Name of Well Contractor: **Air Rock Drilling Co Ltd** Well Contractor's Licence No.: **1119**  
 Business Address (street name, number, city etc.): **100 King Arthur, Chamberland, ON K0A 2T0**  
 Name of Well Technician (last name, first name): **PURCELL SHANNON** Well Technician's Licence No.: **72122**  
 Signature of Technician/Contractor: *[Signature]* Date Submitted: **2006 01 22**

**Ministry Use Only**


Audit No.: **Z 55562** Date Well Completed: **2006 12 11**  
 Was the well owner's information package delivered?  Yes  No Date Delivered: **2006 12 15**

**Ministry Use Only**

Data Source: **1119** Contractor  
 Date Received: **FEB 12 2007** Date of Inspection: **2007 01 22**  
 Remarks: \_\_\_\_\_ Well Record Number: \_\_\_\_\_

Well Tag **A 072326** (Below)  
**A072326**

Well Owner's Information



Address of Well Location (Street Number/Name, RR)

#201 King Arthur  
 Ottawa - Carleton  
 Township: Cumberland 23  
 City/Town/Village: Cumberland  
 Province: Ontario  
 UTM Coordinates: NAD 1831 184652405088423  
 Mode of Operation:  Undifferentiated  Averaged

General Description of Well

| General Colour | Most Common Material   | Other Materials | General Description | Depth (Metres) From | To     |
|----------------|------------------------|-----------------|---------------------|---------------------|--------|
|                | Clay + Sand            |                 |                     | 0                   | 3.96   |
|                | Black + Grey Limestone |                 |                     | 3.96                | 152.39 |

\* Plan # 50R-7034 SL 10 \*

Annular Space Sealant Details

| Depth Set of (Metres) From | To | Type of Sealant Used (Material and Type) | Volume Placed (Cubic Metres) |
|----------------------------|----|--|------------------------------|
| 10.0                       | 0  | Neat Cement Slurry                       | 4.086                        |

Method of Construction

Cable Tool  
 Rotary (Conventional)  
 Rotary (Reverse)  
 Rotary (Air)  
 Air Percussion  
 Other, specify: \_\_\_\_\_

Diamond  
 Jetting  
 Driving  
 Digging  
 Boring  
 Other, specify: \_\_\_\_\_

Public  
 Domestic  
 Livestock  
 Irrigation  
 Industrial  
 Other, specify: \_\_\_\_\_

Commercial  
 Municipal  
 Test Hole  
 Cooling & Air Conditioning  
 Not used  
 Dewatering  
 Monitoring

Status of Well


Water Supply  
 Replacement Well  
 Test Hole  
 Recharge Well

Dewatering Well  
 Abandoned, Insufficient Supply  
 Abandoned, Poor Water Quality  
 Abandoned, other, specify: \_\_\_\_\_

Observation and/or Monitoring Hole  
 Alteration (Construction)  
 Other, specify: \_\_\_\_\_

Location of Well

Please provide a map below showing:  
 - all property boundaries, and measurements sufficient to locate the well in relation to fixed points;  
 - an arrow indicating the North direction  
 - detailed drawings can be provided as attachments no larger than legal size (8.5" by 14")  
 - vertical pictures of inside of well can also be provided



Well Test Details

Check box if after test of well yield, water was:  
 Clear and sand free  
 Cement developed and free state  
 Other, specify: **TESTED**

If pumping discontinued, give reason: \_\_\_\_\_

| Pumping test method | Draw Down  |                      | Recovery   |                      |
|---------------------|------------|----------------------|------------|----------------------|
|                     | Time (Min) | Water Level (Metres) | Time (Min) | Water Level (Metres) |
| 1                   | 30.70      | 54.70                | 1          | 53.90                |
| 2                   | 31.73      | 52.48                | 2          | 52.48                |
| 3                   | 32.56      | 52.7                 | 3          | 52.7                 |
| 4                   | 33.26      | 51.30                | 4          | 51.30                |
| 5                   | 34.27      | 50.98                | 5          | 50.98                |
| 10                  | 37.33      | 47.3                 | 10         | 47.3                 |
| 15                  | 40.70      | 45.90                | 15         | 45.90                |
| 20                  | 42.65      | 45.4                 | 20         | 45.4                 |
| 25                  | 45.10      | 43.82                | 25         | 43.82                |
| 30                  | 46.90      | 42.76                | 30         | 42.76                |
| 40                  | 50.49      | 40.27                | 40         | 40.27                |
| 50                  | 52.7       | 39.30                | 50         | 39.30                |
| 60                  | 54.70      | 37.91                | 60         | 37.91                |

Pumping rate set at (Metres): 91.44  
 Pumping rate (Litres/min): 22.71  
 Duration of pumping: 1 hrs + 0 min  
 Final water level end of pumping (Metres): 54.70  
 Recommended pump type:  Shallow  Deep  
 Recommended pump depth (Metres): 91.44 (341ft)  
 Recommended pump rate (Litres/min): 22.71  
 If flowing give rate (Litres/min): \_\_\_\_\_

Water Details

Water found at Depth: 9.6 Metres  
 Kind of Water:  Gas  Fresh  Salty  Sulphur  Minerals

Water found at Depth: \_\_\_\_\_ Metres  
 Kind of Water:  Gas  Fresh  Salty  Sulphur  Minerals

Water found at Depth: \_\_\_\_\_ Metres  
 Kind of Water:  Gas  Fresh  Salty  Sulphur  Minerals

Casing and Screen Details

Galvanized Steel  
 Fibreglass  
 Plastic  
 Concrete

Galvanized Steel  
 Fibreglass  
 Plastic  
 Concrete

Diameter of the Hole (Centimetres): 13.55  
 Depth of the Hole (Metres): 152.39  
 Wall Thickness (Centimetres): 1.43cm

Date Well Completed (yy/mm/dd): 2007-12-11  
 Was the well owner's information package delivered?  Yes  No  
 Date the Well Record and Package Delivered to Well Owner (yy/mm/dd): 2007-12-18

Business Name of Well Contractor

Business Name of Well Contractor: AIR ROCK DRILLING CO LTD 11119  
 Business Address (Street No./Name, number, RR): RR #1 RICHMOND  
 Province: ONT Postal Code: K6A2Z0  
 Business E-mail Address: \_\_\_\_\_  
 Bus. Telephone No. (inc. area code): 613-838-2170  
 Name of Well Technician (Last Name, First Name): Desautels Ken  
 Well Technician's Licence No. (Signature of Technician): TA 1405  
 Date Submitted (yy/mm/dd): 2008-01-07

No. Casing and Screen Used

Open Hole  
 Cased Hole  
 Depth of the Casing (Metres): 10.61

Ministry Use Only

Well No.: 260129  
 Well Contractor No.: \_\_\_\_\_  
 Date Received (yy/mm/dd): JAN 15 2008  
 Date of Inspection (yy/mm/dd): \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Well T  
**A 054029**  
number below  
**A054029**

**Instructions for Completing Form**

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Help Desk (Toll Free) at 1-888-396-9355.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

|                   |  |  |  |  |  |  |     |  |  |     |  |  |  |
|-------------------|--|--|--|--|--|--|-----|--|--|-----|--|--|--|
| Ministry Use Only |  |  |  |  |  |  |     |  |  |     |  |  |  |
| MUN               |  |  |  |  |  |  | CON |  |  | LOT |  |  |  |

**Well Owner's Information and Location of Well Information**

Address of Well Location (County/District/Municipality) Ottawa - Carleton Township Cumberland Lot 23 Concession 1  
 RR#/Street/Number/Name #221 King Arthur City/Town/Village Cumberland Para/Compartment/Block/Tract etc. 1034 S/112  
 GPS Reading NAD 83 Zone 18 Easting 465346 Northing 6038477 Magellan

**Log of Overburden and Bedrock Materials (see Instructions)**

| General Colour | Most common material   | Other Materials | General Description | Depth       |           |
|----------------|------------------------|-----------------|---------------------|-------------|-----------|
|                |                        |                 |                     | From Metres | To Metres |
|                | Rock fill              |                 |                     | 0           | 0.91      |
|                | Sandy clay             |                 |                     | 0.91        | 2.13      |
|                | Gray & Green limestone |                 |                     | 2.13        | 103.6     |

|  |  |  |  |
|--|--|--|--|
| <b>Hole Diameter</b><br>Depth Metres<br>From To<br>0 103.63 14.91<br>Diameter Centimetres<br>15.88 | <b>Construction Record</b><br>Inside diam centimetres<br>Material<br>Wall thickness centimetres<br>Depth From To Metres<br><b>Casing</b><br><input checked="" type="checkbox"/> Steel <input type="checkbox"/> Fibreglass<br><input type="checkbox"/> Plastic <input type="checkbox"/> Concrete<br><input type="checkbox"/> Galvanized<br>.48 0 8.84<br><b>Screen</b><br><input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass<br><input type="checkbox"/> Plastic <input type="checkbox"/> Concrete<br><input type="checkbox"/> Galvanized<br>No casing or screen<br><input checked="" type="checkbox"/> Open hole 8.84 103.63 |  | <b>Test of Well Yield</b><br>Pumping test method<br><b>Sub Pump</b><br>Pump intake set at Static Level (metres)<br>Pumping rate (litres/min)<br>Duration of pumping (hrs + 0 min)<br>Final water level and of pumping (metres)<br>Recommended pump type<br><input type="checkbox"/> Shallow <input checked="" type="checkbox"/> Deep<br>Recommended pump depth (metres)<br>Recommended discharge rate (litres/min)<br>If flowing give rate - (litres/min)<br>If pumping discontinued, give reason. |
|  | <b>Water Record</b><br>Water found at (metres)<br>Kind of Water<br><input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Sulphur <input type="checkbox"/> Gas <input type="checkbox"/> Salty <input type="checkbox"/> Minerals<br><input type="checkbox"/> Other:<br>Chlorinated <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  |  |  |

|  |  |
|--|--|
| <b>Plugging and Sealing Record</b><br>Depth set at - Metres From To<br>8.84 0<br>Material and type (bentonite slurry, neat cement slurry) etc.<br>Neat Cement Slurry - 1816<br>Volume Placed (cubic metres)<br>1816<br><b>Method of Construction</b><br><input type="checkbox"/> Cable Tool <input type="checkbox"/> Rotary (air) <input type="checkbox"/> Diamond <input type="checkbox"/> Digging<br><input type="checkbox"/> Rotary (conventional) <input checked="" type="checkbox"/> Air percussion <input type="checkbox"/> Jetting <input type="checkbox"/> Other<br><input type="checkbox"/> Rotary (reverse) <input type="checkbox"/> Boring <input type="checkbox"/> Driving<br><b>Water Use</b><br><input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial <input type="checkbox"/> Public Supply <input type="checkbox"/> Other<br><input type="checkbox"/> Stock <input type="checkbox"/> Commercial <input type="checkbox"/> Not used<br><input type="checkbox"/> Irrigation <input type="checkbox"/> Municipal <input type="checkbox"/> Cooling & air conditioning<br><b>Final Status of Well</b><br><input checked="" type="checkbox"/> Water Supply <input type="checkbox"/> Recharge well <input type="checkbox"/> Unfinished <input type="checkbox"/> Abandoned, (Other)<br><input type="checkbox"/> Observation well <input type="checkbox"/> Abandoned, insufficient supply <input type="checkbox"/> Dewatering<br><input type="checkbox"/> Test Hole <input type="checkbox"/> Abandoned, poor quality <input type="checkbox"/> Replacement well | <b>Location of Well</b><br>In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.<br> |
|--|--|

|  |   |
|--|---|
| Audit No. <b>Z 65055</b><br>Date Well Completed <b>2007 05 15</b><br>Was the well owner's information package delivered? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br>Date Delivered <b>2007 05 16</b> | Date Well Completed <b>2007 05 15</b><br>Date Delivered <b>2007 05 16</b> |
|--|---|

|  |  |
|--|--|
| <b>Well Contractor/Technician Information</b><br>Name of Well Contractor<br><u>HR Rock Drilling &amp; Welding Ltd</u><br>Business Address (street name, number, city etc.)<br><u>1211 RICHMOND ST W TORONTO</u><br>Name of Well Technician (last name, first name)<br><u>PURCELL STANNAN</u><br>Signature of Technician/Contractor<br><u>[Signature]</u><br>Well Contractor's Licence No.<br><u>20070615</u><br>Well Technician's Licence No.<br><u>20070615</u><br>Date Submitted <u>2007 06 15</u> |  |
|--|--|

|  |  |
|--|--|
| <b>Ministry Use Only</b><br>Date Source<br><b>1119</b><br>Date Received <b>2007 05 15</b><br>Date of Inspection <b>2007 05 15</b><br>Remarks<br>Well Record Number |  |
|--|--|



Well Owner's Information

Part A Construction and/or Major Alteration of a Well

Address of Well Location (Street Number/Name, RR), Township, Lot, Concession or ... County/District/Municipality, City/Town/Village, Province, Postal Code, UTM Coordinates, Zone, Easting, Northing, GPS Unit Make, Mode, Mode of Operation, Unconfined/Confined, Averaged

Description and Control Materials (one attachment per block of this form)

Table with columns: General Context, Most Common Material, Other Materials, General Description, Depth (Metres) from Top. Includes handwritten entries for materials like sand and gravel.

Annular Space/Abandonment Sealing Record

Depth Set at (Metres), Type of Sealant Used (Material and Type), Volume Placed (Cubic Metres)

Results of Well Yield Testing

Table with columns: Time (Min), Water Level (Metres) Static, Water Level (Metres) Pumping, Recovery (Metres). Includes checkboxes for 'Clear and sand free' and 'Cannot develop to sand-free state'.

Method of Construction

Options for Drive Type (Cable Tool, Rotary, etc.), Drilling Method (Jacking, etc.), and Water Use (Public, Commercial, etc.)

Status of Well

Options for Well Status: Drilling Well, Abandoned, Inoperative, etc.

Location of Well

Map area with instructions: 'Please provide a map below showing: as property boundaries, and measurement's sufficient to locate the well in relation to land points...'.

Water Details

Table with columns: Water found at Depth, Kind of Water, Gas, Fresh, Salty, Sulphur, Minerals.

Casing Used, Screen Used, Casing and Well Details

Options for Casing (Galvanized, Steel, etc.), Screen (Cylindrical, etc.), and Casing/Well Details (Diameter, etc.)

No Casing and Screen Used

Options for Open Hole, Disinfected?, etc.

Ministry Use Only

Audit No. (Z 69184), Date Received, Date of Inspection, Signature of Technician, Date Submitted

Well Owner's Information

Well Location

Address of Well Location (Street Number/Name) **#171 King Arthur** Township **Cumberland** Lot **23** Concession **1**  
 County/District/Municipality **Ottawa Carleton** City/Town/Village **Cumberland** Province **Ontario** Postal Code  
 UTM Coordinates Zone **18QUB** Easting **508506** Northing **5034506** Municipality, Part and Sublot Number **#50R-7034 S/L7**  
 NAD 83 **184650005038506 #50R-7034 S/L7**

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Class: **Grey Clay** Material Code: **Brecciated Grey & Brown Limestone** Other Materials: General Description: **0 3.05** Depth (m): **3.05 15239**

| Annular Space    |  |                    |
|------------------|--|--------------------|
| Depth Set at (m) | Type of Sealant Used (Material and Type) | Volume Placed (m³) |
| 9.14             | Neat Cement Slurry                       | 2724               |

| Method of Construction                        |                                  | Well Use                           |                                     |
|---|----------------------------------|------------------------------------|-------------------------------------|
| <input checked="" type="checkbox"/> Open Hole | <input type="checkbox"/> Drilled | <input type="checkbox"/> Domestic  | <input type="checkbox"/> Industrial |
| <input type="checkbox"/> Cased                | <input type="checkbox"/> Drilled | <input type="checkbox"/> Municipal | <input type="checkbox"/> Discharge  |
| <input type="checkbox"/> Other                | <input type="checkbox"/> Other   | <input type="checkbox"/> Test Hole | <input type="checkbox"/> Monitoring |

| Construction Record - Casing |           |               | Status of Well                             |                                    |
|------------------------------|-----------|---------------|--|------------------------------------|
| Depth (m)                    | Material  | Thickness (m) | <input checked="" type="checkbox"/> Active | <input type="checkbox"/> Abandoned |
| 15.23                        | Steel     | 4.0           | <input type="checkbox"/> Test Hole         | <input type="checkbox"/> Other     |
| 15.23                        | Open hole | 9.14          | <input type="checkbox"/> Abandoned         | <input type="checkbox"/> Other     |
|                              |           | 152.39        | <input type="checkbox"/> Abandoned         | <input type="checkbox"/> Other     |


| Construction Record - Screen |          |
|------------------------------|----------|
| Depth (m)                    | Material |
|                              |          |

| Water Details |               | Hole Diameter |               |
|---------------|---------------|---------------|---------------|
| Depth (m)     | Kind of Water | Depth (m)     | Diameter (mm) |
| 0.00          | Fresh         | 0             | 152.39        |
|               | Other         |               | 15.23         |

Well Contractor and Well Technician Information  
 Business Name of Well Contractor: **ARK Rock Drilling Ltd** Well Contractor's Address: **1117 Richmond**  
 Business Address (Street Number/Name): **1211** City/Town/Village: **Richmond**  
 Well Technician Name: **Ray Ryan**

Well Owner's Information  
 Name of Well Owner: **Graham Ryan** Address: **1392 2140**  
 Signature of Well Owner: **[Signature]** Date: **20080801**  
 Signature of Well Contractor: **[Signature]** Date: **20080801**

| Results of Well Yield Testing |                 |                 |          |
|-------------------------------|-----------------|-----------------|----------|
| Time (min)                    | Draw Down       |                 | Recovery |
|                               | Water Level (m) | Water Level (m) |          |
| 0                             | 9.09            | 44.86           |          |
| 1                             | 9.60            | 39.55           |          |
| 2                             | 9.37            | 38.20           |          |
| 3                             | 10.08           | 39.11           |          |
| 4                             | 10.75           | 38.08           |          |
| 5                             | 11.40           | 38.15           |          |
| 10                            | 15.86           | 37.84           |          |
| 15                            | 19.34           | 37.04           |          |
| 20                            | 22.80           | 36.25           |          |
| 25                            | 25.96           | 35.48           |          |
| 30                            | 29.12           |                 |          |
| 40                            | 35.28           |                 |          |
| 60                            | 40.70           |                 |          |
| 80                            | 44.86           |                 |          |



| Date Packaged/Retrieved |          | Ministry Use Only   |             |
|-------------------------|----------|---------------------|-------------|
| 20080611                | 20080610 | Audit No. Z         | 80803       |
|                         |          | Date Well Completed | AUG 14 2008 |

Measurements recorded in:  Metric  Imperial

Page 1 of 3

Well Owner's Information

Well Location

Address of Well Location (Street Number/Name) 211 King - Arthur St Township Cumberland Lot 11 Concession 3  
 County/District/Municipality OTTAWA City City/Town/Village Cumberland Province Ontario Postal Code K9C0A2  
 UTM Coordinates (Zone, Easting, Northing) 18Q UTM 831 4965405 5038452 Municipal Plan and Sublot Number 479-1302

| General Colour | Most Common Material | Other Materials | General Description | Depth (m/ft)<br>From To |
|----------------|----------------------|-----------------|---------------------|-------------------------|
| <u>Brown</u>   | <u>Clay</u>          | <u>Boulders</u> | <u>Loose</u>        | <u>0 3.63</u>           |
| <u>Grey</u>    | <u>limestone</u>     |                 | <u>Hard</u>         | <u>3.63 151.51</u>      |

| Annular Space                  |   |   |
|--------------------------------|---|---|
| Depth Set at (m/ft)<br>From To | Type of Sealant Used<br>(Material and Type) | Volume Placed<br>(m <sup>3</sup> /ft <sup>3</sup> ) |
| <u>0 12.12</u>                 | <u>Cement Grout</u>                         | <u>120kg</u>  |

Method of Construction:  Cable Tool  Rotary (Conventional)  Rotary (Reverse)  Boring  Air percussion  Other, specify WATER PERCUSSION

Well Use:  Public  Commercial  Not used  Domestic  Municipal  Dewatering  Livestock  Test Hole  Monitoring  Irrigation  Cooling & Air Conditioning  Industrial

| Inside Diameter (cm/in) | Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) | Wall Thickness (cm/in) | Depth (m/ft) |              | Status of Well  |
|-------------------------|--|------------------------|--------------|--------------|---|
|                         |  |                        | From         | To           |   |
| <u>15.86</u>            | <u>Steel</u>   | <u>0.48</u>            | <u>70.95</u> | <u>12.12</u> | <input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned, Insufficient Supply <input type="checkbox"/> Abandoned, Poor Water Quality <input type="checkbox"/> Abandoned, other, specify <input type="checkbox"/> Other, specify |

| Outside Diameter (cm/in) | Material (Plastic, Galvanized, Steel) | Slot No. | Depth (m/ft) |    |
|--------------------------|---------------------------------------|----------|--------------|----|
|                          |                                       |          | From         | To |
|                          |                                       |          |              |    |

| Water Details               |   | Hole Diameter           |                      |
|-----------------------------|---|-------------------------|----------------------|
| Water found at Depth (m/ft) | Kind of Water: <input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Untested <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify | Depth (m/ft)<br>From To | Diameter (cm/in)     |
| <u>14.66</u>                | <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify  |                         |                      |
|                             |   | <u>0 12.12</u>          | <u>15.86</u>         |
|                             |   | <u>12.12</u>            | <u>15.15 (15.54)</u> |

Well Contractor and Well Technician Information

Business Name of Well Contractor DJB WATER WELL DRILLING Well Contractor's Licence No. 61006  
 Business Address (Street Number/Name) 1763-Route 900 west Municipality NATION  
 Province ON Postal Code K0H1C0 Business E-mail Address  
 Bus. Telephone No. (inc. area code) 613 997-9598 Name of Well Technician (Last Name, First Name) Desnoyers Louis  
 Well Technician's Licence No. T6 215 Signature of Technician and/or Contractor [Signature] Date Submitted 2009 08 18

| Results of Well Yield Testing |                    |            |                    |
|-------------------------------|--------------------|------------|--------------------|
| Time (min)                    | Water Level (m/ft) | Recovery   |                    |
|                               |                    | Time (min) | Water Level (m/ft) |
| Static Level                  | <u>6.01</u>        |            | <u>42.08</u>       |
| 1                             | <u>5.77</u>        | 1          | <u>40.85</u>       |
| 2                             | <u>6.25</u>        | 2          | <u>40.73</u>       |
| 3                             | <u>6.70</u>        | 3          | <u>40.60</u>       |
| 4                             | <u>7.44</u>        | 4          | <u>40.50</u>       |
| 5                             | <u>8.08</u>        | 5          | <u>40.41</u>       |
| 10                            | <u>11.29</u>       | 10         | <u>39.88</u>       |
| 15                            | <u>14.30</u>       | 15         | <u>39.57</u>       |
| 20                            | <u>17.78</u>       | 20         | <u>39.16</u>       |
| 25                            | <u>21.12</u>       | 25         | <u>38.78</u>       |
| 30                            | <u>24.23</u>       | 30         | <u>38.38</u>       |
| 40                            | <u>30.35</u>       | 40         | <u>37.60</u>       |
| 50                            | <u>36.22</u>       | 50         | <u>36.86</u>       |
| 60                            | <u>42.08</u>       | 60         | <u>36.15</u>       |

After test of well yield, water was:  Clear and sand free  Other, specify

If pumping discontinued, give reason:

Pump intake set at (m/ft) 54.54

Pumping rate (l/min / GPM) 13.50

Duration of pumping 1 hrs + 00 min

Final water level end of pumping (m/ft) 11.29


If flowing give rate (l/min / GPM)

Recommended pump depth (m/ft) 148.48

Recommended pump rate (l/min / GPM) 22.50

Well production (l/min / GPM) 9.00

Disinfected?  Yes  No



Well owner's information package delivered  Yes  No

Date Package Delivered 2009 08 18

Date Work Completed 2009 08 18

Ministry Use Only

Access No. 2099704

Received SEP 03 2009



Water management in Ontario

The Ontario Water Resources Commission Act

# WATER WELL RECORD

M 118 465450  
 4R 5038 11701  
 5R 0325  
 215

1512686

316/6000  
 4510710


County or District Carleton Township, Village, Town or City Cumberland  
 Con. 79 Lot D Date completed 21 April 1969  
 (day month year)  
 Owner [Redacted] Address Cumberland, Ont.  
 (print in block letters)

### Casing and Screen Record

### Pumping Test

Inside diameter of casing 6"  
 Total length of casing 20'  
 Type of screen  
 Length of screen  
 Depth to top of screen  
 Diameter of finished hole 6"

Static level 10'  
 Test-pumping rate 8 G.P.M.  
 Pumping level 60'  
 Duration of test pumping 2 hrs.  
 Water clear or cloudy at end of test clear  
 Recommended pumping rate 6 G.P.M.  
 with pump setting of 60 feet below ground surface



### Well Log

### Water Record

#### Overburden and Bedrock Record

From ft.

To ft.

Depth(s) at which water(s) found

Kind of water (fresh, salty, sulphur)

loam 0 3  
loose rock & clay 3 8  
grey limestone 8 146


146 fresh

For what purpose(s) is the water to be used? domestic  
 Is well on upland, in valley, or on hillside? upland  
 Drilling or Boring Firm G. Charbonneau, Diamond & Cable Drilling,  
 Address R. R. 1, Box 194, Orleans, Ont.  
 Licence Number 3395  
 Name of Driller or Borer G. Charbonneau,  
 Address R. R. 1, Orleans, Ont.  
 Date 21 April 1969.

(Signature of Licensed Drilling or Boring Contractor)

### Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



Form 7

OWRC COPY

CSS.S8



MINISTRY OF THE ENVIRONMENT  
The Ontario Water Resources Act  
**WATER WELL RECORD**

319/6e  
1101

1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHERE APPLICABLE

11

1513924

MUNICIPALITY 15.0111

CON

COUNTY OR DISTRICT: **Carleton** TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE: **Cumberland** CON. BLOCK TRACT, SURVEY, ETC.: **1-05**  
 ADDRESS: **R. 2, Cumberland, Ont.** DATE COMPLETED: DAY **31** MO **05** YR **73**

LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

| GENERAL COLOUR | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|----------------|----------------------|-----------------|---------------------|--------------|-----|
|                |                      |                 |                     | FROM         | TO  |
| grey           | limestone            |                 |                     | 0            | 109 |

31 32

41 WATER RECORD

WATER FOUND AT - FEET: **0109**

KIND OF WATER:

1 FRESH 2 SALTY 3 SULPHUR 4 MINERAL

51 CASING & OPEN HOLE RECORD

| DEPTH - FEET | INSIDE DIA. INCHES | MATERIAL | WALL THICKNESS INCHES | DEPTH - FEET |      |
|--------------|--------------------|----------|-----------------------|--------------|------|
|              |                    |          |                       | FROM         | TO   |
| 0-22         | 6.00               | STEEL    | 250                   | 0            | 0.22 |

SCREEN

SIZES OF OPENING (SLOT NO. 1)

DIAMETER INCHES

LENGTH FEET

61 PLUGGING & SEALING RECORD

| DEPTH SET AT - FEET | MATERIAL AND TYPE | ACEMENT GROUP   |
|---------------------|-------------------|-----------------|
| 10-12               | 14-12             | LEAD PASTE ETC. |

71 PUMPING TEST RECORD

PUMPING TEST METHOD: 1 PUMP 2 RAILER

PUMPING RATE: **0004** GPM

DURATION OF PUMPING: 02 HOURS 00 MINS

WATER LEVELS DURING PUMPING:

STATIC LEVEL: 0.70 FEET

WATER LEVELS DURING RECOVERY:


10 MINUTES: 0.50 FEET

30 MINUTES: 0.25 FEET

60 MINUTES: 0.04 FEET

RECOMMENDED PUMP SETTING: **100** FEET

RECOMMENDED PUMPING RATE: **0004** GPM



FINAL STATUS OF WELL:

1 WATER SUPPLY 2 OBSERVATION WELL 3 TEST HOLE 4 RECHARGE WELL

5 ABANDONED, INSUFFICIENT SUPPLY 6 ABANDONED POOR QUALITY 7 UNFINISHED

WATER USE:

1 DOMESTIC 2 STOCK 3 IRRIGATION 4 INDUSTRIAL

5 COMMERCIAL 6 MUNICIPAL 7 PUBLIC SUPPLY 8 COOLING OR AIR CONDITIONING 9 OTHER

METHOD OF DRILLING:

1 CABLE TOOL 2 ROTARY (CONVENTIONAL) 3 ROTARY (REVERSE) 4 ROTARY (AIR) 5 AIR PERCUSSION

6 BORING 7 DIAMOND 8 JETTING 9 DRIVING

CONTRACTOR

NAME OF WELL CONTRACTOR: **G. Charbonneau, Diamond & Cable Drilling**

ADDRESS: **R. 2, Box 194, Orleans, Ont.**

NAME OF DRILLER OR ROPE: **Leo Bourgeois**

ADDRESS: **1384**

DATE: DAY **31** MO **5** YR **73**

OFFICE USE ONLY

DATA SOURCE: **1**

CONTRACTOR: **1504**

DATE RECEIVED: **73**

DATE OF INSPECTION: **31**

INSPECTOR: **K**

REMARKS:

P R

W





Ministry  
of the  
Environment  
Ontario

The Ontario Water Resources Act

3166e

# WATER WELL RECORD

1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHERE APPLICABLE

(11)

1517909

MUNICIPALITY 15.011 CON. Con.

06

COUNTY OR DISTRICT: Ottawa-Carleton TOWNSHIP BOROUGH CITY TOWN VILLAGE: Cumberland CON. BLOCK TRACT SURVEY LEC: Conc. 6 LOT: C

ADDRESS: Box 6; Cumberland, Ontario DATE COMPLETED: DAY 18 MO 00 YR 82

POSTAL CODE: K6H 4G9 NORTHING: 6037399 EASTING: 0340 BASIN CODE: 26

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS) |                      |                 |                           |            |            |
|--|----------------------|-----------------|---------------------------|------------|------------|
| GENERAL COLOUR   | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION       | DEPTH FEET |            |
|  |                      |                 |                           | FROM       | TO         |
| <u>Gray</u>  | <u>Limestone</u>     |                 | <u>Large Loose Layers</u> | <u>0</u>   | <u>17</u>  |
| <u>Gray</u>  | <u>Limestone</u>     |                 |                           | <u>17</u>  | <u>271</u> |

31 60172167774 6271216

32

41 **WATER RECORD**

|                      |   |
|----------------------|---|
| WATER FOUND AT: FEET | KIND OF WATER   |
| <u>0190'</u>         | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> SALTY <input type="checkbox"/> MINERAL |
| <u>0258'</u>         | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> SALTY <input type="checkbox"/> MINERAL |

51 **CASING & OPEN HOLE RECORD**

| DEPTH FEET             | MATERIAL   | DEPTH FEET            |
|------------------------|--|-----------------------|
| <u>06</u><br><u>64</u> | <input checked="" type="checkbox"/> STEEL  | <u>188</u>            |
| <u>06</u>              | <input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE | <u>21</u> <u>0271</u> |

61 **PLUGGING & SEALING RECORD**

|               |                   |               |
|---------------|-------------------|---------------|
| DEPTH FEET AT | MATERIAL AND TYPE | ELEMENT GROUP |
| <u>06-13</u>  | <u>18-17</u>      |               |
| <u>18-21</u>  | <u>22-25</u>      |               |
| <u>25-29</u>  | <u>30-33</u>      |               |

71 **PUMPING TEST RECORD**

PUMPING TEST METHOD:  PUMP  BRILGER

PUMPING RATE: 0002 GPM


DURATION OF PUMPING: 01 HOURS 00 MIN.

| WATER LEVEL                                 | WATER LEVELS DURING         |
|---|-----------------------------|
| STATIC LEVEL: <u>030</u> FEET               | 15 MINUTES: <u>250</u> FEET |
| WATER LEVEL END OF PUMPING: <u>250</u> FEET | 30 MINUTES: <u>250</u> FEET |
|   | 45 MINUTES: <u>250</u> FEET |
|   | 60 MINUTES: <u>250</u> FEET |

RECOMMENDED PUMP TYPE:  SHALLOW  DEEP

RECOMMENDED PUMP SETTING: 250 FEET

RECOMMENDED PUMPING RATE: 0002 GPM



FINAL STATUS OF WELL:  WATER SUPPLY  OBSERVATION WELL  TEST HOLE  RECHARGE WELL

WATER USE: 01 (DOMESTIC)

METHOD OF DRILLING:  CABLE TOOL  ROTARY (CONVENTIONAL)  ROTARY (REVERSE)  ROTARY (AIR)  AIR PERCUSSION

CONTRACTOR: Capital Water Supply Ltd. LICENSE NUMBER: 1558

ADDRESS: Box 490; Stittsville, Ont. K0A 3G0

NAME OF DRILLER OR BOREHOLE: J. Moore LICENSE NUMBER: \_\_\_\_\_

SIGNATURE OF CONTRACTOR: [Signature] SUBMISSION DATE: 21 MO 06 YR 82

OFFICE USE ONLY

CONTRACTOR: 1 LICENSE: 1558 DATE RECEIVED: 05 10 82

DATE OF INSPECTION: \_\_\_\_\_ INSPECTION: \_\_\_\_\_

REMARKS: OP/LM

3166e

1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHEN APPLICABLE

11 1517920 15011 CAN 106

COUNTY OR DISTRICT: OTTAWA-CARLETON CUMBERLAND  
TOWNSHIP BOROUGH CITY, TOWN VILLAGE: CUMBERLAND  
LOT: 6  
DATE COMPLETED: 25 09 82  
ELEVATION: 10340  
BASIN CODE: 36

| GENERAL COLOUR | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|----------------|----------------------|-----------------|---------------------|--------------|-----|
|                |                      |                 |                     | FROM         | TO  |
| BROWN          | HARD PAN             | BOULDERS        |                     | 0            | 12  |
| GREY           | LIMESTONE            |                 |                     | 12           | 189 |
| BLACK          | SHALE                |                 |                     | 189          | 200 |

31 001264113 0189215 0200817  
32

41 WATER RECORD

| WATER FOUND AT - FEET | KIND OF WATER  |
|-----------------------|--|
| 0189                  | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL |
| 15-19                 | <input type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL            |
| 20-25                 | <input type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL            |
| 25-29                 | <input type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL            |
| 30-33                 | <input type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL            |

51 CASING & OPEN HOLE RECORD

| INSIDE DIA. INCHES | MATERIAL  | WALL THICKNESS INCHES | DEPTH - FEET |
|--------------------|---|-----------------------|--------------|
| 6 1/4              | <input checked="" type="checkbox"/> STEEL   | 1.88                  | 0-1040       |
| 06                 | <input type="checkbox"/> GALVANIZED <input type="checkbox"/> CONCRETE <input type="checkbox"/> OPEN HOLE                                |                       |              |
|                    | <input type="checkbox"/> STEEL <input type="checkbox"/> GALVANIZED <input type="checkbox"/> CONCRETE <input type="checkbox"/> OPEN HOLE |                       |              |
|                    | <input type="checkbox"/> STEEL <input type="checkbox"/> GALVANIZED <input type="checkbox"/> CONCRETE <input type="checkbox"/> OPEN HOLE |                       |              |

61 PLUGGING & SEALING RECORD

| DEPTH SET AT - FEET | MATERIAL AND TYPE | INCIDENT CROWD LEAD PACKER ETC. |
|---------------------|-------------------|---------------------------------|
| 0                   | HO CEMENT         |                                 |

71 PUMPING TEST

PUMPING TEST METHOD:  PUMP  BAILEY

PUMPING RATE: 0004 GPM


DURATION OF PUMPING: 01:15:20 HOURS

| STATIC LEVEL | WATER LEVEL END OF PUMPING | WATER LEVELS DURING                 | PUMPING   |
|--------------|----------------------------|-------------------------------------|---|
| 038 FEET     | 195 FEET                   | 100 FEET 150 FEET 190 FEET 195 FEET | <input checked="" type="checkbox"/> PUMPING <input type="checkbox"/> RECOVERY |

RECOMMENDED PUMP TYPE:  SHALLOW  DEEP

RECOMMENDED PUMP SETTING: 198 FEET

RECOMMENDED PUMPING RATE: 0002 GPM



81 FINAL STATUS OF WELL:  WATER SUPPLY  OBSERVATION WELL  TEST WELL  RECHARGE WELL

82 WATER USE: 01

83 METHOD OF DRILLING: 1

84 WATER LEVELS DURING: 198 FEET

85 RECOMMENDED PUMPING RATE: 0002 GPM

CONTRACTOR: YVON GENIER WELL DRILLING 2351

NAME OF DRILLER OR BORE: RRY CASSELMAN KOA-1MO

SIGNATURE OF CONTRACTOR: Yvon Genier

SUBMISSION DATE: 07 10 82

OFFICE USE ONLY

DATA SOURCE: 1

CONTRACTOR: 2351

DATE RECEIVED: 07 10 82

DATE OF INSPECTION: 07 10 82

INSPECTOR: OP/LM



Measurements recorded in: Metric Imperial

A076803

A076803

Page 1 of 1

Well Owner's Information

Well Location

Address of Well Location (Street Number/Name) Township Lot Concession
City/Town/Village Municipal Plan and Sublot Number
Province Ontario Postal Code
NAD 83 18 4 6 5 1 7 9 5 0 3 8 6 0 8

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

Table with columns: General Colour, Most Common Material, Other Materials, General Description, Depth From, Depth To

Annular Space: Depth Seal (feet) From To, Type of Sealant Used, Material and Type, Volume Poured (m³)

Method of Construction: X Case, X Rotary, X Air Percussion, Other
Well Use: X Domestic, X Industrial, X Other

Construction Record - Casing: Inside Outside (mm), Open Hole OR Material, Wall Thickness (mm), Depth (m) From To, Status of Well

Construction Record - Screen: Casing, Screen, Material, Size, Depth (m) From To, Status of Well

Water Details: Water to and in Depth, Kind of Water, Fresh, Unfiltered, Holo Diameter

Well Contractor and Well Technician Information: Business Name of Well Contractor, Well Contractor's License No., Business Email Address, Signature

Results of Well Yield Testing: After test of well yield water was, Draw Down, Recovery, Pumping rate (l/min/GPM), Duration of pumping, Final water level (m) of pumping (feet), Recommended pump depth (feet), Recommended pump rate (l/min/GPM), Well production (l/min/GPM)

Map of Well Location: Please provide a map below following instructions on the back. Includes a hand-drawn map of the well location.

Ministry Use Only: Well owner's information package delivered, Date Package Delivered, Date Work Completed, Audit No., APR 08 2009



Well Owner's Information

Well Location

Address of Well (County / Street Number / Name): **Lot 14 Camelot Estates** Township: **Cumberland** Lot: **23** Province: **10** Postal Code: **Ontario**

City/Town/Village: **Cumberland** Municipal Plan and Sub of Number: **Other**

UTM Coordinates: Zone: **Easting** Northing: **5038556**

NAD 83: **18465203**

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

| General Colour | Most Common Material | Other Materials | General Description | Depth (m) | From  | To |
|----------------|----------------------|-----------------|---------------------|-----------|-------|----|
| Brown          | Clay                 | Stones          | Packed              | 0         | 1.82  |    |
| Gray           | limestone            | Light Colours   | Medium              | 1.82      | 77.72 |    |
| Gray           | limestone            | Dark Layers     |                     | 77.72     | 91.43 |    |

**Annular Space**

| Depth (m) | From | To | Type of Sealant Used (Material and Type) | Volume Poured (m <sup>3</sup> ) |
|-----------|------|----|--|---------------------------------|
| 6.4       | 0    |    | Grouted Cement Slurry                    | 0.21m <sup>3</sup>              |

**Method of Construction**

| Method  | Well Use  |
|---|---|
| <input checked="" type="checkbox"/> Open Hole | <input type="checkbox"/> Residential                |
| <input type="checkbox"/> Rotary Drilling      | <input type="checkbox"/> Commercial                 |
| <input type="checkbox"/> Air                  | <input type="checkbox"/> Municipal                  |
| <input type="checkbox"/> Other                | <input type="checkbox"/> Test Hole                  |
|   | <input type="checkbox"/> Cooling & Air Conditioning |

**Construction Record - Casing**

| Inside Diameter (mm) | Open Hole or Material (Concrete, Plastic, Steel) | Wall Thickness (mm) | Depth (m)  | Status of Well |
|----------------------|--|---------------------|------------|----------------|
| 15.86                | Steel  | 4.8                 | 1.45 - 6.4 | Water Supply   |

**Construction Record - Screen**

| Outside Diameter (mm) | Material (Plastic, Galvanized Steel) | Slot No. | Depth (m) | Status of Well |
|-----------------------|--------------------------------------|----------|-----------|----------------|
|                       |                                      |          |           | Water Supply   |

**Water Details**

| Water found at Depth (m) | Kind of Water | Fresh | Untested | Hole Diameter (mm) | Depth (m) | Quantity (m <sup>3</sup> /day) |
|--------------------------|---------------|-------|----------|--------------------|-----------|--------------------------------|
| 86.86                    | Other specify |       |          | 6.4                | 15.86     |                                |
| 6.4                      | Other specify |       |          | 6.4                | 83.81     | 15.23                          |
| 83.81                    | Other specify |       |          | 6.4                | 91.43     | 14.75                          |

**Well Contractor and Well Technician Information**

Business Name of Well Contractor: **Capital Water Supply Ltd.** Well Contractor's License No.: **1 5 5 8**

Business Address (Street Number/Name): **Box 400** Municipality: **Sillville**


Province: **Ontario** Postal Code: **K2S 1A6** Business/Contact Address: **office@capitalwater.ca**

Business Telephone No.: **6138361766** Name of Well Technician (Last Name, First Name): **Miller, Stephen**

Contractor's and No. Signature: *[Signature]* Technician and/or Contractor Date: **20090318**

**Results of Well Yield Testing**

| After test of well yield water was:                     | Draw Down (m) | Recovery (m) |
|---|---------------|--------------|
| <input checked="" type="checkbox"/> Clear and sand free | 22.10         |              |
| <input type="checkbox"/> Other specify                  | 24.06         | 34.10        |
| Pumping discontinued give reason:                       | 25.55         | 33.15        |
| 83.81   | 26.36         | 32.44        |
| Pumping rate (lpm / GPM):                               | 31.85         | 31.62        |
| Duration of pumping:                                    | 27.27         | 30.94        |
| 2 hrs @ 30 lpm  | 27.89         | 30.94        |
| Final water level and of pumping level:                 | 30            | 28.77        |
| 36.43   | 31.20         | 27.41        |
| Flow rate and rate (lpm / GPM):                         | 32.07         | 26.82        |
| Recommended pump depth (m):                             | 32.80         | 26.31        |
| 60.95   | 33.25         | 25.97        |
| Recommended pump rate (lpm / GPM):                      | 31.85         | 25.68        |
| Well production (lpm / GPM):                            | 34.01         | 25.18        |
| 59  | 34.53         | 25.18        |
| 60  | 34.98         | 25.02        |



**Ministry Use Only**

Well Tag No. / Application No.: **20090320**

Date Work Completed: **20090314**

Inspector: **X**

Ministry Use Only Number: **2095333**

Date: **APR 06 2006**



Well Owner's Information

Well Location

Address of Well Location (Street Number/Name), Township, City/Town/Village, Lot, Concession, County/District/Municipality, Province, Postal Code, Ottawa Carleton, Ontario, UTM Coordinates Zone, Easting, Northing, Municipal Plan and Section Number, NAD 83 18, 466597, 5038700

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)


Table with columns: General Category, Most Common Material, Other Materials, General Description, Length (m), Depth (m). Rows: Gray, Limestone, Dark Layers, Medium Hard, 6, 76.19

Annular Space table with columns: Depth Set at (m), From, Type of Sealing Used (Material and Type), Volume Placed (m³). Row: 6.40, 0, Grouted Bentonite Slurry, .110m³

Results of Well Yield Testing table with columns: Alter last of well yield, water was, Draw Down, Recovery. Includes rows for pumping discharge and recommended pumping rate.

Method of Construction and Well Use table with checkboxes for various construction methods and well uses.

Construction Record - Casing table with columns: Casing Diameter (mm), Casing Material, Wall Thickness (mm), Depth (m) From, To. Row: 15.86, Steel, .48, +2.74, 6.40



Construction Record - Screen table with columns: Casing Diameter (mm), Making, Screened Size, Slot No., Depth (m) From, To. Includes checkboxes for various screen types.

Water Details and Hole Diameter table with columns: Water found at Depth, Kind of Water, Fresh, Untested, Depth (m), Hole Diameter (mm) From, To. Row: 12.19, Gas, Other specify, Fresh, Untested, 0, 6.40, 15.86

Well Contractor and Well Technician Information section with fields for Business Name, Address, Phone, and Technician Name/Signature.

Ministry Use Only section with fields for Well Owner's Information Package Number, Date Package Delivered, Date Work Completed, and Well Tag No.



Well Tag No. *13-03-030001*  
A068314 A 068314

Measurements recorded in  Metric  Imperial

Page      of     

Well Owner's Information

Well Location

Address of Well Location (Street Number/Plan No.)

Lot 18 - Camelot  
County/District & Municipality

Ownership  
Cumberland  
City/Town/Village

Concession  
B.F. 24  
Province Postal Code  
Ontario

Ottawa Carleton  
(TM Territories Zone, Eastern Number)

Cumberland  
Municipal PL and Subsector

NAD 83 184650805038731

Overburden and Bedrock Materials/Abandonment Sealing Record (See instructions on the back of this form)

| General Order | Most Common Material | Other Materials | General Description | Depth (m) From | To    |
|---------------|----------------------|-----------------|---------------------|----------------|-------|
| Brown         | Soil                 | Broken Rock     | Fill                | 0              | 1.82  |
| Brown         | Clay                 |                 | Packed              | 1.82           | 3.65  |
| Gray          | Limestone            | Green Layers    | Soft                | 3.65           | 86.86 |

| Annular Space  |                          |
|----------------|--------------------------|
| Depth (m) from | Material and Type        |
| 6.40           | Grouted Bentonite Slurry |

| Results of Well Yield Testing                              |                       |                      |                 |
|--|-----------------------|----------------------|-----------------|
| After first of well yield, water was                       | Draw Down Time (mins) | Recovery Time (mins) | Water Level (m) |
| <input checked="" type="checkbox"/> Clear and sand free    |                       |                      |                 |
| <input type="checkbox"/> Pumping discontinued, give reason | 9.33                  |                      |                 |
| 1  | 10.13                 | 1                    | 11.57           |
| 2  | 10.65                 | 2                    | 16.96           |
| 3  | 11.10                 | 3                    | 16.42           |
| 4  | 11.15                 | 4                    | 15.88           |
| 5  | 11.87                 | 5                    | 15.35           |
| 6  | 13.47                 | 10                   | 13.05           |
| 7  | 14.37                 | 15                   | 11.40           |
| 8  | 15.33                 | 20                   | 10.42           |
| 9  | 16.05                 | 25                   | 9.85            |
| 10   | 16.59                 | 30                   | 9.63            |
| 11   | 17.50                 | 40                   | 9.38            |
| 12   | 17.91                 | 50                   | 9.33            |
| 13   | 18.26                 | 60                   |                 |

| Method of Construction   | Well Use  |
|--|---|
| <input type="checkbox"/> Cut & Set<br><input type="checkbox"/> Auger<br><input type="checkbox"/> Rotary<br><input checked="" type="checkbox"/> Air<br><input type="checkbox"/> Other | <input type="checkbox"/> Domestic<br><input type="checkbox"/> Irrigation<br><input type="checkbox"/> Industrial<br><input type="checkbox"/> Other |


| Construction Record - Casing |          | Status of Well                      |                          |
|------------------------------|----------|-------------------------------------|--------------------------|
| Depth (m)                    | Material | Water Supply                        | Abandoned                |
| 15.86                        | Steel    | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

| Construction Record - Screen |          |
|------------------------------|----------|
| Depth (m)                    | Material |

| Water Details            |               | Hole Diameter |               |
|--------------------------|---------------|---------------|---------------|
| Water found at Depth (m) | Kind of Water | Depth (m)     | Diameter (mm) |
| 79.24                    | Clear         | 6.40          | 15.86         |
|                          |               | 86.86         | 15.23         |

Well Contractor and Well Technician Information

Company Name: Capital Water Supply Ltd.  
 Address: Box 490, Scitoville, Ontario K2S1A6  
 Phone: 613-836-1766  
 Technician: Stephen Miller  
 Signature: [Signature] Date: 20081118



Well Number: A068314  
 Date Package Delivered: 20081117  
 Ministry Use Only: Audit No. Z 84446  
 Date Well Completed: 20081114  
 FEB 12 2009



Well Tag No. A 038772

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
All Sections must be completed in full to avoid delays in processing.
Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
All metre measurements shall be reported to 1/10th of a metre.
Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Address of Well Location (County/District/Municipality): City of Ottawa
Township: Cumberland
Lot: 3
Concession: 420
RR# / Street Number / Name: 1292 Julie Leger DR
City / Town / Village: Cumberland
Site / Compartment / Block / Tract / Etc.: P12345-182
GPS Reading: NAD 83, Zone 18, Easting 46609431 E, Northing 51038928


Log of Overburden and Bedrock Materials (see instructions)
Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Metres To.
Handwritten entries: GRAY sand, grey limestone, 50 FT layer, 0 to 0.60, 0.60 to 12.800

Hole Diameter: Depth 0 to 12.80, Metres 12.80 to 12.80, Diameter 262.7 to 155.5
Water Record: Water found at 1.20 m, Kind of Water: Fresh, Sulphur, Gas, Salty, Minerals

Construction Record: Inside diam 155.5, Material: Steel, Wall thickness 0.48, Depth 10.60 to 12.80
Screen: Outside diam, Slot No.
No Casing or Screen: Open hole, 12.80 to 12.800

Test of Well Yield: Pumping test method: 3HP
Table with columns: Pumping test method, Draw Down (Time, Water Level), Recovery (Time, Water Level)
Handwritten data: 10 min, 9.60 m, 29.9 m, 24.12 m, 24.00 m, 23.90 m, 23.49 m, 23.22 m, 22.36 m, 21.24 m, 20.25 m, 19.90 m, 19.25 m, 18.50 m, 18.09 m, 17.75 m

Plugging and Sealing Record: Depth set at 0 to 12.80, Material: Cement Grout, Volume Placed: 6 bags
Method of Construction: Rotary (air)
Water Use: Domestic
Final Status of Well: Water Supply



Well Contractor/Technician Information: Name of Well Contractor: Gilles BOUARD
Business Address: 57-A 162nd Ave
Name of Well Technician: SA
Signature: SA

Ministry Use Only: Date Source: AUG 23 2006
Contractor: 1414
Date Received: AUG 23 2006
Date of Inspection:
Remarks:
Well Record Number:



Ministry of the Environment

Well Tag A 043496

Well Record Regulation 903 Ontario Water Resources Act

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
All metre measurements shall be reported to 1/10th of a metre.
Please print clearly in blue or black ink only.


Well Owner's Information and Location of Well Information

Address of Well Location (County/District/Municipality) Ottawa-Carleton Township Cumberland Lot 23 Concession 1
RR#/Street Number/Name #181 King Arthur Street City/Town/Village Cumberland Site/Compartment/Block/Tract etc 50K-7034 51L8
GPS Reading NAD 83 Zone 18 Easting 465132 Northing 5038432 Unit Make/Model Magellan Mode of Operation Undifferentiated Averaged

Log of Overburden and Bedrock Materials (see instructions)
Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Metres To.
Handwritten entries: Clay, Grey + Black limestone. Depth 0 to 0.46, 0.46 to 103.63.

Construction Record and Test of Well Yield
Construction Record: Inside diam 15.88, Material Steel, Wall thickness .48, Depth 0 to 7.31.
Test of Well Yield: Pumping test method Subpump, Pumping rate 22.71, Duration of pumping 2 hrs + 0 min, Final water level end of pumping 17.80, Recommended pump type Deep, Recommended pump depth 22.57, Recommended pump rate 22.71, If flowing give rate 25, 30, 40, 50, 60.

Plugging and Sealing Record
Table with columns: Depth set at, Metres To, Material and type (bentonite slurry, neat cement slurry) etc, Volume Placed (cubic metres).
Handwritten entry: 6" 0 Neat Cement Slurry .1362



Method of Construction and Water Use
Method of Construction: Rotary (air), Rotary (conventional), Rotary (reverse), Rotary (percussion), Boring, Diamond, Jetting, Driving.
Water Use: Domestic, Stock, Irrigation, Industrial, Commercial, Municipal, Public Supply, Not used, Cooling & air conditioning.

Final Status of Well: Water Supply, Observation well, Test Hole, Recharge well, Abandoned, insufficient supply, Abandoned, poor quality, Replacement well, Unfinished, Dewatering, Abandoned (Other).
Well Contractor/Technician Information: Name of Well Contractor AIR ROCK DRILLING CO LTD, Well Contractor's License No. 1119, Business Address 221 RICHMOND BUNT RD A2Z, Name of Well Technician PURCELL STANNON, Well Technician's License No. 12122, Signature of Technician/Proprietor, Date Submitted 00609127.

Audit No. Z 48602, Date Well Completed 00609029, Was the well owner's information package delivered? Yes No, Date Delivered 00609029, Date Source, Contractor 1119, Date Received 00112006, Date of Inspection, Remarks, Well Record Number.





Ministry of the Environment

Well Tr A 012597  
A012597

Well Record  
Regulation 003 Ontario Water Resources Act

page \_\_\_ of \_\_\_

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Address of Well Location (County/District/Municipality) Some Township Amberland (Ottawa) Lot C.N. 4 Concession 7

RR#/Street Number/Name 1553 Frank Kenny City/Town/Village Ottawa Site/Compartment/Block/Tract etc. Agellan

GPS Reading NAD Zone Easting Northing Unit Make/Model Mode of Operation:  Undifferentiated  Averaged

Differentiated, specify \_\_\_\_\_

Log of Overburden and Bedrock Materials (see instructions)

| General Colour | Most common material | Other Materials | General Description | Depth |     |
|----------------|----------------------|-----------------|---------------------|-------|-----|
|                |                      |                 |                     | From  | To  |
| Grey           | hard pan             | stone           |                     | 0     | 4   |
| Grey           | rock                 |                 |                     | 4     | 290 |

| Hole Diameter |           |        | Construction Record     |            |                            |              | Test of Well Yield |   |              |                    |          |                    |
|---------------|-----------|--------|-------------------------|------------|----------------------------|--------------|--------------------|---|--------------|--------------------|----------|--------------------|
| Depth From    | Metres To |        | Inside diam centimetres | Material   | Wall thickness centimetres | Depth Metres |                    | Pumping test method                           | Draw Down    |                    | Recovery |                    |
|               | From      | To     |                         |            |                            | From         | To                 |   | Time min     | Water Level Metres | Time min | Water Level Metres |
| 0             | 200       | 6 inch | 66                      | Steel      | 188                        | 0            | 30                 | Sub.  | Static Level | 27.0               | 37.90    |                    |
|               |           |        |                         | Plastic    |                            |              |                    | Pump intake set at (metres) 125               | 1            | 27.70              | 37.40    |                    |
|               |           |        |                         | Concrete   |                            |              |                    | Pumping rate (litres/min) 22                  | 2            | 27.11              | 36.87    |                    |
|               |           |        |                         | Galvanized |                            |              |                    | Duration of pumping 1 hrs + 23 min            | 3            | 27.72              | 36.87    |                    |
|               |           |        |                         | Steel      |                            |              |                    | Final water level end of pumping 37.40 metres | 4            | 27.77              | 36.00    |                    |
|               |           |        |                         | Plastic    |                            |              |                    | Recommended pump type                         | 5            | 27.21              | 35.61    |                    |
|               |           |        |                         | Concrete   |                            |              |                    | Recommended pump depth 180 metres             | 10           | 27.50              | 37.83    |                    |
|               |           |        |                         | Galvanized |                            |              |                    | Recommended pump rate (litres/min) 15         | 15           | 27.00              | 34.22    |                    |
|               |           |        |                         | Steel      |                            |              |                    | If flowing give rate 20                       | 20           | 26.00              | 33.60    |                    |
|               |           |        |                         | Plastic    |                            |              |                    | 25  | 26.01        | 33.70              |          |                    |
|               |           |        |                         | Concrete   |                            |              |                    | If pumping discontinued, give reason          | 30           | 26.10              | 31.70    |                    |
|               |           |        |                         | Galvanized |                            |              |                    | 40  | 26.34        | 30.80              |          |                    |
|               |           |        |                         | Steel      |                            |              |                    | 50  | 27.00        | 29.77              |          |                    |
|               |           |        |                         | Plastic    |                            |              |                    | 60  | 27.70        | 28.72              |          |                    |

Plugging and Sealing Record  Annular space  Abandonment

Depth set at (metres) From 0 To 37 Material and type (barite slurry, neat cement slurry) etc. grout Volume Placed (cubic metres) 5 Bag.

Method of Construction

Cable Tool  Rotary (air)  Diamond  Digging

Rotary (conventional)  Air percussion  Jetting  Other

Rotary (reverse)  Boring  Driving

Water Use

Domestic  Industrial  Public Supply  Other

Stock  Commercial  Not used

Irrigation  Municipal  Cooling & air conditioning

Final Status of Well

Water Supply  Recharge well  Unfinished  Abandoned, (Other)

Observation well  Abandoned, insufficient supply  Dewatering

Test Hole  Abandoned, poor quality  Replacement well

Well Contractor/Technician Information

Name of Well Contractor M. Owen Carter Ltd Well Contractor's Licence No. 1517

Business Address (street name, number, city etc.) Capehorn Ont

Name of Well Technician (last name, first name) \_\_\_\_\_ Well Technician's Licence No. \_\_\_\_\_

Signature of Technician/Contractor M. Owen Date Submitted Aug 29 2005

Location of Well 1553-28-06

In diagram below show distances of well from road, lot line, and building. Indicate north by arrow.

Audit No. Z 33424 Date Well Completed 20050719

Was the well owner's information package delivered?  Yes  No Date Delivered 2005

Ministry Use Only

Data Source \_\_\_\_\_ Contractor 1517

Date Received AUG 29 2005 Date of Inspection \_\_\_\_\_

Remarks \_\_\_\_\_ Well Record Number \_\_\_\_\_



Ministry of the Environment

Well Tag Number (Please sticker and print number below)

A014599

Well Record Regulation 903 Ontario Water Resources Act

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference. All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form. Questions regarding completing this application can be directed to the Well Management Coordinator at 416-235-6203. All metre measurements shall be reported to 1/10th of a metre. Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only JUN 15 2004 CON CON C1 LOT 23

Address of Well Location (County/District/Municipality) Ottawa Carleton Township Cumberland Lot 23 1 RR# Street Number Name Old Montreal Rd City/Town/Village Cumberland Site/Compartment/Block/Tract etc. GPS Reading NAD 8.3 Zone 18 Easting 965143 Northing 5038619 Unit Make/Model Magellan Mode of Operation: Undifferentiated Averaged Differentiated, specify


Log of Overburden and Bedrock Materials (see Instructions) Table with columns: General Colour, Most common material, Other Materials, General Description, Depth From, Depth To. Entries include Clay, black shale, grey limestone, grey limestone dark brown shale, dark brown shale, grey limestone dark brown shale.

Water Record Water found at: 6.16 Gas, 8.44 Gas, 89.3 Gas. Kind of Water: Fresh, Sulphur, Salty, Minerals, Other. After test of well yield, water was: Clear and sediment free.

Construction Record Table with columns: Inside diam, Material, Wall thickness, Depth From, Depth To. Casing: 15.86, 0, 6.7. Screen: 6.1, 91.7.

Test of Well Yield Table with columns: Pumping test method, Draw Down, Recovery. Includes data for Pump intake set at 90, Pumping rate 12, Duration of pumping 6 hrs 45 min, Final water level end of pump 43.24, Recommended pump type, Recommended pump rate, If flowing give rate, If pumping discontinued, give reason.

Plugging and Sealing Record Depth set at: 6.1 To: 0 Material and type: Cement slurry Volume Placed: 0.2013



Method of Construction: Cable Tool, Rotary (air), Air percussion, Rotary (conventional), Rotary (reverse), Boring. Water Use: Domestic, Stock, Irrigation, Industrial, Commercial, Municipal, Public Supply, Not used, Cooling & air conditioning. Final Status of Well: Water Supply, Observation well, Test Hole, Recharge well, Abandoned, insufficient supply, Abandoned, poor quality, Unfinished, Dewatering, Replacement well.

Audit No. Z 14561 Date Well Completed 2004 06 29. Were the well owner's information package delivered? Yes No N/A

Well Contractor/Technician Information Name of Well Contractor: Air Rock Drilling Ltd 119 Business Address: 2211 Richardson, Ont Name of Well Technician: Jurek Shannon Licence No. 22122 Signature of Technician: Jurek Shannon Date Submitted: 2004 07 16

Ministry Use Only Data Source: Contractor 1119 Date Received: JUN 21 2004 Date of Inspection: Well Record Number: 1534811



Ministry of the Environment

Well Tag Number (Place sticker and print number below)

A-014100  
A 014100

Well Record  
Regulation 903 Ontario Water Resources Act

page 1 of 3

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only  
MUN 15011 CON 001 LOT 210


Address of Well Location (County/District/Municipality) **OTTAWA - Carleton** Township **Cumberland** Lot **3** Concession  
 RR#/Street Number/Name **1270 Gauthier St** City/Town/Village **Cumberland** Site/Compartment/Block/Tract etc. **50M-183**  
 GPS Reading NAD **83** Zone **18** Easting **466676** Northing **5039606** UTM Make/Model **Magellan** Mode of Operation:  Undifferentiated  Managed  Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

| General Colour | Most common material | Other Materials | General Description | Depth - Metres |       |
|----------------|----------------------|-----------------|---------------------|----------------|-------|
|                |                      |                 |                     | From           | To    |
| Grey           | SHALE                |                 | hoose               | 0              | 1.00  |
| Grey           | limestone            |                 | Hand                | 1.00           | 98.48 |

| Hole Diameter       |               |       | Construction Record     |          |                            |            | Test of Well Yield    |                     |                    |                    |                   |                    |       |
|---------------------|---------------|-------|-------------------------|----------|----------------------------|------------|-----------------------|---------------------|--------------------|--------------------|-------------------|--------------------|-------|
| Depth: Metres       | From          | To    | Inside diam centimetres | Material | Wall thickness centimetres | Depth From | Metres To             | Pumping test method | Draw Down Time min | Water Level Metres | Recovery Time min | Water Level Metres |       |
| 0                   | 7.82          | 22.23 | 1553                    | Asphalt  | 0.48                       | 0          | 7.82                  | Submersible         | 1                  | 8.46               | 1                 | 57.57              |       |
| Water Record        |               |       | Screen                  |          |                            |            | Recommended pump rate |                     |                    |                    |                   |                    |       |
| Wells to be used at | Kind of Water |       | Outside diam            | Material | Slot No.                   | 10         | 32.10                 | 43.00               | 15                 | 32.26              | 15                | 32.10              |       |
| 10                  | Fresh         |       | 1555                    | Asphalt  |                            | 20         | 42.56                 | 43.00               | 20                 | 42.56              | 20                | 34.66              |       |
|                     | Sulphur       |       | No Casing or Screen     |          |                            |            | 25                    | 47.50               | 43.00              | 25                 | 47.50             | 25                 | 21.54 |
|                     | Salty         |       | 1555                    |          |                            |            | 30                    | 49.25               | 43.00              | 30                 | 49.25             | 30                 | 16.40 |
|                     | Minerals      |       | 7.82                    |          |                            |            | 40                    | 52.30               | 43.00              | 40                 | 52.30             | 40                 | 12.60 |
|                     | Other:        |       | 98.48                   |          |                            |            | 50                    | 54.60               | 43.00              | 50                 | 54.60             | 50                 | 9.90  |
|                     |               |       |                         |          |                            |            | 60                    | 57.57               | 43.00              | 60                 | 57.57             | 60                 | 8.46  |

Plugging and Sealing Record  Annular space  Abandonment  
 Depth set at: Metres From **0** To **4.66** Material and type (bentonite slurry, neat cement slurry) etc. **Percent Grouts** Volume Placed (cubic metres) **160 Kg**



Method of Construction  
 Cable Tool  Rotary (air)  Diamond  Digging  
 Rotary (conventional)  Air percussion  Jetting  Other  
 Rotary (reverse)  Boring  Drilling

Water Use  
 Domestic  Industrial  Public Supply  Other  
 Stock  Commercial  Not used  
 Irrigation  Municipal  Cooling & air conditioning

Final Status of Well  
 Water Supply  Recharge well  Unfinished  Abandoned, (Other)  
 Observation well  Abandoned, insufficient supply  Dewatering  
 Test Hole  Abandoned, poor quality  Replacement well

Well Contractor/Technician Information  
 Name of Well Contractor: **DAB-WATER-Well Drilling** Well Contractor's Licence No. **6006**  
 Business Address (street name, number, city etc.) **St-Hubert-on**  
 Name of Well Technician (last name, first name) **Desjardins-Hanis** Well Technician's Licence No. **1-025**  
 Signature of Well Contractor **Desjardins-Hanis** Date Submitted **2004/08/07**

Audit No. **2 14111** Date Well Completed **2004/06/01**  
 Was the well owner's information package delivered?  Yes  No

Ministry Use Only  
 Data Source **6006** Contractor **6006**  
 Date Received **JUL 13 2004** Date of Inspection **MM DD**  
 Remarks **1534818** Well Record Number **1534818**



Ministry of the Environment

Well Tag Number: A 004706  
A 004706

Well Record  
Regulation 903 Ontario Water Resources Act

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information  
MUN 15011 CON CON 01 LOT 13

Address of Well Location (County/District/Municipality): **Ontario (as before)** Township: **Cumberland** Lot: **23** Concession: **1**  
 RR#/Street Number/Name: **Old Montreal Rd** City/Town/Village: **Cumberland** Site/Compartment/Block/Tract etc.: **Macgellan**  
 GPS Reading: NAD 83 Zone 18 Easting 465143 Northing 502870 Unit Make/Model: **Magellan** Mode of Operation:  Undifferentiated  Averaged  Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

| General Colour | Most common material | Other Materials | General Description | Depth From Metres | To Metres |
|----------------|----------------------|-----------------|---------------------|-------------------|-----------|
|                | Clay                 | Gravel          |                     | 0                 | 1.8       |
|                | green-grey           | limestone       |                     | 1.8               | 70.1      |

Hole Diameter

| Depth From Metres | To Metres | Diameter Centimetres |
|-------------------|-----------|----------------------|
| 0                 | 70.1      | 14.9                 |

Water Record

Water found at: **6.1** Metres Kind of Water: **Not tested**

After test of well yield, water was: **Not tested**

Chlorinated:  Yes  No

Construction Record

| Inside diam centimetres                       | Material   | Wall thickness centimetres | Depth From Metres | To Metres |
|---|--|----------------------------|-------------------|-----------|
| 15.88   | <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized | .48                        | 0                 | 6.7       |
| Screen  |  |                            |                   |           |
| Outside diam                                  | <input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized            | Slot No.                   |                   |           |
| No Casing or Screen                           |  |                            |                   |           |
| <input checked="" type="checkbox"/> Open hole |  |                            |                   |           |
|   |  |                            | 6.1               | 70.1      |

Test of Well Yield

| Pumping test method (metres)                | Draw Down    |                    | Recovery |                    |
|---|--------------|--------------------|----------|--------------------|
|   | Time min     | Water Level Metres | Time min | Water Level Metres |
| Pump intake set at - (metres)               | Static Level | 48.85              |          |                    |
| Pumping rate - (litres/min)                 | 1            | 47.31              | 1        | 51.40              |
| Duration of pumping - (hrs + min)           | 2            | 47.35              | 2        | 51.18              |
| Final water level end of pumping - (metres) | 3            | 47.40              | 3        | 51.0               |
| Recommended pump type                       | 4            | 47.45              | 4        | 50.85              |
| Recommended pump depth - (metres)           | 5            | 47.50              | 5        | 50.72              |
| Recommended pump rate - (litres/min)        | 10           | 47.69              | 10       | 50.38              |
| If flowing give rate - (litres/min)         | 15           | 47.81              | 15       | 50.23              |
|   | 20           | 47.87              | 20       | 50.14              |
|   | 25           | 47.90              | 25       | 50.07              |
|   | 30           | 48.92              | 30       | 49.99              |
|   | 40           | 50.07              | 40       | 49.87              |
|   | 50           | 50.4               | 50       | 49.75              |
|   | 60           | 50.87              | 60       | 49.65              |

Plugging and Sealing Record

| Depth set at - Metres | Material and type (bentonite slurry, neat cement slurry) etc. | Volume Placed (cubic metres) |
|-----------------------|---|------------------------------|
| 6.1                   | 0 Cement Slurry   | 0.1362                       |


Method of Construction

Water Use

Final Status of Well

Well Contractor/Technician Information

Name of Well Contractor: **Ar. Rock Drilling Ltd** Well Contractor's Licence No.: **1119**  
 Business Address: **RR#1 Richmond, Ont**  
 Name of Well Technician: **Shannon Purcell** Well Technician's Licence No.: **T2122**  
 Signature of Technician/Contractor: **[Signature]** Date Submitted: **2004 07 21**



Ministry Use Only

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Date Source                       | Contractor                         |
| Date Received: <b>JUL 21 2004</b> | <b>1119</b>                        |
| Remarks                           | Well Record Number: <b>1534792</b> |



Ministry of the Environment

Well Tag Number

A 004707

Well Record Regulation 903 Ontario Water Resources Act

page \_\_\_ of \_\_\_

Instructions for Completing Form

- For use in the Province of Ontario only. This document is a permanent legal document. Please retain for future reference.
- All Sections must be completed in full to avoid delays in processing. Further instructions and explanations are available on the back of this form.
- Questions regarding completing this application can be directed to the Water Well Management Coordinator at 416-235-6203.
- All metre measurements shall be reported to 1/10<sup>th</sup> of a metre.
- Please print clearly in blue or black ink only.

Well Owner's Information and Location of Well Information

Ministry Use Only

MUN 15077 CON CON LOT 25

Address of Well Location (County/District/Municipality) Ottawa Caledon Township Cumberland Lgt 23 Concession 1

RR#/Street Number/Name Old Montreal Rd City/Town/Village Cumberland Site/Compartment/Block/Tract etc

GPS Reading NAD 83 Easting 465143 Northing 503870 Unit Make/Model Magellan Mode of Operation:  Undifferentiated  Averaged  Differentiated, specify

Log of Overburden and Bedrock Materials (see instructions)

| General Colour | Most common material          | Other Materials | General Description | Depth From  | Metres To   |
|----------------|-------------------------------|-----------------|---------------------|-------------|-------------|
|                | <u>Sandy clay</u>             |                 |                     | <u>0</u>    | <u>0.76</u> |
|                | <u>grey + green limestone</u> |                 |                     | <u>0.76</u> | <u>75.3</u> |

Hole Diameter

| Depth    | Metres      | Diameter     |
|----------|-------------|--------------|
| From     | To          | Centimetres  |
| <u>0</u> | <u>75.3</u> | <u>149.1</u> |

Construction Record

| Inside diam centimetres    | Material   | Well thickness centimetres | Depth Metres |             |
|----------------------------|--|----------------------------|--------------|-------------|
|                            |  |                            | From         | To          |
| <b>Casing</b>              |  |                            |              |             |
| <u>15.88</u>               | <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized | <u>.48</u>                 | <u>0</u>     | <u>6.7</u>  |
| <b>Screen</b>              |  |                            |              |             |
| <u>6.1</u>                 | <input type="checkbox"/> Steel <input type="checkbox"/> Fibreglass <input type="checkbox"/> Plastic <input type="checkbox"/> Concrete <input type="checkbox"/> Galvanized            |                            |              | <u>75.3</u> |
| <b>No Casing or Screen</b> |  |                            |              |             |
|                            | <input checked="" type="checkbox"/> Open hole  |                            |              |             |

Test of Well Yield Data Rec'd

| Pumping test method (metres) | Draw Down Time (min) | Water Level (metres) | Recovery Time (min) | Recovery Water Level (metres) |              |   |   |   |   |   |    |    |    |
|------------------------------|----------------------|----------------------|---------------------|-------------------------------|--------------|---|---|---|---|---|----|----|----|
|                              |                      |                      |                     |                               | Static Level | 1 | 2 | 3 | 4 | 5 | 10 | 15 | 20 |
| <u>51</u>                    | <u>1</u>             | <u>39.56</u>         |                     |                               |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>1</u>             |                      | <u>1</u>            | <u>44.52</u>                  |              |   |   |   |   |   |    |    |    |
| <u>44</u>                    | <u>2</u>             | <u>41.99</u>         | <u>2</u>            | <u>44.52</u>                  |              |   |   |   |   |   |    |    |    |
| <u>46.76</u>                 | <u>3</u>             | <u>42.23</u>         | <u>3</u>            | <u>44.44</u>                  |              |   |   |   |   |   |    |    |    |
| <u>44</u>                    | <u>4</u>             | <u>42.51</u>         | <u>4</u>            | <u>44.38</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>5</u>             | <u>42.89</u>         | <u>5</u>            | <u>44.36</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>10</u>            | <u>43.82</u>         | <u>10</u>           | <u>43.96</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>15</u>            | <u>44.56</u>         | <u>15</u>           | <u>43.84</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>20</u>            | <u>45.14</u>         | <u>20</u>           | <u>43.49</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>25</u>            | <u>45.4</u>          | <u>25</u>           |                               |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>30</u>            | <u>45.69</u>         | <u>30</u>           | <u>43.17</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>40</u>            | <u>45.98</u>         | <u>40</u>           |                               |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>50</u>            | <u>46.18</u>         | <u>50</u>           | <u>43.93</u>                  |              |   |   |   |   |   |    |    |    |
| <u>42</u>                    | <u>60</u>            | <u>46.78</u>         | <u>60</u>           | <u>42.74</u>                  |              |   |   |   |   |   |    |    |    |

Water Record

Water found at 72.8 m Kind of Water Fresh Salty

Gas  Sulphur  Minerals

Other: None

64.0 m Fresh Salty

Gas  Sulphur  Minerals

Other: None


After test of well yield, water was clear and sediment free

Clear and sediment free  Other, specify

Chlorinated  Yes  No

Plugging and Sealing Record  Annular space  Abandonment

| Depth set at - Metres | Material and type (granitic slurry, neat cement slurry) etc. | Volume Placed (cubic metres) |
|-----------------------|--|------------------------------|
| <u>6.1</u>            | <u>Cement Slurry</u>   | <u>0.1362</u>                |



Method of Construction

Cable Tool  Rotary (air)  Diamond  Digging

Rotary (conventional)  Air percussion  Jetting  Other

Rotary (reverse)  Boring  Driving

Water Use

Domestic  Industrial  Public Supply  Other

Stock  Commercial  Not used

Irrigation  Municipal  Cooling & air conditioning

Final Status of Well

Water Supply  Recharge well  Unfinished  Abandoned, (Other)

Observation well  Abandoned, insufficient supply  Dewatering

Test Hole  Abandoned, poor quality  Replacement well

Test well # 2

Audit No. Z 04919 Date Well Completed 2004 04 10

Was the well owner's information package delivered?  Yes  No NA

Well Contractor/Technician Information

Name of Well Contractor Art Rock Drilling Ltd Well Contractor's Licence No. 1119

Business Address (street name, number, city etc.) 121 Richmond Ont

Name of Well Technician (last name, first name) Shannon Purcell Well Technician's Licence No. 7212

Signature of Well Contractor [Signature] Date Submitted 2004 07 16

Ministry Use Only

Data Source 1119 Contractor

Date Received JUL 21 2004 Date of Inspection yyyymmdd

Remarks 1534791 Well Record Number

Print only in spaces provided.  
Mark correct box with a checkmark, where applicable.

11

1533452

Municipality  
**LSO**

Con

County or District: **City of Ottawa** Township/Borough/City/Town/Village: **Chamberland** Con block tract survey, etc.: **Will Haven Plot 14-240** Lot: **12**  
Address: **1287 George Vanier Chamberland** Date completed: **16 Dec 02**

21

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions) |                       |                 |                     |              |            |
|--|-----------------------|-----------------|---------------------|--------------|------------|
| General colour   | Most common material  | Other materials | General description | Depth - feet |            |
|  |                       |                 |                     | From         | To         |
| <b>6 Brown grey</b>  | <b>lill limestone</b> |                 | <b>Hard layered</b> | <b>0</b>     | <b>2</b>   |
|  |                       |                 |                     | <b>2</b>     | <b>425</b> |

31

32

**41 WATER RECORD**

| Water found at - feet | Kind of water   |
|-----------------------|---|
| <b>400</b>            | <input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas |
|                       | <input type="checkbox"/> Salty <input type="checkbox"/> Sulfur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas             |

**51 CASING & OPEN HOLE RECORD**

| Inside diam inches | Material  | Wall thickness inches | Depth - feet |            |
|--------------------|---|-----------------------|--------------|------------|
|                    |   |                       | From         | To         |
| <b>8 3/4</b>       | <input type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Plastic |                       | <b>0</b>     | <b>42</b>  |
| <b>6 1/2</b>       | <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic | <b>1.88</b>           | <b>42</b>    | <b>42</b>  |
| <b>6 7/8</b>       | <input type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic            |                       | <b>42</b>    | <b>425</b> |

**60 SCREEN RECORD**

| Screen of opening (S&I No.) | Diameter inches | Length feet |
|-----------------------------|-----------------|-------------|
|                             |                 |             |


**61 PLUGGING & SEALING RECORD**

| Depth set at - feet | Material and type (Cement grout, bentonite, etc.) |
|---------------------|---|
| <b>0</b>            | <b>40 cement grout</b>                            |

**71 PUMPING TEST**

| Pumping test method  | Pumping rate GPM | Duration of pumping Hours |
|--|------------------|---------------------------|
| <input checked="" type="checkbox"/> Pump <input type="checkbox"/> Sucker | <b>1</b>         | <b>1</b>                  |

| Static level | Water level end of pumping | Water levels during pumping | Recovery   |
|--------------|----------------------------|-----------------------------|------------|
| <b>70</b>    | <b>420</b>                 | <b>420</b>                  | <b>370</b> |
|              |                            | <b>400</b>                  | <b>350</b> |



**FINAL STATUS OF WELL**

Water supply  Abandoned, inefficient supply  Unfinished  Observation well  Abandoned, poor quality  Replacement well  Test hole  Abandoned (Other)  Deactivating  Recharge well

**WATER USE**

Domestic  Commercial  Not used  Stock  Municipal  Other  Irrigation  Public supply  Industrial  Cooling & air conditioning

**METHOD OF CONSTRUCTION**

Cable tool  Air percussion  Driving  Rotary (conventional)  Boring  Digging  Rotary (reverse)  Diamond  Other  Rotary (air)  Jetting

Name of Well Contractor: **Gilles Bourgeois** Well Contractor's Licence No: **1414**  
Address: **27 A 16 av**  
Name of Well Technician: **Alain Bourgeois** Well Technician's Licence No: **0-2710**  
Signature of Technician: **Alain Bourgeois** Date: **16 Dec 02**

**MINISTRY USE ONLY**

Data source: **1414** Date received: **DEC 20 2002**  
Date of inspection: Inspector:  
Remarks: **003.E02**



Ministry of the Environment

The Ontario Water Resources Act  
WATER WELL RECORD

Print only in spaces provided.  
Mark correct box with a checkmark, where applicable.

11

1533134

Municipality: ISO Con: 1501

OTTAWA-CARLETON

|   |   |   |                 |
|---|---|---|-----------------|
| County or District<br><u>City of Ottawa</u> | Township/Borough/City/Town/Village<br><u>Cumberland</u> | Con. block tract survey, etc.<br><u>Plan 50M183</u> | Lot<br><u>2</u> |
| Address<br><u>1312 Mountain Cumberland</u>  |   | Date completed<br><u>23 08 02</u>                   |                 |

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (see instructions) |                      |                 |                     |              |            |
|--|----------------------|-----------------|---------------------|--------------|------------|
| General colour   | Most common material | Other materials | General description | Depth - feet |            |
|  |                      |                 |                     | From         | To         |
| <u>Brown</u>   | <u>l. mudstone</u>   |                 | <u>layered</u>      | <u>0</u>     | <u>230</u> |
| <u>white</u>   | <u>sandstone</u>     |                 | <u>hard</u>         | <u>230</u>   | <u>395</u> |
| <u>Brown</u>   | <u>limestone</u>     |                 | <u>layered</u>      | <u>395</u>   | <u>422</u> |

31


32

| 41 WATER RECORD       |  |
|-----------------------|--|
| Water found at - feet | Kind of water  |
| <u>350</u>            | <input checked="" type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas |
|                       | <input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas            |
|                       | <input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas            |
|                       | <input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas            |
|                       | <input type="checkbox"/> Fresh <input type="checkbox"/> Salty <input type="checkbox"/> Sulphur <input type="checkbox"/> Minerals <input type="checkbox"/> Gas            |

| 51 CASING & OPEN HOLE RECORD |   |                       |              |            |
|------------------------------|---|-----------------------|--------------|------------|
| Inside diam inches           | Material  | Wall thickness inches | Depth - feet |            |
|                              |   |                       | From         | To         |
| <u>8 1/2</u>                 | <input type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic            |                       | <u>0</u>     | <u>42</u>  |
| <u>6 1/4</u>                 | <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic | <u>1.88</u>           | <u>42</u>    | <u>42</u>  |
| <u>6"</u>                    | <input type="checkbox"/> Steel <input type="checkbox"/> Galvanized <input type="checkbox"/> Concrete <input type="checkbox"/> Open hole <input type="checkbox"/> Plastic            |                       | <u>42</u>    | <u>422</u> |

| 61 PLUGGING & SEALING RECORD |           |  |  |
|------------------------------|-----------|--|--|
| Depth set at - feet          |           | Material and type (Cement grad, bentonite, etc.) |  |
| From                         | To        |  |  |
| <u>0</u>                     | <u>42</u> | <u>cement slurry</u>                             |  |

| 71 PUMPING TEST  |   |
|--|---|
| Pumping test method  | Water level   |
| <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Sucker | <u>120</u> <u>420</u> feet  |
| Static level   | Water level during pumping  |
|  | 15 minutes <u>375</u> 30 minutes <u>360</u> 45 minutes <u>340</u> 60 minutes <u>315</u>         |
| if flowing give rate   | Recommended pump type <input checked="" type="checkbox"/> Shallow <input type="checkbox"/> Deep |
|  | Recommended pump setting <u>410</u> feet  |



| 81 FINAL STATUS OF WELL                          |   |
|--|---|
| <input checked="" type="checkbox"/> Water supply | <input type="checkbox"/> Abandoned, (insufficient supply) |
| <input type="checkbox"/> Observation well        | <input type="checkbox"/> Abandoned, (poor quality)        |
| <input type="checkbox"/> Test hole               | <input type="checkbox"/> Abandoned (Other)                |
| <input type="checkbox"/> Recharge well           | <input type="checkbox"/> Dewatering                       |
| <input type="checkbox"/> Unfinished              | <input type="checkbox"/> Replacement well                 |

| 91 WATER USE                                 |   |
|--|---|
| <input checked="" type="checkbox"/> Domestic | <input type="checkbox"/> Commercial                 |
| <input type="checkbox"/> Stock               | <input type="checkbox"/> Municipal                  |
| <input type="checkbox"/> Irrigation          | <input type="checkbox"/> Public supply              |
| <input type="checkbox"/> Industrial          | <input type="checkbox"/> Cooling & air conditioning |
| <input type="checkbox"/> Not use             | <input type="checkbox"/> Other                      |

| 92 METHOD OF CONSTRUCTION                      |   |
|--|---|
| <input checked="" type="checkbox"/> Cable tool | <input type="checkbox"/> Air percussion |
| <input type="checkbox"/> Rotary (conventional) | <input type="checkbox"/> Boring         |
| <input type="checkbox"/> Rotary (reverse)      | <input type="checkbox"/> Diamond        |
| <input type="checkbox"/> Rotary (air)          | <input type="checkbox"/> Jetting        |
| <input type="checkbox"/> Driving               | <input type="checkbox"/> Digging        |
| <input type="checkbox"/> Other                 | <input type="checkbox"/> Other          |

|   |   |
|---|---|
| Name of Well Contractor<br><u>Gilles Bourgeois</u>            | Well Contractor's Licence No.<br><u>1414</u>  |
| Address<br><u>St A16 St</u>                                   |   |
| Name of Well Technician<br><u>Alain Bourgeois</u>             | Well Technician's Licence No.<br><u>02710</u> |
| Signature of Technician/Contractor<br><u>Gilles Bourgeois</u> |   |
| Submission date<br><u>23 08 02</u>                            |   |

|                   |                            |                                     |
|-------------------|----------------------------|-------------------------------------|
| MINISTRY USE ONLY | Data source<br><u>1414</u> | Date received<br><u>SEP 13 2002</u> |
|                   | Date of inspection         | Inspector                           |
|                   | Remarks<br><u>CSS.ES2</u>  |                                     |



# The Ontario Water Resources Commission Act

## WATER WELL RECORD

3166

Water management in Ontario: 1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHERE APPLICABLE

11 1512033 1510111 1107

COUNTY OR DISTRICT: Coquitlam TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE: Cumberland CON., BLOCK, TRACT, SURVEY, ETC.: 7 LOT: 25-27

ADDRESS: 889 E. Platt Dr. Ottawa DATE COMPLETED: 29-08-72

21 118 465420 5038170 10220 1st last

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS) |                      |                 |                     |              |     |
|--|----------------------|-----------------|---------------------|--------------|-----|
| GENERAL COLOUR   | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|  |                      |                 |                     | FROM         | TO  |
| <i>Grey</i>  | <i>limestone</i>     |                 | <i>broken</i>       | 0            | 7   |
| <i>Grey</i>  | <i>limestone</i>     |                 | <i>much sand</i>    | 7            | 90  |
| <i>Blue</i>  | <i>limestone</i>     |                 | " "                 | 90           | 290 |

31 009021st 029031st

32

| <p>41 WATER RECORD</p> <p>WATER FOUND AT - FEET: 0090, 0225, 0286</p> <p>KIND OF WATER: 1 FRESH, 2 SALTY, 3 SULPHUR, 4 MINERAL</p> | <p>51 CASING &amp; OPEN HOLE RECORD</p> <table border="1"> <thead> <tr> <th>DEPTH - FEET</th> <th>DIAM. INCHES</th> <th>MATERIAL</th> <th>WALL THICKNESS INCHES</th> <th>DEPTH - FEET</th> </tr> </thead> <tbody> <tr> <td>0-188</td> <td>188</td> <td>STEEL</td> <td></td> <td>0-188</td> </tr> <tr> <td>188-222</td> <td>05</td> <td>GALVANIZED</td> <td></td> <td>188-222</td> </tr> <tr> <td>222-290</td> <td></td> <td>CONCRETE</td> <td></td> <td>222-290</td> </tr> <tr> <td>290-0290</td> <td></td> <td>OPEN HOLE</td> <td></td> <td>290-0290</td> </tr> </tbody> </table> | DEPTH - FEET | DIAM. INCHES          | MATERIAL     | WALL THICKNESS INCHES | DEPTH - FEET | 0-188 | 188 | STEEL |  | 0-188 | 188-222 | 05 | GALVANIZED |  | 188-222 | 222-290 |  | CONCRETE |  | 222-290 | 290-0290 |  | OPEN HOLE |  | 290-0290 | <p>SCREEN</p> <p>SIZES OF OPENING (SLOT NO.):</p> <p>DIAMETER: 31-35, LENGTH: 34-38</p> <p>MATERIAL AND TYPE:</p> <p>DEPTH TO TOP OF SCREEN: 41-48</p> |
|--|--|--------------|-----------------------|--------------|-----------------------|--------------|-------|-----|-------|--|-------|---------|----|------------|--|---------|---------|--|----------|--|---------|----------|--|-----------|--|----------|--|
| DEPTH - FEET   | DIAM. INCHES   | MATERIAL     | WALL THICKNESS INCHES | DEPTH - FEET |                       |              |       |     |       |  |       |         |    |            |  |         |         |  |          |  |         |          |  |           |  |          |  |
| 0-188  | 188  | STEEL        |                       | 0-188        |                       |              |       |     |       |  |       |         |    |            |  |         |         |  |          |  |         |          |  |           |  |          |  |
| 188-222  | 05   | GALVANIZED   |                       | 188-222      |                       |              |       |     |       |  |       |         |    |            |  |         |         |  |          |  |         |          |  |           |  |          |  |
| 222-290  |  | CONCRETE     |                       | 222-290      |                       |              |       |     |       |  |       |         |    |            |  |         |         |  |          |  |         |          |  |           |  |          |  |
| 290-0290   |  | OPEN HOLE    |                       | 290-0290     |                       |              |       |     |       |  |       |         |    |            |  |         |         |  |          |  |         |          |  |           |  |          |  |

| <p>71 PUMPING TEST</p> <p>PUMPING TEST METHOD: <input checked="" type="checkbox"/> PUMP, <input checked="" type="checkbox"/> BAUER</p> <p>PUMPING RATE: 0005 GPM</p> <p>DURATION OF PUMPING: 01 HOURS, 00 MINS</p> <p>WATER LEVELS DURING PUMPING: 0222 FEET, 0270 FEET, 0250 FEET, 0270 FEET, 0270 FEET, 0270 FEET</p> <p>RECOMMENDED PUMP TYPE: <input checked="" type="checkbox"/> SHALLOW, <input checked="" type="checkbox"/> DEEP</p> <p>RECOMMENDED PUMP SETTING: 100 FEET, RECOMMENDED PUMPING RATE: 5000 GPM</p> | <p>61 PLUGGING &amp; SEALING RECORD</p> <table border="1"> <thead> <tr> <th>DEPTH SET AT - FEET</th> <th>MATERIAL AND TYPE</th> </tr> </thead> <tbody> <tr> <td>10-19</td> <td>14-17</td> </tr> <tr> <td>18-21</td> <td>22-25</td> </tr> <tr> <td>26-28</td> <td>30-33</td> </tr> </tbody> </table> | DEPTH SET AT - FEET | MATERIAL AND TYPE | 10-19 | 14-17 | 18-21 | 22-25 | 26-28 | 30-33 |
|---|---|---------------------|-------------------|-------|-------|-------|-------|-------|-------|
| DEPTH SET AT - FEET   | MATERIAL AND TYPE   |                     |                   |       |       |       |       |       |       |
| 10-19   | 14-17   |                     |                   |       |       |       |       |       |       |
| 18-21   | 22-25   |                     |                   |       |       |       |       |       |       |
| 26-28   | 30-33   |                     |                   |       |       |       |       |       |       |

|  |   |
|--|---|
| <p>FINAL STATUS OF WELL: <input checked="" type="checkbox"/> WATER SUPPLY, <input checked="" type="checkbox"/> OBSERVATION WELL, <input checked="" type="checkbox"/> TEST HOLE, <input checked="" type="checkbox"/> RECHARGE WELL</p> <p>WATER USE: 01 DOMESTIC</p> <p>METHOD OF DRILLING: <input checked="" type="checkbox"/> CABLE TOOL, <input checked="" type="checkbox"/> ROTARY (CONVENTIONAL), <input checked="" type="checkbox"/> ROTARY (REVERSE), <input checked="" type="checkbox"/> ROTARY (AIR), <input checked="" type="checkbox"/> AIR PERCUSSION</p> | <p>LOCATION OF WELL</p> <p>IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND LOT LINE. INDICATE NORTH BY ARROW.</p> |
|--|---|

|  |   |
|--|---|
| <p>CONTRACTOR: CAPITAL WATER SUPPLY LTD 1558</p> <p>ADDRESS: 4301 490 STITTVILLE ONT.</p> <p>NAME OF DRILLER OR BORER: E. MAURICIE</p> <p>SIGNATURE OF CONTRACTOR: [Signature]</p> <p>SUBMISSION DATE: 30-8-72</p> | <p>OFFICE USE ONLY</p> <p>DATA SOURCE: 1, CONTRACTOR: 1558, DATE RECEIVED: 041072</p> <p>DATE OF INSPECTION: [Blank], INSPECTOR: [Blank]</p> <p>REMARKS: [Blank]</p> <p>P.K. WI</p> |
|--|---|

OWRC COPY





# The Ontario Water Resources Commission Act WATER WELL RECORD

1467 31644

Water management in Ontario 1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHERE APPLICABLE

11

1512515

MUNICIPALITY

151011

LOT

101

COUNTY OR DISTRICT

RUSSELL CARLETON

TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE

CUMBERLAND

LOC., BLOCK, TRACT, SURVEY, ETC.

1 OF 23

DATE COMPLETED

02 08 72

21  
EASTING 14651810 NORTHING 15038760  
ELEVATION 325

### LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS)

| GENERAL COLOUR | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|----------------|----------------------|-----------------|---------------------|--------------|-----|
|                |                      |                 |                     | FROM         | TO  |
| RED            | SAND                 | FILL            |                     | 0            | 5   |
| GREY           | LIMESTONE            |                 |                     | 5            | 240 |

31  
32

41 WATER RECORD

| WATER FOUND - FEET | KIND OF WATER  |
|--------------------|--|
| 0190               | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL |
| 0210               | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL |
| 0240               | <input checked="" type="checkbox"/> FRESH <input type="checkbox"/> SALTY <input type="checkbox"/> SULPHUR <input type="checkbox"/> MINERAL |

51 CASING & OPEN HOLE RECORD

| INSIDE DIA. INCHES | MATERIAL   | WALL THICKNESS INCHES | DEPTH - FEET |
|--------------------|------------|-----------------------|--------------|
| 188                | STEEL      |                       | 0 - 21       |
|                    | GALVANIZED |                       | 21 - 240     |

52 SCREEN


| SIZES OF OPENING (SLLOT NO. 1) | DIAMETER | LENGTH |
|--------------------------------|----------|--------|
|                                |          |        |

61 PLUGGING & SEALING RECORD

| DEPTH SET AT - FEET | MATERIAL AND TYPE |
|---------------------|-------------------|
| 10-13               |                   |
| 18-21               |                   |
| 24-29               |                   |

71 PUMPING TEST

| PUMPING TEST METHOD   | PUMPING RATE       | DURATION OF PUMPING          |
|---|--------------------|------------------------------|
| <input checked="" type="checkbox"/> PUMP <input checked="" type="checkbox"/> BAILER | 0010 GPM           | 02 15-16 HOURS 00 17-18 MINS |
| STATIC LEVEL  | WATER LEVEL DURING |                              |
| 015 FEET  | 025 FEET           | 035 FEET                     |
| 045 FEET  | 050 FEET           |                              |
| RECOMMENDED PUMP TYPE   | RECOMMENDED PUMP   | RECOMMENDED PUMPING RATE     |
| DEEP  | 100                | 0008                         |



FINAL STATUS OF WELL

WATER USE

METHOD OF DRILLING

CONTRACTOR: NAME OF WELL CONTRACTOR: *MacIntyre*  
 ADDRESS: 1110 FISHER AVE OTTAWA  
 NAME OF DRILLER OR BORER: F. FLEURY  
 SIGNATURE OF CONTRACTOR: *MacIntyre*

OFFICE USE ONLY: DATA SOURCE: 1  
 CONTRACTOR: 3701  
 DATE RECEIVED: 101172  
 DATE OF INSPECTION: K  
 INSPECTOR: K  
 REMARKS: P K  
 WI



# The Ontario Water Resources Commission Act

# WATER WELL RECORD

3104W  
1470

Water management in Ontario 1. PRINT ONLY IN SPACES PROVIDED  
2. CHECK  CORRECT BOX WHERE APPLICABLE

11 1512516

NUMCP: 150111 COR: 02  
19 20 21 22 23 24

COUNTY OR DISTRICT: RUSSELL CARLETON TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE: CUMBERLAND  
CON., BLOCK, TRACT, SURVEY, E.C.: 1ST FROM OTT-Rd LOT: 23  
DATE COMPLETED: 08 08 YR: 78


U: 18 V: 465400 NORTHING: 5938820 AC: 14 ELEVATION: 1225 RC: 16 BASIN CODE: 25

| LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS) |                      |                 |                     |              |     |
|--|----------------------|-----------------|---------------------|--------------|-----|
| GENERAL COLOUR   | MOST COMMON MATERIAL | OTHER MATERIALS | GENERAL DESCRIPTION | DEPTH - FEET |     |
|  |                      |                 |                     | FROM         | TO  |
| RED  | SAND                 | FILL            |                     | 0            | 4   |
| GREY   | LIMESTONE            |                 |                     | 4            | 100 |

31 00042200 1000000  
32

| 41 WATER RECORD                                   |   | 51 CASING & OPEN HOLE RECORD   |   | 61 PLUGGING & SEALING RECORD    |  |
|---|---|--------------------------------|---|---------------------------------|--|
| WATER FOUND AT - FEET: <u>0080</u><br><u>0095</u> | KIND OF WATER:<br><input checked="" type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY | INSIDE DIA. INCHES: <u>188</u> | MATERIAL: <input checked="" type="checkbox"/> STEEL<br><input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE | WALL THICKNESS INCHES: <u>0</u> | DEPTH - FEET: FROM <u>0</u> TO <u>182</u>  |
| 10-13   | <input checked="" type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY                   | 3                              | <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL  | 17-18                           | <input type="checkbox"/> STEEL<br><input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE |
| 15-18   | <input checked="" type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY                   | 3                              | <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL  | 24-25                           | <input type="checkbox"/> STEEL<br><input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE |
| 20-23   | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY                              | 3                              | <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL  | 26-28                           | <input type="checkbox"/> STEEL<br><input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE |
| 25-28   | <input type="checkbox"/> FRESH<br><input type="checkbox"/> SALTY                              | 3                              | <input type="checkbox"/> SULPHUR<br><input type="checkbox"/> MINERAL  | 30-33                           | <input type="checkbox"/> STEEL<br><input type="checkbox"/> GALVANIZED<br><input type="checkbox"/> CONCRETE<br><input type="checkbox"/> OPEN HOLE |

71 PUMPING TEST METHOD:  PUMP  SAILER  
PUMPING RATE: 0010 GPM  
DURATION OF PUMPING: 02 HOURS 00 MINUTES  
STATIC LEVEL: 010 FEET  
WATER LEVEL END OF PUMPING: 020 FEET  
WATER LEVELS DURING PUMPING:  
15 MINUTES: 013 FEET  
30 MINUTES: 016 FEET  
45 MINUTES: 020 FEET  
60 MINUTES: 020 FEET  
PUMP INTAKE SET AT: 30 FEET  
WATER AT END OF TEST:  CLEAR  CLOUDY  
RECOMMENDED PUMP TYPE:  SHALLOW  DEEP  
RECOMMENDED PUMP SETTING: 075 FEET  
RECOMMENDED PUMPING RATE: 0006 GPM  
50-53 001.0 GPM/FT. SPECIFIC CAPACITY



64 FINAL STATUS OF WELL:  WATER SUPPLY  
 OBSERVATION WELL  
 TEST HOLE  
 RECHARGE WELL  
 ABANDONED, INSUFFICIENT SUPPLY  
 ABANDONED, POOR QUALITY  
 UNFINISHED  
65-68 WATER USE: 01  
 DOMESTIC  
 STOCK  
 IRRIGATION  
 INDUSTRIAL  
 OTHER  
 COMMERCIAL  
 MUNICIPAL  
 PUBLIC SUPPLY  
 COOLING OR AIR CONDITIONING  
 NOT USED  
69 METHOD OF DRILLING:  CABLE TOOL  
 ROTARY (CONVENTIONAL)  
 ROTARY (REVERSE)  
 ROTARY (AIR)  
 AIR PERCUSSION  
 BORING  
 DIAMOND  
 JETTING  
 DRIVING

CONTRACTOR: W. McLOUGHNEY LICENSE NUMBER: \_\_\_\_\_  
ADDRESS: 1110 FISHER AVE OTTAWA  
NAME OF DRILLER OR BORER: F. FLEURY LICENSE NUMBER: \_\_\_\_\_  
SIGNATURE OF CONTRACTOR: [Signature] SUBMISSION DATE: 8 DAY 8 MO. 8 YR. 78  
OFFICE USE ONLY: DATA SOURCE: 1 CONTRACTOR: 3701 DATE RECEIVED: 101172  
DATE OF INSPECTION: \_\_\_\_\_ INSPECTOR: K  
REMARKS: \_\_\_\_\_  
P.K.  
WI

OWRC COPY

CO

31 6/66



WATER RESOURCES

56 No

462

UTM 118 465782E

1512685

5R 5037692N

The Ontario Water Resources Commission Act

Elev. 5R 0340

# WATER WELL RECORD

Basin 25 | Russell (cont)

Township, Village, Town or City **Cumberland**

Con. 7 Lot ~~A~~ C

Date completed **28 July 1966**  
(day month year)

Owner [Redacted]

Address **R.R. 1 - Cumberland, Ont.**

### Casing and Screen Record

### Pumping Test

Inside diameter of casing **6 3/16**

Total length of casing **13**

Type of screen **-**

Length of screen **-**

Depth to top of screen **-**

Diameter of finished hole **6**

Static level **70**

Test-pumping rate **125 GPH** ~~XXXX~~

Pumping level **90**

Duration of test pumping **1 hr.**

Water clear or cloudy at end of test **clear**

Recommended pumping rate **125 GPH** ~~XXXX~~  
with pump setting of **120** feet below ground surface

### Well Log

### Water Record

#### Overburden and Bedrock Record

From ft.

To ft.

Depth(s) at which water(s) found

Kind of water (fresh, salty, sulphur)

**Limestone**

**0**

**160**

**90**

**fresh**

For what purpose(s) is the water to be used? **farm**

Is well on upland, in valley, or on hillside? **valley**

Drilling or Boring Firm **J.B. DUFRESNE & CO. LIMITED**

Address **1014 Maitland Ave.,  
Ottawa 5, Ont.**

Licence Number **2030**

Name of Driller or Borer **R. Laniel**  
Address **6 Bellevue - Lucerne, Que.**

Date **July 28th 1966**


(Signature of Licensed Drilling or Boring Contractor)  
**for J.B. Dufresne & Co. Limited**

Form 7 15M-60-4138

**OWRC COPY**

### Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



CSS.58



UTM 18 46 2110 E

1513097

56 No 327

5 510 8 71610 N

The Ontario Water Resources Commission Act

Elev. 0 0320

# WATER WELL RECORD

County or District Russell Q.F. Con Lot 22 Township, Village, Town or City Cumberland

Con. 1st. Con. from Ottawa Date completed 20 January 1966 (day month year)

Owner [redacted] Address 4102 Lakewood, Detroit 15, Michigan, U.S.A.

### Casing and Screen Record

### Pumping Test

Inside diameter of casing 5"

Total length of casing 25'

Type of screen

Length of screen

Depth to top of screen

Diameter of finished hole 5"

Static level 35'

Test-pumping rate 6 G.P.M.

Pumping level 50'

Duration of test pumping 3 hrs.

Water clear or cloudy at end of test clear

Recommended pumping rate 6 G.P.M.

with pump setting of 75 feet below ground surface

### Well Log

### Water Record

| Overburden and Bedrock Record              | From ft. | To ft. | Depth(s) at which water(s) found | Kind of water (fresh, salty, sulphur) |
|--|----------|--------|----------------------------------|---------------------------------------|
| clay & loose rock                          | 0        | 4      |                                  |                                       |
| loose rock <del>rock &amp; limestone</del> | 4        | 10     |                                  |                                       |
| grey limestone                             | 10       | 112    | 112                              | fresh                                 |
|  |          |        |                                  |                                       |
|  |          |        |                                  |                                       |
|  |          |        |                                  |                                       |
|  |          |        |                                  |                                       |

For what purpose(s) is the water to be used? domestic

Is well on upland, in valley, or on hillside? hillside

Drilling or Boring Firm G. Charbonneau, Cable & Diamond Drilling

Address R.R. # 1, Box 194, Orleans, Ont.

Licence Number 2156

Name of Driller or Borer G. Charbonneau

Address R.R. # 1, Orleans, Ont.


Date 20 January 1966

*G. Charbonneau*  
(Signature of Licensed Drilling or Boring Contractor)

Form 7 15M-60-4138

### Location of Well

In diagram below show distances of well from road and lot line. Indicate north by arrow.



OWRC COPY

# **APPENDIX 3**

- SOIL LABORATORY TEST RESULTS**
- WATER LABORATORY TEST RESULTS**
  - Water Samples from Test Wells**



**Client:** Paterson Group  
 28 Concourse Gate, Unit 1  
 Nepean, ON  
 K2E 7T7  
**Attention:** Mr. Robert Passmore

**Report Number:** 2929721  
**Date:** 2009-12-07  
**Date Submitted:** 2009-12-04  
**Project:** PH1236

**INVOICE:** Paterson Group Inc.  
**Chain of Custody Number:** 11723

**P.O. Number:**  
**Matrix:** Water

| PARAMETER                 | UNITS     | MRL | LAB ID:      |            | GUIDELINE |
|---------------------------|-----------|-----|--------------|------------|-----------|
|                           |           |     | Sample Date: | Sample ID: |           |
| Total Coliforms           | CFU/100mL |     | 764680       | 764881     | ODWSOG    |
| Escherichia Coli          | CFU/100mL |     | 2009-12-03   | 2009-12-03 |           |
| Heterotrophic Plate Count | CFU/1mL   |     | TW1 WST      | TW1 WS2    |           |
| Faecal Coliforms          | CFU/100mL |     |              |            |           |
| Faecal Streptococcus      | CFU/100mL |     |              |            |           |
|                           |           |     | 0            | 60         | TYPE      |
|                           |           |     | 0            | 0          | MAC       |
|                           |           |     | 135          | 281        | LIMIT     |
|                           |           |     | 0            | 0          | 0         |
|                           |           |     | 2            | 11         | UNITS     |
|                           |           |     |              |            | CFU/100mL |
|                           |           |     |              |            | CFU/100mL |

MFL = Method Reporting Limit INC = incomplete AO = Aesthetic Objective OG = Operational Guideline MAC = Maximum Allowable Concentration IMAC = Interim Maximum Allowable Concentration

APPROVAL:   
 Dragana Dzelezovic  
 Microbiology Analyst



Client: **Paterson Group**  
 28 Concourse Gate, Unit 1  
 Nepean, ON  
 K2E 7T7

Attention: **Mr. Robert Passmore**

INVOICE: **Paterson Group Inc.**  
 Chain of Custody Number: **11723**

Report Number: **2929698**  
 Date: **2009-12-08**  
 Data Submitted: **2009-12-04**  
 Project: **PH1236**

P.O. Number: **7873**  
 Matrix: **Water**

| PARAMETER                            | UNITS | MRL   | LAB ID:      |            | TYPE | LIMIT | UNITS |
|--------------------------------------|-------|-------|--------------|------------|------|-------|-------|
|                                      |       |       | Sample Date: | Sample ID: |      |       |       |
| Alkalinity as CaCO3                  | mg/L  | 5     | 764828       | 764828     | OG   | 500   | mg/L  |
| Chloride                             | mg/L  | 1     | 2009-12-03   | 2009-12-03 | AO   | 250   | mg/L  |
| Colour                               | TCU   | 2     | TW1 WS1      | TW1 WS2    | AO   | 5     | TCU   |
| Conductivity                         | uS/cm | 5     |              |            |      |       |       |
| Dissolved Organic Carbon             | mg/L  | 0.5   |              |            |      |       |       |
| Fluoride                             | mg/L  | 0.1   |              |            |      |       |       |
| Hydrogen Sulphide                    | mg/L  | 0.1   |              |            |      |       |       |
| N-NH3 (Ammonia)                      | mg/L  | 0.02  |              |            |      |       |       |
| N-NO2 (Nitrite)                      | mg/L  | 0.1   |              |            |      |       |       |
| N-NO3 (Nitrate)                      | mg/L  | 0.1   |              |            |      |       |       |
| pH                                   |       |       |              |            |      |       |       |
| Phenols                              | mg/L  | 0.001 |              |            |      |       |       |
| Sulphate                             | mg/L  | 1     |              |            |      |       |       |
| Tannin & Lignin                      | mg/L  | 0.1   |              |            |      |       |       |
| Total Dissolved Solids (COND - CALC) | mg/L  | 5     |              |            |      |       |       |
| Total Kjeldahl Nitrogen              | mg/L  | 0.1   |              |            |      |       |       |
| Turbidity                            | NTU   | 0.1   |              |            |      |       |       |
| Hardness as CaCO3                    | mg/L  | 1     |              |            |      |       |       |
| Ion Balance                          |       | 0.01  |              |            |      |       |       |
| Calcium                              | mg/L  | 1     |              |            |      |       |       |
| Magnesium                            | mg/L  | 1     |              |            |      |       |       |
| Potassium                            | mg/L  | 1     |              |            |      |       |       |
| Sodium                               | mg/L  | 2     |              |            |      |       |       |
| Iron                                 | mg/L  | 0.03  |              |            |      |       |       |
| Manganese                            | mg/L  | 0.01  |              |            |      |       |       |

MRL = Method Reporting Limit INC = Incomplete AO = Aesthetic Objective OG = Operational Guideline MAC = Maximum Allowable Concentration IMAC = Interim Maximum Allowable Concentration

Comment:

H2S MFL elevated due to sample turbidity.

APPROVAL:   
 Ewan McRobbie  
 Inorganic Lab Supervisor





**Client:** Paterson Group  
28 Concourse Gate, Unit 1  
Nepean, ON  
K2E 7T7  
**Attention:** Mr. Robert Passmore

**Report Number:** 2929470  
**Date:** 2009-12-08  
**Date Submitted:** 2009-12-01

**Project:** PH1236

**INVOICE:** Paterson Group Inc.  
Chain of Custody Number: 105473

**P.O. Number:** 7873  
**Matrix:** Water

| PARAMETER                            | UNITS | MRL   | LAB ID:      |            | GUIDELINE | TYPE | LIMIT   | UNITS |
|--------------------------------------|-------|-------|--------------|------------|-----------|------|---------|-------|
|                                      |       |       | Sample Date: | Sample ID: |           |      |         |       |
| Alkalinity as CaCO3                  | mg/L  | 5     | 764213       | 764214     | Water     | OG   | 500     | mg/L  |
| Chloride                             | mg/L  | 1     | 153          | 163        |           | AO   | 260     | mg/L  |
| Colour                               | TCU   | 2     | <2           | <2         |           | AO   | 5       | TCU   |
| Conductivity                         | uS/cm | 5     | 1500         | 1480       |           |      |         |       |
| Dissolved Organic Carbon             | mg/L  | 0.5   | 0.9          | 0.9        |           | AO   | 5       | mg/L  |
| Fluoride                             | mg/L  | 0.1   | 1.94         | 1.96       |           | MAC  | 1.5     | mg/L  |
| Hydrogen Sulphide                    | mg/L  | 0.01  | <0.01        | <0.01      |           | AO   | 0.05    | mg/L  |
| N-NH3 (Ammonia)                      | mg/L  | 0.02  | 0.20         | 0.19       |           | MAC  | 1.0     | mg/L  |
| N-NO2 (Nitrite)                      | mg/L  | 0.1   | <0.10        | <0.10      |           | MAC  | 10.0    | mg/L  |
| N-NO3 (Nitrate)                      | mg/L  | 0.1   | <0.10        | <0.10      |           |      | 6.5-8.5 |       |
| pH                                   |       |       | 8.18         | 8.18       |           |      |         |       |
| Phenols                              | mg/L  | 0.001 | <0.001       | <0.001     |           | AO   | 500     | mg/L  |
| Sulphate                             | mg/L  | 1     | 295          | 287        |           |      |         |       |
| Tannin & Lignin                      | mg/L  | 0.1   | 0.1          | <0.1       |           | AO   | 500     | mg/L  |
| Total Dissolved Solids (COND - CALC) | mg/L  | 5     | 975          | 982        |           | AO   |         |       |
| Total Kjeldahl Nitrogen              | mg/L  | 0.1   | 0.24         | 0.23       |           | MAC  | 1.0     | NTU   |
| Turbidity                            | NTU   | 0.1   | 0.7          | 0.3        |           | OG   | 100     | mg/L  |
| Hardness as CaCO3                    | mg/L  | 1     | 166          | 157        |           |      |         |       |
| Iron Balance                         | mg/L  | 0.01  | 1.03         | 1.01       |           |      |         |       |
| Calcium                              | mg/L  | 1     | 35           | 33         |           |      |         |       |
| Magnesium                            | mg/L  | 1     | 19           | 18         |           |      |         |       |
| Potassium                            | mg/L  | 1     | 5            | 5          |           |      |         |       |
| Sodium                               | mg/L  | 2     | 272          | 266        |           | AO   | 200     | mg/L  |
| Iron                                 | mg/L  | 0.03  | <0.03        | <0.03      |           | AO   | 0.3     | mg/L  |
| Manganese                            | mg/L  | 0.01  | <0.01        | <0.01      |           | AO   | 0.05    | mg/L  |

MRL = Method Reporting Limit INC = Incomplete AO = Aesthetic Objective OG = Operational Guideline MAC = Maximum Allowable Concentration IMAC = Interim Maximum Allowable Concentration

Comment:

APPROVAL:   
Evelyn McRobbie  
Inorganic Lab Supervisor



Client: Paterson Group  
28 Concourse Gate, Unit 1  
Nepean, ON  
K2E 7T7

Attention: Mr. Robert Passmore

INVOICE: Paterson Group Inc.  
Chain of Custody Number: 108474

Report Number: 2929599  
Date: 2009-12-07  
Date Submitted: 2009-12-08

Project: PH1236

P.O. Number: 7873  
Matrix: Water

| PARAMETER                 | LAB ID:      |            | MRL | UNITS     | TYPE | LIMIT | UNITS     |
|---------------------------|--------------|------------|-----|-----------|------|-------|-----------|
|                           | Sample Date: | Sample ID: |     |           |      |       |           |
| Total Coliforms           | 764594       | 764595     | 11  | CFU/100mL | MAC  | 0     | CFU/100mL |
| Escherichia Coli          | 2009-12-02   | 2009-12-02 | 0   | CFU/100mL | MAC  | 0     | CFU/100mL |
| Heterotrophic Plate Count | TW3 WS1      | TW3 WS2    | 181 | CFU/1mL   |      |       |           |
| Faecal Coliforms          |              |            | 0   | CFU/100mL |      |       |           |
| Faecal Streptococcus      |              |            | 2   | CFU/100mL |      |       |           |

GUIDELINE  
ODWSOG

MRL = Method Reporting Limit INC = Incomplete AO = Aesthetic Objective CGS = Operational Guideline MAC = Maximum Allowable Concentration IMAC = Interm. Maximum Allowable Concentration  
Comment:

APPROVAL:   
Dragana Dzaletevic  
Microbiology Analyst

Report Number: 2829600  
Date: 2009-12-07  
Data Submitted: 2009-12-03  
Project: PH1236

Client: Paterson Group  
28 Concourse Gate, Unit 1  
Nepean, ON  
K2E 7T7  
Attention: Mr. Robert Passmore

P.O. Number: Water  
Matrix: GUIDELINE  
Chain of Custody Number: 108474

| PARAMETER                            | LAB ID:      |            | MRL   | UNITS | TYPE | LIMIT   | UNITS |
|--------------------------------------|--------------|------------|-------|-------|------|---------|-------|
|                                      | Sample Date: | Sample ID: |       |       |      |         |       |
| Alkalinity as CaCO3                  | 764596       | 764597     | 5     | mg/L  | OG   | 500     | mg/L  |
| Chloride                             | 2009-12-02   | 2009-12-02 | 1     | mg/L  | AO   | 250     | mg/L  |
| Colour                               | TW3 WS1      | TW3 WS2    | 2     | TCU   | AO   | 5       | TCU   |
| Conductivity                         |              |            | 5     | uS/cm |      |         |       |
| Dissolved Organic Carbon             |              |            | 0.5   | mg/L  | AO   | 5       | mg/L  |
| Fluoride                             |              |            | 0.1   | mg/L  | MAC  | 1.5     | mg/L  |
| Hydrogen Sulphide                    |              |            | 0.01  | mg/L  | AO   | 0.05    | mg/L  |
| N-NH3 (Ammonia)                      |              |            | 0.02  | mg/L  | MAC  | 1.0     | mg/L  |
| N-NO2 (Nitrite)                      |              |            | 0.1   | mg/L  | MAC  | 10.0    | mg/L  |
| N-NO3 (Nitrate)                      |              |            | 0.1   | mg/L  | MAC  | 6.5-8.5 | mg/L  |
| pH                                   |              |            |       |       |      |         |       |
| Phenols                              |              |            | 0.001 | mg/L  | AO   | 500     | mg/L  |
| Sulphate                             |              |            | 1     | mg/L  |      |         |       |
| Tannin & Lignin                      |              |            | 0.1   | mg/L  | AO   | 500     | mg/L  |
| Total Dissolved Solids (COND - CALC) |              |            | 5     | mg/L  | AO   | 500     | mg/L  |
| Total Kjeldahl Nitrogen              |              |            | 0.1   | mg/L  | MAC  | 1.0     | NTU   |
| Turbidity                            |              |            | 0.1   | NTU   | OG   | 100     | mg/L  |
| Hardness as CaCO3                    |              |            | 0.01  | mg/L  |      |         |       |
| Ion Balance                          |              |            | 1     | mg/L  |      |         |       |
| Calcium                              |              |            | 1     | mg/L  |      |         |       |
| Magnesium                            |              |            | 1     | mg/L  |      |         |       |
| Potassium                            |              |            | 1     | mg/L  |      |         |       |
| Sodium                               |              |            | 2     | mg/L  |      |         |       |
| Iron                                 |              |            | 0.03  | mg/L  | AO   | 200     | mg/L  |
| Manganese                            |              |            | 0.01  | mg/L  | AO   | 0.3     | mg/L  |
|                                      |              |            |       |       | AO   | 0.05    | mg/L  |

MRL = Method Reporting Limit INC = Incomplete AO = Aesthetic Objective OG = Operational Guideline MAC = Maximum Allowable Concentration IMAC = Interim Maximum Allowable Concentration

Comment:  
764596: H2S MRL elevated due to sample turbidity.

APPROVAL:   
Ewan McRobbie  
Inorganic Lab Supervisor



Client: Paterson Group  
28 Concourse Gate, Unit 1  
Napier, ON  
K2E 7T7  
Attention: Mr. Robert Passmore

Report Number: 2930081  
Date: 2009-12-09  
Data Submitted: 2009-12-08  
Project: PH1236


INVOICE: Paterson Group Inc.  
Chain of Custody Number: 105473

P.O. Number: 7875  
Matrix: Water

| PARAMETER                            | UNITS | MRL   | LAB ID:      |            | GUIDELINE | TYPE | LIMIT | UNITS |
|--------------------------------------|-------|-------|--------------|------------|-----------|------|-------|-------|
|                                      |       |       | Sample Date: | Sample ID: |           |      |       |       |
| Alkalinity as CaCO3                  | mg/L  | 5     | 765939       | 765940     |           | OG   | 500   | mg/L  |
| Chloride                             | mg/L  | 1     | 2009-12-08   | 2009-12-08 |           | AO   | 250   | mg/L  |
| Colour                               | TCU   | 2     | HW WS1       | HW WS2     |           | AO   | 5     | TCU   |
| Conductivity                         | uS/cm | 5     |              |            |           |      |       |       |
| Dissolved Organic Carbon             | mg/L  | 0.5   |              |            |           |      |       |       |
| Fluoride                             | mg/L  | 0.1   |              |            |           |      |       |       |
| Hydrogen Sulphide                    | mg/L  | 0.01  |              |            |           |      |       |       |
| N-NH3 (Ammonia)                      | mg/L  | 0.02  |              |            |           |      |       |       |
| N-NO2 (Nitrite)                      | mg/L  | 0.1   |              |            |           |      |       |       |
| N-NO3 (Nitrate)                      | mg/L  | 0.1   |              |            |           |      |       |       |
| pH                                   |       |       |              |            |           |      |       |       |
| Phenols                              | mg/L  | 0.001 |              |            |           |      |       |       |
| Sulphate                             | mg/L  | 1     |              |            |           |      |       |       |
| Tannin & Lignin                      | mg/L  | 0.1   |              |            |           |      |       |       |
| Total Dissolved Solids (COND - CALC) | mg/L  | 5     |              |            |           |      |       |       |
| Total Kjeldahl Nitrogen              | mg/L  | 0.1   |              |            |           |      |       |       |
| Turbidity                            | NTU   | 0.1   |              |            |           |      |       |       |
| Hardness as CaCO3                    | mg/L  | 1     |              |            |           |      |       |       |
| Iron Balance                         |       |       |              |            |           |      |       |       |
| Calcium                              | mg/L  | 1     |              |            |           |      |       |       |
| Magnesium                            | mg/L  | 1     |              |            |           |      |       |       |
| Potassium                            | mg/L  | 1     |              |            |           |      |       |       |
| Sodium                               | mg/L  | 2     |              |            |           |      |       |       |
| Iron                                 | mg/L  | 0.03  |              |            |           |      |       |       |
| Manganese                            | mg/L  | 0.01  |              |            |           |      |       |       |

MRL = Method Reporting Limit INC = Incomplete AO = Aesthetic Objective OG = Operational Guidelines MAC = Maximum Allowable Concentration IMAC = Interim Maximum Allowable Concentration

APPROVAL:   
Ewan MacRobbie  
Inorganic Lab Supervisor



|      |      |        |        |        |        |         |
|------|------|--------|--------|--------|--------|---------|
| SILT | SAND |        |        | GRAVEL |        | COBBLES |
|      | fine | medium | coarse | fine   | coarse |         |

| Specimen Identification |            | Classification |  |  |  | MC% | LL | PL | PI | Cc | Cu |
|-------------------------|------------|----------------|--|--|--|-----|----|----|----|----|----|
| ●                       | TP 2-09 G1 | SILTY CLAY     |  |  |  |     |    |    |    |    |    |
| ☒                       |            |                |  |  |  |     |    |    |    |    |    |
| ▲                       |            |                |  |  |  |     |    |    |    |    |    |
| ★                       |            |                |  |  |  |     |    |    |    |    |    |


  

| Specimen Identification |            | D100 | D60 | D30 | D10 | %Gravel | %Sand | %Silt | %Clay |
|-------------------------|------------|------|-----|-----|-----|---------|-------|-------|-------|
| ●                       | TP 2-09 G1 | 6.70 |     |     |     | 0.1     | 25.3  | 74.6  |       |
| ☒                       |            |      |     |     |     |         |       |       |       |
| ▲                       |            |      |     |     |     |         |       |       |       |
| ★                       |            |      |     |     |     |         |       |       |       |

CLIENT 2183144 Ontario Limited FILE NO. PH1236  
 PROJECT Terrain Analysis & Hydrogeological Study - 1730 DATE 3 Dec 09  
Wilhaven Drive

**paterosongroup** Consulting Engineers  
 28 Concouse Gate, Unit 1, Ottawa, Ontario K2E 7T7

**GRAIN SIZE DISTRIBUTION**



..... Quarry Source

|      |      |        |        |        |        |         |
|------|------|--------|--------|--------|--------|---------|
| SILT | SAND |        |        | GRAVEL |        | COBBLES |
|      | fine | medium | coarse | fine   | coarse |         |


| Specimen Identification | Classification        |      |     |     | MC%     | LL    | PL    | PI    | Cc | Cu |
|-------------------------|-----------------------|------|-----|-----|---------|-------|-------|-------|----|----|
| ● TP 6-09 G3            | GLACIAL TILL (MARINE) |      |     |     |         |       |       |       |    |    |
| ☒                       |                       |      |     |     |         |       |       |       |    |    |
| ▲                       |                       |      |     |     |         |       |       |       |    |    |
| ★                       |                       |      |     |     |         |       |       |       |    |    |
| Specimen Identification | D100                  | D60  | D30 | D10 | %Gravel | %Sand | %Silt | %Clay |    |    |
| ● TP 6-09 G3            | 26.50                 | 1.15 |     |     | 20.9    | 47.9  | 31.2  |       |    |    |
| ☒                       |                       |      |     |     |         |       |       |       |    |    |
| ▲                       |                       |      |     |     |         |       |       |       |    |    |
| ★                       |                       |      |     |     |         |       |       |       |    |    |

CLIENT 2183144 Ontario Inc.  
 PROJECT Terrain Analysis & Hydrogeological Study - 1730  
 Wilhaven Drive

FILE NO. PH1236  
 DATE 3 Dec 09

**paterosongroup** Consulting Engineers  
 28 Concouse Gate, Unit 1, Ottawa, Ontario K2E 7T7

**GRAIN SIZE DISTRIBUTION**



|      |      |        |        |        |        |         |
|------|------|--------|--------|--------|--------|---------|
| SILT | SAND |        |        | GRAVEL |        | COBBLES |
|      | fine | medium | coarse | fine   | coarse |         |

| Specimen Identification |            | Classification        |  |  |  | MC% | LL | PL | PI | Cc | Cu |
|-------------------------|------------|-----------------------|--|--|--|-----|----|----|----|----|----|
| ●                       | TP 7-09 G1 | GLACIAL TILL (MARINE) |  |  |  |     |    |    |    |    |    |
| ☒                       |            |                       |  |  |  |     |    |    |    |    |    |
| ▲                       |            |                       |  |  |  |     |    |    |    |    |    |
| ★                       |            |                       |  |  |  |     |    |    |    |    |    |


| Specimen Identification |            | D100  | D60  | D30   | D10 | %Gravel | %Sand | %Silt | %Clay |
|-------------------------|------------|-------|------|-------|-----|---------|-------|-------|-------|
| ●                       | TP 7-09 G1 | 26.50 | 2.87 | 0.098 |     | 34.1    | 38.1  | 27.8  |       |
| ☒                       |            |       |      |       |     |         |       |       |       |
| ▲                       |            |       |      |       |     |         |       |       |       |
| ★                       |            |       |      |       |     |         |       |       |       |

CLIENT 2183144 Ontario Limited  
 PROJECT Terrain Analysis & Hydrogeological Study - 1730  
Wilhaven Drive

FILE NO. PH1236  
 DATE 3 Dec 09

**paterongroup** Consulting Engineers  
 28 Concouse Gate, Unit 1, Ottawa, Ontario K2E 7T7

**GRAIN SIZE DISTRIBUTION**



|      |      |        |        |        |        |         |
|------|------|--------|--------|--------|--------|---------|
| SILT | SAND |        |        | GRAVEL |        | COBBLES |
|      | fine | medium | coarse | fine   | coarse |         |

| Specimen Identification |            | Classification    |  |  |  | MC% | LL | PL | PI | Cc | Cu |
|-------------------------|------------|-------------------|--|--|--|-----|----|----|----|----|----|
| ●                       | TP 9-09 G1 | SANDY CLAYEY SILT |  |  |  |     |    |    |    |    |    |
| ☒                       |            |                   |  |  |  |     |    |    |    |    |    |
| ▲                       |            |                   |  |  |  |     |    |    |    |    |    |
| ★                       |            |                   |  |  |  |     |    |    |    |    |    |

| Specimen Identification |            | D100 | D60  | D30 | D10 | %Gravel | %Sand | %Silt | %Clay |
|-------------------------|------------|------|------|-----|-----|---------|-------|-------|-------|
| ●                       | TP 9-09 G1 | 6.70 | 0.35 |     |     | 0.2     | 55.6  | 44.2  |       |
| ☒                       |            |      |      |     |     |         |       |       |       |
| ▲                       |            |      |      |     |     |         |       |       |       |
| ★                       |            |      |      |     |     |         |       |       |       |

CLIENT 2183144 Ontario Limited  
 PROJECT Terrain Analysis & Hydrogeological Study - 1730  
Wilhaven Drive

FILE NO. PH1236  
 DATE 3 Dec 09

**patersongroup** Consulting Engineers  
 28 Concouse Gate, Unit 1, Ottawa, Ontario K2E 7T7

**GRAIN SIZE DISTRIBUTION**



# **APPENDIX 4**


- AQUIFER ANALYSIS DATA FOR TEST WELLS**

Pumping Test No. 1

Test conducted on: Dec.3, 2009

TW2

Discharge 0.32 l/s





**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph.(519)746-1798

Pumping test analysis

Recovery method after

THEIS &amp; JACOB

Confined aquifer

Date: 07.12.2009

None, Page 1

Project: PH1236

Evaluated by: RAP


Pumping Test No. 1

Test conducted on: Dec.3, 2009

TW2

Discharge 0.32 l/s

Pumping test duration: 360.00 min

Transmissivity [ $m^2/min$ ]:  $7.09 \times 10^{-3}$



**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph.(519)746-1798

Pumping test analysis

Time-Drawdown-method after

COOPER &amp; JACOB

Confined aquifer

Date: 08.12.2009

none, Page 1

Project: PH1236


Evaluated by: RAP

Pumping Test No. 1

Test conducted on: Dec. 2, 2009

TW3

Discharge 0.25 l/s

Transmissivity [ $m^2/min$ ]:  $1.02 \times 10^{-3}$ Storativity:  $2.97 \times 10^{-4}$



**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph (519)746-1798

Pumping test analysis

Recovery method after

THEIS &amp; JACOB

Confined aquifer

Date: 08.12.2009

none, Page 1

Project: PH1236

Evaluated by: RAP


Pumping Test No. 1

Test conducted on: Dec. 2, 2009

TW3

Discharge 0.25 l/s

Pumping test duration: 360.00 min

Transmissivity [m<sup>2</sup>/min]:  $1.39 \times 10^{-3}$





**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph. (519) 746-1798

Pumping test analysis

Time-Drawdown plot  
with discharge

Date: 08.12.2009

none, Page 1

Project: PH1236


Evaluated by: RAP

Pumping Test No. 1

Test conducted on: 03.12.2009

TW1

Discharge 0.25 l/s



**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph.(519)746-1798

Pumping test analysis

Time-Drawdown plot  
with discharge

Date: 08.12.2009

none, Page 2

Project: PH1236

Evaluated by: RAP

Pumping Test No. 1

Test conducted on: 03.12.2009

TW1

TW1

Discharge 0.25 l/s

Distance from the pumping well 1.000 m

Static water level: 1.320 m below datum

|    | Pumping test duration | Water level | Drawdown |  |
|----|-----------------------|-------------|----------|--|
|    | [min]                 | [m]         | [m]      |  |
| 1  | 0.00                  | 1.320       | 0.000    |  |
| 2  | 1.00                  | 2.910       | 1.590    |  |
| 3  | 2.00                  | 3.410       | 2.090    |  |
| 4  | 3.00                  | 3.990       | 2.670    |  |
| 5  | 4.00                  | 4.380       | 3.060    |  |
| 6  | 5.00                  | 4.990       | 3.670    |  |
| 7  | 6.00                  | 5.480       | 4.160    |  |
| 8  | 7.00                  | 5.920       | 4.600    |  |
| 9  | 8.00                  | 6.440       | 5.120    |  |
| 10 | 9.00                  | 6.850       | 5.530    |  |
| 11 | 10.00                 | 7.280       | 5.960    |  |
| 12 | 15.00                 | 9.080       | 7.760    |  |
| 13 | 20.00                 | 11.640      | 10.320   |  |
| 14 | 31.00                 | 16.990      | 15.670   |  |
| 15 | 40.00                 | 22.600      | 21.280   |  |
| 16 | 52.00                 | 28.730      | 27.410   |  |
| 17 | 60.00                 | 31.220      | 29.900   |  |
| 18 | 72.00                 | 37.610      | 36.290   |  |
| 19 | 80.00                 | 40.430      | 39.110   |  |
| 20 | 90.00                 | 45.060      | 43.740   |  |
| 21 | 100.00                | 49.640      | 48.320   |  |
| 22 | 110.00                | 53.690      | 52.370   |  |
| 23 | 120.00                | 57.960      | 56.640   |  |
| 24 | 133.00                | 62.870      | 61.550   |  |
| 25 | 150.00                | 67.900      | 66.580   |  |
| 26 | 165.00                | 72.970      | 71.650   |  |
| 27 | 180.00                | 76.030      | 74.710   |  |
| 28 | 195.00                | 78.160      | 76.840   |  |
| 29 | 210.00                | 79.270      | 77.950   |  |
| 30 | 225.00                | 80.100      | 78.780   |  |
| 31 | 240.00                | 80.330      | 79.010   |  |
| 32 | 255.00                | 80.810      | 79.490   |  |
| 33 | 270.00                | 81.110      | 79.790   |  |
| 34 | 300.00                | 81.510      | 80.190   |  |
| 35 | 330.00                | 81.510      | 80.190   |  |
| 36 | 360.00                | 81.510      | 80.190   |  |
| 37 | 361.00                | 76.440      | 75.120   |  |
| 38 | 362.00                | 76.210      | 74.890   |  |
| 39 | 363.00                | 76.050      | 74.730   |  |
| 40 | 364.00                | 75.910      | 74.590   |  |
| 41 | 365.00                | 75.800      | 74.480   |  |
| 42 | 367.00                | 75.500      | 74.180   |  |
| 43 | 375.00                | 74.400      | 73.080   |  |
| 44 | 380.00                | 73.740      | 72.420   |  |
| 45 | 390.00                | 72.470      | 71.150   |  |
| 46 | 405.00                | 70.550      | 69.230   |  |
| 47 | 420.00                | 68.620      | 67.300   |  |
| 48 | 435.00                | 66.710      | 65.390   |  |
| 49 | 450.00                | 64.910      | 63.590   |  |
| 50 | 465.00                | 63.140      | 61.820   |  |



**Waterloo Hydrogeologic**

180 Columbia St. W.

Waterloo, Ontario, Canada

ph (519)746-1798

Pumping test analysis

Recovery method after

THEIS & JACOB

Confined aquifer

Date: 08.12.2009

none, Page 1

Project: PH1236

Evaluated by: RAP


Pumping Test No. 1

Test conducted on: 03.12.2009

TW1

Discharge 0.25 l/s

Pumping test duration: 360.00 min




Transmissivity [m<sup>2</sup>/min]:  $3.39 \times 10^{-4}$



# APPENDIX 5

- FIGURE 1 - SITE LOCATION PLAN**
- FIGURE 2- TERRAIN UNIT DELINEATION**
- FIGURE 3- BEDROCK MAPPING**
- FIGURE 4- GRAPHICAL SUMMARY OF WELL HEAD  
TO 7 WATER QUALITY ANALYSIS OF  
TEST WELLS DURING PUMPING TEST**
  
- TEST HOLE LOCATION PLAN - Drawing No. PH1236-1**
- LOT DEVELOPMENT PLAN - Drawing No. PH1236-2**
- HYDROGEOLOGICAL CROSS SECTION - Drawing No.  
PH1236-3**



Dwg. No. PH1236-FIG1  
 Report No. PH1236-REP.02  
 Date: 12/2009

SITE LOCATION PLAN





2183144 ONTARIO LTD.  
 TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY  
 1730 WILHAVEN DRIVE  
 OTTAWA (CUMBERLAND), ONTARIO

|        |          |
|--------|----------|
| Scale: | 1:15,000 |
| Des.:  | RAP      |
| Dwn:   | BA       |
| Chkd:  | RAP      |

**pater**son **g**roup  
 consulting engineers  
 28 Concourse Gate, Unit 1, Ottawa, Ontario K2E 7T7



LEGEND:

-  SILTY SAND
-  SILTY CLAY
-  CLAYEY SANDY GRAVEL
-  GLACIAL TILL

| Date | Description | Rev. |
|------|-------------|------|
|      |             |      |
|      |             |      |
|      |             |      |

Client:  
**2183144 ONTARIO LTD.**

Consultant:  
**patersongroup**  
 consulting engineers


Project:  
**TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY**  
 1730 WILHAVEN DRIVE  
 OTTAWA (CUMBERLAND), ONTARIO

Drawing:  
**TERRAIN UNIT DELINEATION PLAN**

|              |         |
|--------------|---------|
| Scale:       | 1:250   |
| Date:        | 12/2009 |
| Drawn by:    | MPG     |
| Checked by:  | RAP     |
| File:        | PH1236  |
| Drawing No.: |         |

**FIGURE 2**


STORAGE NO.: PH12XXXPH1236-FIGURE 2.DWG



ADJACENT RESIDENTIAL

ADJACENT AGRICULTURAL

ADJACENT RESIDENTIAL



**Legend**

- Displacement (met)
- Faults
- Regional roads
- Roads
- Streams
- Lakes
- Queenston Formati
- Carlsbad Formatio
- Billings Formation
- Eastview Formatio
- Lindsay Formation
- Verulam Formatio
- Bobcaygeon Form
- Gull River Formati
- Rockliffe Formation
- Oxford Formation
- March Formation
- Nepean Formation
- Covey Hill Formati
- Granitic (quartz-ite)
- Syenitic (quartz-pc
- Basaltic Origin, An
- Diorite, Gabbro

Bedrock Geology is now the Active Layer

SUBJECT PROPERTY

INFORMATION FURNISHED BY NATURAL RESOURCES CANADA (GEOLOGIC SURVEY OF CANADA 2003 INFORMATION)

**patereson** group  
 consulting engineers  
 28 Concourse Gate, Unit 1, Ottawa, Ontario K2E 7T7

|               |          |
|---------------|----------|
| <b>Scale:</b> | 1:15,000 |
| <b>Des.:</b>  | RAP      |
| <b>Dwn:</b>   | BA       |
| <b>Chkd:</b>  | RAP      |

2183144 ONTARIO LTD.  
 TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY  
 1730 WILHAVEN DRIVE  
 OTTAWA (CUMBERLAND), ONTARIO

**BEDROCK MAPPING**

|                    |               |
|--------------------|---------------|
| <b>Dwg. No.</b>    | PH1236-FIG3   |
| <b>Report No.:</b> | PH1236-REP.02 |
| <b>Date:</b>       | 12/2009       |

**LEGEND:**

- TP 1 100.5m GROUND SURFACE ELEVATION (m)
- (97.9) GROUND WATER ELEVATION (m)
- (87.48) BEDROCK ELEVATION (m)
- 98.00 GROUND SURFACE ELEVATION (m)
- APPROXIMATE TEST WELL LOCATION
- TOC = TOP OF CASING
- EG = EXISTING GRADE
- SWL = STATIC WATER LEVEL
- WD = WELL DEPTH

| Date | Description | Rev. |
|------|-------------|------|
|      |             |      |
|      |             |      |
|      |             |      |

Client: **2183144 ONTARIO LTD.**


Consultant:  
**patersongroup**  
 consulting engineers

Project:  
**TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY**  
 1730 WILHAVEN DRIVE  
 OTTAWA (CUMBERLAND), ONTARIO

Drawing:  
**TEST HOLE LOCATION PLAN**

|              |                 |
|--------------|-----------------|
| Scale:       | 1:250           |
| Date:        | 12/2009         |
| Drawn by:    | MPG             |
| Checked by:  | RAP             |
| File:        | PH1236          |
| Drawing No.: | <b>PH1236-1</b> |

STORAGE NO.: PH12XX\PH1236-1A.DWG



LEGEND:



PROPOSED HOUSE



PROPOSED WELL



PROPOSED FULLY RAISED CLASS 4 - SEWAGE SYSTEM

| Date | Description | Rev. |
|------|-------------|------|
|      |             |      |
|      |             |      |
|      |             |      |

Client:

2183144 ONTARIO LTD.

Consultant:

**pater**songroup  
consulting engineers

Project:

**TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY**  
1730 WILHAVEN DRIVE  
OTTAWA (GUMBERLAND), ONTARIO

Drawing:

**LOT DEVELOPMENT PLAN**

Scale: 1:250

Seal:

Date: 12/2009

Drawn by: MPG



Checked by: RAP


File: PH1236

Drawing No.:

**PH1236-2**

STORAGE NO.: PH1236\PH1236-2.DWG





Dwg. No. **PH1236-3**  
 Report No. PH1236-REP.02  
 Date: 12/2009

# TERRAIN UNIT DELINEATION

2183144 ONTARIO LTD.  
 TERRAIN ANALYSIS & HYDROGEOLOGICAL STUDY  
 1730 WILHAVEN DRIVE  
 OTTAWA (CUMBERLAND), ONTARIO

Scale: H: 1:2000  
 V: 1:400  
 Des.: RAP  
 Dwn: BA  
 Chkd: RAP

**pateron group**  
 consulting engineers  
 28 Concourse Gents, Unit 1, Ottawa, Ontario K2E 7T7