



PREPARED FOR



MINTO COMMUNITIES - CANADA

200-180 Kent Street Ottawa, Ontario K1P 0B6 t | 613.230.7051

MINTO.COM

PREPARED BY



NAK DESIGN STRATEGIES


421 Roncesvalles Avenue Toronto, Ontario M6R 2N1 t | 416.340.8700

NAKDESIGNSTRATEGIES.COM











Scope & Intent. 1



This Urban Design Brief is intended to provide design direction and inspiration for Minto Kennedy Lands in Barrhaven. The directives demonstrated in this document will highlight the overall design intent of this planned neighbourhood while reflecting the objectives outlined in the City of Ottawa's Official Plan, Barrhaven South Community Design Plan (Ottawa, 2006), Urban Design Guidelines for Greenfield Neighbourhoods (Ottawa, 2007), and Building Better and Smarter Suburbs (Ottawa, 2015).

Situated in heart of one of Ottawa's fastest-growing neighbourhoods, Kennedy Lands is located directly south of the Jock River and within proximity to the Barrhaven Town Centre. With the planned realignment of Greenbank Road, which will run through the eastern half of the site, this planned residential neighbourhood will be highly visible and accessible, and become an integral part of the mindful growth of Barrhaven and the City of Ottawa.

Legend


Kennedy Lands

Barrhaven South CDP

Barrhaven Town Centre



Major Roads



Site Context & Character.



Situated between the Jock River Open Space and the realigned Greenbank Road, Minto Kennedy Lands (23.08 hectares | 57.03 acres) will be a highly connected, accessible, and visible residential neighbourhood, conveniently located near Barrhaven Town Centre - a regional retail destination. South of the realigned Greenbank Road lies the existing community of Half Moon Bay that offers schools, parks, and open spaces within walking distance of the subject lands. And with higher-order bus rapid transit planned along the realigned Greenbank Road, residents will have convenient access to regional transit services that will connect Barrhaven to Downtown Ottawa.

With the site currently used for agricultural purposes, the subject lands are relatively flat, with some sloping towards the Jock River at the most eastern end of the site. Given these conditions, the existing topography and site geometry allow for the efficient use of land and creates opportunities to develop a functional, urban, and compact grid pattern.





Concept Plan.




The Minto Kennedy Lands Neighbourhood has been designed with thoughtful connections and a mix of residential housing forms that will cater to a variety of homebuyers. Predominantly back-to-back and street townhouses (also referred to as Avenue and Executive Townhouses respectively), this planned development will generate greater residential densities and support the City of Ottawa's desire to create more compact urban developments.

On the north side of the realigned Greenbank Road, the main neighbourhood entry will include aesthetically enhanced streetscape features, such as separated sidewalks and trees within boulevards, to create a 'sense of arrival' for both residents and visitors. This neighbourhood gateway will also allow pedestrians, cyclists, and motorists to cross the realigned Greenbank Road at a signalized intersection and connect to surrounding schools, parks, and recreation centres. The block fabric and road pattern further reinforce the notion of permeability and connectivity, with streets connecting people from the realigned Greenbank Road to the Jock River Open Space. While window streets situated at the edges of the neighbourhood will provide opportunities for enhanced landscape treatments, such as fencing, columns, and planting, to help create more welcoming and aesthetically pleasing edges.

One of the greatest community features of Minto Kennedy Lands is its proximity to a plethora of parks, schools, and natural open spaces, including the Jock River. Due to the size of the proposed development and its proximity to existing parks, Minto will provide cash-in-lieu of parkland. Directly south of the realigned Greenbank Road are Half Moon Bay Public School, Freshwater Parkette, and River Run Park that offer a variety of park program elements, including playgrounds, soccer fields, sports courts, passive open space, seating areas, and shade structures. While directly north of the neighbourhood is the Jock River Open Space, a natural open space feature that will offer recreational paths and connections to surrounding trails (both existing and planned) for residents. The two floodplain blocks located within Kennedy Lands, both of which will include naturalized native planting, will further enhance the Jock River Open Space.

Overall, Minto Kennedy Lands will provide a distinct neighbourhood identity that respects, preserves, and enhances existing open spaces and natural features.

Legend





Built Form. 4



In conformity with the CDP, housing that will be incorporated in Minto Kennedy Lands include single-detached homes, street townhouses, and back-to-back townhouses, all with a maximum building height of three storeys. These residential building typologies are consistent with the surrounding neighbourhoods to the south and provide a mix of housing options within the community. Unlike many new communities that have lots backing onto major arterial roads and open spaces, Minto Kennedy Lands will utilize window streets, upgraded corner architecture, fronting dwelling units, and enhanced landscape treatments to create more welcoming neighbourhood edge conditions.

The figures in the subsequent pages illustrate the varying built form typologies in Kennedy Lands:

- 30' Single-Detached Home
- 36' Single-Detached Home
- 43' Single-Detached Home
- Street Townhouses
- Back-to-Back Townhouses

Legend


Single-Detached

Street Townhouses


Back-To-Back Townhouses

Corner Lot Architecture

Area 1 | No Tree Planting Setback Restrictions



30' Single-Detached Home.





Traditional Style






Traditional Style

Contemporary Style

igure 5 30' Single-Detached Home Lotting Standard and Measurements

Conceptual Architectural Renderings - 30' Single-Detached Home

36' Single-Detached Home.





Contemporary Style






36' Single-Detached Home Lotting Standard and Measurements

Conceptual Architectural Renderings - 36' Single-Detached Home

43' Single-Detached Home.





Traditional Style






Traditional Style

Contemporary Style

43' Single-Detached Home Lotting Standard and Measurements

gure 10 Conceptual Architectural Renderings - 43' Single-Detached Home

Street Townhouses.





Traditional Style




Contemporary Style

Figure 11 Street Townhouses Lotting Standard and Measurements

Figure 12 Conceptual Street Townhouses Renderings

Back-To-Back Townhouses.





Traditional Style

Figure 13 Back-To-Back Townhouses Lotting Standard and Measurements

Figure 14 Conceptual Back-To-Back Townhouses Rendering

Setback Summary.

Product	30' Singles	36' Singles	43' Singles
Single-Detached	9,15 Minimum Rear Setback 1,20 Side Setback Setback Front Setback Typical Unit	Minimum Rear Side Setback Setb	Minimum Rear Setback 1,20 Side Setback
Front Yard Setback	3.00m	3.00m	3.00m
Rear Yard Setback	6.00m	6.00m	6.00m
Interior Side Yard Setback	1.80m (with the min on one side at least 0.6)	1.80m (with the min on one side at least 0.6)	1.80m (with the min on one side at least 0.6)
Corner Side Yard Setback	2.50m	2.50m 2.50m	

Product	Street Townhouses	Back-To-Back Townhouses	
Townhouses	9.50 Minimum Rear Setback 2.50 Minimum Corner Setback 2.50 Setback 8.620 7.55 1.20 Side Setback 8.620 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50 9.50	Front Setback	
Front Yard Setback	3.00m	3.00m	
Rear Yard Setback	6.00m	-	
Interior Side Yard Setback	1.20m	1.20m	
Corner Side Yard Setback	2.50m	2.50m	


Public Realm.




Minto Kennedy Lands will consist of four road typologies that will improve overall connectivity and enhance the character of the neighbourhood. The 24.0m Neighbourhood Collector will act as the main 'entry drive' from the realigned Greenbank Road, allowing for pedestrians, cyclists, and vehicles to enter the neighbourhood safely at a signalized intersection and access amenities, such as parks and recreation facilities, in the surrounding communities. Three types of local roads are also planned for the neighbourhood, 18.0m Local Roads that include a 1.8m sidewalk, 16.5m Local Roads that provide secondary pedestrian and cyclists routes on shared roadways, and 14.5m Local Roads that create an improved community edge interface along the Jock River Open Space and the realigned Greenbank Road.

Complementing the internal pedestrian network will be a proposed recreational path within the Jock River Open Space along the northern edge of the neighbourhood. This new pathway will tie into the greater trails network, both existing and proposed, and connect residents to surrounding parks, open spaces, and natural features. Residents will be able to access the recreational path through a walkway block located at the termination of Street No. 9 and the window street (Street No. 1) that runs along the northern perimeter on the eastern half of the neighbourhood.

Legend







Neighbourhood Collector Section (24.0m ROW) .





Figure 17 Neighbourhood Collector (Typical 24.0m ROW)

The 24.0m Neighbourhood Collector serves as the primary entry road for Minto Kennedy Lands. This road will allow residents and visitors to access the neighbourhood from the realigned Greenbank Road and provide long views to the Jock Open Space directly north of the subject lands. It will consist of 2.0m sidewalks (separated) on both sides, alternating single-sided on-street parking, and street trees within the boulevard.



Local Road Section (18.0m ROW).





Figure 18 Local Road (Typical 18.0m ROW)

The 18.0m Local Road will serve as a primary street within Minto Kennedy Lands, connecting future planned residential development to the west with the 24.0m Neighbourhood Collector in the centre of the neighbourhood. Additionally, the 18.0m Local Road will consist of a 1.8m sidewalk, alternating single-sided on-street parking, and street trees within the boulevard.



Local Road Section (16.5m ROW).






Figure 19 Local Road (Typical 16.5m ROW)

The 16.5m Local Roads serves as the secondary right-of-way within the neighbourhood and will provide alternative on-street routes for both cyclists and pedestrians to access the Jock River Open Space and the realigned Greenbank Road. The 16.5m Local Road will consist of alternating single-sided on-street parking and street trees, and have a mix of single-detached and townhouses fronting onto them.



Local Road Section (14.5m ROW) .







Figure 20 Local Road (Typical 14.5m ROW)

Figure 21 Local Road (14.5m ROW) | Street No. 1

The 14.5m Local Road serves as a neighbourhood edge street along the Jock River Open Space and the realigned Greenbank Road. With a mix of dwelling units flanking and fronting these streets, and opportunities for enhanced landscaping treatments, these streets will create an aesthetic interface between the neighbourhood and surrounding uses. Similar to the 16.5m Local Road, these streets will consist of single-sided on-street parking and street trees within the boulevard on one side. Street No. 1 will include a sidewalk abutting the Jock River Over Space.



Local Road (18.0m ROW) Street Tree Demonstration .

Separated Driveways




Figure 22 Separated Driveways on 18.0m Local Road

Length: 9.80m Width: 6.90m Depth: 1.50m 101.4m³
Soil Volume

Alternating Driveways





Figure 23 Alternating Driveways on 18.0m Local Road

Length: 6.00m Width: 6.90m

Depth: 1.50m

62.1 m³ Soil Volume

Street Townhouses



Length: 6.10m

Width: 7.50m

Depth: 1.50m

68.6 m³
Soil Volume

Within Area 2 | Low/Medium Sensitivity Clay Soils, dwelling units / foundations will be sited approximately 0.50m from the front setback (3.0m) to maintain a 4.5m tree to foundation separation. There are no tree to foundation setback requirements within Area 1 | No Tree Planting Setback Restrictions

Local Road (16.5m ROW) Street Tree Demonstration

Separated Driveways




Figure 25 Separated Driveways on 16.5m Local Road

Length: 9.80m Width: 7.45m

109.5_{m³} Depth: 1.50m Soil Volume

Alternating Driveways





Figure 26 Alternating Driveways on 16.5m Local Road

Length: 6.00m Width: 7.45m

Depth: 1.50m

67.1_{m³} Soil Volume

Street Townhouses



Length: 6.10m

Width: 8.10m

Depth: 1.50m

 74.1_{m^3} Soil Volume

Within Area 2 | Low/Medium Sensitivity Clay Soils, dwelling units / foundations will be sited approximately 0.50m from the front setback (3.0m) to maintain a 4.5m tree to foundation separation. There are no tree to foundation setback requirements within Area 1 | No Tree Planting Setback Restrictions

Local Road (18.0m ROW) Parking Demonstration •




Figure 28 18.0m Local Road On-Street Parking Configuration

Local Road (16.5m ROW) Parking Demonstration.

Single-Detached Streetscape




Figure 29 Single-Detached On-Street Parking Configuration

Street Townhouses Streetscape




Figure 30 Street Townhouses On-Street Parking Configuration

)m

Parking Plan.



On-street parking will become an important streetscape element within Minto Kennedy Lands to assure safe and functional streets that prioritize pedestrian and cyclists circulation over vehicular traffic. By utilizing an alternating single-sided on-street parking approach, vehicles will be required to move through the neighbourhood at reduced speeds, creating more pedestrian / cyclists friendly streets and generating a more liveable community. Additional traffic calming measures, such as pinchpoints and bulb-outs at intersections, may be incorporated into the design of the streets at detailed design. To increase the overall amount of on-street parking for both residents and visitors, driveways will be paired where possible to provide adequate spacing for parked vehicles.

Legend

Single-Sided On-Street Parking


Alternating Single-Sided On-Street Parking

Area 1 | No Tree Planting
Setback Restrictions

Figure 31 Parking Plan

100m

Pedestrian & Cycling Network •



Pedestrian and cyclist connectivity is a highly important element of Minto Kennedy Lands in creating a safe and functional circulation for residents and visitors.

Along the realigned Greenbank Road, which runs along the southern edge of the neighbourhood, sidewalks and cycle tracks will be provided on both sides of the road (by others). Pedestrians and cyclists will be able to access these facilities from Kennedy Lands at various points via window streets and the main neighbourhood entry road. This main neighbourhood gateway, the 24.0m Neighbourhood Collector, will have sidewalks on both sides, allowing pedestrians and cyclists to safely connect to the realigned Greenbank Road and access surrounding community amenities at a signalized intersection. All 18.0m Local Roads will include a curbside 1.8m sidewalk on one side that assures safe pedestrian circulation west of the 24.0m Neighbourhood Collector, while the 14.5m Local Road abutting the Jock River Open Space (Street No. 1) will include a 1.8m sidewalk east of the Neighbourhood Collector.

A proposed recreational path within the Jock River Open Space along the northern extents of the neighbourhood will complement the internal network and provide connections to surrounding open spaces, parks, and natural features. This pathway will be accessible through a walkway block located at the termination of Street No. 9 and the window street (Street No. 1) that runs along the northern perimeter on the eastern half of the neighbourhood, and contribute to an expanding, more robust regional trials network.

Legend

Sidewalk

Recreational Path

Sidewalk & Cycle Track (By Others)

Area 1 | No Tree Planting Setback Restrictions

Figure 32 Pedestrian & Cycling Network



