



JFSA Canada Inc.
52 Springbrook Drive,
Ottawa, ON K2S 1B9
T 613-836-3884 F 613-836-0332

jfsa.com

September 16, 2024

Project Number: P1355

Robinson Consultants Inc.
210-350 Palladium Drive
Ottawa, ON
K2V 1A8

Attention: Brandon MacKechnie, P.Eng.

Subject: Cardel Creekside Ph 2 Subdivision - Conceptual SWM Pond Sizing

Introduction

JFSA Canada Inc. (JFSA) was retained by Robinson Consultants Inc. (RCI) to complete a conceptual stormwater management (SWM) pond sizing for the Cardel Creekside Phase 2 Subdivision located at 2780 Eagleson Road in the City of Ottawa. This memo presents the conceptual sizing of the proposed SWM pond based on the latest proposed development plan provided by RCI.

Site Overview

The subject site is bound by Eagleson Road to the east, existing properties fronting Perth Street to the south, Flowing Creek to the west and agricultural lands to the north. The subject land is predominantly agricultural and is located near the downstream end of Flowing Creek, close to its confluence with the Jock River. **Figure 1** provides an overview of the development site relative to the Flowing Creek and major roads, as well as the location of the conceptual SWM pond block according to RCI's site plan.

Existing Stormwater Conditions

The existing conditions used for this site build on the work completed by Rideau Valley Conservation Authority (RVCA) in their May 8, 2017 report titled ***"Flowing Creek Flood Risk Mapping from Flewellyn Road to Jock River"*** (referred to hereon as RVCA Report). The RVCA Report assessed the Flowing Creek watershed based on land use as well as soil information and determined the peak flows at key locations along the watercourse using a single-event SWMHYMO hydrological model (referred to hereon as Existing SWMHYMO Model) based on various synthetic design storms. These key locations can be found in Figure 13 of the RVCA Report, as well as the peak flows for various return periods.

For the purpose of sizing the SWM pond for the proposed development, additional design storms such as the 25mm Chicago 3hr City of Ottawa design storm, as well as the 2- to 50-year Chicago 3hr events based on City of Ottawa design storms were incorporated into the Existing SWMHYMO Model to determine peak flows for these return periods and allow for a comprehensive analysis of the proposed conceptual SWM pond within the subject site. The 3hr Chicago design storms have been added to the analysis as typically these events result in higher peak runoff for urban lands when compared to the peak runoff generated by the 24hr SCS Type II design storms. Per City guidelines, both design storms need to be used in the Hydraulic Grade Line (HGL) analysis within the proposed development at the detailed design stage.

No other changes were made to the Existing SWMHYMO Model. Modelling input and summary files have been provided in **Attachment A**. Additionally, **Node N28** at Perth Street, just downstream of the subject site has been used in this analysis to compare existing and proposed condition peak flows. **Table 1** below shows the peak flows at **Node N28** under existing/pre-development conditions according to the Existing SWMHYMO Model.

Table 1: Peak Flows at Node N28 under Existing Conditions

Design Storm	Ex. Conditions Peak Flow ⁽¹⁾ (m ³ /s)
25mm CHI 3hr	3.545
2-yr CHI 3hr	6.918
5-yr CHI 3hr	14.213
10-yr CHI 3hr	20.227
25-yr CHI 3hr	27.148
50- yr CHI 3hr	31.977
100-yr CHI 3 hr	39.544
2-yr SCS 24hr	13.815
5-yr SCS 24hr	27.313
10-yr SCS 24hr	35.489
20-yr SCS 24hr	44.308
50-yr SCS 24hr	56.056
100-yr SCS 24hr	65.202

(1) Flows based on existing condition peak flows from the 2017 RVCA SWMHYMO model of Flowing Creek

Proposed Stormwater Conditions

Under proposed condition the site will have a drainage area of approximately **24.63 ha** with an average imperviousness of **63%** based on RCI's design. For this analysis it has been assumed that the full site will drain to the proposed SWM pond, which will outlet into the Flowing Creek. As mentioned earlier, **Node N28** has been used to compare existing and proposed condition flows.

Under proposed conditions, approximately **8.97 ha** of the subject site encroaches subcatchment M4, as shown in the RVCA report. For this reason, the drainage area of subcatchment M4 has reduced from **363.71 ha** to **354.74 ha**. However, the remaining **15.66 ha** of post-development drainage area from the subject site will be directed to Flowing Creek, increasing the total drainage area of its watershed from **5,243.6 ha** to **5,259.26 ha (+0.3%)**. Note that despite this increase in drainage area to Flowing Creek, there will be no increase in the peak flows at **Node N28**, since the peak flows from the proposed development will not coincide with the peak flows from Flowing Creek, as it will be demonstrated in greater detail later in this memo. **Figure 2** shows the proposed development in relation to subcatchment M4.

SWMHYMO Proposed Condition Simulations

A proposed condition SWMHYMO model has been developed to assess the proposed conceptual SWM pond outflows, as well as the total peak flows at **Node N28** under proposed conditions to ensure that the target/existing release rates are not exceeded. The Existing SWMHYMO Model outlined above was the base used to build this proposed condition SWMHYMO model.

The subcatchment **CRK** has been added to the SWMHYMO model to represent the proposed development. The depression storage and infiltration parameters in the model are as per the October 2012 *City of Ottawa Sewer Design Guidelines* and the percent imperviousness of the development as per RCI's subdivision design.

As the site encroaches subcatchment M4, the hydrological parameters for this subcatchment have been updated accordingly, following the same methodology used in the RVCA Report. **Table 2** shows a summary of the updated parameters used in the proposed conditions model. A detailed breakdown of land uses and soil groups, as well as updated CN calculations for subcatchment M4, can be found in **Attachment B**.

Table 2: Subcatchment M4 - Updated Hydrological Parameters


Area (km ²)	CN	CN*	IA (mm)	Channel Slope ⁽²⁾ (%)	Channel Length ⁽²⁾ (m)	TC ⁽²⁾ (hr)	TP ⁽²⁾ (hr)
3.55	84	78	3.62	0.08	4000	3.79	2.27

(1) Calculated using equations $CN^* = 25400/254+S$ and $IA = 0.05 S$

(2) As per the 2017 RVCA Flowing Creek Flood Risk Mapping from Flewellyn Road to Jock River Technical Memorandum

A simulation of the proposed condition SWMHYMO model with the updates described above and without any SWM controls (no SWM pond/site uncontrolled) was run to verify the impacts on Flowing Creek, as well as to verify the time of peak of the proposed development compared to the time of peak of the Flowing Creek at **Node N28** under proposed conditions, with the increase in drainage area to the Flowing Creek watershed. **Excerpt 1** below compares the 100-year peak flow under existing/ conditions (Existing SWMHYMO Model) with the 100-year peak flow from the proposed development without any SWM controls, at Perth Street (**Node N28**) just downstream of the subject site.

Excerpt 1: Flowing Creek – 100-year SCS 24hr Flows



As can be seen from **Excerpt 1**, the peak flow of the proposed development occurs around **12 hours** and the peak flow on the watercourse occurs around **17 hours**. Therefore, it can be concluded that the peak flows in the watercourse can be reduced by getting the runoff from the proposed development out quickly instead of attenuating the flows to existing conditions, which could result in peak flows coinciding with those in the Flowing Creek/watercourse, resulting in increased peak flows under proposed conditions. This is in line with the 2010 AECOM **Cumulative Impact Assessment – Jock River Development** in Richmond, which considered these subject lands as well as other future development sites in Richmond as developed without SWM controls. The analysis of this study concluded that “*Given the size of the watershed and the relatively small amount of development in the foreseeable future, it is apparent that there is no impact from anticipated development on Jock River flows.*” A complete copy of this report has been provided in **Attachment C**.

Based on the above, it has been assumed in this analysis that the proposed development will be treated by a small wet SWM pond that will provide quality control released over **48 hours**, above the permanent pool storage volume. Given the significant difference between the timing of peaks between the proposed site and the watercourse, it can be reasonably assumed that a scenario where there is simultaneously both a 100-year water level in the watercourse and a 100-year rainfall event on the site would not occur. Therefore, the SWM pond active storage could start at around the 2-year water level in Flowing Creek, which would be approximately **91.98m** at cross-section **1015** from RVCA’s HEC-RAS model, part of the RVCA Report. Additionally, that also means that this simultaneity scenario mentioned above may not need to be considered for the site’s HGL analysis in the detailed design stage.

For this analysis, an erosion control volume has been assumed, which was based on matching the proposed condition flows from the proposed development for the 2-year Chicago 3hr design storm to a prorated existing release rate (based on subcatchment **M4** drainage area). For all events greater than the 2-year event, it has been assumed that these flows would pass unattenuated to Flowing Creek. **Table 3** below shows the details of the assumed 2-year target release rate. Based on this, a conceptual outflow-storage curve for the proposed conceptual SWM pond was applied to the proposed condition SWMHYMO model.

Table 3: Conceptual SWM Pond Erosion Control Target Release Rate

Subcatchment M4 Pre-Dev. Area (ha)	Subcatchment M4 Post-Dev. Area (ha)	Difference	2-year CHI 3hr Unitary Flow ⁽¹⁾ (m ³ /s/ha)	2-year CHI 3hr Target Release Rate (m ³ /s)
363.71	354.74	8.97	0.0053	0.047

(1) Unitary Flow calculated by dividing the 2-yr CHI 3hr pre-development peak flow by 363.71 ha (1.931m³ / 363.71ha).

Proposed Conditions Simulation Results

Table 4 below provides a summary of the 100-year peak flows under existing conditions and proposed conditions at **Node N28**. **Table 5** below provides a summary of the maximum 100-year release rates and storage volumes for the proposed conceptual SWM pond. **Attachment B** contains the complete SWMHYMO modelling input and output files, along with a comprehensive summary of the modelling results and calculations.

Table 4: Existing and Proposed Conditions Peak Flows at Node N28

Design Storm	Existing Conditions Peak Flow ⁽¹⁾ (m ³ /s)	Proposed Conditions Peak Flows (m ³ /s)	Difference (m ³ /s)
25mm Chicago 3hr	3.545	3.496	-0.049
2-yr Chicago 3hr	6.918	6.843	-0.075
100-yr Chicago 3hr	39.544	39.291	-0.253
100-yr SCS 24 hr	65.202	64.936	-0.266

(1) Flows based on existing condition peak flows from the 2017 RVCA SWMHYMO model of Flowing Creek.

Table 5: Conceptual SWM Pond Results Summary

Design Storm	Release Rate (m ³ /s)	Volume Used ⁽¹⁾ (m ³)
25mm Chicago 3hr	0.034	3,138
2-yr Chicago 3hr	0.047	4,338
100-yr Chicago 3hr	5.760	4,849
100-yr SCS 24 hr	5.386	4,816

(1) Active storage volume.

As shown in **Table 4**, the 100-year proposed/post-development conditions flows at **Node N28** are less than the existing conditions flows. Additionally, as shown in **Table 5**, the estimated maximum 100-year active storage volume for the conceptual SWM pond would be close to **5,000 m³**. A detailed stage-storage curve will be prepared by RCI and appropriate pond outlet structure controls, to closely match the conceptual release rates, will be determined in the detailed design stage.

Conclusion

Part of the drainage area of the proposed development is located within the Flowing Creek watershed, more specifically within subcatchment M4 detailed in the RVCA Report and the remainder of the site's drainage area will be redirected to Flowing Creek. The hydrological parameters of subcatchment M4 were adjusted accordingly and a proposed conditions SWMHYMO model, based on the Existing SWMHYMO Model, was prepared.

An initial proposed condition simulation without any SWM controls for the subject site was run to verify the impacts on Flowing Creek, as well as to verify the time of peak of the proposed development compared to the time of the peak on Flowing Creek. The result of this analysis showed that due to the difference between the timing of peaks between the proposed site and the Flowing Creek, the peak flows in the Flowing Creek can be reduced by getting the runoff from the proposed development out quickly instead of attenuating the flows to existing conditions, which could result in peak flows coinciding with those in the Flowing Creek. Also, given the significant difference between the timing of peaks between the proposed site and the Flowing Creek, it was reasonably assumed that a scenario where there is simultaneously both a 100-year water level in the watercourse and a 100-year rainfall event on the site would not occur and for this reason, the SWM pond active storage could start at around the 2-year water level in the Flowing Creek. Additionally, this simultaneity scenario may not need to be considered for the HGL analysis of the proposed development in the detailed design stage.

The proposed development will be treated by a small wet SWM pond that will provide quality control released over **48 hours**, above the permanent pool storage volume. Additionally, an erosion control volume has been assumed in this analysis. A detailed stage-storage curve will be prepared in the detailed design stage and appropriate pond outlet controls will be set to closely match the conceptual release rates assumed in this study.

Yours truly,
JFSA Canada Inc.



Paulo Pickart, B.Eng., P.Eng.
Water Resources Project Engineer



Jonathon Burnett, B.Eng., P.Eng.
Senior Water Resources Engineer



cc: J.F Sabourin, M.Eng., P.Eng.
Director of Water Resources Projects

Figures

- Figure 1: Site Overview
- Figure 2: Proposed Conditions Overview

Tables

- Table 1: Peak Flows at Node N28 under Existing Conditions
- Table 2: Subcatchment M4 - Updated Hydrological Parameters
- Table 3: Conceptual SWM Pond Erosion Control Target Release Rate
- Table 4: Existing and Proposed Conditions Peak Flows at Node N28
- Table 5: Conceptual SWM Pond Results Summary

Attachments

- Attachment A: Existing Conditions Simulations
- Attachment B: Proposed Conditions Simulations
- Attachment C: Cumulative Impact Assessment – Jock River Development, AECOM 2010


Modelling Files

- SWMHYMO: flowing (refer to Attachment A)
Creek-Post-SWM_Pond (refer to Attachment B)



Legend


- Development Boundary
- Site Plan
- Conceptual SWM Pond Block
- Watercourses



Creekside Phase 2
Subdivision


Figure 1: Site Overview

PROJECT	1355
DRAWN	PP
DATE	AUG 2024



Legend

- RVCA Node N28
- Watercourse
- Subject Site
- Post-Dev. Subcatchment
- External
- Post-Dev. Subcatchments
- Additional Drainage Area to Flowing Creek Watershed



Creekside Phase 2
Subdivision

Figure 2: Proposed Conditions
Overview

PROJECT	1355
DRAWN	PP
DATE	AUG 2024



JFSA Canada Inc.
52 Springbrook Drive,
Ottawa, ON K2S 1B9
T 613-836-3884 F 613-836-0332

jfsa.com

Attachment A

Existing Conditions Simulations


```

00001 2 Metric units
00002 *# *****
00003 *# Project Name: [Flowing] Project Number: [M800-200-050-205]
00004 *# Date : [04-03-2017]
00005 *# Modeler : [ J. Ak ]
00006 *# Company : [Rideau Valley Conservation Authority]
00007 *# License # : [S2EM46]
00008 *# *****
00009 *# April 2024 - JB - JFSA Inc
00010 *# Model updated to run just the 3hr Chicago (Per City of Ottawa) and 24hr SCS storms (per RVCA study)
00011 *# *****
00012 START
00013 *# ["23MCM3H.sta"] <- storm filename, one per line for NFORM time
00014 *# *****
00015 READ STORM
00016 *# STORM FILENAMES=["storm.001"]
00017 *# *****
00018 DEFAULT VALUES
00019 *# ICASEAB=[1], read and print values
00020 *# DEFVAL_FILENAME=["flowval.val"]
00021 *# *****
00022 *# *****
00023 *# Main channel
00024 *# *****
00025 CALIB NASHYD ID=[1], NHYD=["M1"], DT=[1]min, AREA=[136.59] (ha),
00026 DWF=[0] (cms), CN/C=[53.54], IA=[11.02] (mm),
00027 N=[3], TFS=[1.41]hrs,
00028 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00029 *# *****
00030 SAVE HYD ID=[1], # OF PFCYCLES=[1], ICASEAB=[1]
00031 HYD_COMMENT=["Runoff Hydrograph for M1"]
00032 *# *****
00033 ROUTE CHANNEL Idout=[2], NHYD=["R1"], Idin=[1],
00034 RDT=[1] (min),
00035 CHLGTB=[3000] (m), CHSLOPE=[0.55] (%),
00036 FFSLOPE=[0.55] (%),
00037 SEGNUM=[1],
00038 ( SEGROUGE, SEGDIST (m))=[0.10, 40] NSEG times
00039 *# *****
00040 ( DISTANCE (m), ELEVATION (m))=[0.00, 113.50]
00041 -0.035, 47
00042 40.00, 112.14
00043 43.00, 112.14
00044 46.00, 111.14
00045 47.00, 112.14
00046 87.00, 113.14
00047 87.00, 113.50
00048 *# *****
00049 SAVE HYD ID=[2], # OF PFCYCLES=[1], ICASEAB=[1]
00050 HYD_COMMENT=["Routing Hydrograph for R1"]
00051 *# *****
00052 CALIB NASHYD ID=[3], NHYD=["M2"], DT=[1]min, AREA=[372.64] (ha),
00053 DWF=[0] (cms), CN/C=[52.18], IA=[11.64] (mm),
00054 N=[3], TFS=[1.65]hrs,
00055 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00056 *# *****
00057 SAVE HYD ID=[3], # OF PFCYCLES=[1], ICASEAB=[1]
00058 HYD_COMMENT=["Routing Hydrograph for M2"]
00059 *# *****
00060 ADD HYD Idsum=[4], NHYD=["M2"], Ids to add=[2 + 3]
00061 *# *****
00062 SAVE HYD ID=[4], # OF PFCYCLES=[1], ICASEAB=[1]
00063 HYD_COMMENT=["Hydrograph for M2"]
00064 *# *****
00065 ROUTE CHANNEL Idout=[5], NHYD=["R2"], Idin=[4],
00066 RDT=[1] (min),
00067 CHLGTB=[4000] (m), CHSLOPE=[0.18] (%),
00068 FFSLOPE=[0.18] (%),
00069 SEGNUM=[1],
00070 ( SEGROUGE, SEGDIST (m))=[0.05, 101] NSEG times
00071 *# *****
00072 ( DISTANCE (m), ELEVATION (m))=[0.00, 99.50]
00073 -0.035, 112
00074 0.05, 212
00075 100.00, 99.50
00076 100.00, 99.18
00077 101.00, 96.18
00078 111.00, 96.18
00079 112.00, 99.18
00080 212.00, 99.18
00081 212.00, 99.50
00082 *# *****
00083 SAVE HYD ID=[5], # OF PFCYCLES=[1], ICASEAB=[1]
00084 HYD_COMMENT=["Routing Hydrograph for R2"]
00085 *# *****
00086 CALIB NASHYD ID=[6], NHYD=["M3"], DT=[1]min, AREA=[533.23] (ha),
00087 DWF=[0] (cms), CN/C=[64.04], IA=[9.56] (mm),
00088 N=[3], TFS=[2.47]hrs,
00089 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00090 *# *****
00091 SAVE HYD ID=[6], # OF PFCYCLES=[1], ICASEAB=[1]
00092 HYD_COMMENT=["Routing Hydrograph for M3"]
00093 *# *****
00094 ADD HYD Idsum=[7], NHYD=["M3"], Ids to add=[6 + 5]
00095 *# *****
00096 SAVE HYD ID=[7], # OF PFCYCLES=[1], ICASEAB=[1]
00097 HYD_COMMENT=["Hydrograph for M3"]
00098 *# *****
00099 ROUTE CHANNEL Idout=[8], NHYD=["R3"], Idin=[7],
00100 RDT=[1] (min),
00101 CHLGTB=[1500] (m), CHSLOPE=[0.6] (%),
00102 FFSLOPE=[0.6] (%),
00103 SEGNUM=[1],
00104 ( SEGROUGE, SEGDIST (m))=[0.05, 50] NSEG times
00105 *# *****
00106 ( DISTANCE (m), ELEVATION (m))=[0.00, 108.00]
00107 -0.035, 47
00108 0.00, 107.58
00109 51.00, 106.58
00110 51.00, 105.08
00111 56.00, 105.08
00112 57.00, 106.58
00113 107.00, 107.58
00114 107.00, 108.00
00115 *# *****
00116 SAVE HYD ID=[8], # OF PFCYCLES=[1], ICASEAB=[1]
00117 HYD_COMMENT=["Routing Hydrograph for R3"]
00118 *# *****
00119 CALIB NASHYD ID=[9], NHYD=["A2"], DT=[1]min, AREA=[246.39] (ha),
00120 DWF=[0] (cms), CN/C=[61.01], IA=[8.11] (mm),
00121 N=[3], TFS=[1.89]hrs,
00122 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00123 *# *****
00124 SAVE HYD ID=[9], # OF PFCYCLES=[1], ICASEAB=[1]
00125 HYD_COMMENT=["Routing Hydrograph for A2"]
00126 *# *****
00127 ADD HYD Idsum=[10], NHYD=["M1"], Ids to add=[1 + 9]
00128 *# *****
00129 SAVE HYD ID=[10], # OF PFCYCLES=[1], ICASEAB=[1]
00130 HYD_COMMENT=["Hydrograph for M1"]
00131 *# *****
00132 ROUTE CHANNEL Idout=[3], NHYD=["R4"], Idin=[2],
00133 RDT=[1] (min),
00134 CHLGTB=[3000] (m), CHSLOPE=[0.2] (%),
00135 FFSLOPE=[0.2] (%),
00136 SEGNUM=[1],
00137 ( SEGROUGE, SEGDIST (m))=[0.10, 150] NSEG times
00138 *# *****
00139 ( DISTANCE (m), ELEVATION (m))=[0.00, 100.00]
00140 -0.035, 158
00141 0.10, 308
00142 150.00, 98.87
00143 157.00, 97.87
00144 158.00, 98.87
00145 308.00, 98.87
00146 308.00, 100.00
00147 *# *****
00148 SAVE HYD ID=[3], # OF PFCYCLES=[1], ICASEAB=[1]
00149 HYD_COMMENT=["Routing Hydrograph for R4"]
00150 *# *****
00151 CALIB NASHYD ID=[4], NHYD=["A3"], DT=[1]min, AREA=[316.70] (ha),
00152 DWF=[0] (cms), CN/C=[62.82], IA=[7.52] (mm),
00153 N=[3], TFS=[2.31]hrs,
00154 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00155 *# *****
00156 SAVE HYD ID=[4], # OF PFCYCLES=[1], ICASEAB=[1]
00157 HYD_COMMENT=["Routing Hydrograph for A3"]
00158 *# *****
00159 ADD HYD Idsum=[5], NHYD=["M2"], Ids to add=[4 + 3]
00160 *# *****

```

```

00181 SAVE HYD ID=[5], # OF PFCYCLES=[1], ICASEAB=[1]
00182 HYD_COMMENT=["Hydrograph for M2"]
00183 *# *****
00184 CALIB NASHYD ID=[6], NHYD=["B1"], DT=[1]min, AREA=[627.61] (ha),
00185 DWF=[0] (cms), CN/C=[50.54], IA=[10.17] (mm),
00186 N=[3], TFS=[3.16]hrs,
00187 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00188 *# *****
00189 SAVE HYD ID=[6], # OF PFCYCLES=[1], ICASEAB=[1]
00190 HYD_COMMENT=["Runoff Hydrograph for B1"]
00191 *# *****
00192 ROUTE CHANNEL Idout=[8], NHYD=["R5"], Idin=[6],
00193 RDT=[1] (min),
00194 CHLGTB=[4500] (m), CHSLOPE=[0.87] (%),
00195 FFSLOPE=[0.87] (%),
00196 SEGNUM=[1],
00197 ( SEGROUGE, SEGDIST (m))=[0.05, 100] NSEG times
00198 *# *****
00199 ( DISTANCE (m), ELEVATION (m))=[0.00, 120.50]
00200 -0.035, 105
00201 0.00, 120.29
00202 100.00, 119.29
00203 101.00, 118.29
00204 105.00, 119.29
00205 205.00, 120.29
00206 205.00, 120.50
00207 *# *****
00208 SAVE HYD ID=[8], # OF PFCYCLES=[1], ICASEAB=[1]
00209 HYD_COMMENT=["Routing Hydrograph for R5"]
00210 *# *****
00211 CALIB NASHYD ID=[9], NHYD=["B2"], DT=[1]min, AREA=[255.45] (ha),
00212 DWF=[0] (cms), CN/C=[68.84], IA=[5.75] (mm),
00213 N=[3], TFS=[2.39]hrs,
00214 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00215 *# *****
00216 SAVE HYD ID=[9], # OF PFCYCLES=[1], ICASEAB=[1]
00217 HYD_COMMENT=["Routing Hydrograph for B2"]
00218 *# *****
00219 ADD HYD Idsum=[1], NHYD=["M2"], Ids to add=[8 + 9]
00220 *# *****
00221 SAVE HYD ID=[1], # OF PFCYCLES=[1], ICASEAB=[1]
00222 HYD_COMMENT=["Hydrograph for M2"]
00223 *# *****
00224 CALIB NASHYD ID=[2], NHYD=["B3"], DT=[1]min, AREA=[136.77] (ha),
00225 DWF=[0] (cms), CN/C=[53.92], IA=[10.85] (mm),
00226 N=[3], TFS=[3.10]hrs,
00227 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00228 *# *****
00229 SAVE HYD ID=[2], # OF PFCYCLES=[1], ICASEAB=[1]
00230 HYD_COMMENT=["Routing Hydrograph for B3"]
00231 *# *****
00232 ADD HYD Idsum=[3], NHYD=["M4"], Ids to add=[1 + 2]
00233 *# *****
00234 SAVE HYD ID=[3], # OF PFCYCLES=[1], ICASEAB=[1]
00235 HYD_COMMENT=["Hydrograph for M4"]
00236 *# *****
00237 ROUTE CHANNEL Idout=[4], NHYD=["R6"], Idin=[3],
00238 RDT=[1] (min),
00239 CHLGTB=[1500] (m), CHSLOPE=[0.48] (%),
00240 FFSLOPE=[0.48] (%),
00241 SEGNUM=[1],
00242 ( SEGROUGE, SEGDIST (m))=[0.05, 200] NSEG times
00243 *# *****
00244 ( DISTANCE (m), ELEVATION (m))=[0.00, 108.10]
00245 -0.035, 208
00246 0.05, 406
00247 200.00, 106.91
00248 201.00, 105.91
00249 205.00, 105.91
00250 236.00, 106.91
00251 406.00, 107.91
00252 406.00, 108.10
00253 *# *****
00254 SAVE HYD ID=[4], # OF PFCYCLES=[1], ICASEAB=[1]
00255 HYD_COMMENT=["Routing Hydrograph for R6"]
00256 *# *****
00257 CALIB NASHYD ID=[8], NHYD=["B4"], DT=[1]min, AREA=[124.04] (ha),
00258 DWF=[0] (cms), CN/C=[53.66], IA=[10.66] (mm),
00259 N=[3], TFS=[2.60]hrs,
00260 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00261 *# *****
00262 SAVE HYD ID=[8], # OF PFCYCLES=[1], ICASEAB=[1]
00263 HYD_COMMENT=["Routing Hydrograph for B4"]
00264 *# *****
00265 ADD HYD Idsum=[8], NHYD=["M5"], Ids to add=[6 + 8]
00266 *# *****
00267 SAVE HYD ID=[8], # OF PFCYCLES=[1], ICASEAB=[1]
00268 HYD_COMMENT=["Hydrograph for M5"]
00269 *# *****
00270 ROUTE CHANNEL Idout=[9], NHYD=["R7"], Idin=[8],
00271 RDT=[1] (min),
00272 CHLGTB=[4500] (m), CHSLOPE=[0.24] (%),
00273 FFSLOPE=[0.24] (%),
00274 SEGNUM=[1],
00275 ( SEGROUGE, SEGDIST (m))=[0.10, 200] NSEG times
00276 *# *****
00277 ( DISTANCE (m), ELEVATION (m))=[0.00, 99.00]
00278 -0.035, 209
00279 0.00, 98.77
00280 200.00, 97.77
00281 201.00, 96.57
00282 208.00, 96.57
00283 209.00, 97.77
00284 409.00, 98.77
00285 409.00, 99.00
00286 *# *****
00287 SAVE HYD ID=[9], # OF PFCYCLES=[1], ICASEAB=[1]
00288 HYD_COMMENT=["Routing Hydrograph for R7"]
00289 *# *****
00290 CALIB NASHYD ID=[2], NHYD=["M6"], DT=[1]min, AREA=[329.80] (ha),
00291 DWF=[0] (cms), CN/C=[75.44], IA=[4.14] (mm),
00292 N=[1], TFS=[2.46]hrs,
00293 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00294 *# *****
00295 SAVE HYD ID=[2], # OF PFCYCLES=[1], ICASEAB=[1]
00296 HYD_COMMENT=["Routing Hydrograph for M6"]
00297 *# *****
00298 ADD HYD Idsum=[2], NHYD=["M6"], Ids to add=[9 + 1]
00299 *# *****
00300 SAVE HYD ID=[2], # OF PFCYCLES=[1], ICASEAB=[1]
00301 HYD_COMMENT=["Hydrograph for M6"]
00302 *# *****
00303 *# Main channel combination with Trib A
00304 *# *****
00305 ADD HYD Idsum=[3], NHYD=["M23"], Ids to add=[5 + 7]
00306 *# *****
00307 SAVE HYD ID=[3], # OF PFCYCLES=[1], ICASEAB=[1]
00308 HYD_COMMENT=["Hydrograph for M23/M24"]
00309 *# *****
00310 *# Main channel combination with Trib B
00311 *# *****
00312 ADD HYD Idsum=[4], NHYD=["M25"], Ids to add=[3 + 2]
00313 *# *****
00314 SAVE HYD ID=[4], # OF PFCYCLES=[1], ICASEAB=[1]
00315 HYD_COMMENT=["Hydrograph for M25/M26"]
00316 *# *****
00317 *# Main channel combination with Catchment C
00318 *# *****
00319 CALIB NASHYD ID=[6], NHYD=["C1"], DT=[1]min, AREA=[1414.40] (ha),
00320 DWF=[0] (cms), CN/C=[65.49], IA=[6.69] (mm),
00321 N=[3], TFS=[3.40]hrs,
00322 RAINFALL=[ , , , ] (mm/hr), ENDD=1
00323 *# *****
00324 SAVE HYD ID=[6], # OF PFCYCLES=[1], ICASEAB=[1]
00325 HYD_COMMENT=["Routing Hydrograph for C1"]
00326 *# *****
00327 ADD HYD Idsum=[8], NHYD=["M27"], Ids to add=[4 + 6]
00328 *# *****
00329 SAVE HYD ID=[8], # OF PFCYCLES=[1], ICASEAB=[1]
00330 HYD_COMMENT=["Hydrograph for M27"]
00331 *# *****
00332 *# Main channel combination with Trib B
00333 *# *****
00334 ADD HYD Idsum=[9], NHYD=["R8"], Idin=[8],
00335 RDT=[1] (min)
00336 *# *****
00337 *# Main channel
00338 *# *****
00339 CALIB NASHYD ID=[9], NHYD=["R8"], Idin=[8],
00340 RDT=[1] (min)
00341 *# *****

```

```

00361>          CHLGTB=[2700] (m),      CRSLOPE=[0.05] (%),
00362>          FRSLOPE=[0.05] (%),
00363>          SECCNUM=[1],             NSEGB=[3]
00364>          ( SEGRROUGH, SEGDIST (m))=[0.10, 200] NSEGB times
00365>          -0.035, 212
00366>          0.10, 412
00367>          ( DISTANCE (m), ELEVATION (m))=[0.00, 95.50]
00368>          0.00, 94.67
00369>          205.00, 92.67
00370>          201.00, 90.67
00371>          211.00, 90.67
00372>          212.00, 92.67
00373>          412.00, 94.67
00374>          412.00, 95.50
00375> |-----|
00376> SAVE HYD ID=[9], # OF FCYCLES=[1], SCASE#=[1]
00377> HPC COMMENT=[Routing Hydrograph for RB]
00378> |-----|
00379> CALIB NASHYD ID=[1], NRUN=[144], DT=[1]min, AREA=[363.71] (ha),
00380> DMF=[0] (cm), CHVIC=[18.1], SAI=[3.24] (mm),
00381> N=[9], TP=[2.27] hrs, 1 (mm/hr), END=-1
00382> |-----|
00383> |-----|
00384> SAVE HYD ID=[1], # OF FCYCLES=[1], SCASE#=[1]
00385> HPC COMMENT=[Routing Hydrograph for MA]
00386> |-----|
00387> ADD HYD IDnum=[2], NRUN=[128], IDc to add=[ * 9]
00388> |-----|
00389> SAVE HYD ID=[2], # OF FCYCLES=[1], SCASE#=[1]
00390> HPC COMMENT=[Hydrograph for MB]
00391> |-----|
00392> * 2 Year, 3-Hour Chicago Storm
00393> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[002]
00394> ["002YCH.stm"] <--storm filename, one per line for NSTORM time
00395> |-----|
00396> * 5-Year, 3-Hour Chicago Storm
00397> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[005]
00398> ["005YCH.stm"] <--storm filename, one per line for NSTORM time
00399> |-----|
00400> * 10-Year, 3-Hour Chicago Storm
00401> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[010]
00402> ["010YCH.stm"] <--storm filename, one per line for NSTORM time
00403> |-----|
00404> * 25-Year, 3-Hour Chicago Storm
00405> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[025]
00406> ["025YCH.stm"] <--storm filename, one per line for NSTORM time
00407> |-----|
00408> * 50-Year, 3-Hour Chicago Storm
00409> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[050]
00410> ["050YCH.stm"] <--storm filename, one per line for NSTORM time
00411> |-----|
00412> * 100-Year, 3-Hour Chicago Storm
00413> START TERMO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[099]
00414> ["100YCH.stm"] <--storm filename, one per line for NSTORM time
00415> |-----|
00416> * 24 Hr SCS Storms - Per RVCA Flowing Creek Study
00417> |-----|
00418> * 2 Year 24 Hour SCS Design Storm
00419> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[102]
00420> ["2Y24.stm"] <--storm filename, one per line for NSTORM time
00421> |-----|
00422> * 5 Year 24 Hour SCS Design Storm
00423> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[105]
00424> ["5Y24.stm"] <--storm filename, one per line for NSTORM time
00425> |-----|
00426> * 10 Year 24 Hour SCS Design Storm
00427> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[120]
00428> ["10Y24.stm"] <--storm filename, one per line for NSTORM time
00429> |-----|
00430> * 20 Year 24 Hour SCS Design Storm
00431> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[150]
00432> ["20Y24.stm"] <--storm filename, one per line for NSTORM time
00433> |-----|
00434> * 50 Year 24 Hour SCS Design Storm
00435> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[199]
00436> ["50Y24.stm"] <--storm filename, one per line for NSTORM time
00437> |-----|
00438> * 100 Year 24 Hour SCS Design Storm
00439> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[200]
00440> ["200Y24.stm"] <--storm filename, one per line for NSTORM time
00441> |-----|
00442> * 350 Year 24 Hour SCS Design Storm
00443> START TERMO=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[500]
00444> ["500Y24.stm"] <--storm filename, one per line for NSTORM time
00445> |-----|
00446> FINISH

```

```

00001
00002
00003 SSSS W W M M H H Y Y M M O O 222 000 11 555
00004 S W W M M M H H Y Y M M M O O 2 0 0 11 5
00005 SSSS W W M M H H Y Y M M O O 2 0 0 11 5 Ver 5.500
00006 S W W M M M H H Y Y M M O O 222 0 0 11 555 FEB 2013
00007 SSSS W W M M H H Y Y M M O O 2 0 0 11 5
00008 *****
00009 StormWater Management Hydrologic Model 222 000 11 555 *****
00010
00011 *****
00012 ***** SWHSDWP Ver 5.000 *****
00013 ***** A single event and continuous hydrologic simulation model *****
00014 ***** based on the principles of HYMO and its successors *****
00015 ***** CFMMS3 and CFMMS3-89 *****
00016 *****
00017 ***** Distributed by: J.F. Sabourin and Associates Inc. *****
00018 ***** Ottawa, Ontario: (613) 836-3884 *****
00019 ***** Gatineau, Quebec: (819) 243-6858 *****
00020 ***** EMail: ssem@jfsa.com *****
00021 *****
00022 *****
00023 *****
00024 ***** Licensed user: JFSaInc. *****
00025 ***** SERIAL#:2549237 *****
00026 ***** Ottawa *****
00027 *****
00028 *****
00029 ***** ***** PROGRAM ARRAY DIMENSIONS *****
00030 ***** Max. number of flow points: 101 *****
00031 ***** Max. number of rainfall points: 105408 *****
00032 *****
00033 *****
00034 *****
00035 ***** S U M M A R Y O U T P U T *****
00036 ***** INPUTS 2 (1:Impisgal, 2:metric output) *****
00037 ***** RUN DATE: 2024-04-24 TIME: 11:55:21 RUN COUNTER: 098119 *****
00038 ***** Input file: C:\Users\JonathanBurnett\OneDrive - J.F. Sabourin and Associates Inc\Temp\Pre Dev\
00039 ***** Official\Flowing.dat *****
00040 ***** Output file: C:\Users\JonathanBurnett\OneDrive - J.F. Sabourin and Associates Inc\Temp\Pre Dev\
00041 ***** Official\Flowing.out *****
00042 ***** Summary file: C:\Users\JonathanBurnett\OneDrive - J.F. Sabourin and Associates Inc\Temp\Pre Dev\
00043 ***** User comments: *****
00044 ***** 1: *****
00045 ***** 2: *****
00046 ***** 3: *****
00047 *****
00048 *****
00049 *****
00050 *****
00051 *****
00052 *****
00053 *****
00054 ***** # Project Name: [Flowing] Project Number: [M800-200-050-205] *****
00055 ***** # Date [04-20-2024] *****
00056 ***** # Modeller [ AA ] *****
00057 ***** # Company [ Rideau Valley Conservation Authority ] *****
00058 ***** # License # [ 5328846 ] *****
00059 ***** # April 2024 - JB - JFSa Inc *****
00060 ***** # Model updated to run just the 3hr Chicago (Per City of Ottawa) and 24hr BCE storms (per RWCA study) *****
00061 ***** # RWCA COMMAND *****
00062 ***** *****
00063 *****
00064 *****
00065 *****
00066 ***** *****
00067 ***** (INFOFORM 2 (1:Impisgal, 2:metric output)) *****
00068 ***** (INFOFORM 1) *****
00069 ***** (RUNIN = 0001) *****
00070 *****
00071 *****
00072 *****
00073 *****
00074 *****
00075 *****
00076 *****
00077 *****
00078 *****
00079 *****
00080 *****
00081 *****
00082 *****
00083 *****
00084 *****
00085 *****
00086 *****
00087 *****
00088 *****
00089 *****
00090 *****
00091 *****
00092 *****
00093 *****
00094 *****
00095 *****
00096 *****
00097 *****
00098 *****
00099 *****
00100 *****
00101 *****
00102 *****
00103 *****
00104 *****
00105 *****
00106 *****
00107 *****
00108 *****
00109 *****
00110 *****
00111 *****
00112 *****
00113 *****
00114 *****
00115 *****
00116 *****
00117 *****
00118 *****
00119 *****
00120 *****
00121 *****
00122 *****
00123 *****
00124 *****
00125 *****
00126 *****
00127 *****
00128 *****
00129 *****
00130 *****
00131 *****
00132 *****
00133 *****
00134 *****
00135 *****
00136 *****
00137 *****
00138 *****
00139 *****
00140 *****
00141 *****
00142 *****
00143 *****
00144 *****
00145 *****
00146 *****
00147 *****
00148 *****
00149 *****
00150 *****
00151 *****
00152 *****
00153 *****
00154 *****
00155 *****
00156 *****
00157 *****
00158 *****
00159 *****
00160 *****
00161 *****
00162 *****
00163 *****
00164 *****
00165 *****
00166 *****
00167 *****
00168 *****
00169 *****
00170 *****
00171 *****
00172 *****
00173 *****
00174 *****
00175 *****
00176 *****
00177 *****
00178 *****
00179 *****
00180 *****

```

```

00361  ** END OF RUN : 1
00362
00363 .....
00364 .....
00365 .....
00366 .....
00367 .....
00368 .....
00369 *****
00370 R0002:CO0001 *****
00371 [ZERO = .00 hrs on 0]
00372 [NETOUT = 2 (Imperial, 2metric output)]
00373 [MNUM = 0002]
00374 *****
00375 # Project Name: [Flowing] Project Number: [M800-200-050-205]
00376 # Date : 04-03-2017
00377 # Modeler : J A
00378 # Company : Rideau Valley Conservation Authority
00379 # License # : 5329846
00380 *****
00381 # April 2024 - JB - JFSa Inc
00382 # Model updated to run just the 3hr Chicago (Per City of Ottawa) and 24hr SCS storms (per RVCA study)
00383 *****
00384 R0002:CO0002 *****
00385 *****
00386 *****
00387 *****
00388 *****
00389 *****
00390 *****
00391 R0002:CO0003 *****
00392 *****
00393 *****
00394 *****
00395 *****
00396 *****
00397 *****
00398 *****
00399 *****
00400 *****
00401 *****
00402 *****
00403 *****
00404 *****
00405 *****
00406 *****
00407 *****
00408 *****
00409 *****
00410 *****
00411 *****
00412 *****
00413 *****
00414 *****
00415 *****
00416 *****
00417 *****
00418 *****
00419 *****
00420 *****
00421 *****
00422 *****
00423 *****
00424 *****
00425 *****
00426 *****
00427 *****
00428 *****
00429 *****
00430 *****
00431 *****
00432 *****
00433 *****
00434 *****
00435 *****
00436 *****
00437 *****
00438 *****
00439 *****
00440 *****
00441 *****
00442 *****
00443 *****
00444 *****
00445 *****
00446 *****
00447 *****
00448 *****
00449 *****
00450 *****
00451 *****
00452 *****
00453 *****
00454 *****
00455 *****
00456 *****
00457 *****
00458 *****
00459 *****
00460 *****
00461 *****
00462 *****
00463 *****
00464 *****
00465 *****
00466 *****
00467 *****
00468 *****
00469 *****
00470 *****
00471 *****
00472 *****
00473 *****
00474 *****
00475 *****
00476 *****
00477 *****
00478 *****
00479 *****
00480 *****
00481 *****
00482 *****
00483 *****
00484 *****
00485 *****
00486 *****
00487 *****
00488 *****
00489 *****
00490 *****
00491 *****
00492 *****
00493 *****
00494 *****
00495 *****
00496 *****
00497 *****
00498 *****
00499 *****
00500 *****
00501 *****
00502 *****
00503 *****
00504 *****
00505 *****
00506 *****
00507 *****
00508 *****
00509 *****
00510 *****
00511 *****
00512 *****
00513 *****
00514 *****
00515 *****
00516 *****
00517 *****
00518 *****
00519 *****
00520 *****
00521 *****
00522 *****
00523 *****
00524 *****
00525 *****
00526 *****
00527 *****
00528 *****
00529 *****
00530 *****
00531 *****
00532 *****
00533 *****
00534 *****
00535 *****
00536 *****
00537 *****
00538 *****
00539 *****
00540 *****
00541 *****
00542 *****
00543 *****
00544 *****
00545 *****
00546 *****
00547 *****
00548 *****
00549 *****
00550 *****
00551 *****
00552 *****
00553 *****
00554 *****
00555 *****
00556 *****
00557 *****
00558 *****
00559 *****
00560 *****
00561 *****
00562 *****
00563 *****
00564 *****
00565 *****
00566 *****
00567 *****
00568 *****
00569 *****
00570 *****
00571 *****
00572 *****
00573 *****
00574 *****
00575 *****
00576 *****
00577 *****
00578 *****
00579 *****
00580 *****
00581 *****
00582 *****
00583 *****
00584 *****
00585 *****
00586 *****
00587 *****
00588 *****
00589 *****
00590 *****
00591 *****
00592 *****
00593 *****
00594 *****
00595 *****
00596 *****
00597 *****
00598 *****
00599 *****
00600 *****
00601 *****
00602 *****
00603 *****
00604 *****
00605 *****
00606 *****
00607 *****
00608 *****
00609 *****
00610 *****
00611 *****
00612 *****
00613 *****
00614 *****
00615 *****
00616 *****
00617 *****
00618 *****
00619 *****
00620 *****
00621 *****
00622 *****
00623 *****
00624 *****
00625 *****
00626 *****
00627 *****
00628 *****
00629 *****
00630 *****
00631 *****
00632 *****
00633 *****
00634 *****
00635 *****
00636 *****
00637 *****
00638 *****
00639 *****
00640 *****
00641 *****
00642 *****
00643 *****
00644 *****
00645 *****
00646 *****
00647 *****
00648 *****
00649 *****
00650 *****
00651 *****
00652 *****
00653 *****
00654 *****
00655 *****
00656 *****
00657 *****
00658 *****
00659 *****
00660 *****
00661 *****
00662 *****
00663 *****
00664 *****
00665 *****
00666 *****
00667 *****
00668 *****
00669 *****
00670 *****
00671 *****
00672 *****
00673 *****
00674 *****
00675 *****
00676 *****
00677 *****
00678 *****
00679 *****
00680 *****
00681 *****
00682 *****
00683 *****
00684 *****
00685 *****
00686 *****
00687 *****
00688 *****
00689 *****
00690 *****
00691 *****
00692 *****
00693 *****
00694 *****
00695 *****
00696 *****
00697 *****
00698 *****
00699 *****
00700 *****
00701 *****
00702 *****
00703 *****
00704 *****
00705 *****
00706 *****
00707 *****
00708 *****
00709 *****
00710 *****
00711 *****
00712 *****
00713 *****
00714 *****
00715 *****
00716 *****
00717 *****
00718 *****
00719 *****
00720 *****

```

```

007211 Average monthly Pan Evaporation data in (mm)
007212 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
007223 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
007224 Average monthly Potential Evapotranspiration in (mm)
007225 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
007226 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
007227 # Main channel
007228 R0005C00004-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007229 CALIB NASHYD 1.0 01:01M 136.59 .431 No_date 3119 3.94 .093 .000
007230 [Cm: 52.1; N= 3.00; Tpe= 1.65]
007231 R0005C00005-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007232 SAVE HYD 1.0 01:01M 136.59 .431 No_date 3119 3.94 n/a .000
007233 frame :M1.0005
007234 remark:RouteHydrograph for M1
007235 ROUTE CHANNEL -> 1.0 01:01M 136.59 .431 No_date 3119 3.94 n/a .000
007236 [RDT= 1.00] out<- 1.0 02:01M 136.59 .296 No_date 4125 3.94 n/a .000
007237 [L/S= 3000. / .550/.035]
007238 [Vmax= .521;Dmax= .441]
007239 R0005C00006-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007240 SAVE HYD 1.0 02:01M 136.59 .296 No_date 4125 3.94 n/a .000
007241 frame :R1.0005
007242 remark:Routing Hydrograph for R1
007243 CALIB NASHYD 1.0 01:01M 372.64 1.075 No_date 3120 3.62 n/a .000
007244 [Cm: 52.2; N= 3.00; Tpe= 1.65]
007245 R0005C00008-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007246 SAVE HYD 1.0 01:01M 372.64 1.075 No_date 3120 3.62 n/a .000
007247 frame :M2.0005
007248 remark:Routing Hydrograph for M2
007249 ADD HYD + 1.0 01:01M 372.64 1.075 No_date 3120 3.62 n/a .000
007250 SUM + 1.0 01:01M 372.64 1.075 No_date 3120 3.62 n/a .000
007251 R0005C00011-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007252 SAVE HYD 1.0 01:01M 509.23 1.313 No_date 3132 3.70 n/a .000
007253 frame :N1.0005
007254 remark:Hydrograph for N1
007255 ROUTE CHANNEL -> 1.0 05:01M 509.23 1.313 No_date 3132 3.70 n/a .000
007256 [RDT= 1.00] out<- 1.0 05:01M 509.23 1.313 No_date 3132 3.70 n/a .000
007257 [L/S= 4000. / .180/.035]
007258 [Vmax= .453;Dmax= .257]
007259 R0005C00013-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007260 SAVE HYD 1.0 01:01M 509.23 1.313 No_date 3132 3.70 n/a .000
007261 frame :R2.0005
007262 remark:Routing Hydrograph for R2
007263 CALIB NASHYD 1.0 01:01M 533.23 1.409 No_date 4105 4.57 .108 .000
007264 [Cm: 56.0; N= 3.00; Tpe= 2.47]
007265 R0005C00015-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007266 SAVE HYD 1.0 01:01M 533.23 1.409 No_date 4105 4.57 n/a .000
007267 frame :M3.0005
007268 remark:Routing Hydrograph for M3
007269 ADD HYD + 1.0 01:01M 533.23 1.409 No_date 4105 4.57 n/a .000
007270 SUM + 1.0 01:01M 533.23 1.409 No_date 4105 4.57 n/a .000
007271 R0005C00017-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007272 SAVE HYD 1.0 01:01M 1042.46 2.091 No_date 4125 4.15 n/a .000
007273 frame :N2.0005
007274 remark:Hydrograph for N2
007275 ROUTE CHANNEL -> 1.0 08:01M 1042.46 2.091 No_date 4125 4.15 n/a .000
007276 [RDT= 1.00] out<- 1.0 08:01M 1042.46 2.091 No_date 4125 4.15 n/a .000
007277 [L/S= 4000. / .180/.035]
007278 [Vmax= .453;Dmax= .257]
007279 R0005C00019-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007280 SAVE HYD 1.0 01:01M 1042.46 2.091 No_date 4125 4.15 n/a .000
007281 frame :R3.0005
007282 remark:Routing Hydrograph for R3
007283 CALIB NASHYD 1.0 01:01M 86.15 .292 No_date 3128 4.59 n/a .000
007284 [Cm: 56.1; N= 3.00; Tpe= 1.83]
007285 R0005C00021-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007286 SAVE HYD 1.0 01:01M 86.15 .292 No_date 3128 4.59 n/a .000
007287 frame :A1.0005
007288 remark:Routing Hydrograph for A1
007289 ROUTE CHANNEL -> 1.0 01:01M 86.15 .292 No_date 3128 4.59 n/a .000
007290 [RDT= 1.00] out<- 1.0 01:01M 86.15 .292 No_date 3128 4.59 n/a .000
007291 [L/S= 2500. / .600/.035]
007292 [Vmax= .338;Dmax= .107]
007293 R0005C00021-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007294 SAVE HYD 1.0 01:01M 86.15 .292 No_date 3128 4.59 n/a .000
007295 frame :R8.0005
007296 remark:Routing Hydrograph for R8
007297 CALIB NASHYD 1.0 01:01M 246.39 1.027 No_date 3135 6.02 .142 .000
007298 [Cm: 61.0; N= 3.00; Tpe= 2.31]
007299 R0005C00023-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007300 SAVE HYD 1.0 01:01M 246.39 1.027 No_date 3135 6.02 n/a .000
007301 frame :A2.0005
007302 remark:Routing Hydrograph for A2
007303 ADD HYD + 1.0 01:01M 246.39 1.027 No_date 3135 6.02 n/a .000
007304 SUM + 1.0 01:01M 246.39 1.027 No_date 3135 6.02 n/a .000
007305 R0005C00025-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007306 SAVE HYD 1.0 01:01M 332.54 1.226 No_date 3144 5.65 n/a .000
007307 frame :N1.0005
007308 remark:Hydrograph for N1
007309 ROUTE CHANNEL -> 1.0 02:01M 332.54 1.226 No_date 3144 5.65 n/a .000
007310 [RDT= 1.00] out<- 1.0 02:01M 332.54 1.226 No_date 3144 5.65 n/a .000
007311 [L/S= 3000. / .200/.035]
007312 [Vmax= .571;Dmax= .323]
007313 R0005C00027-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007314 SAVE HYD 1.0 01:01M 332.54 1.226 No_date 3144 5.65 n/a .000
007315 frame :R4.0005
007316 remark:Routing Hydrograph for R4
007317 CALIB NASHYD 1.0 01:01M 316.70 1.282 No_date 3153 6.61 n/a .000
007318 [Cm: 62.8; N= 3.00; Tpe= 2.31]
007319 R0005C00029-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007320 SAVE HYD 1.0 01:01M 316.70 1.282 No_date 3153 6.61 n/a .000
007321 frame :A3.0005
007322 remark:Routing Hydrograph for A3
007323 ADD HYD + 1.0 01:01M 316.70 1.282 No_date 3153 6.61 n/a .000
007324 SUM + 1.0 01:01M 316.70 1.282 No_date 3153 6.61 n/a .000
007325 R0005C00031-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007326 SAVE HYD 1.0 01:01M 649.24 2.161 No_date 4119 6.12 n/a .000
007327 frame :N1.0005
007328 remark:Hydrograph for N1
007329 ROUTE CHANNEL -> 1.0 06:01M 649.24 2.161 No_date 4119 6.12 n/a .000
007330 [RDT= 1.00] out<- 1.0 06:01M 649.24 2.161 No_date 4119 6.12 n/a .000
007331 [L/S= 4800. / .870/.035]
007332 [Vmax= 1.118;Dmax= .724]
007333 R0005C00033-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007334 SAVE HYD 1.0 01:01M 649.24 2.161 No_date 4119 6.12 n/a .000
007335 frame :R5.0005
007336 remark:Routing Hydrograph for R5
007337 CALIB NASHYD 1.0 01:01M 255.45 1.355 No_date 3155 8.31 .210 .000
007338 [Cm: 68.8; N= 3.00; Tpe= 2.39]
007339 R0005C00037-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007340 SAVE HYD 1.0 01:01M 255.45 1.355 No_date 3155 8.31 n/a .000
007341 frame :R2.0005
007342 remark:Routing Hydrograph for R2
007343 CALIB NASHYD 1.0 01:01M 627.61 1.223 No_date 4157 4.44 .104 .000
007344 [Cm: 52.5; N= 3.00; Tpe= 1.83]
007345 R0005C00039-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007346 SAVE HYD 1.0 01:01M 627.61 1.223 No_date 4157 4.44 n/a .000
007347 frame :R1.0005
007348 remark:Routing Hydrograph for R1
007349 ROUTE CHANNEL -> 1.0 06:01M 627.61 1.223 No_date 4157 4.44 n/a .000
007350 [RDT= 1.00] out<- 1.0 06:01M 627.61 1.223 No_date 4157 4.44 n/a .000
007351 [L/S= 4800. / .870/.035]
007352 [Vmax= 1.118;Dmax= .724]
007353 R0005C00041-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007354 SAVE HYD 1.0 01:01M 627.61 1.223 No_date 4157 4.44 n/a .000
007355 frame :R6.0005
007356 remark:Routing Hydrograph for R6
007357 CALIB NASHYD 1.0 01:01M 336.77 .641 No_date 4142 4.03 .093 .000
007358 [Cm: 53.5; N= 3.00; Tpe= 1.64]
007359 R0005C00043-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007360 SAVE HYD 1.0 01:01M 336.77 .641 No_date 4142 4.03 n/a .000
007361 frame :R3.0005
007362 remark:Routing Hydrograph for R3
007363 ADD HYD + 1.0 01:01M 883.06 2.194 No_date 4151 5.73 n/a .000
007364 SUM + 1.0 01:01M 883.06 2.194 No_date 4151 5.73 n/a .000
007365 R0005C00045-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007366 SAVE HYD 1.0 01:01M 883.06 2.194 No_date 4151 5.73 n/a .000
007367 frame :M2.0005
007368 remark:Routing Hydrograph for M2
007369 CALIB NASHYD 1.0 01:01M 336.77 .641 No_date 4142 4.03 .093 .000
007370 [Cm: 53.5; N= 3.00; Tpe= 1.64]
007371 R0005C00047-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007372 SAVE HYD 1.0 01:01M 336.77 .641 No_date 4142 4.03 n/a .000
007373 frame :R4.0005
007374 remark:Routing Hydrograph for R4
007375 ADD HYD + 1.0 01:01M 883.06 2.194 No_date 4151 5.73 n/a .000
007376 SUM + 1.0 01:01M 883.06 2.194 No_date 4151 5.73 n/a .000
007377 R0005C00049-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007378 SAVE HYD 1.0 01:01M 1219.83 2.834 No_date 4146 5.26 n/a .000
007379 [L/S= 1500. / .480/.035]
007380 [Vmax= 1.474;Dmax= .891]
007381 R0005C00051-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007382 SAVE HYD 1.0 01:01M 1219.83 2.834 No_date 4146 5.26 n/a .000
007383 frame :R6.0005
007384 remark:Routing Hydrograph for R6
007385 CALIB NASHYD 1.0 01:01M 224.06 .491 No_date 4113 3.97 .093 .000
007386 [Cm: 52.7; N= 3.00; Tpe= 1.64]
007387 R0005C00053-----DtmIn-ID:HYD-----AREAhA-OPEARAgns-TpeaDate_hhm-----RvM-R-C-----DMFms
007388 SAVE HYD 1.0 01:01M 224.06 .491 No_date 4113 3.97 n/a .000
007389 frame :R5.0005

```



```

02881# R0105:C00068-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02882# ADD HYD + 1.0 09:82 5243.60 27.313 No_date 14:14 18.44 n/a .000
02883# SUM# 1.0 02:818 5243.60 27.313 No_date 16:44 18.44 n/a .000
02884# R0105:C00069-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02885# SAVE HYD + 1.0 02:818 5243.60 27.313 No_date 16:44 18.44 n/a .000
02886# frame :N28.0105
02887# remark:Hydrograph for N28
02888# ** END OF RUN : 109
02889#
02890#
02891#
02892#
02893#
02894#
02895#
02896#
02897# RUN:COMMANDS
02898# R0110:C00001-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02899# START
02900# (TZERR = .00 hrs on 0)
02901# (METFORM = 2 (Imperial, Zmetric output))
02902# (NSTFORM = 1)
02903# (NSUN = 0110)
02904# # Project Name: [Flowing] Project Number: [M800-200-050-205]
02905# # Date : 04-03-2017
02906# # Modeler : [ J. AA ]
02907# # Company : Rideau Valley Conservation Authority
02908# # License # : 532884
02909# *****
02910# # April 2024 - JB - JFSA Inc
02911# # model updated to run just the 3hr Chicago (Per City of Ottawa) and 24hr SCS storms (per RWCA study)
02912# *****
02913#
02914# R0110:C00002-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02915# READ STORM
02916# Filename = storm.001
02917# Comment = 10 Year 24 Hour SCS storm
02918# (SDF=30.00;SDUR= 24.00;PFC= 82.59)
02919# R0110:C00003-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02920# DEFAULT VALUES
02921# Filename = C:\Users\JonathanBurnett\OneDrive - J.F. Sabourin and Associates Inc\Temp\Pre Dev Official\Flowing.sum
02922# ICASE# = 1 (read and print data)
02923# FileTitle= File comment: [RWCA Flowing Creek FFM]
02924# The FOLLOWING PARAMETERS ARE USED IN THE DESIGN STANDBYWYD COM
02925# Horton's infiltration equation parameters:
02926# [Fov 76.20 mm/hr] [Fov11.20 mm/hr] [DCAV= 4.14 hr] [F= .00 mm]
02927# Parameters for PERVIOUS surfaces in STANBYWYD:
02928# [Iperm= 4.67 mm] [LDP=40.00 mm] [MFP= .250]
02929# Parameters for IMPERVIOUS surfaces in STANBYWYD:
02930# [Iperm= 1.67 mm] [Cfil= 1.50] [DPR= .03]
02931# Parameters used in NAWHYD:
02932# [Ia= 1.50 mm] [M]
02933# Average Monthly Pan Evaporation data in (mm)
02934# JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
02935# .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
02936# Average monthly Potential Evapotranspiration in (mm)
02937# JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
02938# .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
02939# # Main Channel
02940# R0110:C00044-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02941# CALIB NASHYD 1.0 01:811 136.59 1.235 No_date 13:50 17.54 212 .000
02942# [Cm= 51.2; N= 3.00; Tpe= 1.64]
02943# R0110:C00045-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02944# SAVE HYD 1.0 01:811 136.59 1.235 No_date 13:50 17.54 n/a .000
02945# frame :M1.0110
02946# remark:Routing Hydrograph for M1
02947# R0110:C00046-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02948# ROUTE CHANNEL -> 1.0 01:811 136.59 1.235 No_date 13:50 17.54 n/a .000
02949# (RFS= 1.00) out<- 1.0 02:81 136.59 1.032 No_date 14:42 17.54 n/a .000
02950# [L/S= 300.7 / 5507.035]
02951# [Vmax= .82;Dmax= .274]
02952# R0110:C00047-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02953# SAVE HYD 1.0 02:81 136.59 1.032 No_date 14:42 17.54 n/a .000
02954# frame :R1.0110
02955# remark:Routing Hydrograph for R1
02956# R0110:C00048-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02957# CALIB NASHYD 1.0 01:811 372.64 3.152 No_date 13:51 16.37 201 .000
02958# [Cm= 52.2; N= 3.00; Tpe= 1.65]
02959# R0110:C00049-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02960# SAVE HYD 1.0 01:811 372.64 3.152 No_date 13:51 16.37 n/a .000
02961# frame :M2.0110
02962# remark:Routing Hydrograph for M2
02963# R0110:C00050-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02964# ADD HYD + 1.0 02:81 136.59 1.032 No_date 14:42 17.54 n/a .000
02965# SUM# 1.0 01:812 509.23 4.073 No_date 14:05 16.83 n/a .000
02966# R0110:C00051-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02967# SAVE HYD 1.0 04:821 509.23 4.073 No_date 14:05 16.83 n/a .000
02968# frame :N21.0110
02969# remark:Hydrograph for N21
02970# R0110:C00052-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02971# ROUTE CHANNEL -> 1.0 01:811 509.23 4.073 No_date 14:05 16.83 n/a .000
02972# (RFS= 1.00) out<- 1.0 05:82 509.23 3.098 No_date 15:11 16.83 n/a .000
02973# [L/S= 400.7 / 1897.035]
02974# [Vmax= 748;Dmax= .291]
02975# R0110:C00053-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02976# SAVE HYD 1.0 05:82 509.23 3.098 No_date 15:11 16.83 n/a .000
02977# frame :R2.0110
02978# remark:Routing Hydrograph for R2
02979# R0110:C00054-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02980# CALIB NASHYD 1.0 06:83 533.23 3.957 No_date 14:50 19.40 235 .000
02981# [Cm= 51.2; N= 3.00; Tpe= 1.99]
02982# R0110:C00055-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02983# SAVE HYD 1.0 06:83 533.23 3.957 No_date 14:50 19.40 n/a .000
02984# frame :M3.0110
02985# remark:Routing Hydrograph for M3
02986# R0110:C00056-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02987# ADD HYD + 1.0 06:83 533.23 3.957 No_date 14:50 19.40 n/a .000
02988# SUM# 1.0 05:82 509.23 3.098 No_date 15:11 16.83 n/a .000
02989# R0110:C00057-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02990# SAVE HYD 1.0 07:82 1042.46 7.023 No_date 15:05 18.15 n/a .000
02991# R0110:C00058-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02992# frame :N22.0110
02993# remark:Hydrograph for N22
02994# # Tril A
02995# R0110:C00059-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02996# CALIB NASHYD 1.0 01:811 86.15 .804 No_date 14:03 19.46 236 .000
02997# [Cm= 56.1; N= 3.00; Tpe= 1.83]
02998# R0110:C00060-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
02999# SAVE HYD 1.0 01:811 86.15 .804 No_date 14:03 19.46 n/a .000
03000# frame :A1.0110
03001# remark:Hydrograph for A1
03002# R0110:C00061-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03003# ROUTE CHANNEL -> 1.0 08:81 86.15 .804 No_date 14:03 19.46 n/a .000
03004# (RFS= 1.00) out<- 1.0 09:83 86.15 .684 No_date 14:57 19.46 n/a .000
03005# [L/S= 250.7 / 607.035]
03006# [Vmax= 692;Dmax= .603]
03007# R0110:C00062-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03008# SAVE HYD 1.0 09:83 86.15 .684 No_date 14:57 19.46 n/a .000
03009# frame :R3.0110
03010# remark:Routing Hydrograph for R3
03011# R0110:C00063-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03012# CALIB NASHYD 1.0 01:82 246.39 2.640 No_date 14:13 23.43 284 .000
03013# [Cm= 61.0; N= 3.00; Tpe= 1.99]
03014# R0110:C00064-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03015# SAVE HYD 1.0 01:82 246.39 2.640 No_date 14:13 23.43 n/a .000
03016# frame :A2.0110
03017# remark:Routing Hydrograph for A2
03018# R0110:C00065-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03019# ADD HYD + 1.0 09:83 86.15 .684 No_date 14:57 19.46 n/a .000
03020# SUM# 1.0 01:82 246.39 2.640 No_date 14:13 23.43 n/a .000
03021# R0110:C00066-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03022# SAVE HYD 1.0 02:811 332.54 3.273 No_date 14:23 22.40 n/a .000
03023# frame :N11.0110
03024# remark:Hydrograph for N11
03025# R0110:C00067-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03026# ROUTE CHANNEL -> 1.0 02:811 332.54 3.273 No_date 14:23 22.40 n/a .000
03027# (RFS= 1.00) out<- 1.0 03:84 332.54 2.874 No_date 15:15 22.40 n/a .000
03028# [L/S= 300.7 / 2093.035]
03029# [Vmax= .82;Dmax= .603]
03030# R0110:C00068-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03031# SAVE HYD 1.0 03:84 332.54 2.874 No_date 15:15 22.40 n/a .000
03032# frame :R4.0110
03033# remark:Routing Hydrograph for R4
03034# R0110:C00069-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03035# CALIB NASHYD 1.0 01:811 316.70 3.250 No_date 14:35 25.00 303 .000
03036# [Cm= 62.8; N= 3.00; Tpe= 2.31]
03037# R0110:C00070-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03038# SAVE HYD 1.0 01:811 316.70 3.250 No_date 14:35 25.00 n/a .000
03039# frame :A3.0110
03040# remark:Routing Hydrograph for A3
03041# R0110:C00071-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03042# ADD HYD + 1.0 04:83 316.70 3.250 No_date 14:35 25.00 n/a .000
03043# SUM# 1.0 05:812 649.24 6.044 No_date 14:55 23.67 n/a .000
03044# R0110:C00072-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03045# SAVE HYD 1.0 05:812 649.24 6.044 No_date 14:55 23.67 n/a .000
03046# frame :N12.0110
03047# remark:Hydrograph for N12
03048# # Tril B
03049# R0110:C00073-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03050# CALIB NASHYD 1.0 06:81 627.61 3.614 No_date 16:01 19.02 230 .000
03051# [Cm= 35.5; N= 3.00; Tpe= 3.36]
03052# R0110:C00074-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03053# SAVE HYD 1.0 06:81 627.61 3.614 No_date 16:01 19.02 n/a .000
03054# frame :M1.0110
03055# remark:Routing Hydrograph for M1
03056# R0110:C00075-----DtmIn-ID:HYD-----AREA#A-OPEA#Rns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
03057# ROUTE CHANNEL -> 1.0 06:81 627.61 3.614 No_date 16:01 19.02 n/a .000

```

03241< Horton's infiltration equation parameters:
03242< [Fw 16.0 mm/hr] [Fc1=1.20 mm/hr] [DCAY=4.14] [Ff= .00 mm]
03243< Parameters for IMPVIOUS surfaces in STANDHYD:
03244< [Alpha= 4.67 mm] [ISFPA=90.00 m] [IMPS=.250]
03245< Parameters for IMPVIOUS surfaces in STANDHYD:
03246< [Alpha= 1.57 mm] [CLF1=1.50] [MNI= .013]
03247< Parameters used in HARBURG:
03248< [Iaw= 1.50 mm] [N= 3.00]
03249< Average monthly Pan Evaporation data in (mm)
03250< JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
03251< .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
03252< Average monthly Potential Evapotranspiration in (mm)
03253< JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
03254< .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
03255< # Main Channel
03256< R0120/C00004 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03257< CALIB NASHYD 1.0 01:01:81 136.59 1.465 No date 13:48 23.20 /244 .000
03258< [Cm= 59.5; N= 3.00; Tp= 1.64]
03259< R0120/C00005 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03260< SAVE HYD 1.0 01:01:81 136.59 1.465 No date 13:48 23.20 n/a .000
03261< frame IM1.0120
03262< remark:Runoff Hydrograph for M1
03263< R0120/C00006 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03264< ROUTE CHANNEL -> 1.0 01:01:81 136.59 1.465 No date 13:48 23.20 n/a .000
03265< [RDT= 1.00] out<----- 1.0 02:18:1 136.59 1.465 No date 14:35 23.20 n/a .000
03266< [L/S= 3000 / .550 / .035]
03267< [Vmax= .902;Dmax= .288]
03268< R0120/C00007 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03269< SAVE HYD 1.0 02:18:1 136.59 1.465 No date 14:35 23.20 n/a .000
03270< frame IR1.0120
03271< remark:Routing Hydrograph for R1
03272< R0120/C00008 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03273< CALIB NASHYD 1.0 01:38:2 372.64 4.245 No date 13:50 22.01 /232 .000
03274< [Cm= 52.1; N= 3.00; Tp= 1.65]
03275< R0120/C00009 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03276< SAVE HYD 1.0 01:38:2 372.64 4.245 No date 13:50 22.01 n/a .000
03277< frame IM2.0120
03278< remark:Routing Hydrograph for M2
03279< R0120/C00010 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03280< Ado HYD + 1.0 01:38:2 372.64 4.245 No date 14:35 23.20 n/a .000
03281< SUMM + 1.0 01:38:2 372.64 4.245 No date 13:50 22.01 n/a .000
03282< [Vmax= .82;Dmax= .432]
03283< R0120/C00011 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03284< SAVE HYD 1.0 04:21:1 509.23 5.555 No date 14:03 22.33 n/a .000
03285< frame IM2.0120
03286< remark:Hydrograph for M2
03287< R0120/C00012 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03288< ROUTE CHANNEL -> 1.0 04:21:1 509.23 5.555 No date 14:03 22.33 n/a .000
03289< [RDT= 1.00] out<----- 1.0 05:82:2 509.23 4.342 No date 15:04 22.33 n/a .000
03290< [L/S= 4000 / .180 / .035]
03291< [Vmax= .852;Dmax= .432]
03292< R0120/C00013 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03293< SAVE HYD 1.0 05:82:2 509.23 4.342 No date 15:04 22.33 n/a .000
03294< frame IR2.0120
03295< remark:Routing Hydrograph for R2
03296< R0120/C00014 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03297< CALIB NASHYD 1.0 01:38:2 372.64 4.245 No date 14:48 25.47 /268 .000
03298< [Cm= 56.0; N= 3.00; Tp= 2.47]
03299< R0120/C00015 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03300< SAVE HYD 1.0 01:38:2 372.64 4.245 No date 14:48 25.47 n/a .000
03301< frame IM3.0120
03302< remark:Routing Hydrograph for M3
03303< R0120/C00016 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03304< Ado HYD + 1.0 06:8:3 533.23 5.252 No date 14:48 25.47 n/a .000
03305< SUMM + 1.0 06:8:3 533.23 5.252 No date 14:03 22.33 n/a .000
03306< [Vmax= .852;Dmax= .432]
03307< R0120/C00017 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03308< SAVE HYD 1.0 07:18:2 1042.46 9.575 No date 14:57 23.93 n/a .000
03309< frame IM22.0120
03310< remark:Routing Hydrograph for M22
03311< # Tril B
03312< R0120/C00018 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03313< CALIB NASHYD 1.0 08:21 86.15 1.068 No date 14:02 25.54 /269 .000
03314< [Cm= 56.1; N= 3.00; Tp= 1.83]
03315< R0120/C00019 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03316< SAVE HYD 1.0 08:21 86.15 1.068 No date 14:02 25.54 n/a .000
03317< frame IM1.0120
03318< remark:Runoff Hydrograph for A1
03319< R0120/C00020 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03320< ROUTE CHANNEL -> 1.0 08:21 86.15 1.068 No date 14:02 25.54 n/a .000
03321< [RDT= 1.00] out<----- 1.0 09:83:1 86.15 .948 No date 14:40 25.54 n/a .000
03322< [L/S= 4000 / .600 / .035]
03323< [Vmax= .828;Dmax= .249]
03324< R0120/C00021 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03325< SAVE HYD 1.0 09:83:1 86.15 .948 No date 14:40 25.54 n/a .000
03326< frame IM3.0120
03327< remark:Routing Hydrograph for M3
03328< R0120/C00022 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03329< CALIB NASHYD 1.0 01:42 246.39 3.451 No date 14:11 30.33 /219 .000
03330< [Cm= 61.0; N= 3.00; Tp= 1.89]
03331< R0120/C00023 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03332< SAVE HYD 1.0 01:42 246.39 3.451 No date 14:11 30.33 n/a .000
03333< frame IM2.0120
03334< remark:Routing Hydrograph for A2
03335< R0120/C00024 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03336< Ado HYD + 1.0 01:42 246.39 3.451 No date 14:11 30.33 n/a .000
03337< SUMM + 1.0 01:42 246.39 3.451 No date 14:01 29.09 n/a .000
03338< [Vmax= .852;Dmax= .432]
03339< R0120/C00025 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03340< SAVE HYD 1.0 01:42 246.39 3.451 No date 14:21 29.09 n/a .000
03341< frame IM11.0120
03342< remark:Hydrograph for M11
03343< R0120/C00026 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03344< ROUTE CHANNEL -> 1.0 02:11 332.54 4.363 No date 14:21 29.09 n/a .000
03345< [RDT= 1.00] out<----- 1.0 02:18:4 332.54 3.885 No date 15:06 29.09 n/a .000
03346< [L/S= 3000 / .200 / .035]
03347< [Vmax= .906;Dmax= .288]
03348< R0120/C00027 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03349< SAVE HYD 1.0 03:18:4 332.54 3.885 No date 15:06 29.09 n/a .000
03350< frame IM4.0120
03351< remark:Routing Hydrograph for R4
03352< R0120/C00028 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03353< CALIB NASHYD 1.0 04:23 316.70 4.225 No date 14:33 32.22 /339 .000
03354< [Cm= 62.1; N= 3.00; Tp= 2.31]
03355< R0120/C00029 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03356< SAVE HYD 1.0 04:23 316.70 4.225 No date 14:33 32.22 n/a .000
03357< frame IM3.0120
03358< remark:Routing Hydrograph for A3
03359< R0120/C00030 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03360< Ado HYD + 1.0 04:23 316.70 4.225 No date 14:33 32.22 n/a .000
03361< SUMM + 1.0 04:23 316.70 4.225 No date 15:06 29.09 n/a .000
03362< [Vmax= .852;Dmax= .432]
03363< R0120/C00031 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03364< SAVE HYD 1.0 05:18:2 649.24 8.034 No date 14:51 30.61 n/a .000
03365< frame IM2.0120
03366< remark:Hydrograph for M12
03367< # Tril B
03368< R0120/C00032 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03369< CALIB NASHYD 1.0 06:81 627.61 4.797 No date 15:58 25.00 /263 .000
03370< [Cm= 55.4; N= 3.00; Tp= 1.86]
03371< R0120/C00033 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03372< SAVE HYD 1.0 06:81 627.61 4.797 No date 15:58 25.00 n/a .000
03373< frame IM1.0120
03374< remark:Runoff Hydrograph for B1
03375< R0120/C00034 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03376< ROUTE CHANNEL -> 1.0 06:81 627.61 4.797 No date 15:58 25.00 n/a .000
03377< [RDT= 1.00] out<----- 1.0 02:18:4 627.61 4.678 No date 16:38 25.00 n/a .000
03378< [L/S= 4800 / .870 / .035]
03379< [Vmax= 1.75;Dmax= .729]
03380< R0120/C00035 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03381< SAVE HYD 1.0 08:85 627.61 4.678 No date 16:38 25.00 n/a .000
03382< frame IM2.0120
03383< remark:Routing Hydrograph for R5
03384< R0120/C00036 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03385< CALIB NASHYD 1.0 01:38:2 372.64 4.079 No date 14:36 39.04 /411 .000
03386< [Cm= 68.1; N= 3.00; Tp= 2.39]
03387< R0120/C00037 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03388< SAVE HYD 1.0 08:85 255.45 4.079 No date 14:36 39.04 n/a .000
03389< frame IM2.0120
03390< remark:Routing Hydrograph for R2
03391< R0120/C00038 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03392< Ado HYD + 1.0 08:85 255.45 4.079 No date 14:36 39.04 n/a .000
03393< SUMM + 1.0 08:85 255.45 4.079 No date 15:41 29.06 n/a .000
03394< [Vmax= .852;Dmax= .432]
03395< R0120/C00039 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
03396< SAVE HYD 1.0 01:18:2 883.06 8.101 No date 15:41 29.06 n/a .000
03397< frame IM2.0120
03398< remark:Hydrograph for M2
03399< R0120/C00040 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04000< CALIB NASHYD 1.0 01:38:2 372.64 4.079 No date 15:58 25.00 /263 .000
04001< [Cm= 59.5; N= 3.00; Tp= 1.64]
04002< R0120/C00041 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04003< SAVE HYD 1.0 01:38:2 372.64 4.079 No date 15:58 25.00 n/a .000
04004< frame IM3.0120
04005< remark:Routing Hydrograph for R3
04006< R0120/C00042 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04007< Ado HYD + 1.0 02:83 336.77 2.563 No date 15:38 23.53 n/a .000
04008< SUMM + 1.0 02:83 336.77 2.563 No date 15:41 27.54 n/a .000
04009< [Vmax= .852;Dmax= .432]
04010< R0120/C00043 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04011< SAVE HYD 1.0 03:18 1219.83 10.663 No date 15:41 27.54 n/a .000
04012< frame IM1.0120
04013< remark:Hydrograph for M4
04014< R0120/C00044 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04015< ROUTE CHANNEL -> 1.0 04:86 1219.83 10.534 No date 16:15 27.54 n/a .000
04016< [RDT= 1.00] out<----- 1.0 04:86 1219.83 10.534 No date 16:15 27.54 n/a .000
04017< [L/S= 4000 / .180 / .035]
04018< [Vmax= 1.253;Dmax= 1.17]
04019< R0120/C00045 ----- DtmIn-ID:HYD ----- AREha-OPEArms+TpeaDate hh:mm ----- RvMm-R.C. ----- DWfms
04020< SAVE HYD 1.0 04:86 1219.83 10.534 No date 16:15 27.54 n/a .000


```

03961 CALIB NASHYD 1.0 01:82 246.39 5.494 No_date 14:09 47.62 .387 .000
03962 [C# 61.0] N= 3.001 T= 2.131
03963 R0199:CO0023-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
03964 SAVE HYD 1.0 01:82 246.39 5.494 No_date 14:09 47.62 n/a .000
03965 frame :A2.0199
03966 remark:Routing Hydrograph for A2
03967 ADD HYD 1.0 01:82 246.39 5.494 No_date 14:09 47.62 n/a .000
03968 SUM 1.0 01:82 86.15 1.602 No_date 14:36 41.03 n/a .000
03969 [C# 62.8] N= 3.001 T= 2.131
03970 R0199:CO0025-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
03971 SAVE HYD 1.0 02:11 332.54 7.053 No_date 14:17 45.91 n/a .000
03972 frame :N11.0199
03973 remark:Hydrograph for M11
03974 ROUTE CHANNEL -> 1.0 02:11 332.54 7.053 No_date 14:17 45.91 n/a .000
03975 [RDT= 1.00] outc= 1.0 03:84 332.54 6.456 No_date 14:57 45.91 n/a .000
03976 [L/S= 3000 / .200(.035)]
03977 [Vmax= 1.064Dmax= .951]
03978 R0199:CO0027-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
03981 SAVE HYD 1.0 03:84 332.54 6.456 No_date 14:57 45.91 n/a .000
03982 frame :R4.0199
03983 remark:Routing Hydrograph for R4
03984 CALIB NASHYD 1.0 04:83 316.70 6.666 No_date 14:31 50.18 .408 .000
03985 [C# 62.8] N= 3.001 T= 2.131
03986 R0199:CO0028-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
03987 SAVE HYD 1.0 04:83 316.70 6.666 No_date 14:31 50.18 n/a .000
03988 frame :A3.0199
03989 remark:Routing Hydrograph for A3
03991 ADD HYD 1.0 04:83 316.70 6.666 No_date 14:31 50.18 n/a .000
03992 SUM 1.0 03:84 332.54 6.456 No_date 14:57 45.91 n/a .000
03993 [C# 62.8] N= 3.001 T= 2.131
03994 R0199:CO0031-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
03995 SAVE HYD 1.0 05:12 649.24 13.046 No_date 14:45 47.99 n/a .000
03996 frame :N12.0199
03997 remark:Hydrograph for M12
03998 # Trib B
04000 R0199:CO0032-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04001 CALIB NASHYD 1.0 06:81 627.61 7.836 No_date 15:53 40.27 .327 .000
04002 [C# 55.5] N= 3.001 T= 2.391
04003 R0199:CO0033-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04004 SAVE HYD 1.0 06:81 627.61 7.836 No_date 15:53 40.27 n/a .000
04005 frame :B1.0199
04006 remark:Runoff Hydrograph for B1
04007 ROUTE CHANNEL -> 1.0 06:81 627.61 7.836 No_date 15:53 40.27 n/a .000
04008 [RDT= 1.00] outc= 1.0 08:85 627.61 7.677 No_date 16:27 40.27 n/a .000
04009 [L/S= 4800 / .870(.035)]
04010 [Vmax= 2.037Dmax= .967]
04011 R0199:CO0035-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04013 SAVE HYD 1.0 08:85 627.61 7.677 No_date 16:27 40.27 n/a .000
04014 frame :B5.0199
04015 remark:Routing Hydrograph for B5
04016 CALIB NASHYD 1.0 08:85 555.45 6.252 No_date 14:34 59.21 .481 .000
04017 [C# 68.8] N= 3.001 T= 2.391
04018 R0199:CO0037-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04019 SAVE HYD 1.0 08:85 555.45 6.252 No_date 14:34 59.21 n/a .000
04020 frame :B2.0199
04021 remark:Routing Hydrograph for B2
04022 ADD HYD 1.0 08:85 627.61 7.677 No_date 16:27 40.27 n/a .000
04023 SUM 1.0 08:82 625.45 6.252 No_date 14:34 59.21 n/a .000
04024 [C# 55.5] N= 3.001 T= 2.391
04025 R0199:CO0039-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04026 SAVE HYD 1.0 01:32 883.06 13.006 No_date 15:31 45.75 n/a .000
04027 frame :N2.0199
04028 remark:Hydrograph for M2
04031 CALIB NASHYD 1.0 08:85 336.77 4.226 No_date 15:33 38.21 .311 .000
04032 [C# 59.5] N= 3.001 T= 3.101
04033 R0199:CO0041-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04034 SAVE HYD 1.0 02:81 336.77 4.226 No_date 15:33 38.21 n/a .000
04035 frame :B3.0199
04036 remark:Routing Hydrograph for B3
04037 ADD HYD 1.0 01:82 883.06 13.006 No_date 15:31 45.75 n/a .000
04038 SUM 1.0 02:83 336.77 4.226 No_date 15:33 38.21 n/a .000
04039 [C# 55.5] N= 3.001 T= 3.101
04040 R0199:CO0043-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04041 SAVE HYD 1.0 03:84 1219.83 17.231 No_date 15:31 43.67 n/a .000
04042 frame :N4.0199
04043 remark:Routing Hydrograph for N4
04044 ROUTE CHANNEL -> 1.0 04:86 1219.83 17.231 No_date 15:31 43.67 n/a .000
04045 [RDT= 1.00] outc= 1.0 04:86 1219.83 16.839 No_date 16:10 43.67 n/a .000
04046 [L/S= 1500 / .480(.035)]
04047 [Vmax= .894Dmax= 1.451]
04048 R0199:CO0045-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04051 SAVE HYD 1.0 04:86 1219.83 16.839 No_date 16:10 43.67 n/a .000
04052 frame :R6.0199
04053 remark:Routing Hydrograph for R6
04054 CALIB NASHYD 1.0 06:85 224.06 3.188 No_date 14:56 37.88 .308 .000
04055 [C# 52.7] N= 3.001 T= 2.461
04056 R0199:CO0047-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04057 SAVE HYD 1.0 06:85 224.06 3.188 No_date 14:56 37.88 n/a .000
04058 frame :B5.0199
04059 remark:Routing Hydrograph for B5
04062 ADD HYD 1.0 06:85 224.06 3.188 No_date 14:56 37.88 n/a .000
04063 SUM 1.0 04:86 1219.83 16.839 No_date 16:10 43.67 n/a .000
04064 [C# 55.5] N= 3.001 T= 2.461
04065 R0199:CO0049-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04066 SAVE HYD 1.0 08:85 1443.89 19.715 No_date 16:06 42.77 n/a .000
04067 frame :N5.0199
04068 remark:Hydrograph for M5
04069 ROUTE CHANNEL -> 1.0 08:85 1443.89 19.715 No_date 16:06 42.77 n/a .000
04070 [RDT= 1.00] outc= 1.0 08:87 1443.89 18.105 No_date 18:23 42.77 n/a .000
04071 [L/S= 4500 / .240(.035)]
04072 [Vmax= .833Dmax= 1.443]
04073 R0199:CO0051-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04074 SAVE HYD 1.0 09:87 1443.89 18.105 No_date 18:23 42.77 n/a .000
04075 frame :R7.0199
04076 remark:Routing Hydrograph for R7
04077 CALIB NASHYD 1.0 01:86 329.90 9.453 No_date 14:36 70.10 .370 .000
04078 [C# 75.4] N= 3.001 T= 2.461
04079 R0199:CO0053-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04080 SAVE HYD 1.0 01:86 329.90 9.453 No_date 14:36 70.10 n/a .000
04081 frame :B6.0199
04082 remark:Routing Hydrograph for B6
04083 ADD HYD 1.0 01:86 329.90 9.453 No_date 14:36 70.10 n/a .000
04084 SUM 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04085 [C# 52.7] N= 3.001 T= 2.461
04086 R0199:CO0055-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04087 SAVE HYD 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04088 frame :N6.0199
04089 remark:Hydrograph for M6
04090 # Main channel combination with Trib A
04091 ADD HYD 1.0 03:12 649.24 13.046 No_date 14:45 47.99 n/a .000
04092 SUM 1.0 03:12 1691.70 29.445 No_date 14:47 42.30 n/a .000
04093 [C# 55.5] N= 3.001 T= 2.461
04094 R0199:CO0057-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04095 SAVE HYD 1.0 03:12 1691.70 29.445 No_date 14:47 42.30 n/a .000
04096 frame :N23.0199
04097 remark:Hydrograph for N23/N24
04100 # Main channel combination with Trib B
04101 ADD HYD 1.0 03:12 1691.70 29.445 No_date 14:47 42.30 n/a .000
04102 SUM 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04103 [C# 55.5] N= 3.001 T= 2.461
04104 R0199:CO0059-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04105 SAVE HYD 1.0 04:25 3465.49 51.103 No_date 15:07 45.14 n/a .000
04106 frame :N25.0199
04107 remark:Hydrograph for N25/N26
04110 # Main channel combination with Catchment C
04111 CALIB NASHYD 1.0 06:81 1414.40 23.942 No_date 15:49 54.09 .440 .000
04112 [C# 61.3] N= 3.001 T= 3.401
04113 R0199:CO0061-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04114 SAVE HYD 1.0 06:81 1414.40 23.942 No_date 15:49 54.09 n/a .000
04115 frame :C1.0199
04116 remark:Routing Hydrograph for C1
04117 ADD HYD 1.0 04:25 3465.49 51.103 No_date 15:07 45.14 n/a .000
04118 SUM 1.0 06:81 1414.40 23.942 No_date 15:49 54.09 n/a .000
04119 [C# 55.5] N= 3.001 T= 3.401
04120 R0199:CO0063-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04121 SAVE HYD 1.0 08:17 4879.89 74.463 No_date 15:16 47.74 n/a .000
04122 frame :N27.0199
04123 remark:Hydrograph for N27
04126 # Main channel
04127 ROUTE CHANNEL -> 1.0 08:17 4879.89 74.463 No_date 15:16 47.74 n/a .000
04128 [RDT= 1.00] outc= 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04129 [L/S= 2700 / .050(.035)]
04130 [Vmax= .357Dmax= 3.306]
04131 R0199:CO0065-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04132 SAVE HYD 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04133 frame :R8.0199
04134 remark:Routing Hydrograph for R8
04137 CALIB NASHYD 1.0 01:84 363.71 12.209 No_date 14:21 76.79 .624 .000
04138 [C# 79.2] N= 3.001 T= 2.271

```

```

04141> R0199:CO0067-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04142> SAVE HYD 1.0 01:84 363.71 12.209 No_date 14:21 76.79 n/a .000
04143> frame :M4.0199
04144> remark:Routing Hydrograph for M4
04145> ADD HYD 1.0 01:84 363.71 12.209 No_date 14:21 76.79 n/a .000
04146> SUM 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04147> [C# 55.5] N= 3.001 T= 2.271
04148> R0199:CO0069-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04149> SAVE HYD 1.0 02:12 5243.60 65.202 No_date 17:05 49.75 n/a .000
04150> frame :N28.0199
04151> remark:Hydrograph for N28
04152> FINISH
04153> R0199:CO0002-----DtmIn-ID:HYD-----AREAh-QFEARgms-TpeakDate h:hm:m-----RvM-R-C-----DWfCms
04154> FINISH
04155> *****
04156> *****
04157> WARNING / ERROR / NOTES
04158> *****
04159> Simulation ended on 2024-04-24 at 11:55:49
04160> *****
04161>

```



JFSA Canada Inc.
52 Springbrook Drive,
Ottawa, ON K2S 1B9
T 613-836-3884 F 613-836-0332

jfsa.com

Attachment B

Proposed Conditions Simulations

Table B1: Subcatchment M4 Land Use

Code	Land Use Description	2017 RVCA Report ⁽¹⁾ Area (km²)	August 2024 Update Area (km²)
R1	Single -detached residential	0.18	0.18
C3	Other Commercial	0.01	0.01
UT	Utility	0.01	0.01
ROS	Idle and shrub Land	0.11	0.11
AG	Agriculture	2.80	2.80
V1	Vacant Land	0.37	0.29
FT	Forest	0.02	0.02
ST	Street	0.13	0.13
Total		3.64	3.547

⁽¹⁾ 2017 RVCA Flowing Creek Flood Risk Mapping from Flewellyn Road to Jock River Technical Memorandum

Table B2: Subcatchment M4 Soil Groups

Soil Group	2017 RVCA Report ⁽¹⁾		August 2024 Update	
	Area (km ²)	% of Catchment Area	Area (km ²)	% of Catchment Area
C	0.30	8.17	0.30	8.46
D	2.80	77.05	2.72	76.60
Unclassified	0.54	14.78	0.53	14.94
Total	3.64	100.00	3.55	100.00

⁽¹⁾ 2017 RVCA Flowing Creek Flood Risk Mapping from Flewellyn Road to Jock River Technical Memorandum

Table B3: Subcatchment M4 Updated CN Calculation

Code	Description	Area (km ²)	Soil Group	Indiv. Area (km ²)	CN	% of Catchment	Weighted CN
R1	Single - detached residential	0.18	C	0.01	77	0.3%	0.22
			D	0.09	82	2.5%	2.08
			Unclassified	0.08	82	2.3%	1.85
C3	Other Commercial	0.01	C	0.00	94	0.0%	0.00
			D	0.01	95	0.3%	0.27
			Unclassified	0.00	95	0.0%	0.00
UT	Utility	0.01	C	0.00	91	0.0%	0.00
			D	0.01	93	0.3%	0.26
			Unclassified	0.00	93	0.0%	0.00
ROS	Idle and Shrub Land	0.11	C	0.00	65	0.0%	0.00
			D	0.05	73	1.4%	1.03
			Unclassified	0.06	73	1.7%	1.23
AG	Agriculture	2.80	C	0.26	82	7.3%	6.01
			D	2.30	85	64.8%	55.11
			Unclassified	0.24	85	6.8%	5.75
V1	Vacant Land	0.29	C	0.00	65	0.0%	0.00
			D	0.18	73	5.0%	3.65
			Unclassified	0.11	73	3.1%	2.26
FT	Forest	0.02	C	0.00	70	0.0%	0.00
			D	0.02	77	0.6%	0.43
			Unclassified	0.00	77	0.0%	0.00
ST	Street	0.13	C	0.03	98	0.8%	0.83
			D	0.06	98	1.7%	1.66
			Unclassified	0.04	98	1.1%	1.11
Total	-	3.55	-	3.55	-	100.0%	-
						CN	84
						CN*	78

Notes:

(1) CN value for the unclassified soil group has conservatively been assumed to be equal to the CN value of the Soil Group D for the respective land use.

```

00001 2 Metric units
00002 *#-----*
00003 *# Project Name: [Creekside Subdivision] Project Number: [1355]
00004 *# Date : 2024-04-16
00005 *# Modeler : [ JF ]
00006 *# Company : J.P. Sabourin and Associates
00007 *# License # : 254927
00008 *#-----*
00009 START TERR=0.0, HETDOUT=2, HETDORM=1, NHH=100]
00010 % ["SWMHYMO.dat"] Catcher (1:10000, one per line for NFORM time
00011 *#-----*
00012 READ STORM STORM FILES=([storm.001])
00013 *#-----*
00014 DEFAULT VALUES ICASB=([1], read and print values
00015 DEVAL FILES=([swmval.vas])
00016 *#-----*
00017 SAVE ALL HYDS C=([1])
00018 *#-----*
00019 *# Main Channel
00020 *#-----*
00021 ( SEGR00GH, SEGDIST (m))=(0.05, 100) NSEG times
00022 -0.035, 105
00023 ( DISTANCE (m), ELEVATION (m))=(0.00, 120.50)
00024 0.00, 120.29
00025 100.00, 118.28
00026 101.00, 118.29
00027 104.00, 118.29
00028 105.00, 119.29
00029 205.00, 120.29
00030 205.00, 120.50
00031 *#-----*
00032 SAVE HYD ID=([1], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Runoff Hydrograph for M1"
00033 *#-----*
00034 ROUTE CHANNEL Idout=([2], NHD=([R1]), Idin=([1],
ROT=([1] (min),
CHLGT=([300] (m), CHSLOPE=(0.55) (%),
FFSLOPE=(0.55) (%),
00035 SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.10, 40) NSEG times
00036 -0.035, 47
00037 ( DISTANCE (m), ELEVATION (m))=(0.00, 113.50)
00038 0.00, 113.50
00039 40.00, 112.44
00040 41.00, 111.14
00041 40.00, 111.14
00042 47.00, 112.44
00043 87.00, 113.50
00044 *#-----*
00045 SAVE HYD ID=([2], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for R1"
00046 *#-----*
00047 CALIB NASHYD ID=([3], NHD=([M2]), DT=([1]min, AREA=[372.64] (ha),
DWF=([0] (cms), CN/C=[52.18], IA=[11.64] (mm),
N=([3], T=([1.64])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00048 *#-----*
00049 SAVE HYD ID=([3], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M2"
00050 *#-----*
00051 ADD HYD Idsum=([4], NHD=([M2]), Ids to add=[2 + 3]
00052 *#-----*
00053 SAVE HYD ID=([4], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M2"
00054 *#-----*
00055 ROUTE CHANNEL Idout=([5], NHD=([R2]), Idin=([4],
ROT=([1] (min),
CHLGT=([400] (m), CHSLOPE=(0.18) (%),
FFSLOPE=(0.18) (%),
00056 SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.05, 101) NSEG times
00057 -0.035, 112
00058 ( DISTANCE (m), ELEVATION (m))=(0.00, 99.50)
00059 0.00, 99.18
00060 100.00, 98.18
00061 101.00, 96.18
00062 111.00, 96.18
00063 112.00, 98.18
00064 212.00, 99.18
00065 212.00, 99.50
00066 *#-----*
00067 SAVE HYD ID=([5], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for R2"
00068 *#-----*
00069 CALIB NASHYD ID=([6], NHD=([M3]), DT=([1]min, AREA=[533.23] (ha),
DWF=([0] (cms), CN/C=[56.04], IA=[9.96] (mm),
N=([3], T=([2.47])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00070 *#-----*
00071 SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M3"
00072 *#-----*
00073 ADD HYD Idsum=([7], NHD=([M3]), Ids to add=[6 + 5]
00074 *#-----*
00075 SAVE HYD ID=([7], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M3"
00076 *#-----*
00077 ROUTE CHANNEL Idout=([8], NHD=([R3]), Idin=([7],
ROT=([1] (min),
CHLGT=([250] (m), CHSLOPE=(0.6) (%),
FFSLOPE=(0.6) (%),
00078 SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.05, 50) NSEG times
00079 -0.035, 57
00080 ( DISTANCE (m), ELEVATION (m))=(0.00, 108.00)
00081 0.00, 107.58
00082 50.00, 106.58
00083 51.00, 105.08
00084 56.00, 105.08
00085 57.00, 106.58
00086 107.00, 107.58
00087 107.00, 108.00
00088 *#-----*
00089 *# Trib A
00090 *#-----*
00091 CALIB NASHYD ID=([8], NHD=([A1]), DT=([1]min, AREA=[86.15] (ha),
DWF=([0] (cms), CN/C=[56.12], IA=[9.93] (mm),
N=([3], T=([1.83])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00092 *#-----*
00093 SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for A1"
00094 *#-----*
00095 ROUTE CHANNEL Idout=([9], NHD=([R4]), Idin=([8],
ROT=([1] (min),
CHLGT=([150] (m), CHSLOPE=(0.6) (%),
FFSLOPE=(0.6) (%),
00096 SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.05, 50) NSEG times
00097 -0.035, 57
00098 ( DISTANCE (m), ELEVATION (m))=(0.00, 108.00)
00099 0.00, 107.58
00100 50.00, 106.58
00101 51.00, 105.08
00102 56.00, 105.08
00103 57.00, 106.58
00104 107.00, 107.58
00105 107.00, 108.00
00106 *#-----*
00107 CALIB NASHYD ID=([9], NHD=([A2]), DT=([1]min, AREA=[246.99] (ha),
DWF=([0] (cms), CN/C=[61.01], IA=[8.11] (mm),
N=([3], T=([1.99])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00108 *#-----*
00109 SAVE HYD ID=([9], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for A2"
00110 *#-----*
00111 ADD HYD Idsum=([10], NHD=([M1]), Ids to add=[1 + 9]
00112 *#-----*
00113 SAVE HYD ID=([10], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M1"
00114 *#-----*
00115 ROUTE CHANNEL Idout=([3], NHD=([R4]), Idin=([2],
ROT=([1] (min),
CHLGT=([300] (m), CHSLOPE=(0.2) (%),
FFSLOPE=(0.2) (%),
00116 SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.10, 150) NSEG times
00117 -0.035, 158
00118 ( DISTANCE (m), ELEVATION (m))=(0.00, 100.00)
00119 0.00, 99.87
00120 150.00, 98.87
00121 151.00, 97.87
00122 151.00, 97.87
00123 158.00, 98.87
00124 308.00, 100.00
00125 *#-----*
00126 SAVE HYD ID=([3], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for R4"
00127 *#-----*
00128 CALIB NASHYD ID=([4], NHD=([A3]), DT=([1]min, AREA=[316.70] (ha),
DWF=([0] (cms), CN/C=[62.82], IA=[7.52] (mm),
N=([3], T=([2.11])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00129 *#-----*
00130 SAVE HYD ID=([4], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for A3"
00131 *#-----*
00132 ADD HYD Idsum=([5], NHD=([M2]), Ids to add=[4 + 3]
00133 *#-----*
00134 SAVE HYD ID=([5], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M2"
00135 *#-----*
00136 *# Main channel combination with Trib A
00137 *#-----*
00138 CALIB NASHYD ID=([6], NHD=([A1]), DT=([1]min, AREA=[1414.40] (ha),
DWF=([0] (cms), CN/C=[63.49], IA=[6.69] (mm),
N=([3], T=([3.40])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00139 *#-----*
00140 SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for A1"
00141 *#-----*
00142 ADD HYD Idsum=([2], NHD=([M1]), Ids to add=[9 + 2]
00143 *#-----*
00144 SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M1"
00145 *#-----*
00146 ADD HYD Idsum=([8], NHD=([M2]), Ids to add=[4 + 6]
00147 *#-----*
00148 SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M2"
00149 *#-----*
00150 *# Main channel combination with Catchment C
00151 *#-----*
00152 CALIB NASHYD ID=([6], NHD=([C1]), DT=([1]min, AREA=[1414.40] (ha),
DWF=([0] (cms), CN/C=[63.49], IA=[6.69] (mm),
N=([3], T=([3.40])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00153 *#-----*
00154 SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for C1"
00155 *#-----*
00156 ADD HYD Idsum=([8], NHD=([M2]), Ids to add=[4 + 6]
00157 *#-----*
00158 SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M2"
00159 *#-----*
00160 ROUTE CHANNEL Idout=([9], NHD=([R8]), Idin=([8],
ROT=([1] (min),
CHLGT=([2700] (m), CHSLOPE=(0.05) (%),
FFSLOPE=(0.05) (%),
00161 SEGN=([1], NSEG=([3])

```

```

00181>
00182>
00183> *# Trib B
00184>
00185>
00186>
00187> CALIB NASHYD ID=([6], NHD=([B1]), DT=([1]min, AREA=[627.61] (ha),
DWF=([0] (cms), CN/C=[55.54], IA=[10.17] (mm),
N=([3], T=([3.36])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00188>
00189>
00190> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B1"
00191> *#-----*
00192> ROUTE CHANNEL Idout=([8], NHD=([R8]), Idin=([6],
ROT=([1] (min),
CHLGT=([400] (m), CHSLOPE=(0.87) (%),
FFSLOPE=(0.87) (%),
00193>
00194> SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.05, 100) NSEG times
00195> -0.035, 105
00196> ( DISTANCE (m), ELEVATION (m))=(0.00, 120.50)
00197> 0.00, 120.29
00198> 100.00, 118.28
00199> 101.00, 118.29
00200> 104.00, 118.29
00201> 105.00, 119.29
00202> 205.00, 120.29
00203> 205.00, 120.50
00204> *#-----*
00205> SAVE HYD ID=([9], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B5"
00206> *#-----*
00207> CALIB NASHYD ID=([9], NHD=([B2]), DT=([1]min, AREA=[255.45] (ha),
DWF=([0] (cms), CN/C=[68.84], IA=[5.75] (mm),
N=([3], T=([2.39])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00208>
00209>
00210> SAVE HYD ID=([9], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B5"
00211> *#-----*
00212> ADD HYD Idsum=([1], NHD=([M2]), Ids to add=[8 + 9]
00213> *#-----*
00214> SAVE HYD ID=([1], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M2"
00215> *#-----*
00216> CALIB NASHYD ID=([2], NHD=([B3]), DT=([1]min, AREA=[336.77] (ha),
DWF=([0] (cms), CN/C=[59.92], IA=[10.86] (mm),
N=([3], T=([3.10])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00217>
00218>
00219> SAVE HYD ID=([2], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B3"
00220> *#-----*
00221> ADD HYD Idsum=([3], NHD=([M4]), Ids to add=[1 + 2]
00222> *#-----*
00223> SAVE HYD ID=([3], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M4"
00224> *#-----*
00225> ROUTE CHANNEL Idout=([4], NHD=([R6]), Idin=([3],
ROT=([1] (min),
CHLGT=([1500] (m), CHSLOPE=(0.48) (%),
FFSLOPE=(0.48) (%),
00226> ( SEGR00GH, SEGDIST (m))=(0.05, 200) NSEG times
00227> -0.035, 206
00228> ( DISTANCE (m), ELEVATION (m))=(0.00, 108.10)
00229> 0.00, 107.91
00230> 200.00, 106.91
00231> 201.00, 105.91
00232> 205.00, 105.91
00233> 206.00, 106.91
00234> 406.00, 107.91
00235> 406.00, 108.10
00236> *#-----*
00237> SAVE HYD ID=([4], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B6"
00238> *#-----*
00239> CALIB NASHYD ID=([6], NHD=([B5]), DT=([1]min, AREA=[224.06] (ha),
DWF=([0] (cms), CN/C=[53.66], IA=[10.97] (mm),
N=([3], T=([2.60])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00240>
00241>
00242> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B5"
00243> *#-----*
00244> ADD HYD Idsum=([8], NHD=([M5]), Ids to add=[6 + 4]
00245> *#-----*
00246> SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M5"
00247> *#-----*
00248> ROUTE CHANNEL Idout=([9], NHD=([R7]), Idin=([8],
ROT=([1] (min),
CHLGT=([4500] (m), CHSLOPE=(0.24) (%),
FFSLOPE=(0.24) (%),
00249> SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.10, 200) NSEG times
00250> -0.035, 209
00251> ( DISTANCE (m), ELEVATION (m))=(0.00, 99.00)
00252> 0.00, 98.77
00253> 200.00, 97.77
00254> 201.00, 96.77
00255> 208.00, 96.77
00256> 209.00, 95.77
00257> 409.00, 98.77
00258> 409.00, 99.00
00259> *#-----*
00260> CALIB NASHYD ID=([6], NHD=([B6]), DT=([1]min, AREA=[329.90] (ha),
DWF=([0] (cms), CN/C=[75.44], IA=[4.14] (mm),
N=([3], T=([2.46])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00261>
00262>
00263> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B6"
00264> *#-----*
00265> ADD HYD Idsum=([9], NHD=([M6]), Ids to add=[9 + 6]
00266> *#-----*
00267> SAVE HYD ID=([9], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M6"
00268> *#-----*
00269> ROUTE CHANNEL Idout=([8], NHD=([R7]), Idin=([8],
ROT=([1] (min),
CHLGT=([4500] (m), CHSLOPE=(0.24) (%),
FFSLOPE=(0.24) (%),
00270> SEGN=([1], NSEG=([3])
( SEGR00GH, SEGDIST (m))=(0.10, 200) NSEG times
00271> -0.035, 209
00272> ( DISTANCE (m), ELEVATION (m))=(0.00, 99.00)
00273> 0.00, 98.77
00274> 200.00, 97.77
00275> 201.00, 96.77
00276> 208.00, 96.77
00277> 209.00, 95.77
00278> 409.00, 98.77
00279> 409.00, 99.00
00280> *#-----*
00281> CALIB NASHYD ID=([6], NHD=([B7]), DT=([1]min, AREA=[329.90] (ha),
DWF=([0] (cms), CN/C=[75.44], IA=[4.14] (mm),
N=([3], T=([2.46])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00282>
00283>
00284> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for B7"
00285> *#-----*
00286> ADD HYD Idsum=([9], NHD=([M6]), Ids to add=[9 + 6]
00287> *#-----*
00288> SAVE HYD ID=([9], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M6"
00289> *#-----*
00290> *# Main channel combination with Trib B
00291> *#-----*
00292> CALIB NASHYD ID=([6], NHD=([C1]), DT=([1]min, AREA=[1414.40] (ha),
DWF=([0] (cms), CN/C=[63.49], IA=[6.69] (mm),
N=([3], T=([3.40])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00293>
00294>
00295> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for C1"
00296> *#-----*
00297> ADD HYD Idsum=([2], NHD=([M6]), Ids to add=[9 + 2]
00298> *#-----*
00299> SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for M6"
00300> *#-----*
00301> *# Main channel combination with Trib C
00302> *#-----*
00303> CALIB NASHYD ID=([6], NHD=([C1]), DT=([1]min, AREA=[1414.40] (ha),
DWF=([0] (cms), CN/C=[63.49], IA=[6.69] (mm),
N=([3], T=([3.40])hrs,
RAINFALL=[ , , , ] (mm/hr), ENDD=1
00304>
00305>
00306> SAVE HYD ID=([6], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Routing Hydrograph for C1"
00307> *#-----*
00308> ADD HYD Idsum=([8], NHD=([M7]), Ids to add=[4 + 6]
00309> *#-----*
00310> SAVE HYD ID=([8], # OF FCYCLES=[1], ICASB=([1])
HYD COMMENT="Hydrograph for M7"
00311> *#-----*
00312> ROUTE CHANNEL Idout=([9], NHD=([R8]), Idin=([8],
ROT=([1] (min),
CHLGT=([2700] (m), CHSLOPE=(0.05) (%),
FFSLOPE=(0.05) (%),
00313> SEGN=([1], NSEG=([3])

```

```

00361* ( SEGDROUGH, SEGDIST (m))=(0.10, 200) NSEG times
00362* -0.035, 212
00363* 0.10, 412
00364* ( DISTANCE (m), ELEVATION (m))=(0.00 ,95.50)
00365* 0.00 ,94.67
00366* 200.00 ,92.67
00367* 203.00 ,90.67
00368* 211.00 ,90.67
00369* 212.00 ,92.67
00370* 412.00 ,94.67
00371* 412.00 ,95.50
00372* *-----|-----|
00373* SAVE HYD ID=[9], # OF FCYCLES=[1], ICASE=[1]
00374* HYD_COMMENT=["Routing Hydrograph for R9"]
00375* *-----|-----|
00376* * Updated catchment M4
00377* CALIB NASHHYD ID=[1], NHYD=["M4"], DT=[1min], AREA=[354.74] (ha),
00378* DWF=[0] (cms), CM/C=[78], IA=[3.62] (mm),
00379* N=[3], TPE=[2.27] hrs,
00380* RAINFALL[ , , , ] (mm/hr), ENDS=-1
00381* *-----|-----|
00382* SAVE HYD ID=[1], # OF FCYCLES=[1], ICASE=[1]
00383* HYD_COMMENT=["Routing Hydrograph for M4"]
00384* *-----|-----|
00385* * Creekside Subdivision - Post Development
00386* CALIB STANDHYD ID=[2], NHYD=["CRK"], DT=[1min], AREA=[24.63] (ha),
00387* XCHW=[0.33], TDM=[0.62], DWF=[0] (cms), LQSS=[1],
00388* Horton: F0=[76.20] (mm/hr), Fc=[13.20] (mm/hr),
00389* DCA=[4.14] (hr), F=[0.0] (mm),
00390* Pervious surfaces: IASp=[4.97] (mm), SLFP=[2.0] (%)
00391* LSP=[40] (m), NMF=[0.25], SCP=[0] (min),
00392* Impervious surfaces: IASp=[1.57] (mm), SLFP=[0.3] (%)
00393* LSP=[405] (m), NMF=[0.03], SCI=[0] (min),
00394* RAINFALL[ , , , ] (mm/hr), ENDS=-1
00395* *-----|-----|
00396* * Creekside Subdivision - SWM Pond Routing
00397* ROUTE RESERVOIR IDout=[3], NRC=[ "Pond-Out" ], IDin=[2], RDT=[1] (min),
00398* TABLE OF ( OUTFLOW-STORAGE ) values
00399* (cms) (ha-m)
00400* [ 0 , 0 ]
00401* [ 0.01 , 0.0985 ]
00402* [ 0.047 , 0.435 ]
00403* [ 7.5 , 0.500 ]
00404* [ , , , ] (max twenty pts)
00405* IDovf=[4], NHYDOvf=["Pond-Ovf"]
00406* *-----|-----|
00407* ADD HYD ID=[5], NHYD=["M4"], ID to add=[ 3 + 4 + 9 ]
00408* *-----|-----|
00409* SAVE HYD ID=[5], # OF FCYCLES=[1], ICASE=[1]
00410* HYD_COMMENT=["Hydrograph For M4"]
00411* *-----|-----|
00412* *-----|-----|
00413* *-----|-----|
00414* *-----|-----|
00415* * 2-Year, 3-Hour Chicago Storm
00416* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[002]
00417* ["002YCH3.stm"] <--storm filename, one per line for NSTORM time
00418* *-----|-----|
00419* * 5-Year, 3-Hour Chicago Storm
00420* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[005]
00421* ["005YCH3.stm"] <--storm filename, one per line for NSTORM time
00422* *-----|-----|
00423* * 10-Year, 3-Hour Chicago Storm
00424* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[010]
00425* ["010YCH3.stm"] <--storm filename, one per line for NSTORM time
00426* *-----|-----|
00427* * 25-Year, 3-Hour Chicago Storm
00428* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[025]
00429* ["025YCH3.stm"] <--storm filename, one per line for NSTORM time
00430* *-----|-----|
00431* * 50-Year, 3-Hour Chicago Storm
00432* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[050]
00433* ["050YCH3.stm"] <--storm filename, one per line for NSTORM time
00434* *-----|-----|
00435* * 100-Year, 3-Hour Chicago Storm
00436* START TIERD=[0.0], METOUT=[2], NSTORM=[1], NRUN=[099]
00437* ["100YCH3.stm"] <--storm filename, one per line for NSTORM time
00438* *-----|-----|
00439* *-----|-----|
00440* *-----|-----|
00441* * 2 Year 24 Hour SCS Design Storm
00442* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[102]
00443* ["2Y24.stm"] <--storm filename, one per line for NSTORM time
00444* *-----|-----|
00445* * 5 Year 24 Hour SCS Design Storm
00446* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[105]
00447* ["5Y24.stm"] <--storm filename, one per line for NSTORM time
00448* *-----|-----|
00449* * 10 Year 24 Hour SCS Design Storm
00450* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[110]
00451* ["10Y24.stm"] <--storm filename, one per line for NSTORM time
00452* *-----|-----|
00453* * 20 Year 24 Hour SCS Design Storm
00454* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[120]
00455* ["20Y24.stm"] <--storm filename, one per line for NSTORM time
00456* *-----|-----|
00457* * 50 Year 24 Hour SCS Design Storm
00458* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[150]
00459* ["50Y24.stm"] <--storm filename, one per line for NSTORM time
00460* *-----|-----|
00461* * 100 Year 24 Hour SCS Design Storm
00462* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[199]
00463* ["100Y24.stm"] <--storm filename, one per line for NSTORM time
00464* *-----|-----|
00465* * 200 Year 24 Hour SCS Design Storm
00466* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[200]
00467* ["200Y24.stm"] <--storm filename, one per line for NSTORM time
00468* *-----|-----|
00469* * 350 Year 24 Hour SCS Design Storm
00470* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[350]
00471* ["350Y24.stm"] <--storm filename, one per line for NSTORM time
00472* *-----|-----|
00473* * 500 Year 24 Hour SCS Design Storm
00474* START TIERD=[0.0]hrs or date, METOUT=[2], NSTORM=[1], NRUN=[500]
00475* ["500Y24.stm"] <--storm filename, one per line for NSTORM time
00476* *-----|-----|
00477* FINISH

```

00001 =====
00002
00003 SSSSS W W M M H H Y Y M M O O 222 000 11 5555
00004 S W W M M M M H H Y Y M M M O O 2 0 0 11 5
00005 SSSSS W W M M H H Y Y M M M O O 2 0 0 11 5 Ver 5.500
00006 S W W M M H H Y Y M M O O 222 0 0 11 555 FEB 2013
00007 SSSSS W W M M H H Y Y M M O O 2 0 0 11 5
00008 2 0 0 11 5
00009 Stormwater Management Hydrologic Model 222 000 11 555
00010
00011
00012
00013
00014
00015
00016
00017
00018
00019
00020
00021
00022
00023
00024
00025
00026
00027
00028
00029
00030
00031
00032
00033
00034
00035
00036
00037
00038
00039
00040
00041
00042
00043
00044
00045
00046
00047
00048
00049
00050
00051
00052
00053
00054
00055
00056
00057
00058
00059
00060
00061
00062
00063
00064
00065
00066
00067
00068
00069
00070
00071
00072
00073
00074
00075
00076
00077
00078
00079
00080
00081
00082
00083
00084
00085
00086
00087
00088
00089
00090
00091
00092
00093
00094
00095
00096
00097
00098
00099
00100
00101
00102
00103
00104
00105
00106
00107
00108
00109
00110
00111
00112
00113
00114
00115
00116
00117
00118
00119
00120
00121
00122
00123
00124
00125
00126
00127
00128
00129
00130
00131
00132
00133
00134
00135
00136
00137
00138
00139
00140
00141
00142
00143
00144
00145
00146
00147
00148
00149
00150
00151
00152
00153
00154
00155
00156
00157
00158
00159
00160
00161
00162
00163
00164
00165
00166
00167
00168
00169
00170
00171
00172
00173
00174
00175
00176
00177
00178
00179
00180
00181
00182
00183
00184
00185
00186
00187
00188
00189
00190
00191
00192
00193
00194
00195
00196
00197
00198
00199
00200
00201
00202
00203
00204
00205
00206
00207
00208
00209
00210
00211
00212
00213
00214
00215
00216
00217
00218
00219
00220
00221
00222
00223
00224
00225
00226
00227
00228
00229
00230
00231
00232
00233
00234
00235
00236
00237
00238
00239
00240
00241
00242
00243
00244
00245
00246
00247
00248
00249
00250
00251
00252
00253
00254
00255
00256
00257
00258
00259
00260
00261
00262
00263
00264
00265
00266
00267
00268
00269
00270
00271
00272
00273
00274
00275
00276
00277
00278
00279
00280
00281
00282
00283
00284
00285
00286
00287
00288
00289
00290
00291
00292
00293
00294
00295
00296
00297
00298
00299
00300
00301
00302
00303
00304
00305
00306
00307
00308
00309
00310
00311
00312
00313
00314
00315
00316
00317
00318
00319
00320
00321
00322
00323
00324
00325
00326
00327
00328
00329
00330
00331
00332
00333
00334
00335
00336
00337
00338
00339
00340
00341
00342
00343
00344
00345
00346
00347
00348
00349
00350
00351
00352
00353
00354
00355
00356
00357
00358
00359
00360
00361
00362
00363
00364
00365
00366
00367
00368
00369
00370
00371
00372
00373
00374
00375
00376
00377
00378
00379
00380
00381
00382
00383
00384
00385
00386
00387
00388
00389
00390
00391
00392
00393
00394
00395
00396
00397
00398
00399
00400
00401
00402
00403
00404
00405
00406
00407
00408
00409
00410
00411
00412
00413
00414
00415
00416
00417
00418
00419
00420
00421
00422
00423
00424
00425
00426
00427
00428
00429
00430
00431
00432
00433
00434
00435
00436
00437
00438
00439
00440
00441
00442
00443
00444
00445
00446
00447
00448
00449
00450
00451
00452
00453
00454
00455
00456
00457
00458
00459
00460
00461
00462
00463
00464
00465
00466
00467
00468
00469
00470
00471
00472
00473
00474
00475
00476
00477
00478
00479
00480
00481
00482
00483
00484
00485
00486
00487
00488
00489
00490
00491
00492
00493
00494
00495
00496
00497
00498
00499
00500
00501
00502
00503
00504
00505
00506
00507
00508
00509
00510
00511
00512
00513
00514
00515
00516
00517
00518
00519
00520
00521
00522
00523
00524
00525
00526
00527
00528
00529
00530
00531
00532
00533
00534
00535
00536
00537
00538
00539
00540
00541
00542
00543
00544
00545
00546
00547
00548
00549
00550
00551
00552
00553
00554
00555
00556
00557
00558
00559
00560
00561
00562
00563
00564
00565
00566
00567
00568
00569
00570
00571
00572
00573
00574
00575
00576
00577
00578
00579
00580
00581
00582
00583
00584
00585
00586
00587
00588
00589
00590
00591
00592
00593
00594
00595
00596
00597
00598
00599
00600
00601
00602
00603
00604
00605
00606
00607
00608
00609
00610
00611
00612
00613
00614
00615
00616
00617
00618
00619
00620
00621
00622
00623
00624
00625
00626
00627
00628
00629
00630
00631
00632
00633
00634
00635
00636
00637
00638
00639
00640
00641
00642
00643
00644
00645
00646
00647
00648
00649
00650
00651
00652
00653
00654
00655
00656
00657
00658
00659
00660
00661
00662
00663
00664
00665
00666
00667
00668
00669
00670
00671
00672
00673
00674
00675
00676
00677
00678
00679
00680
00681
00682
00683
00684
00685
00686
00687
00688
00689
00690
00691
00692
00693
00694
00695
00696
00697
00698
00699
00700
00701
00702
00703
00704
00705
00706
00707
00708
00709
00710
00711
00712
00713
00714
00715
00716
00717
00718
00719
00720
00721
00722
00723
00724
00725
00726
00727
00728
00729
00730
00731
00732
00733
00734
00735
00736
00737
00738
00739
00740
00741
00742
00743
00744
00745
00746
00747
00748
00749
00750
00751
00752
00753
00754
00755
00756
00757
00758
00759
00760
00761
00762
00763
00764
00765
00766
00767
00768
00769
00770
00771
00772
00773
00774
00775
00776
00777
00778
00779
00780
00781
00782
00783
00784
00785
00786
00787
00788
00789
00790
00791
00792
00793
00794
00795
00796
00797
00798
00799
00800
00801
00802
00803
00804
00805
00806
00807
00808
00809
00810
00811
00812
00813
00814
00815
00816
00817
00818
00819
00820
00821
00822
00823
00824
00825
00826
00827
00828
00829
00830
00831
00832
00833
00834
00835
00836
00837
00838
00839
00840
00841
00842
00843
00844
00845
00846
00847
00848
00849
00850
00851
00852
00853
00854
00855
00856
00857
00858
00859
00860
00861
00862
00863
00864
00865
00866
00867
00868
00869
00870
00871
00872
00873
00874
00875
00876
00877
00878
00879
00880
00881
00882
00883
00884
00885
00886
00887
00888
00889
00890
00891
00892
00893
00894
00895
00896
00897
00898
00899
00900
00901
00902
00903
00904
00905
00906
00907
00908
00909
00910
00911
00912
00913
00914
00915
00916
00917
00918
00919
00920
00921
00922
00923
00924
00925
00926
00927
00928
00929
00930
00931
00932
00933
00934
00935
00936
00937
00938
00939
00940
00941
00942
00943
00944
00945
00946
00947
00948
00949
00950
00951
00952
00953
00954
00955
00956
00957
00958
00959
00960
00961
00962
00963
00964
00965
00966
00967
00968
00969
00970
00971
00972
00973
00974
00975
00976
00977
00978
00979
00980
00981
00982
00983
00984
00985
00986
00987
00988
00989
00990
00991
00992
00993
00994
00995
00996
00997
00998
00999
01000

00361 | [Impervious area: IArea=1.5718E+05, S01SLP=405.1MM, S01SIC= 0]
00362 | # Creekside Subdivision - SWM Pond Routing
00363 | R0001C00070 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00364 | ROUTE RESERVOIR -> 1.0 02:CRK 24.63 1.467 No_date 1:05 13.75 n/a .000
00365 | ROUTE CHANNEL -> 1.0 03:RND 24.63 0.94 No_date 3:12 13.74 n/a .000
00366 | overflow <= 1.0 04:Pond-Ovf 0.00 0.00 No_date 0:00 0.00 n/a .000
00367 | (MaxSto=2.138E+00, ForcVol=0.000E+00 m3, TotDvVol= 0, TotDvOvF= 0.0hrs)
00368 | R0001C00071 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00369 | ADD HYD + 1.0 01:RA 354.74 1.084 No_date 3:49 4.91 n/a .000
00370 | + 1.0 03:Pond-Ovf 24.63 0.94 No_date 3:12 13.74 n/a .000
00371 | + 1.0 04:Pond-Ovf 0.00 0.00 No_date 0:00 0.00 n/a .000
00372 | SUM= 1.0 05:RND 487.49 2.773 No_date 6:06 1.71 n/a .000
00373 | R0001C00072 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00374 | SAVE HYD 1.0 01:RA 354.74 1.084 No_date 3:49 4.91 n/a .000
00375 | R0001C00073 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00376 | frame N28.0002
00377 | remark:Hydrograph for N28
00378 | ** END OF RUN : 1
00379 |
00380 |
00381 |
00382 |
00383 |
00384 |
00385 |
00386 | RUN:COMMANDS
00387 | R0002C00001 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00388 | START
00389 | (TZERO = 0.0 hrs on 0)
00390 | METOPTS = 1 (Impervial, 2:metric output)
00391 | (MFORMS = 1)
00392 | (MIND = 0)
00393 |
00394 | # Project Name: [Creekside Subdivision] Project Number: [1355]
00395 | # Date: [2/24/2024]
00396 | # Modeler: [J F]
00397 | # Company: [J.F. Sabin and Associates]
00398 | # License #: [2549237]
00399 |
00400 | R0002C00002 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00401 | READ STORM
00402 | FileName = storm.001
00403 | Comment = CHICAGO STORM 2 Year, 3 Hours
00404 | (SD7=1.0;SDUR= 3.00;TP= 31.86)
00405 | R0002C00003 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00406 | DEFAULT VALUES
00407 | Parameters used in STANHYD:
00408 | ICASESV = 1 (read and print data)
00409 | FileTitle File comment: [RVA Flowing Creek FFM]
00410 | THE FOLLOWING PARAMETERS ARE USED IN THE DESIGN STANHYD COM
00411 | Horton's infiltration equation parameters:
00412 | [F= 7.0 mm/hr] [F0= 1.0 mm/hr] [KCN= 4.14 1/h] [F= .00 mm]
00413 | Parameters for PERVIOUS surfaces in STANHYD:
00414 | [Ipaq= 4.67 mm] [LQF=40.00 mm] [MNP= 230]
00415 | Parameters for IMPVIOUS surfaces in STANHYD:
00416 | [Ialpm= 1.57 mm] [CL=1.50] [MNI= .013]
00417 | Parameters used in SAVHYD:
00418 | [Ia= 1.50 mm] [N= 3.00]
00419 | Average monthly Evap Evaporation data in (mm)
00420 | JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
00421 | .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
00422 | Average monthly Evap Evaporation data in (mm)
00423 | JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
00424 | .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
00425 | R0002C00004 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00426 |
00427 | I SAVE HYD | START SAVING ALL SIMULATED HYDROGRAPHS.
00428 |
00429 |
00430 |
00431 |
00432 | # Main Channel
00433 | R0002C00005 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00434 | CALIB MASHYD 1.0 01:RA 136.59 1.97 No_date 3:24 1.80 0.057 .000
00435 | (CN= 52.1; N= 3.00; TP= 1.65)
00436 | R0002C00006 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00437 | SAVE HYD 1.0 01:RA 136.59 1.97 No_date 3:24 1.80 n/a .000
00438 | frame M1.0002
00439 | remark:Runoff Hydrograph for M1
00440 | R0002C00007 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00441 | ROUTE CHANNEL -> 1.0 01:RA 136.59 1.97 No_date 3:24 1.80 n/a .000
00442 | (RDT= 1.0) out<= 1.0 02:R1 136.59 1.33 No_date 4:44 1.80 n/a .000
00443 | (L/S= 3000 / .550 / .035)
00444 | (Vmax = .44; Dmax = .987)
00445 | R0002C00008 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00446 | SAVE HYD 1.0 02:R1 136.59 1.33 No_date 4:44 1.80 n/a .000
00447 | frame R1.0002
00448 | remark:Routing Hydrograph for R1
00449 | R0002C00009 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00450 | CALIB MASHYD 1.0 01:RA 372.64 4.81 No_date 3:26 1.62 n/a .000
00451 | (CN= 52.1; N= 3.00; TP= 1.65)
00452 | R0002C00010 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00453 | SAVE HYD 1.0 01:RA 372.64 4.81 No_date 3:26 1.62 n/a .000
00454 | frame R2.0002
00455 | remark:Routing Hydrograph for R2
00456 | R0002C00011 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00457 | ADD HYD + 1.0 01:RA 372.64 4.81 No_date 3:26 1.62 n/a .000
00458 | + 1.0 03:RND 372.64 4.81 No_date 3:26 1.62 n/a .000
00459 | SUM= 1.0 04:R1 509.23 5.84 No_date 3:37 1.67 n/a .000
00460 | (Vmax = 3.81; Dmax = .951)
00461 | R0002C00012 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00462 | SAVE HYD 1.0 04:R1 509.23 5.84 No_date 3:37 1.67 n/a .000
00463 | frame N21.0002
00464 | remark:Hydrograph for N21
00465 | R0002C00013 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00466 | ROUTE CHANNEL -> 1.0 01:RA 509.23 5.84 No_date 3:37 1.67 n/a .000
00467 | (RDT= 1.0) out<= 1.0 05:R2 509.23 3.24 No_date 5:14 1.67 n/a .000
00468 | (L/S= 3000 / .550 / .035)
00469 | (Vmax = .353; Dmax = .141)
00470 | R0002C00014 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00471 | SAVE HYD 1.0 05:R2 509.23 3.24 No_date 5:14 1.67 n/a .000
00472 | frame R2.0002
00473 | remark:Routing Hydrograph for R2
00474 | R0002C00015 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00475 | CALIB MASHYD 1.0 01:RA 533.23 6.68 No_date 4:09 2.17 0.08 .000
00476 | (CN= 52.1; N= 3.00; TP= 4.71)
00477 | R0002C00016 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00478 | SAVE HYD 1.0 01:RA 533.23 6.68 No_date 4:09 2.17 n/a .000
00479 | frame M3.0002
00480 | remark:Routing Hydrograph for M3
00481 | R0002C00017 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00482 | ADD HYD + 1.0 01:RA 533.23 6.68 No_date 4:09 2.17 n/a .000
00483 | + 1.0 03:RND 533.23 6.68 No_date 4:09 2.17 n/a .000
00484 | SUM= 1.0 07:R2 1042.46 9.48 No_date 4:31 1.92 n/a .000
00485 | (Vmax = 3.81; Dmax = .951)
00486 | R0002C00018 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00487 | SAVE HYD 1.0 07:R2 1042.46 9.48 No_date 4:31 1.92 n/a .000
00488 | frame N22.0002
00489 | remark:Hydrograph for N22
00490 | # Trib A
00491 | R0002C00019 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00492 | CALIB MASHYD 1.0 01:RA 86.15 1.19 No_date 3:33 2.18 n/a .000
00493 | (CN= 56.1; N= 3.00; TP= 1.83)
00494 | R0002C00020 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00495 | SAVE HYD 1.0 01:RA 86.15 1.19 No_date 3:33 2.18 n/a .000
00496 | frame RA.0002
00497 | remark:Runoff Hydrograph for A1
00498 | R0002C00021 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00499 | ROUTE CHANNEL -> 1.0 01:RA 86.15 1.19 No_date 3:33 2.18 n/a .000
00500 | (RDT= 1.0) out<= 1.0 09:R3 86.15 1.10 No_date 4:39 2.18 n/a .000
00501 | (L/S= 2500 / .600 / .035)
00502 | (Vmax = 3.81; Dmax = .951)
00503 | R0002C00022 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00504 | SAVE HYD 1.0 09:R3 86.15 1.10 No_date 4:39 2.18 n/a .000
00505 | frame R3.0002
00506 | remark:Routing Hydrograph for R3
00507 | R0002C00023 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00508 | CALIB MASHYD 1.0 01:RA 246.39 5.17 No_date 3:39 3.03 0.95 .000
00509 | (CN= 61.0; N= 3.00; TP= 4.99)
00510 | R0002C00024 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00511 | SAVE HYD 1.0 01:RA 246.39 5.17 No_date 3:39 3.03 n/a .000
00512 | frame RA.0002
00513 | remark:Routing Hydrograph for R2
00514 | R0002C00025 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00515 | ADD HYD + 1.0 01:RA 246.39 5.17 No_date 3:39 3.03 n/a .000
00516 | + 1.0 09:R3 86.15 1.10 No_date 4:39 2.18 n/a .000
00517 | SUM= 1.0 12:R1 332.54 6.11 No_date 3:48 2.81 n/a .000
00518 | R0002C00026 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00519 | SAVE HYD 1.0 02:R1 332.54 6.11 No_date 3:48 2.81 n/a .000
00520 | frame N11.0002
00521 | remark:Hydrograph for N11
00522 | R0002C00027 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00523 | ROUTE CHANNEL -> 1.0 02:R1 332.54 6.11 No_date 3:48 2.81 n/a .000
00524 | (RDT= 1.0) out<= 1.0 03:R4 332.54 4.16 No_date 4:51 2.81 n/a .000
00525 | (L/S= 3000 / .200 / .035)
00526 | (Vmax = .438; Dmax = .18)
00527 | R0002C00028 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00528 | SAVE HYD 1.0 03:R4 332.54 4.16 No_date 4:51 2.81 n/a .000
00529 | frame RA.0002
00530 | remark:Routing Hydrograph for R4
00531 | R0002C00029 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00532 | CALIB MASHYD 1.0 01:RA 316.70 6.57 No_date 3:56 3.39 1.06 .000
00533 | (CN= 56.1; N= 3.00; TP= 2.31)
00534 | R0002C00030 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00535 | SAVE HYD 1.0 01:RA 316.70 6.57 No_date 3:56 3.39 n/a .000
00536 | frame RA.0002
00537 | remark:Routing Hydrograph for A3
00538 | R0002C00031 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00539 | ADD HYD + 1.0 01:RA 316.70 6.57 No_date 3:56 3.39 n/a .000
00540 | + 1.0 03:R4 332.54 4.16 No_date 4:51 2.81 n/a .000
00541 | SUM= 1.0 05:R2 649.24 1.02 No_date 4:30 3.09 n/a .000
00542 | R0002C00032 -----DtmIn-ID:HYD-----AREHA-OPEARCs-TPeakDate_hh:mm-----RvM-R-C-----DWfms
00543 |
00544 |
00545 |
00546 |
00547 |
00548 |
00549 |
00550 |
00551 |
00552 |
00553 |
00554 |
00555 |
00556 |
00557 |
00558 |
00559 |
00560 |
00561 |
00562 |
00563 |
00564 |
00565 |
00566 |
00567 |
00568 |
00569 |
00570 |
00571 |
00572 |
00573 |
00574 |
00575 |
00576 |
00577 |
00578 |
00579 |
00580 |
00581 |
00582 |
00583 |
00584 |
00585 |
00586 |
00587 |
00588 |
00589 |
00590 |
00591 |
00592 |
00593 |
00594 |
00595 |
00596 |
00597 |
00598 |
00599 |
00600 |
00601 |
00602 |
00603 |
00604 |
00605 |
00606 |
00607 |
00608 |
00609 |
00610 |
00611 |
00612 |
00613 |
00614 |
00615 |
00616 |
00617 |
00618 |
00619 |
00620 |
00621 |
00622 |
00623 |
00624 |
00625 |
00626 |
00627 |
00628 |
00629 |
00630 |
00631 |
00632 |
00633 |
00634 |
00635 |
00636 |
00637 |
00638 |
00639 |
00640 |
00641 |
00642 |
00643 |
00644 |
00645 |
00646 |
00647 |
00648 |
00649 |
00650 |
00651 |
00652 |
00653 |
00654 |
00655 |
00656 |
00657 |
00658 |
00659 |
00660 |
00661 |
00662 |
00663 |
00664 |
00665 |
00666 |
00667 |
00668 |
00669 |
00670 |
00671 |
00672 |
00673 |
00674 |
00675 |
00676 |
00677 |
00678 |
00679 |
00680 |
00681 |
00682 |
00683 |
00684 |
00685 |
00686 |
00687 |
00688 |
00689 |
00690 |
00691 |
00692 |
00693 |
00694 |
00695 |
00696 |
00697 |
00698 |
00699 |
00700 |
00701 |
00702 |
00703 |
00704 |
00705 |
00706 |
00707 |
00708 |
00709 |
00710 |
00711 |
00712 |
00713 |
00714 |
00715 |
00716 |
00717 |
00718 |
00719 |
00720 |

00723 RAIN:COMMANDS
00724 *****
00725 START
00726 (TZRZO = .00 hrs on 0)
00727 (MOUTP= 2 (Imperial, Zmetric output))
00728 (NETOUT= 1)
00729 (NSUN = 0005)
00730 *****
00731 # Project Name: [Creekside Subdivision] Project Number: [1355]
00732 # Date : 2024-04-16
00733 # Modeler : [J.F. Sabourin & Associates]
00734 # License # : 254927
00735 *****
00736 R005:C0002 *****
00737 READ STORM
00738 *****
00739 File name = storm.001
00740 Comment = CHECK STORM 5 Year, 3 Hours
00741 (STP10:ID:SDR= 3.00:PTOT= 42.51)
00742 *****
00743 DEFAULT VALUES
00744 File name = C:\Temp\FlowVal.val
00745 ICAERDV = 1 (read and print data)
00746 FilletFile comment: [RCA Flowing Creek FEM]
00747 THE FOLLOWING PARAMETERS ARE USED IN THE DESIGN STANDARD COM
00748 Horton's infiltration equation parameters:
00749 (Fc= 76.20 mm/hr) (Fv=13.20 mm/hr) (DCAV= 4.14 /hr) (Fv_00 mm)
00750 Parameters for IMPVIOUS surfaces in STANDARD:
00751 (Xmas= 4.67 mm) (Cm= 40.0) (DRP= .250)
00752 Parameters for PERVIOUS surfaces in STANDARD:
00753 (Xmas= 1.57 mm) (Cm= 1.50) (DRP= .013)
00754 Parameters used in NASHVD:
00755 (Tas= 1.50 mm) (N= 3.00)
00756 Average monthly Pan Evaporation data in (mm)
00757 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
00758 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
00759 Average monthly Potential Evapotranspiration in (mm)
00760 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
00761 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
00762 R005:C0004 *****
00763 | SAVE HYD | START SAVING ALL SIMULATED HYDROGRAPHS.
00764 *****
00765 *****
00766 *****
00767 *****
00768 # Main Channel
00769 *****
00770 CALIB NASHVD *****
00771 (Cm= 55.51; N= 3.00; Tpe= 1.64)
00772 *****
00773 SAVE HYD *****
00774 *****
00775 *****
00776 R005:C0007 *****
00777 *****
00778 *****
00779 *****
00780 *****
00781 *****
00782 *****
00783 *****
00784 *****
00785 *****
00786 *****
00787 *****
00788 *****
00789 *****
00790 *****
00791 *****
00792 *****
00793 *****
00794 *****
00795 *****
00796 *****
00797 *****
00798 *****
00799 *****
00800 *****
00801 *****
00802 *****
00803 *****
00804 *****
00805 *****
00806 *****
00807 *****
00808 *****
00809 *****
00810 *****
00811 *****
00812 *****
00813 *****
00814 *****
00815 *****
00816 *****
00817 *****
00818 *****
00819 *****
00820 *****
00821 *****
00822 *****
00823 *****
00824 *****
00825 *****
00826 *****
00827 *****
00828 *****
00829 *****
00830 *****
00831 *****
00832 *****
00833 *****
00834 *****
00835 *****
00836 *****
00837 *****
00838 *****
00839 *****
00840 *****
00841 *****
00842 *****
00843 *****
00844 *****
00845 *****
00846 *****
00847 *****
00848 *****
00849 *****
00850 *****
00851 *****
00852 *****
00853 *****
00854 *****
00855 *****
00856 *****
00857 *****
00858 *****
00859 *****
00860 *****
00861 *****
00862 *****
00863 *****
00864 *****
00865 *****
00866 *****
00867 *****
00868 *****
00869 *****
00870 *****
00871 *****
00872 *****
00873 *****
00874 *****
00875 *****
00876 *****
00877 *****
00878 *****
00879 *****
00880 *****
00881 *****
00882 *****
00883 *****
00884 *****
00885 *****
00886 *****
00887 *****
00888 *****
00889 *****
00890 *****
00891 *****
00892 *****
00893 *****
00894 *****
00895 *****
00896 *****
00897 *****
00898 *****
00899 *****
00900 *****
00901 *****
00902 *****
00903 *****
00904 *****
00905 *****
00906 *****
00907 *****
00908 *****
00909 *****
00910 *****
00911 *****
00912 *****
00913 *****
00914 *****
00915 *****
00916 *****
00917 *****
00918 *****
00919 *****
00920 *****
00921 *****
00922 *****
00923 *****
00924 *****
00925 *****
00926 *****
00927 *****
00928 *****
00929 *****
00930 *****
00931 *****
00932 *****
00933 *****
00934 *****
00935 *****
00936 *****
00937 *****
00938 *****
00939 *****
00940 *****
00941 *****
00942 *****
00943 *****
00944 *****
00945 *****
00946 *****
00947 *****
00948 *****
00949 *****
00950 *****
00951 *****
00952 *****
00953 *****
00954 *****
00955 *****
00956 *****
00957 *****
00958 *****
00959 *****
00960 *****
00961 *****
00962 *****
00963 *****
00964 *****
00965 *****
00966 *****
00967 *****
00968 *****
00969 *****
00970 *****
00971 *****
00972 *****
00973 *****
00974 *****
00975 *****
00976 *****
00977 *****
00978 *****
00979 *****
00980 *****
00981 *****
00982 *****
00983 *****
00984 *****
00985 *****
00986 *****
00987 *****
00988 *****
00989 *****
00990 *****
00991 *****
00992 *****
00993 *****
00994 *****
00995 *****
00996 *****
00997 *****
00998 *****
00999 *****
01000 *****
01001 *****
01002 *****
01003 *****
01004 *****
01005 *****
01006 *****
01007 *****
01008 *****
01009 *****
01010 *****
01011 *****
01012 *****
01013 *****
01014 *****
01015 *****
01016 *****
01017 *****
01018 *****
01019 *****
01020 *****
01021 *****
01022 *****
01023 *****
01024 *****
01025 *****
01026 *****
01027 *****
01028 *****
01029 *****
01030 *****
01031 *****
01032 *****
01033 *****
01034 *****
01035 *****
01036 *****
01037 *****
01038 *****
01039 *****
01040 *****
01041 *****
01042 *****
01043 *****
01044 *****
01045 *****
01046 *****
01047 *****
01048 *****
01049 *****
01050 *****
01051 *****
01052 *****
01053 *****
01054 *****
01055 *****
01056 *****
01057 *****
01058 *****
01059 *****
01060 *****
01061 *****
01062 *****
01063 *****
01064 *****
01065 *****
01066 *****
01067 *****
01068 *****
01069 *****
01070 *****
01071 *****
01072 *****
01073 *****
01074 *****
01075 *****
01076 *****
01077 *****
01078 *****
01079 *****
01080 *****


```

01081 FileTitle= File comment: [RVCX Flowing Creek FFM]
01082 THE FOLLOWING PARAMETERS ARE USED IN THE DESIGN STANDBYD COM
01083 Horton's infiltration equation parameters:
01084 [Fw 76.20 mm/hr] [F0=13.20 mm/hr] [DCAY= 4.14 1/hr] [Fw .00 mm]
01085 Parameters for PERVIOUS surfaces in STANDBYD:
01086 [Iapave = 4.67 mm] [I2F=40.00 mm] [MNF= 230]
01087 Parameters for IMPERVIOUS surfaces in STANDBYD:
01088 [Alamp= 1.57 mm] [CL1= 1.50] [MNI= .013]
01089 Parameters used in MASH20:
01090 [Ia= 1.50 mm] [R= 3.00]
01091 Average monthly Pan Evaporation data in (mm)
01092 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
01093 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
01094 Average monthly Potential Evapotranspiration in (mm)
01095 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC
01096 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00 .00
01097 R0101C00004
01098
01099 | SAVE HYD | START SAVING ALL SIMULATED HYDROGRAPHS.
01100
01101
01102
01103
01104 # Main Channel
01105 remark:Hydrograph for R1
01106 CALIB NASHYD 1.0 01:01 136.59 .627 No_date 3116 5.72 116 .000
01107 [Cm= 52.2; N= 3.00; Tpe= 1.64]
01108 R0101C00006
01109 SAVE HYD 1.0 01:01 136.59 .627 No_date 3116 5.72 n/a .000
01110
01111 remark:Runoff Hydrograph for M1
01112 ROUTE CHANNEL -> 1.0 01:01 136.59 .627 No_date 3116 5.72 n/a .000
01113 [RDT= 1.00] out< 1.0 02:01 136.59 .627 No_date 4111 5.72 n/a .000
01114 [I/S= 4000./ .550/.035]
01115 [Vmax =.627;Dmax= .181]
01116 R0101C00008
01117 SAVE HYD 1.0 02:01 136.59 .627 No_date 4111 5.72 n/a .000
01118
01119 remark:Routing Hydrograph for R1
01120 CALIB NASHYD 1.0 01:01 372.64 1.576 No_date 3117 5.30 107 .000
01121 [Cm= 52.2; N= 3.00; Tpe= 1.65]
01122 R0101C00010
01123 SAVE HYD 1.0 01:01 372.64 1.576 No_date 3117 5.30 n/a .000
01124
01125 remark:Hydrograph for M2
01126 ADD HYD 1.0 02:01 136.59 .627 No_date 4111 5.72 n/a .000
01127 [RDT= 1.00] out< 1.0 05:02 509.23 1.960 No_date 3130 5.41 n/a .000
01128 [I/S= 4000./ .550/.035]
01129 [Vmax =.627;Dmax= .181]
01130 R0101C00012
01131 SAVE HYD 1.0 04:01 509.23 1.960 No_date 3130 5.41 n/a .000
01132
01133 remark:Runoff Hydrograph for M2
01134 ROUTE CHANNEL -> 1.0 01:01 509.23 1.960 No_date 3130 5.41 n/a .000
01135 [RDT= 1.00] out< 1.0 05:02 509.23 1.960 No_date 4134 5.41 n/a .000
01136 [I/S= 4000./ .550/.035]
01137 [Vmax =.627;Dmax= .181]
01138 R0101C00014
01139 SAVE HYD 1.0 03:02 509.23 1.960 No_date 4134 5.41 n/a .000
01140
01141 remark:Routing Hydrograph for R2
01142 CALIB NASHYD 1.0 01:01 533.23 2.019 No_date 4103 6.55 132 .000
01143 [Cm= 52.2; N= 3.00; Tpe= 1.65]
01144 R0101C00016
01145 SAVE HYD 1.0 04:01 533.23 2.019 No_date 4103 6.55 n/a .000
01146
01147 remark:Hydrograph for M3
01148 ADD HYD 1.0 05:02 533.23 2.019 No_date 4103 6.55 n/a .000
01149 [RDT= 1.00] out< 1.0 05:02 509.23 1.960 No_date 4134 5.41 n/a .000
01150 [I/S= 4000./ .550/.035]
01151 [Vmax =.627;Dmax= .181]
01152 R0101C00018
01153 SAVE HYD 1.0 07:02 1042.46 3.180 No_date 4116 5.99 n/a .000
01154
01155 remark:Hydrograph for M2
01156 ADD HYD 1.0 01:01 86.15 .419 No_date 3126 6.38 133 .000
01157 [RDT= 1.00] out< 1.0 01:01 86.15 .419 No_date 3126 6.38 n/a .000
01158 [I/S= 4000./ .550/.035]
01159 [Vmax =.627;Dmax= .181]
01160 R0101C00020
01161 SAVE HYD 1.0 01:01 86.15 .419 No_date 3126 6.38 n/a .000
01162
01163 remark:Routing Hydrograph for A1
01164 ROUTE CHANNEL -> 1.0 01:01 86.15 .419 No_date 3126 6.38 n/a .000
01165 [RDT= 1.00] out< 1.0 01:01 86.15 .419 No_date 3126 6.38 n/a .000
01166 [I/S= 2500./ .600/.035]
01167 [Vmax =.627;Dmax= .181]
01168 R0101C00022
01169 SAVE HYD 1.0 09:01 86.15 .419 No_date 4133 6.58 n/a .000
01170
01171 remark:Routing Hydrograph for R3
01172 CALIB NASHYD 1.0 01:01 246.39 1.437 No_date 3133 8.41 170 .000
01173 [Cm= 61.0; N= 3.00; Tpe= 1.99]
01174 R0101C00024
01175 SAVE HYD 1.0 01:01 246.39 1.437 No_date 3133 8.41 n/a .000
01176
01177 remark:Hydrograph for A2
01178 ADD HYD 1.0 01:01 246.39 1.437 No_date 3133 8.41 n/a .000
01179 [RDT= 1.00] out< 1.0 01:01 246.39 1.437 No_date 3133 8.41 n/a .000
01180 [I/S= 2500./ .600/.035]
01181 [Vmax =.627;Dmax= .181]
01182 R0101C00026
01183 SAVE HYD 1.0 02:01 332.54 1.726 No_date 3142 7.94 n/a .000
01184
01185 remark:Routing Hydrograph for M1
01186 ROUTE CHANNEL -> 1.0 01:01 332.54 1.726 No_date 3142 7.94 n/a .000
01187 [RDT= 1.00] out< 1.0 01:01 332.54 1.726 No_date 4138 7.94 n/a .000
01188 [I/S= 4000./ .550/.035]
01189 [Vmax =.627;Dmax= .181]
01190 R0101C00028
01191 SAVE HYD 1.0 03:01 332.54 1.726 No_date 4138 7.94 n/a .000
01192
01193 remark:Routing Hydrograph for R4
01194 CALIB NASHYD 1.0 01:01 316.70 1.779 No_date 3151 9.17 189 .000
01195 [Cm= 62.8; N= 3.00; Tpe= 2.31]
01196 R0101C00030
01197 SAVE HYD 1.0 01:01 316.70 1.779 No_date 3151 9.17 n/a .000
01198
01199 remark:Hydrograph for A3
01200 ADD HYD 1.0 04:01 316.70 1.779 No_date 3151 9.17 n/a .000
01201 [RDT= 1.00] out< 1.0 04:01 316.70 1.779 No_date 3151 9.17 n/a .000
01202 [I/S= 4000./ .550/.035]
01203 [Vmax =.627;Dmax= .181]
01204 R0101C00032
01205 SAVE HYD 1.0 05:01 649.24 3.092 No_date 4116 8.54 n/a .000
01206
01207 remark:Routing Hydrograph for M2
01208 ROUTE CHANNEL -> 1.0 01:01 649.24 3.092 No_date 4116 8.54 n/a .000
01209 [RDT= 1.00] out< 1.0 05:01 649.24 3.092 No_date 5145 8.54 n/a .000
01210 [I/S= 4000./ .550/.035]
01211 [Vmax =.627;Dmax= .181]
01212 R0101C00034
01213 SAVE HYD 1.0 05:01 649.24 3.092 No_date 4116 8.54 n/a .000
01214
01215 remark:Hydrograph for M2
01216 ADD HYD 1.0 06:01 627.61 1.756 No_date 4155 6.38 129 .000
01217 [RDT= 1.00] out< 1.0 06:01 627.61 1.756 No_date 4155 6.38 129 .000
01218 [I/S= 4000./ .550/.035]
01219 [Vmax =.627;Dmax= .181]
01220 R0101C00036
01221 SAVE HYD 1.0 06:01 627.61 1.756 No_date 4155 6.38 n/a .000
01222
01223 remark:Runoff Hydrograph for B1
01224 ROUTE CHANNEL -> 1.0 01:01 627.61 1.756 No_date 4155 6.38 n/a .000
01225 [RDT= 1.00] out< 1.0 08:01 627.61 1.756 No_date 5145 6.38 n/a .000
01226 [I/S= 4000./ .550/.035]
01227 [Vmax =.627;Dmax= .181]
01228 R0101C00038
01229 SAVE HYD 1.0 08:01 627.61 1.756 No_date 5145 6.38 n/a .000
01230
01231 remark:Routing Hydrograph for R5
01232 CALIB NASHYD 1.0 09:01 255.45 1.836 No_date 3154 12.06 244 .000
01233 [Cm= 64.8; N= 3.00; Tpe= 2.89]
01234 R0101C00040
01235 SAVE HYD 1.0 09:01 255.45 1.836 No_date 3154 12.06 n/a .000
01236
01237 remark:Routing Hydrograph for R2
01238 ADD HYD 1.0 08:01 627.61 1.756 No_date 5145 6.38 n/a .000
01239 [RDT= 1.00] out< 1.0 08:01 627.61 1.756 No_date 5145 6.38 n/a .000
01240 [I/S= 4000./ .550/.035]
01241 [Vmax =.627;Dmax= .181]
01242 R0101C00042
01243 SAVE HYD 1.0 08:01 627.61 1.756 No_date 5145 6.38 n/a .000
01244
01245 remark:Hydrograph for M2
01246 ADD HYD 1.0 01:01 883.06 3.119 No_date 4144 8.02 n/a .000
01247 [RDT= 1.00] out< 1.0 01:01 883.06 3.119 No_date 4144 8.02 n/a .000
01248 [I/S= 4000./ .550/.035]
01249 [Vmax =.627;Dmax= .181]
01250 R0101C00044
01251 SAVE HYD 1.0 02:01 883.06 3.119 No_date 4144 8.02 n/a .000
01252
01253 remark:Routing Hydrograph for R3
01254 CALIB NASHYD 1.0 02:01 336.77 .929 No_date 4140 5.84 118 .000
01255 [Cm= 52.2; N= 3.00; Tpe= 1.60]
01256 R0101C00046
01257 SAVE HYD 1.0 02:01 336.77 .929 No_date 4140 5.84 n/a .000
01258
01259 remark:Hydrograph for M3
01260 ADD HYD 1.0 01:01 823.06 3.119 No_date 4144 8.02 n/a .000
01261 [RDT= 1.00] out< 1.0 01:01 823.06 3.119 No_date 4144 8.02 n/a .000
01262 [I/S= 4000./ .550/.035]
01263 [Vmax =.627;Dmax= .181]
01264 R0101C00048
01265 SAVE HYD 1.0 03:01 823.06 3.119 No_date 4144 8.02 n/a .000
01266
01267 # Main Channel

```

```

01441 R0025C00055-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01442 CALIB NASHYD 136.59 .914 Mo_date 3:14 8.23 14.3 .000
01443 [Cm 53.5; Ne 3.00; Tpe 1.64]
01444 R0025C00056-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01445 SAVE HYD 136.59 .914 Mo_date 3:14 8.23 n/a .000
01446 frame IM1.0025
01447 remark:Routing Hydrograph for M1
01448 R0025C00057-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01449 ROUTE CHANNEL -> 1.0 01:81 136.59 .914 Mo_date 3:14 8.23 n/a .000
01450 [RDT 1.00] outc- 1.0 02:81 136.59 .743 Mo_date 4:02 8.33 n/a .000
01451 [L/S/m 3000 / .550 / .035]
01452 [Vmax = 7.8;Dmax = .428]
01453 R0025C00058-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01454 SAVE HYD 136.59 .743 Mo_date 4:02 8.33 n/a .000
01455 frame IR1.0025
01456 remark:Routing Hydrograph for R1
01457 R0025C00059-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01458 CALIB NASHYD 1.0 03:82 372.64 2.315 Mo_date 3:15 7.77 13.3 .000
01459 [Cm 52.2; Ne 3.00; Tpe 1.65]
01460 R0025C00060-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01461 SAVE HYD 1.0 03:82 372.64 2.315 Mo_date 3:15 7.77 n/a .000
01462 frame IM2.0025
01463 remark:Routing Hydrograph for M2
01464 R0025C00061-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01465 ADD HYD 1.0 03:82 372.64 2.315 Mo_date 3:15 7.77 n/a .000
01466 SUM 1.0 04:82 509.23 2.957 Mo_date 3:29 7.92 n/a .000
01467 R0025C00062-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01468 SAVE HYD 1.0 04:82 509.23 2.957 Mo_date 3:29 7.92 n/a .000
01469 frame IM21.0025
01470 remark:Hydrograph for M21
01471 R0025C00063-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01472 ROUTE CHANNEL -> 1.0 04:21 509.23 2.957 Mo_date 3:29 7.92 n/a .000
01473 [RDT 1.00] outc- 1.0 05:82 509.23 2.030 Mo_date 4:30 7.92 n/a .000
01474 [L/S/m 4000 / .189 / .193]
01475 [Vmax = .65;Dmax = .428]
01476 R0025C00064-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01477 SAVE HYD 1.0 05:82 509.23 2.030 Mo_date 4:30 7.92 n/a .000
01478 frame IR2.0025
01479 remark:Routing Hydrograph for R2
01480 R0025C00065-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01481 CALIB NASHYD 533.23 2.905 Mo_date 4:01 9.41 16.2 .000
01482 [Cm 56.0; Ne 3.00; Tpe 2.47]
01483 R0025C00066-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01484 SAVE HYD 533.23 2.905 Mo_date 4:01 9.41 n/a .000
01485 frame IM3.0025
01486 remark:Routing Hydrograph for M3
01487 R0025C00067-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01488 ADD HYD 533.23 2.905 Mo_date 4:01 9.41 n/a .000
01489 SUM 1.0 07:82 1042.46 4.889 Mo_date 4:15 8.68 n/a .000
01490 R0025C00068-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01491 SAVE HYD 1.0 07:82 1042.46 4.889 Mo_date 4:15 8.68 n/a .000
01492 frame IM22.0025
01493 remark:Routing Hydrograph for M22
01494 R0025C00069-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01495 Tril A 1.0 08:21 86.15 .603 Mo_date 3:24 9.45 16.2 .000
01496 CALIB NASHYD 1.0 08:21 86.15 .603 Mo_date 3:24 9.45 16.2 .000
01497 [Cm 51.1; Ne 3.00; Tpe 1.83]
01498 R0025C00070-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01499 SAVE HYD 1.0 08:21 86.15 .603 Mo_date 3:24 9.45 n/a .000
01500 frame IM1.0025
01501 remark:Runoff Hydrograph for A1
01502 R0025C00071-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01503 ROUTE CHANNEL -> 1.0 08:21 86.15 .603 Mo_date 3:24 9.45 16.2 .000
01504 [RDT 1.00] outc- 1.0 09:82 86.15 .485 Mo_date 4:19 9.45 n/a .000
01505 [L/S/m 4000 / .603 / .035]
01506 [Vmax = .61;Dmax = .149]
01507 R0025C00072-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01508 SAVE HYD 1.0 09:82 86.15 .485 Mo_date 4:19 9.45 n/a .000
01509 frame IM3.0025
01510 remark:Routing Hydrograph for M3
01511 R0025C00073-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01512 CALIB NASHYD 246.39 2.022 Mo_date 3:31 11.82 20.3 .000
01513 [Cm 61.0; Ne 3.00; Tpe 1.89]
01514 R0025C00074-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01515 SAVE HYD 1.0 03:82 246.39 2.022 Mo_date 3:31 11.82 n/a .000
01516 frame IA2.0025
01517 remark:Routing Hydrograph for A2
01518 R0025C00075-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01519 ADD HYD 1.0 01:82 246.39 2.022 Mo_date 3:31 11.82 n/a .000
01520 SUM 1.0 02:81 86.15 .485 Mo_date 4:19 9.45 n/a .000
01521 R0025C00076-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01522 SAVE HYD 1.0 02:81 332.54 2.457 Mo_date 3:41 11.21 n/a .000
01523 frame IM11.0025
01524 remark:Routing Hydrograph for M11
01525 R0025C00077-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01526 ROUTE CHANNEL -> 1.0 02:81 332.54 2.457 Mo_date 3:41 11.21 n/a .000
01527 [RDT 1.00] outc- 1.0 03:84 332.54 2.050 Mo_date 4:31 11.21 n/a .000
01528 [L/S/m 3000 / .200 / .035]
01529 [Vmax = 1.44;Dmax = .902]
01530 R0025C00078-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01531 SAVE HYD 1.0 03:84 332.54 2.050 Mo_date 4:31 11.21 n/a .000
01532 frame IR4.0025
01533 remark:Routing Hydrograph for R4
01534 R0025C00079-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01535 CALIB NASHYD 1.0 04:83 316.70 2.485 Mo_date 3:49 12.79 22.0 .000
01536 [Cm 62.1; Ne 3.00; Tpe 2.31]
01537 R0025C00080-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01538 SAVE HYD 1.0 04:83 316.70 2.485 Mo_date 3:49 12.79 n/a .000
01539 frame IA3.0025
01540 remark:Routing Hydrograph for A3
01541 R0025C00081-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01542 ADD HYD 1.0 03:84 332.54 2.050 Mo_date 4:31 11.21 n/a .000
01543 SUM 1.0 04:82 449.89 4.412 Mo_date 11.38 n/a .000
01544 R0025C00082-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01545 SAVE HYD 1.0 05:82 649.24 4.449 Mo_date 4:12 11.98 n/a .000
01546 frame IM2.0025
01547 remark:Hydrograph for M12
01548 R0025C00083-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01549 CALIB NASHYD 627.61 2.532 Mo_date 4:53 9.19 15.8 .000
01550 [Cm 53.5; Ne 3.00; Tpe 3.10]
01551 R0025C00084-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01552 SAVE HYD 1.0 06:81 627.61 2.532 Mo_date 4:53 9.19 n/a .000
01553 frame IM1.0025
01554 remark:Routing Hydrograph for B1
01555 R0025C00085-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01556 ROUTE CHANNEL -> 1.0 06:81 627.61 2.532 Mo_date 4:53 9.19 n/a .000
01557 [RDT 1.00] outc- 1.0 07:84 627.61 2.378 Mo_date 5:38 9.19 n/a .000
01558 [L/S/m 4800 / .870 / .035]
01559 [Vmax = 1.44;Dmax = .902]
01560 R0025C00086-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01561 SAVE HYD 1.0 08:85 627.61 2.378 Mo_date 5:38 9.19 n/a .000
01562 frame IR5.0025
01563 remark:Routing Hydrograph for R5
01564 R0025C00087-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01565 CALIB NASHYD 255.45 2.506 Mo_date 3:52 16.45 28.2 .000
01566 [Cm 68.1; Ne 3.00; Tpe 2.39]
01567 R0025C00088-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01568 SAVE HYD 1.0 09:82 255.45 2.506 Mo_date 3:52 16.45 n/a .000
01569 frame IR2.0025
01570 remark:Routing Hydrograph for R2
01571 R0025C00089-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01572 ADD HYD 1.0 09:82 255.45 2.506 Mo_date 3:52 16.45 n/a .000
01573 SUM 1.0 09:82 883.06 4.451 Mo_date 4:41 11.29 n/a .000
01574 R0025C00090-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01575 SAVE HYD 1.0 01:82 883.06 4.451 Mo_date 4:41 11.29 n/a .000
01576 frame IM2.0025
01577 remark:Routing Hydrograph for M2
01578 R0025C00091-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01579 CALIB NASHYD 336.77 1.350 Mo_date 4:38 8.48 n/a .000
01580 [Cm 53.5; Ne 3.00; Tpe 3.10]
01581 R0025C00092-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01582 SAVE HYD 1.0 02:83 336.77 1.350 Mo_date 4:38 8.48 n/a .000
01583 frame IR3.0025
01584 remark:Routing Hydrograph for R3
01585 R0025C00093-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01586 ADD HYD 1.0 02:82 883.06 4.451 Mo_date 4:41 11.29 n/a .000
01587 SUM 1.0 02:83 1219.83 5.801 Mo_date 4:41 10.51 n/a .000
01588 R0025C00094-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01589 SAVE HYD 1.0 03:84 1219.83 5.801 Mo_date 4:41 10.51 n/a .000
01590 frame IM4.0025
01591 remark:Routing Hydrograph for M4
01592 R0025C00095-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01593 ROUTE CHANNEL -> 1.0 03:84 1219.83 5.801 Mo_date 4:41 10.51 n/a .000
01594 [RDT 1.00] outc- 1.0 04:86 1219.83 5.765 Mo_date 4:55 10.51 n/a .000
01595 [L/S/m 4800 / .480 / .035]
01596 [Vmax = 1.45;Dmax = .826]
01597 R0025C00096-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01598 SAVE HYD 1.0 05:85 1219.83 5.765 Mo_date 4:55 10.51 n/a .000
01599 frame IR6.0025
01600 remark:Routing Hydrograph for R6
01601 R0025C00097-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01602 CALIB NASHYD 224.06 1.038 Mo_date 4:09 8.38 14.4 .000
01603 [Cm 52.1; Ne 3.00; Tpe 1.60]
01604 R0025C00098-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01605 SAVE HYD 1.0 06:85 224.06 1.038 Mo_date 4:09 8.38 n/a .000
01606 frame IR5.0025
01607 remark:Routing Hydrograph for R5
01608 R0025C00099-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01609 ADD HYD 1.0 06:85 224.06 1.038 Mo_date 4:09 8.38 n/a .000
01610 SUM 1.0 08:85 1443.89 6.741 Mo_date 4:47 10.18 n/a .000
01611 R0025C00100-----DtmIn-ID:HYD-----AREAh-QFEARcns-TpeaDate_hh:mm-----RvM-R-C-----DWfms
01612 SAVE HYD 1.0 08:85 1443.89 6.741 Mo_date 4:47 10.18 n/a .000
01613
01614
01615
01616
01617
01618
01619
01620
01621
01622
01623
01624
01625
01626
01627
01628
01629
01630
01631
01632
01633
01634
01635
01636
01637
01638
01639
01640
01641
01642
01643
01644
01645
01646
01647
01648
01649
01650
01651
01652
01653
01654
01655
01656
01657
01658
01659
01660
01661
01662
01663
01664
01665
01666
01667
01668
01669
01670
01671
01672
01673
01674
01675
01676
01677
01678
01679
01680
01681
01682
01683
01684
01685
01686
01687
01688
01689
01690
01691
01692
01693
01694
01695
01696
01697
01698
01699
01700
01701
01702
01703
01704
01705
01706
01707
01708
01709
01710
01711
01712
01713
01714
01715
01716
01717
01718
01719
01720
01721
01722
01723
01724
01725
01726
01727
01728
01729
01730
01731
01732
01733
01734
01735
01736
01737
01738
01739
01740
01741
01742
01743
01744
01745
01746
01747
01748
01749
01750
01751
01752
01753
01754
01755
01756
01757
01758
01759
01760
01761
01762
01763
01764
01765
01766
01767
01768
01769
01770
01771
01772
01773
01774
01775
01776
01777
01778
01779
01780
01781
01782
01783
01784
01785
01786
01787
01788
01789
01790
01791
01792
01793
01794
01795
01796
01797
01798
01799
01800

```

```

01801 ADD HYD + 1.0 02181 139.59 948 No_date 3:58 10.55 n/a .000
01802 SUMM + 1.0 04181 509.23 3798 No_date 3:25 10.06 n/a .000
01803 R0505C00013 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01804 CALIB NASHYD 1.0 04181 509.23 3798 No_date 3:25 10.06 n/a .000
01805 SAVE HYD 1.0 04181 509.23 3798 No_date 3:25 10.06 n/a .000
01806 *****
01807 *****
01808 remark:Routing Hydrograph for M3
01809 ROUTE CHANNEL > 1.0 04181 509.23 3798 No_date 3:25 10.06 n/a .000
01810 RDT1 1.001 outc< 1.0 04181 509.23 2107 No_date 4:22 10.06 n/a .000
01811 (L/S= 4000./ / .880/.035)
01812 (Vmax = 731.Dmax = 196)
01813 R0505C00014 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01814 SAVE HYD 1.0 05182 509.23 2707 No_date 4:22 10.06 n/a .000
01815 *****
01816 *****
01817 remark:Routing Hydrograph for R2
01818 CALIB NASHYD 1.0 06183 533.23 3655 No_date 4:00 11.84 1.83 .000
01819 [Cm= 56.0; N= 3.00; T= 2.47]
01820 R0505C00015 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01821 SAVE HYD 1.0 06183 533.23 3655 No_date 4:00 11.84 n/a .000
01822 *****
01823 *****
01824 remark:Routing Hydrograph for M3
01825 ADD HYD + 1.0 05182 533.23 3655 No_date 4:00 11.84 n/a .000
01826 SUMM + 1.0 05182 509.23 2707 No_date 4:22 10.06 n/a .000
01827 R0505C00018 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01828 CALIB NASHYD 1.0 07182 1042.46 6326 No_date 4:10 10.97 n/a .000
01829 SAVE HYD 1.0 07182 1042.46 6326 No_date 4:10 10.97 n/a .000
01830 *****
01831 *****
01832 # Tril A
01833 R0505C00019 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01834 CALIB NASHYD 1.0 08141 86.15 759 No_date 3:23 11.88 1.83 .000
01835 [Cm= 56.11; N= 3.00; T= 1.99]
01836 R0505C00020 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01837 SAVE HYD 1.0 08141 86.15 759 No_date 3:23 11.88 n/a .000
01838 *****
01839 *****
01840 remark:Runoff Hydrograph for A1
01841 ROUTE CHANNEL > 1.0 08141 86.15 759 No_date 3:23 11.88 n/a .000
01842 RDT1 1.001 outc< 1.0 08141 86.15 625 No_date 4:11 11.88 n/a .000
01843 (L/S= 2500./ / .600/.035)
01844 (Vmax = 673.Dmax = 196)
01845 R0505C00021 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01846 SAVE HYD 1.0 09183 86.15 625 No_date 4:11 11.88 n/a .000
01847 *****
01848 *****
01849 remark:Routing Hydrograph for R3
01850 CALIB NASHYD 1.0 09183 246.39 2511 No_date 3:31 14.68 1.24 .000
01851 [Cm= 61.0; N= 3.00; T= 1.99]
01852 R0505C00022 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01853 SAVE HYD 1.0 09183 246.39 2511 No_date 3:31 14.68 n/a .000
01854 *****
01855 *****
01856 remark:Routing Hydrograph for A2
01857 ADD HYD + 1.0 09183 332.54 3085 No_date 3:39 13.95 n/a .000
01858 SUMM + 1.0 09183 332.54 3085 No_date 3:39 13.95 n/a .000
01859 R0505C00026 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01860 SAVE HYD 1.0 02111 332.54 3085 No_date 3:39 13.95 n/a .000
01861 *****
01862 *****
01863 *****
01864 R0505C00027 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01865 ROUTE CHANNEL > 1.0 03184 332.54 2629 No_date 4:27 13.95 n/a .000
01866 RDT1 1.001 outc< 1.0 03184 332.54 2629 No_date 4:27 13.95 n/a .000
01867 (L/S= 2500./ / .200/.035)
01868 (Vmax = 803.Dmax = 981)
01869 R0505C00028 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01870 SAVE HYD 1.0 02111 332.54 2629 No_date 4:27 13.95 n/a .000
01871 *****
01872 *****
01873 remark:Routing Hydrograph for R4
01874 CALIB NASHYD 1.0 04183 316.70 3073 No_date 3:49 15.81 2.44 .000
01875 [Cm= 62.4; N= 3.00; T= 2.31]
01876 R0505C00030 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01877 SAVE HYD 1.0 04183 316.70 3073 No_date 3:49 15.81 n/a .000
01878 *****
01879 *****
01880 remark:Routing Hydrograph for A1
01881 ADD HYD + 1.0 04183 316.70 3073 No_date 3:49 15.81 n/a .000
01882 SUMM + 1.0 05182 649.24 5605 No_date 4:07 14.86 n/a .000
01883 R0505C00032 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01884 SAVE HYD 1.0 05182 649.24 5605 No_date 4:07 14.86 n/a .000
01885 *****
01886 *****
01887 *****
01888 # Tril B
01889 R0505C00033 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01890 CALIB NASHYD 1.0 07183 627.61 3190 No_date 4:52 11.57 n/a .000
01891 [Cm= 55.5; N= 3.00; T= 3.36]
01892 R0505C00034 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01893 SAVE HYD 1.0 06181 627.61 3190 No_date 4:52 11.57 n/a .000
01894 *****
01895 *****
01896 remark:Routing Hydrograph for B1
01897 ROUTE CHANNEL > 1.0 08185 627.61 3019 No_date 5:36 11.57 n/a .000
01898 RDT1 1.001 outc< 1.0 08185 627.61 3019 No_date 5:36 11.57 n/a .000
01899 (L/S= 4800./ / .870/.035)
01900 (Vmax = 1464.Dmax = 194)
01901 R0505C00036 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01902 SAVE HYD 1.0 08185 627.61 3019 No_date 5:36 11.57 n/a .000
01903 *****
01904 *****
01905 remark:Routing Hydrograph for R5
01906 CALIB NASHYD 1.0 09182 255.45 3055 No_date 3:51 20.04 3.09 .000
01907 [Cm= 64.8; N= 3.00; T= 2.31]
01908 R0505C00038 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01909 SAVE HYD 1.0 09182 255.45 3055 No_date 3:51 20.04 n/a .000
01910 *****
01911 *****
01912 remark:Routing Hydrograph for R2
01913 ADD HYD + 1.0 09185 627.61 3019 No_date 5:36 11.57 n/a .000
01914 SUMM + 1.0 09182 255.45 3055 No_date 3:51 20.04 n/a .000
01915 R0505C00040 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01916 SAVE HYD 1.0 03182 883.06 5567 No_date 4:40 14.02 n/a .000
01917 *****
01918 *****
01919 remark:Routing Hydrograph for M2
01920 CALIB NASHYD 1.0 02183 336.77 1710 No_date 4:37 10.74 1.66 .000
01921 [Cm= 53.7; N= 3.00; T= 2.47]
01922 R0505C00042 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01923 SAVE HYD 1.0 02183 336.77 1710 No_date 4:37 10.74 n/a .000
01924 *****
01925 *****
01926 remark:Routing Hydrograph for R3
01927 ADD HYD + 1.0 03182 883.06 5567 No_date 4:40 14.02 n/a .000
01928 SUMM + 1.0 02183 336.77 1710 No_date 4:37 10.74 n/a .000
01929 R0505C00044 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01930 SAVE HYD 1.0 03184 1219.83 7277 No_date 4:40 13.12 n/a .000
01931 *****
01932 *****
01933 *****
01934 R0505C00046 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01935 SAVE HYD 1.0 03184 1219.83 7277 No_date 4:40 13.12 n/a .000
01936 *****
01937 *****
01938 *****
01939 *****
01940 R0505C00048 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01941 SAVE HYD 1.0 04186 1219.83 7232 No_date 4:52 13.12 n/a .000
01942 *****
01943 *****
01944 remark:Routing Hydrograph for R6
01945 CALIB NASHYD 1.0 05183 224.06 1316 No_date 4:08 10.61 n/a .000
01946 [Cm= 53.71; N= 3.00; T= 2.60]
01947 R0505C00049 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01948 SAVE HYD 1.0 06185 224.06 1316 No_date 4:08 10.61 n/a .000
01949 *****
01950 *****
01951 remark:Routing Hydrograph for R5
01952 ADD HYD + 1.0 06185 224.06 1316 No_date 4:08 10.61 n/a .000
01953 SUMM + 1.0 04186 1219.83 7232 No_date 4:52 13.12 n/a .000
01954 R0505C00050 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01955 SAVE HYD 1.0 08185 1443.89 8481 No_date 4:44 12.73 n/a .000
01956 *****
01957 *****
01958 *****
01959 *****
01960 R0505C00051 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01961 ROUTE CHANNEL > 1.0 09187 1443.89 8481 No_date 5:41 12.73 n/a .000
01962 RDT1 1.001 outc< 1.0 09187 1443.89 8481 No_date 5:41 12.73 n/a .000
01963 (L/S= 4500./ / .240/.035)
01964 (Vmax = 1571.Dmax = 929)
01965 R0505C00052 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01966 SAVE HYD 1.0 04186 1443.89 8481 No_date 5:41 12.73 n/a .000
01967 *****
01968 *****
01969 remark:Routing Hydrograph for R7
01970 CALIB NASHYD 1.0 01186 329.90 4936 No_date 3:53 25.67 3.96 .000
01971 [Cm= 74.4; N= 3.00; T= 1.46]
01972 R0505C00054 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01973 SAVE HYD 1.0 01186 329.90 4936 No_date 3:53 25.67 n/a .000
01974 *****
01975 *****
01976 *****
01977 *****
01978 *****
01979 *****
01980 R0505C00056 <-----DtmIn-ID:HYD-----AREAh-A-FEAGrns-TPeakDate_hh:mm-----RvM-R-C-----DWfms
01981 SAVE HYD 1.0 02186 1793.79 11574 No_date 5:04 15.13 n/a .000

```

02161 ADD HYD 1.0 06183 533.23 4.845 Mo_date 4:04 15.76 n/a .000
02162 CALIB NASHYD 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02163 ROUTE CHANNEL 1.0 07182 1042.46 8.694 Mo_date 4:14 14.69 n/a .000
02164 R0999:CO0018 SWM 1.0 08121 1042.46 8.694 Mo_date 4:14 14.69 n/a .000
02165 SAVE HYD 1.0 08122 1042.46 8.694 Mo_date 4:14 14.69 n/a .000
02166 name IN22.0099
02167 remark:Hydrograph for N22
02168 # Trib A
02169 R0999:CO0019 SWM 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02170 CALIB NASHYD 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02171 [Cm 56.11; N= 3.00; Tp= 1.83]
02172 R0999:CO0020 SWM 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02173 SAVE HYD 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02174 name IA1.0099
02175 remark:Runoff Hydrograph for A1
02176 R0999:CO0021 SWM 1.0 08121 86.15 1.002 Mo_date 3:27 15.81 n/a .000
02177 ROUTE CHANNEL 1.0 09183 86.15 .865 Mo_date 4:04 15.81 n/a .000
02178 [RDT= 1.00] out<- 1.0 09183 86.15 .865 Mo_date 4:04 15.81 n/a .000
02179 [L/S= 2500. / .600 / .035]
02180 [Vmax= .78; Dmax= 1.98]
02181 R0999:CO0022 SWM 1.0 08121 86.15 .865 Mo_date 4:04 15.81 n/a .000
02182 SAVE HYD 1.0 09183 86.15 .865 Mo_date 4:04 15.81 n/a .000
02183 name R3.0099
02184 remark:Routing Hydrograph for R3
02185 R0999:CO0023 SWM 1.0 08121 246.39 3.268 Mo_date 3:34 19.24 258 .000
02186 CALIB NASHYD 1.0 01124 246.39 3.268 Mo_date 3:34 19.24 258 .000
02187 [Cm 61.0; N= 3.00; Tp= 1.99]
02188 R0999:CO0024 SWM 1.0 08121 246.39 3.268 Mo_date 3:34 19.24 n/a .000
02189 SAVE HYD 1.0 01124 246.39 3.268 Mo_date 3:34 19.24 n/a .000
02190 name IA2.0099
02191 remark:Routing Hydrograph for A2
02192 R0999:CO0025 SWM 1.0 08121 246.39 3.268 Mo_date 3:34 19.24 n/a .000
02193 ADD HYD 1.0 01124 246.39 3.268 Mo_date 3:34 19.24 n/a .000
02194 1.0 01124 86.15 .865 Mo_date 4:04 15.81 n/a .000
02195 SUM 1.0 01124 4.091 Mo_date 3:44 18.35 n/a .000
02196 R0999:CO0026 SWM 1.0 08121 332.54 4.091 Mo_date 3:44 18.35 n/a .000
02197 SAVE HYD 1.0 03111 332.54 4.091 Mo_date 3:44 18.35 n/a .000
02198 name N11.0099
02199 remark:Hydrograph for M11
02200 R0999:CO0027 SWM 1.0 08121 332.54 4.091 Mo_date 3:44 18.35 n/a .000
02201 ROUTE CHANNEL 1.0 02111 332.54 4.091 Mo_date 3:44 18.35 n/a .000
02202 [RDT= 1.00] out<- 1.0 02111 332.54 4.091 Mo_date 3:44 18.35 n/a .000
02203 [L/S= 3000. / .200 / .035]
02204 [Vmax= .88; Dmax= .68]
02205 R0999:CO0028 SWM 1.0 03184 332.54 3.556 Mo_date 4:25 18.35 n/a .000
02206 SAVE HYD 1.0 03184 332.54 3.556 Mo_date 4:25 18.35 n/a .000
02207 name R4.0099
02208 remark:Routing Hydrograph for R4
02209 R0999:CO0029 SWM 1.0 08121 316.70 3.985 Mo_date 3:52 20.61 n/a .000
02210 CALIB NASHYD 1.0 08121 316.70 3.985 Mo_date 3:52 20.61 n/a .000
02211 [Cm 62.81; N= 3.00; Tp= 2.31]
02212 R0999:CO0030 SWM 1.0 08121 316.70 3.985 Mo_date 3:52 20.61 n/a .000
02213 SAVE HYD 1.0 04183 316.70 3.985 Mo_date 3:52 20.61 n/a .000
02214 name IA3.0099
02215 remark:Routing Hydrograph for A3
02216 R0999:CO0031 SWM 1.0 08121 316.70 3.985 Mo_date 3:52 20.61 n/a .000
02217 ADD HYD 1.0 03184 332.54 3.556 Mo_date 4:25 18.35 n/a .000
02218 1.0 03184 86.15 .865 Mo_date 4:04 15.81 n/a .000
02219 SUM 1.0 05112 649.24 7.445 Mo_date 4:10 19.45 n/a .000
02220 R0999:CO0032 SWM 1.0 08121 649.24 7.445 Mo_date 4:10 19.45 n/a .000
02221 SAVE HYD 1.0 05112 649.24 7.445 Mo_date 4:10 19.45 n/a .000
02222 name N12.0099
02223 remark:Hydrograph for M12
02224 R0999:CO0033 SWM 1.0 08121 627.61 4.244 Mo_date 4:55 15.43 207 .000
02225 CALIB NASHYD 1.0 06181 627.61 4.244 Mo_date 4:55 15.43 207 .000
02226 [Cm 55.51; N= 3.00; Tp= 1.76]
02227 R0999:CO0034 SWM 1.0 08121 627.61 4.244 Mo_date 4:55 15.43 n/a .000
02228 SAVE HYD 1.0 06181 627.61 4.244 Mo_date 4:55 15.43 n/a .000
02229 name R1.0099
02230 remark:Runoff Hydrograph for R1
02231 R0999:CO0035 SWM 1.0 08121 627.61 4.244 Mo_date 4:55 15.43 n/a .000
02232 ROUTE CHANNEL 1.0 06181 627.61 4.244 Mo_date 4:55 15.43 n/a .000
02233 [RDT= 1.00] out<- 1.0 06181 627.61 4.244 Mo_date 4:55 15.43 n/a .000
02234 [L/S= 4800. / .870 / .035]
02235 [Vmax= 1.693; Dmax= .79]
02236 R0999:CO0036 SWM 1.0 08121 627.61 4.054 Mo_date 5:35 15.43 n/a .000
02237 SAVE HYD 1.0 08185 627.61 4.054 Mo_date 5:35 15.43 n/a .000
02238 name R5.0099
02239 remark:Routing Hydrograph for R5
02240 R0999:CO0037 SWM 1.0 08121 255.45 3.895 Mo_date 3:55 25.48 345 .000
02241 CALIB NASHYD 1.0 08121 255.45 3.895 Mo_date 3:55 25.48 345 .000
02242 [Cm 68.8; N= 3.00; Tp= 2.39]
02243 R0999:CO0038 SWM 1.0 08121 255.45 3.895 Mo_date 3:55 25.48 n/a .000
02244 SAVE HYD 1.0 08121 255.45 3.895 Mo_date 3:55 25.48 n/a .000
02245 name R2.0099
02246 remark:Routing Hydrograph for R2
02247 R0999:CO0039 SWM 1.0 08121 827.81 4.054 Mo_date 5:35 15.43 n/a .000
02248 ADD HYD 1.0 08185 827.81 4.054 Mo_date 5:35 15.43 n/a .000
02249 1.0 08185 3.895 Mo_date 3:55 25.48 n/a .000
02250 SUM 1.0 01182 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02251 1.0 01182 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02252 R0999:CO0040 SWM 1.0 08121 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02253 SAVE HYD 1.0 01182 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02254 name IN2.0099
02255 remark:Hydrograph for N2
02256 R0999:CO0041 SWM 1.0 08121 336.77 2.286 Mo_date 4:41 14.40 133 .000
02257 CALIB NASHYD 1.0 08121 336.77 2.286 Mo_date 4:41 14.40 133 .000
02258 [Cm 59.51; N= 3.00; Tp= 3.10]
02259 R0999:CO0042 SWM 1.0 08121 336.77 2.286 Mo_date 4:41 14.40 n/a .000
02260 SAVE HYD 1.0 08121 336.77 2.286 Mo_date 4:41 14.40 n/a .000
02261 name R3.0099
02262 remark:Routing Hydrograph for R3
02263 R0999:CO0043 SWM 1.0 08121 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02264 ADD HYD 1.0 01182 883.06 7.335 Mo_date 4:43 18.40 n/a .000
02265 1.0 01182 336.77 2.286 Mo_date 4:41 14.40 n/a .000
02266 SUM 1.0 03184 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02267 1.0 03184 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02268 R0999:CO0044 SWM 1.0 08121 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02269 SAVE HYD 1.0 03184 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02270 name IN4.0099
02271 remark:Hydrograph for M4
02272 R0999:CO0045 SWM 1.0 08121 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02273 CALIB NASHYD 1.0 08121 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02274 [Cm 75.41; N= 3.00; Tp= 2.46]
02275 R0999:CO0046 SWM 1.0 08121 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02276 SAVE HYD 1.0 08121 1219.83 9.621 Mo_date 4:43 17.29 n/a .000
02277 name R6.0099
02278 remark:Routing Hydrograph for R6
02279 R0999:CO0047 SWM 1.0 08121 224.06 1.759 Mo_date 4:12 14.24 191 .000
02280 CALIB NASHYD 1.0 06185 224.06 1.759 Mo_date 4:12 14.24 191 .000
02281 [Cm 52.2; N= 3.00; Tp= 1.51]
02282 R0999:CO0048 SWM 1.0 08121 224.06 1.759 Mo_date 4:12 14.24 n/a .000
02283 SAVE HYD 1.0 06185 224.06 1.759 Mo_date 4:12 14.24 n/a .000
02284 name R5.0099
02285 remark:Routing Hydrograph for R5
02286 R0999:CO0049 SWM 1.0 08121 224.06 1.759 Mo_date 4:12 14.24 n/a .000
02287 ADD HYD 1.0 06185 224.06 1.759 Mo_date 4:12 14.24 n/a .000
02288 1.0 06185 1219.83 9.621 Mo_date 5:10 17.29 n/a .000
02289 SUM 1.0 08185 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02290 1.0 08185 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02291 R0999:CO0050 SWM 1.0 08121 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02292 SAVE HYD 1.0 08185 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02293 name N5.0099
02294 remark:Hydrograph for N5
02295 R0999:CO0051 SWM 1.0 08121 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02296 ROUTE CHANNEL 1.0 08185 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02297 [RDT= 1.00] out<- 1.0 08185 1443.89 11.068 Mo_date 5:06 16.82 n/a .000
02298 [L/S= 4500. / .240 / .035]
02299 [Vmax= 1.282; Dmax= 1.99]
02300 R0999:CO0052 SWM 1.0 09187 1443.89 10.329 Mo_date 5:52 16.82 n/a .000
02301 SAVE HYD 1.0 09187 1443.89 10.329 Mo_date 5:52 16.82 n/a .000
02302 name R7.0099
02303 remark:Routing Hydrograph for R7
02304 R0999:CO0053 SWM 1.0 08121 329.90 6.176 Mo_date 3:57 32.29 n/a .000
02305 CALIB NASHYD 1.0 08186 329.90 6.176 Mo_date 3:57 32.29 n/a .000
02306 [Cm 75.41; N= 3.00; Tp= 2.46]
02307 R0999:CO0054 SWM 1.0 08121 329.90 6.176 Mo_date 3:57 32.29 n/a .000
02308 SAVE HYD 1.0 08186 329.90 6.176 Mo_date 3:57 32.29 n/a .000
02309 name R6.0099
02310 remark:Routing Hydrograph for R6
02311 R0999:CO0055 SWM 1.0 08121 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02312 ADD HYD 1.0 09187 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02313 1.0 09187 1443.89 10.329 Mo_date 5:52 16.82 n/a .000
02314 SUM 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02315 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02316 R0999:CO0056 SWM 1.0 08121 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02317 SAVE HYD 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02318 name IN6.0099
02319 remark:Hydrograph for N6
02320 # Main channel combination with Trib A
02321 R0999:CO0057 SWM 1.0 05112 649.24 7.445 Mo_date 4:10 19.45 n/a .000
02322 ADD HYD 1.0 05112 649.24 7.445 Mo_date 4:10 19.45 n/a .000
02323 1.0 05112 1042.46 8.694 Mo_date 4:14 14.69 n/a .000
02324 SUM 1.0 03182 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02325 1.0 03182 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02326 R0999:CO0058 SWM 1.0 08121 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02327 SAVE HYD 1.0 03182 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02328 name IN23.0099
02329 remark:Hydrograph for N23/N26
02330 # Main channel combination with Trib B
02331 R0999:CO0059 SWM 1.0 08121 1691.70 16.133 Mo_date 4:11 16.51 n/a .000
02332 ADD HYD 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02333 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02334 SUM 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02335 1.0 02186 1773.79 15.104 Mo_date 5:09 19.70 n/a .000
02336 R0999:CO0060 SWM 1.0 04183 3465.49 30.419 Mo_date 4:36 18.14 n/a .000
02337 SAVE HYD 1.0 04183 3465.49 30.419 Mo_date 4:36 18.14 n/a .000
02338 name IN25.0099
02339 remark:Hydrograph for N25/N26
02340 # Main channel combination with Catchment C
02341 R0999:CO0061 SWM 1.0 06181 1414.40 13.962 Mo_date 4:55 22.76 306 .000
02342 CALIB NASHYD 1.0 06181 1414.40 13.962 Mo_date 4:55 22.76 306 .000
02343 [Cm 63.51; N= 3.00; Tp= 3.40]

```

025211 R0102\C00023-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02522 CALIB NASHVD 246.39  .930 No_date  14:19  8.62 1.172  .000
02523  [C# 61.0; N# 3.00; T# 1.99]
02524 R0102\C00024-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02525 SAVE HYD 246.39  .930 No_date  14:19  8.62 n/a .000
02526  frame I#2.0102
02527  remark:Routing Hydrograph for A2
02528 R0102\C00025-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02529 ADD HYD 246.39  .930 No_date  14:19  8.62 n/a .000
02530  + 1.0 01#82 86.15  .215 No_date  15:29  6.75 n/a .000
02531  SUM# 332.54  1.116 No_date  14:31  8.14 n/a .000
02532 R0102\C00026-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02533 SAVE HYD 332.54  1.116 No_date  14:31  8.14 n/a .000
02534  frame I#11.0102
02535  remark:Hydrograph for M1
02536 R0102\C00027-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02537 ROUTE CHANNEL -> 1.0 02#111 332.54  1.116 No_date  14:31  8.14 n/a .000
02538  [R#T= 1.00] out<- 1.0 03#84 332.54  .895 No_date  15:44  8.14 n/a .000
02539  [L/S#= 3000. / 200 / 0.03]
02540  [Vmax= 1.51; Dmax= 1.0]
02541 R0102\C00028-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02542 SAVE HYD 332.54  .895 No_date  15:44  8.14 n/a .000
02543  frame R#4.0102
02544  remark:Routing Hydrograph for R4
02545 R0102\C00029-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02546 CALIB NASHVD 316.70  1.174 No_date  14:42  9.39 1.87  .000
02547  [C# 62.1; N# 3.00; T# 2.31]
02548 R0102\C00030-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02549 SAVE HYD 316.70  1.174 No_date  14:42  9.39 n/a .000
02550  frame IA3.0102
02551  remark:Routing Hydrograph for A3
02552 R0102\C00031-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02553 ADD HYD 316.70  1.174 No_date  14:42  9.39 n/a .000
02554  + 1.0 03#84 332.54  .895 No_date  15:44  8.14 n/a .000
02555  SUM# 649.24  2.069 No_date  15:18  8.75 n/a .000
02556 R0102\C00032-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02557 SAVE HYD 649.24  2.069 No_date  15:18  8.75 n/a .000
02558  frame I#12.0102
02559  remark:Hydrograph for M2
02560 # Trib A
02561 R0102\C00033-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02562 CALIB NASHVD 627.61  1.190 No_date  16:16  6.35 1.131  .000
02563  [C# 55.5; N# 3.00; T# 3.36]
02564 R0102\C00034-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02565 SAVE HYD 627.61  1.190 No_date  16:16  6.35 n/a .000
02566  frame I#1.0102
02567  remark:Routing Hydrograph for B1
02568 R0102\C00035-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02569 ROUTE CHANNEL -> 1.0 06#81 627.61  1.190 No_date  16:16  6.35 n/a .000
02570  [R#T= 1.00] out<- 1.0 07#83 627.61  1.190 No_date  17:21  6.35 n/a .000
02571  [L/S#= 4800. / 870 / 0.03]
02572  [Vmax= 1.09; Dmax= 1.0]
02573 R0102\C00036-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02574 SAVE HYD 627.61  1.190 No_date  17:21  6.35 n/a .000
02575  frame R#5.0102
02576  remark:Routing Hydrograph for R5
02577 R0102\C00037-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02578 CALIB NASHVD 255.45  1.242 No_date  14:44  12.33 2.46  .000
02579  [C# 68.1; N# 3.00; T# 2.39]
02580 R0102\C00038-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02581 SAVE HYD 255.45  1.242 No_date  14:44  12.33 n/a .000
02582  frame I#2.0102
02583  remark:Routing Hydrograph for B2
02584 R0102\C00039-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02585 ADD HYD 893.06  2.103 No_date  16:05  8.22 n/a .000
02586  + 1.0 09#82 255.45  1.242 No_date  14:44  12.33 n/a .000
02587  SUM# 1148.51  3.345 No_date  16:05  8.22 n/a .000
02588 R0102\C00040-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02589 SAVE HYD 893.06  2.103 No_date  16:05  8.22 n/a .000
02590  frame I#2.0102
02591  remark:Hydrograph for M2
02592 R0102\C00041-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02593 CALIB NASHVD 336.77  .614 No_date  15:56  6.00 1.20  .000
02594  [C# 33.9; N# 3.00; T# 3.10]
02595 R0102\C00042-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02596 SAVE HYD 336.77  .614 No_date  15:56  6.00 n/a .000
02597  frame I#3.0102
02598  remark:Routing Hydrograph for B3
02599 R0102\C00043-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02600 ADD HYD 336.77  .614 No_date  15:56  6.00 n/a .000
02601  + 1.0 02#83 1219.83  2.717 No_date  16:01  7.61 n/a .000
02602  SUM# 1556.60  3.384 No_date  16:01  7.61 n/a .000
02603 R0102\C00044-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02604 SAVE HYD 1219.83  2.717 No_date  16:01  7.61 n/a .000
02605  frame I#4.0102
02606  remark:Hydrograph for M4
02607 R0102\C00045-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02608 ROUTE CHANNEL -> 1.0 03#84 1219.83  2.717 No_date  16:01  7.61 n/a .000
02609  [R#T= 1.00] out<- 1.0 04#86 1219.83  2.701 No_date  16:18  7.61 n/a .000
02610  [L/S#= 500. / 480 / 0.03]
02611  [Vmax= 1.13; Dmax= 1.2]
02612 R0102\C00046-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02613 SAVE HYD 1219.83  2.701 No_date  16:18  7.61 n/a .000
02614  frame I#6.0102
02615  remark:Routing Hydrograph for R6
02616 R0102\C00047-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02617 CALIB NASHVD 224.06  .456 No_date  15:13  5.32 1.118  .000
02618  [C# 59.7; N# 3.00; T# 2.60]
02619 R0102\C00048-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02620 SAVE HYD 224.06  .456 No_date  15:13  5.32 n/a .000
02621  frame I#5.0102
02622  remark:Routing Hydrograph for R5
02623 R0102\C00049-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02624 ADD HYD 224.06  .456 No_date  15:13  5.32 n/a .000
02625  + 1.0 06#85 1219.83  2.701 No_date  16:18  7.61 n/a .000
02626  SUM# 1443.89  3.130 No_date  16:09  7.35 n/a .000
02627 R0102\C00050-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02628 SAVE HYD 1443.89  3.130 No_date  16:09  7.35 n/a .000
02629  frame I#5.0102
02630  remark:Hydrograph for M5
02631 R0102\C00051-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02632 ROUTE CHANNEL -> 1.0 08#87 1443.89  3.130 No_date  16:09  7.35 n/a .000
02633  [R#T= 1.00] out<- 1.0 09#87 1443.89  3.130 No_date  17:32  7.35 n/a .000
02634  [L/S#= 4300. / 240 / 0.03]
02635  [Vmax= 821; Dmax= 1.0]
02636 R0102\C00052-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02637 SAVE HYD 1443.89  3.130 No_date  17:32  7.35 n/a .000
02638  frame I#7.0102
02639  remark:Routing Hydrograph for R7
02640 R0102\C00053-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02641 CALIB NASHVD 329.90  2.132 No_date  14:45  16.40 3.28  .000
02642  [C# 75.4; N# 3.00; T# 4.40]
02643 R0102\C00054-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02644 SAVE HYD 329.90  2.132 No_date  14:45  16.40 n/a .000
02645  frame I#8.0102
02646  remark:Routing Hydrograph for R6
02647 R0102\C00055-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02648 ADD HYD 1443.89  2.92 No_date  17:32  7.35 n/a .000
02649  + 1.0 09#87 329.90  2.132 No_date  14:45  16.40 n/a .000
02650  SUM# 1773.79  4.48 No_date  16:29  9.03 n/a .000
02651 R0102\C00056-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02652 SAVE HYD 1773.79  4.48 No_date  16:29  9.03 n/a .000
02653  frame I#6.0102
02654  remark:Hydrograph for M6
02655 # Main channel combination with Trib A
02656 R0102\C00057-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02657 ADD HYD 1042.46  1.956 No_date  15:28  6.16 n/a .000
02658  + 1.0 07#82 1042.46  1.956 No_date  15:28  6.16 n/a .000
02659  SUM# 1691.70  3.961 No_date  15:23  7.15 n/a .000
02660 R0102\C00058-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02661 SAVE HYD 1691.70  3.961 No_date  15:23  7.15 n/a .000
02662  frame I#3.0102
02663  remark:Hydrograph for M3/M24
02664 # Main channel combination with Trib B
02665 R0102\C00059-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02666 ADD HYD 1691.70  3.961 No_date  15:23  7.15 n/a .000
02667  + 1.0 03#83 1691.70  3.961 No_date  15:23  7.15 n/a .000
02668  SUM# 3456.49  8.130 No_date  16:02  8.11 n/a .000
02669 R0102\C00060-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02670 SAVE HYD 3456.49  8.130 No_date  16:02  8.11 n/a .000
02671  frame I#25.0102
02672  remark:Hydrograph for M25/M26
02673 # Main channel combination with Catchment C
02674 R0102\C00061-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02675 CALIB NASHVD 1414.40  4.487 No_date  16:06  10.62 2.12  .000
02676  [C# 65.1; N# 3.00; T# 3.40]
02677 R0102\C00062-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02678 SAVE HYD 1414.40  4.487 No_date  16:06  10.62 n/a .000
02679  frame I#1.0102
02680  remark:Routing Hydrograph for C1
02681 R0102\C00063-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02682 ADD HYD 3465.49  8.130 No_date  16:02  8.11 n/a .000
02683  + 1.0 06#81 1414.40  4.487 No_date  16:06  10.62 n/a .000
02684  SUM# 4879.89  12.616 No_date  16:02  8.84 n/a .000
02685 R0102\C00064-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02686 SAVE HYD 4879.89  12.616 No_date  16:02  8.84 n/a .000
02687  frame I#7.0102
02688  remark:Hydrograph for M7
02689 # Main channel
02690 R0102\C00065-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02691 ROUTE CHANNEL -> 1.0 08#87 4879.89  12.616 No_date  16:02  8.84 n/a .000
02692  [R#T= 1.00] out<- 1.0 09#88 4879.89  11.726 No_date  16:49  8.84 n/a .000
02693  [L/S#= 2700. / 0.05 / 0.03]
02694  [Vmax= .74; Dmax= 1.92]
02695 R0102\C00066-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms
02696 SAVE HYD 4879.89  11.726 No_date  16:49  8.84 n/a .000
02697  frame I#8.0102
02698  remark:Routing Hydrograph for R8
02699 # Updated catchment M1
02700 R0102\C00067-----DtmIn-ID:HYD-----AREA#-OPEARngs-TpakeDate hh:mm-----Rvsm-R-C-----DWfms

```

```

02881 R0105:CO0029-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02882 CALIB NASHYD 216.70 2.360 No_date 14:37 18.35 2.62 .000
02883 [Cm: 62.8; N: 3.00; Tpe: 2.31]
02884 R0105:CO0030-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02885 SAVE HYD 216.70 2.360 No_date 14:37 18.35 n/a .000
02886 frame :A3.0105
02887 remark:Routing Hydrograph for A3
02888 R0105:CO0031-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02889 ADD HYD 216.70 2.360 No_date 14:37 18.35 n/a .000
02890 + 1.0 05:182 332.54 1.996 No_date 14:29 16.27 n/a .000
02891 SUM 649.24 4.275 No_date 15:00 17.29 n/a .000
02892 R0105:CO0032-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02893 SAVE HYD 649.24 4.275 No_date 15:00 17.29 n/a .000
02894 frame :N12.0105
02895 remark:Hydrograph for N12
02896 # Trib B
02897 R0105:CO0033-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02898 CALIB NASHYD 627.61 2.554 No_date 16:05 13.60 1.94 .000
02899 [Cm: 35.5; N: 3.00; Tpe: 3.36]
02900 R0105:CO0034-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02901 SAVE HYD 627.61 2.554 No_date 16:05 13.60 n/a .000
02902 frame :B1.0105
02903 remark:Runoff Hydrograph for B1
02904 R0105:CO0035-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02905 ROUTE CHANNEL 627.61 2.554 No_date 16:05 13.60 n/a .000
02906 [RDT: 1.00] outc: 1.0 08:15 627.61 2.459 No_date 16:51 13.60 n/a .000
02907 [L/S: 64002 / .870 / .035]
02908 [Vmax: 1.444; Dmax: .504]
02909 R0105:CO0036-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02910 SAVE HYD 627.61 2.459 No_date 16:51 13.60 n/a .000
02911 frame :R5.0105
02912 remark:Routing Hydrograph for R5
02913 R0105:CO0037-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02914 CALIB NASHYD 255.45 2.369 No_date 14:39 23.04 3.29 .000
02915 [Cm: 64.4; N: 3.00; Tpe: 3.39]
02916 R0105:CO0038-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02917 SAVE HYD 255.45 2.369 No_date 14:39 23.04 n/a .000
02918 frame :B2.0105
02919 remark:Routing Hydrograph for B2
02920 R0105:CO0039-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02921 ADD HYD 627.61 2.459 No_date 16:51 13.60 n/a .000
02922 + 1.0 08:15 255.45 2.269 No_date 14:39 23.04 n/a .000
02923 SUM 883.06 4.402 No_date 15:47 16.33 n/a .000
02924 R0105:CO0040-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02925 SAVE HYD 883.06 4.402 No_date 15:47 16.33 n/a .000
02926 frame :N2.0105
02927 remark:Routing Hydrograph for N2
02928 R0105:CO0041-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02929 CALIB NASHYD 336.77 1.346 No_date 15:45 12.66 1.81 .000
02930 [Cm: 53.4; N: 3.00; Tpe: 3.40]
02931 R0105:CO0042-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02932 SAVE HYD 336.77 1.346 No_date 15:45 12.66 n/a .000
02933 frame :B3.0105
02934 remark:Routing Hydrograph for B3
02935 R0105:CO0043-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02936 ADD HYD 883.06 4.402 No_date 15:47 16.33 n/a .000
02937 + 1.0 08:15 255.45 2.269 No_date 14:39 23.04 n/a .000
02938 SUM 1219.83 5.748 No_date 15:47 15.32 n/a .000
02939 R0105:CO0044-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02940 SAVE HYD 1219.83 5.748 No_date 15:47 15.32 n/a .000
02941 frame :M4.0105
02942 remark:Hydrograph for M4
02943 R0105:CO0045-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02944 ROUTE CHANNEL 1219.83 5.748 No_date 15:47 15.32 n/a .000
02945 [RDT: 1.00] outc: 1.0 08:15 1219.83 5.728 No_date 16:01 15.32 n/a .000
02946 [L/S: 1500 / .480 / .035]
02947 [Vmax: 1.444; Dmax: .504]
02948 R0105:CO0046-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02949 SAVE HYD 1219.83 5.728 No_date 16:01 15.32 n/a .000
02950 frame :R6.0105
02951 remark:Routing Hydrograph for R6
02952 R0105:CO0047-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02953 CALIB NASHYD 224.06 1.008 No_date 15:05 12.52 1.79 .000
02954 [Cm: 33.7; N: 3.00; Tpe: 2.60]
02955 R0105:CO0048-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02956 SAVE HYD 224.06 1.008 No_date 15:05 12.52 n/a .000
02957 frame :R5.0105
02958 remark:Routing Hydrograph for R5
02959 R0105:CO0049-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02960 ADD HYD 1219.83 5.728 No_date 16:01 15.32 n/a .000
02961 + 1.0 08:15 1443.89 6.681 No_date 15:59 14.89 n/a .000
02962 SUM 1443.89 6.681 No_date 15:59 14.89 n/a .000
02963 R0105:CO0050-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02964 SAVE HYD 1443.89 6.681 No_date 15:59 14.89 n/a .000
02965 frame :R5.0105
02966 remark:Hydrograph for R5
02967 R0105:CO0051-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02968 ROUTE CHANNEL 1443.89 6.681 No_date 15:59 14.89 n/a .000
02969 [RDT: 1.00] outc: 1.0 08:15 1443.89 6.196 No_date 16:57 14.89 n/a .000
02970 [L/S: 1500 / .480 / .035]
02971 [Vmax: 1.078; Dmax: .504]
02972 R0105:CO0052-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02973 SAVE HYD 1443.89 6.196 No_date 16:57 14.89 n/a .000
02974 frame :R7.0105
02975 remark:Routing Hydrograph for R7
02976 R0105:CO0053-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02977 CALIB NASHYD 329.90 3.857 No_date 14:41 29.20 4.17 .000
02978 [Cm: 75.4; N: 3.00; Tpe: 2.46]
02979 R0105:CO0054-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02980 SAVE HYD 329.90 3.857 No_date 14:41 29.20 n/a .000
02981 frame :R6.0105
02982 remark:Routing Hydrograph for R6
02983 R0105:CO0055-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02984 ADD HYD 1443.89 6.196 No_date 16:57 14.89 n/a .000
02985 + 1.0 08:15 329.90 3.857 No_date 14:41 29.20 n/a .000
02986 SUM 1773.79 9.212 No_date 16:13 17.55 n/a .000
02987 R0105:CO0056-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02988 SAVE HYD 1773.79 9.212 No_date 16:13 17.55 n/a .000
02989 frame :N6.0105
02990 remark:Routing Hydrograph for N6
02991 # Main channel combination with Trib A
02992 R0105:CO0057-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02993 ADD HYD 649.24 4.275 No_date 15:00 17.29 n/a .000
02994 + 1.0 07:122 1042.46 4.753 No_date 15:09 12.93 n/a .000
02995 SUM 1691.70 9.024 No_date 15:07 14.40 n/a .000
02996 R0105:CO0058-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
02997 SAVE HYD 1691.70 9.024 No_date 15:07 14.40 n/a .000
02998 frame :N23.0105
02999 remark:Hydrograph for N23/N26
03000 # Main channel combination with Trib B
03001 R0105:CO0059-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03002 ADD HYD 1691.70 9.024 No_date 15:07 14.40 n/a .000
03003 + 1.0 02:126 1773.79 9.212 No_date 16:13 17.55 n/a .000
03004 SUM 3465.49 17.797 No_date 15:38 16.11 n/a .000
03005 R0105:CO0060-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03006 SAVE HYD 3465.49 17.797 No_date 15:38 16.11 n/a .000
03007 frame :N25.0105
03008 remark:Hydrograph for N25/N26
03009 # Main channel combination with Catchment C
03010 R0105:CO0061-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03011 CALIB NASHYD 1414.40 8.770 No_date 15:59 20.33 2.90 .000
03012 [Cm: 65.0; N: 3.00; Tpe: 3.40]
03013 R0105:CO0062-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03014 SAVE HYD 1414.40 8.770 No_date 15:59 20.33 n/a .000
03015 frame :I1.0105
03016 remark:Routing Hydrograph for I1
03017 R0105:CO0063-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03018 ADD HYD 3465.49 17.797 No_date 15:38 16.11 n/a .000
03019 + 1.0 06:11 1414.40 8.770 No_date 15:59 20.33 n/a .000
03020 SUM 4879.89 26.529 No_date 15:44 17.33 n/a .000
03021 R0105:CO0064-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03022 SAVE HYD 4879.89 26.529 No_date 15:44 17.33 n/a .000
03023 frame :N27.0105
03024 remark:Hydrograph for N27
03025 # Main channel
03026 R0105:CO0065-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03027 ROUTE CHANNEL 4879.89 26.529 No_date 15:44 17.33 n/a .000
03028 [RDT: 1.00] outc: 1.0 09:18 4879.89 24.092 No_date 17:07 17.33 n/a .000
03029 [L/S: 2700 / .050 / .035]
03030 [Vmax: 646; Dmax: 2.0]
03031 R0105:CO0066-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03032 SAVE HYD 4879.89 24.092 No_date 17:07 17.33 n/a .000
03033 frame :R8.0105
03034 remark:Routing Hydrograph for R8
03035 # Updated catchment M
03036 R0105:CO0067-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03037 CALIB NASHYD 354.74 4.854 No_date 14:26 31.93 4.56 .000
03038 [Cm: 78.0; N: 3.00; Tpe: 2.27]
03039 R0105:CO0068-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03040 SAVE HYD 354.74 4.854 No_date 14:26 31.93 n/a .000
03041 frame :M4.0105
03042 remark:Routing Hydrograph for M4
03043 # Creekside Subdivision - Post Development
03044 R0105:CO0069-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03045 CALIB STANHYD 24.63 2.493 No_date 12:02 45.82 4.56 .000
03046 [XMP: 53; TMM: 63]
03047 [RDT: 1.00] outc: 1.0 02:126 24.63 2.493 No_date 12:02 45.82 n/a .000
03048 [Impervious area: Iimp= 4.67; SImp= 0.50; Iimp= 405; WImp= 0.13; SImp= 0]
03049 # Creekside Subdivision - Runoff Pond
03050 R0105:CO0070-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03051 ROUTE RESERVOIR 24.63 2.493 No_date 12:02 45.82 n/a .000
03052 outc: 1.0 04:126 24.63 2.493 No_date 12:02 45.82 n/a .000
03053 overflow: 1.0 04:126 24.63 2.493 No_date 12:02 45.82 n/a .000
03054 [Mds: 0.00; Sds: 0.00; Sds: 0.00; Sds: 0.00]
03055 [Mds: 0.00; Sds: 0.00; Sds: 0.00; Sds: 0.00]
03056 R0105:CO0071-----DtmIn-ID:HYD-----AREAh-QFEARs-TPeakDate hh:mm-----RvM-R-C-----DWfms
03057 ADD HYD 354.74 4.854 No_date 14:26 31.93 n/a .000
03058 + 1.0 03:126 24.63 2.493 No_date 12:02 45.82 n/a .000
03059 SUM 4879.89 26.529 No_date 15:44 17.33 n/a .000
03060 # Creekside Subdivision

```


03961 CALIB NASHVD 1.0 01:06:85 224.06 2.616 No_date 31.29 2.82 .000
03962 [C# 5: 3.00; T# 1.99]
03963 R0191C00048 -----DtmIn-ID:INHVD-----AREAA-QFEARcMs-TpeaDate hh:mm-----RvM-R-C-----DWFMS

04141 R0191C00008 -----DtmIn-ID:INHVD-----AREAA-QFEARcMs-TpeaDate hh:mm-----RvM-R-C-----DWFMS
04142 SAVE HYD 1.0 01:06:85 224.06 2.616 No_date 14:57 31.29 n/a .000
04143 [C# 5: 3.00; T# 1.99]
04144 remark:Routing Hydrograph for R1

```

04221 CALIB NASHVD 1.0 01:86 329.90 9.453 No_date 14:36 70.10 .570 .000
04222 [Cm= 78.0; N= 3.00; Tp= 2.48]
04223 R0199:CO0054-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04224 SAVE HYD 1.0 01:86 329.90 9.453 No_date 14:36 70.10 n/a .000
04225 frame :86.0199
04226 remark:Routing Hydrograph for B6
04227 R0199:CO0055-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04228 ADD HYD 1.0 09:87 1443.89 18.105 No_date 18:23 42.77 n/a .000
04229 + 1.0 01:86 329.90 9.453 No_date 14:36 70.10 n/a .000
04230 SUM= 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04231 R0199:CO0056-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04232 SAVE HYD 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04233 frame :86.0199
04234 remark:Hydrograph for N6
04235 # Main channel combination with Tr1b A
04236 R0199:CO0057-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04237 ADD HYD 1.0 03:82 649.24 13.046 No_date 14:45 47.99 n/a .000
04238 + 1.0 07:82 1042.46 16.403 No_date 14:49 38.76 n/a .000
04239 SUM= 1.0 03:82 1691.70 29.445 No_date 14:47 42.30 n/a .000
04240 R0199:CO0058-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04241 SAVE HYD 1.0 03:82 1691.70 29.445 No_date 14:47 42.30 n/a .000
04242 frame :N23.0199
04243 remark:Hydrograph for N23/N24
04244 # Main channel combination with Tr1b B
04245 R0199:CO0059-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04246 ADD HYD 1.0 03:82 1691.70 29.445 No_date 14:47 42.30 n/a .000
04247 + 1.0 02:86 1773.79 23.547 No_date 16:48 47.85 n/a .000
04248 SUM= 1.0 04:82 3465.49 51.103 No_date 15:07 45.14 n/a .000
04249 R0199:CO0060-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04250 SAVE HYD 1.0 04:82 3465.49 51.103 No_date 15:07 45.14 n/a .000
04251 frame :N25.0199
04252 remark:Hydrograph for N25/N26
04253 # Main channel combination with Catchment C
04254 R0199:CO0061-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04255 CALIB NASHVD 1.0 06:C1 1414.40 23.942 No_date 15:49 54.09 440 .000
04256 [Cm= 65.5; N= 3.00; Tp= 3.40]
04257 R0199:CO0062-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04258 SAVE HYD 1.0 06:C1 1414.40 23.942 No_date 15:49 54.09 n/a .000
04259 frame :C1.0199
04260 remark:Routing Hydrograph for C1
04261 R0199:CO0063-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04262 ADD HYD 1.0 04:82 3465.49 51.103 No_date 15:07 45.14 n/a .000
04263 + 1.0 06:C1 1414.40 23.942 No_date 15:49 54.09 n/a .000
04264 SUM= 1.0 08:82 4879.89 74.463 No_date 15:16 47.74 n/a .000
04265 R0199:CO0064-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04266 SAVE HYD 1.0 08:82 4879.89 74.463 No_date 15:16 47.74 n/a .000
04267 frame :N27.0199
04268 remark:Hydrograph for N27
04269 # Main channel
04270 R0199:CO0065-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04271 ROUTE CHANNEL -> 1.0 08:82 4879.89 74.463 No_date 15:16 47.74 n/a .000
04272 [Dm= 1.00] outC= 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04273 [L/S= 2700. / .050 / .035]
04274 [Vmax= .357; Dmax= 3.306]
04275 R0199:CO0066-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04276 SAVE HYD 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04277 frame :88.0199
04278 remark:Routing Hydrograph for 88
04279 # Updated catchment M4
04280 R0199:CO0067-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04281 CALIB NASHVD 1.0 01:M4 354.74 11.554 No_date 14:22 74.62 607 .000
04282 [Cm= 78.0; N= 3.00; Tp= 2.27]
04283 R0199:CO0068-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04284 SAVE HYD 1.0 01:M4 354.74 11.554 No_date 14:22 74.62 n/a .000
04285 frame :M4.0199
04286 remark:Routing Hydrograph for M4
04287 # Creekside Subdivision - Post Development
04288 R0199:CO0069-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04289 CALIB STAROVD 1.0 02:CRK 24.63 5.419 No_date 12:01 85.98 699 .000
04290 [KIMP= 53; IIMP= 63]
04291 [Horton parameters: Fm= 76.20; Fc= 13.20; DCAY= 4.14; Fv= .00]
04292 [Impervious area: IImp= 4.07; SLP= 2.00; IIMP= 40.0MNI= 23.0; SCF= .0]
04293 [Impervious area: IAlimp= 1.57; SLP= .50; IIMP= 405.0MNI= 0.13; SCF= .0]
04294 # Creekside Subdivision - SWM Pond Routing
04295 R0199:CO0070-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04296 ROUTE RESERVOIR -> 1.0 02:CRK 24.63 5.419 No_date 12:01 85.98 n/a .000
04297 out C= 1.0 03:Pond-Out 24.63 5.286 No_date 12:02 85.97 n/a .000
04298 overflow C= 1.0 04:Pond-Ovf .00 .000 No_date 0:00 .00 n/a .000
04299 [Mx2to5seer_48162+0 m3, TotDvVol= .00002+00 m3, N-Ovf= 0, TotDurOvf= 0 hrs]
04300 R0199:CO0071-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04301 ADD HYD 1.0 01:M4 354.74 11.554 No_date 14:22 74.62 n/a .000
04302 + 1.0 03:Pond-Out 24.63 5.286 No_date 12:02 85.97 n/a .000
04303 + 1.0 04:Pond-Ovf .00 .000 No_date 0:00 .00 n/a .000
04304 SUM= 1.0 09:88 4879.89 58.525 No_date 17:36 47.74 n/a .000
04305 R0199:CO0072-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04306 SAVE HYD 1.0 05:82 5259.26 64.936 No_date 17:05 49.73 n/a .000
04307 frame :N28.0199
04308 remark:Hydrograph for N28
04309 R0199:CO0073-----DtmIn-ID:HYD-----AREAb-QFEARgms-TpeakDate hh:mm-----RvMm-R.C-----DWFCms
04310 FINISH
04311
04312
04313
04314
04315
04316
04317
04318
04319
04320
04321
04322
04323
04324
04325
04326
04327
04328
04329
04330
04331
04332
04333
04334
04335
04336
04337
04338
04339
04340
04341
04342
04343
04344
04345
04346
04347
04348
04349
04350
04351
04352
04353
04354
04355
04356
04357
04358
04359
04360
04361
04362
04363
04364
04365
04366
04367
04368
04369
04370
04371
04372
04373
04374
04375
04376
04377
04378
04379
04380
04381
04382
04383
04384
04385
04386
04387
04388
04389
04390
04391
04392
04393
04394
04395
04396
04397
04398
04399
04400
04401
04402
04403
04404
04405
04406
04407
04408
04409
04410
04411
04412
04413
04414
04415
04416
04417
04418
04419
04420
04421
04422
04423
04424
04425
04426
04427
04428
04429
04430
04431
04432
04433
04434
04435
04436
04437
04438
04439
04440
04441
04442
04443
04444
04445
04446
04447
04448
04449
04450
04451
04452
04453
04454
04455
04456
04457
04458
04459
04460
04461
04462
04463
04464
04465
04466
04467
04468
04469
04470
04471
04472
04473
04474
04475
04476
04477
04478
04479
04480
04481
04482
04483
04484
04485
04486
04487
04488
04489
04490
04491
04492
04493
04494
04495
04496
04497
04498
04499
04500
04501
04502
04503
04504
04505
04506
04507
04508
04509
04510
04511
04512
04513
04514
04515
04516
04517
04518
04519
04520
04521
04522
04523
04524
04525
04526
04527
04528
04529
04530
04531
04532
04533
04534
04535
04536
04537
04538
04539
04540
04541
04542
04543
04544
04545
04546
04547
04548
04549
04550
04551
04552
04553
04554
04555
04556
04557
04558
04559
04560
04561
04562
04563
04564
04565
04566
04567
04568
04569
04570
04571
04572
04573
04574
04575
04576
04577
04578
04579
04580
04581
04582
04583
04584
04585
04586
04587
04588
04589
04590
04591
04592
04593
04594
04595
04596
04597
04598
04599
04600
04601
04602
04603
04604
04605
04606
04607
04608
04609
04610
04611
04612
04613
04614
04615
04616
04617
04618
04619
04620
04621
04622
04623
04624
04625
04626
04627
04628
04629
04630
04631
04632
04633
04634
04635
04636
04637
04638
04639
04640
04641
04642
04643
04644
04645
04646
04647
04648
04649
04650
04651
04652
04653
04654
04655
04656
04657
04658
04659
04660
04661
04662
04663
04664
04665
04666
04667
04668
04669
04670
04671
04672
04673
04674
04675
04676
04677
04678
04679
04680
04681
04682
04683
04684
04685
04686
04687
04688
04689
04690
04691
04692
04693
04694
04695
04696
04697
04698
04699
04700
04701
04702
04703
04704
04705
04706
04707
04708
04709
04710
04711
04712
04713
04714
04715
04716
04717
04718
04719
04720
04721
04722
04723
04724
04725
04726
04727
04728
04729
04730
04731
04732
04733
04734
04735
04736
04737
04738
04739
04740
04741
04742
04743
04744
04745
04746
04747
04748
04749
04750
04751
04752
04753
04754
04755
04756
04757
04758
04759
04760
04761
04762
04763
04764
04765
04766
04767
04768
04769
04770
04771
04772
04773
04774
04775
04776
04777
04778
04779
04780
04781
04782
04783
04784
04785
04786
04787
04788
04789
04790
04791
04792
04793
04794
04795
04796
04797
04798
04799
04800
04801
04802
04803
04804
04805
04806
04807
04808
04809
04810
04811
04812
04813
04814
04815
04816
04817
04818
04819
04820
04821
04822
04823
04824
04825
04826
04827
04828
04829
04830
04831
04832
04833
04834
04835
04836
04837
04838
04839
04840
04841
04842
04843
04844
04845
04846
04847
04848
04849
04850
04851
04852
04853
04854
04855
04856
04857
04858
04859
04860
04861
04862
04863
04864
04865
04866
04867
04868
04869
04870
04871
04872
04873
04874
04875
04876
04877
04878
04879
04880
04881
04882
04883
04884
04885
04886
04887
04888
04889
04890
04891
04892
04893
04894
04895
04896
04897
04898
04899
04900
04901
04902
04903
04904
04905
04906
04907
04908
04909
04910
04911
04912
04913
04914
04915
04916
04917
04918
04919
04920
04921
04922
04923
04924
04925
04926
04927
04928
04929
04930
04931
04932
04933
04934
04935
04936
04937
04938
04939
04940
04941
04942
04943
04944
04945
04946
04947
04948
04949
04950
04951
04952
04953
04954
04955
04956
04957
04958
04959
04960
04961
04962
04963
04964
04965
04966
04967
04968
04969
04970
04971
04972
04973
04974
04975
04976
04977
04978
04979
04980
04981
04982
04983
04984
04985
04986
04987
04988
04989
04990
04991
04992
04993
04994
04995
04996
04997
04998
04999
05000

```

Table B1: SWM Pond Criteria for Required Storage Volumes

Pond	Area ⁽¹⁾ (ha)	Imperviousness (%)	Storage Volume for Impervious Level ⁽²⁾ (m ³ /ha)
N/A	N/A	55	190
East SWM Pond	24.63	63	209
N/A	N/A	70	225

⁽¹⁾ Based on drainage area provided by Robinson Consultants Inc. (RCI); Assumes that the entire development (total drainage area) drains to the SWM facility.

⁽²⁾ Protection Level for Wet Pond: Enhanced 80% long-term S.S. removal.
SWM Planning & Design Manual, Table 3.2, p.3-10 (March 2003).

Table B2: Required Storage Volumes for SWM Facility

Pond Component	Required Volume (m ³)	Allowable Release Rate (m ³ /s)
Permanent Pool (PP) ⁽¹⁾	4,162	-
Quality Control ⁽²⁾	985	0.011
Forebay (20% PP)	832	-
PP - Forebay	3,330	-

(1) Required PP volume based on Table B-1 (209 - 40).

(2) Required quality control volume based on 40 m³/ha

(3) Quality control release rate based on 48 hour drawdown time

Table B3: Summary of Preliminary SWM Pond - Operating Characteristics

Pond Components	Node N28 Ex. Condition Peak Flows ⁽¹⁾ (m ³ /s)	Node N28 Prop. Condition Peak Flows (m ³ /s)	Difference (m ³ /s)	Site Uncontrolled (no SWM Pond) (m ³ /s)	SWM Pond Release Rate (m ³ /s)	Pond Volume (m ³)
Permanent Pool ⁽²⁾	-	-	-	-	-	4,162
Quality Control ⁽³⁾	-	-	-	-	0.011	985
25mmCHI3Hr	3.545	3.496	-0.049	1.467	0.034	3,138
2YrCHI3Hr	6.918	6.843	-0.075	2.076	0.047	4,338
5YrCHI3Hr	14.213	14.068	-0.145	3.254	1.393	4,467
10YrCHI3Hr	20.227	20.027	-0.200	4.160	2.577	4,572
25YrCHI3Hr	27.148	26.935	-0.213	5.252	3.937	4,692
50YrCHI3Hr	31.977	31.752	-0.225	6.194	5.000	4,783
100YrCHI3Hr	39.544	39.291	-0.253	6.678	5.760	4,849
2YrSCS24Hr	13.815	13.705	-0.110	1.641	0.860	4,421
5-yr SCS 24hr	27.313	27.144	-0.169	2.693	2.634	4,576
10-yr SCS 24hr	35.489	35.304	-0.185	3.340	3.320	4,636
20-yr SCS 24hr	44.308	44.102	-0.206	3.981	3.954	4,691
50-yr SCS 24hr	56.056	55.812	-0.244	4.787	4.756	4,761
100-yr SCS 24hr	65.202	64.936	-0.266	5.419	5.386	4,816

⁽¹⁾ Flows based on existing condition peak flows from 2017 RVCA SWMHYMO model of Flowing Creek

⁽²⁾ Required permanent pool volume based on MOE SWMPD Manual Table 3.2, enhanced 80% TSS Removal for wet pond.

⁽³⁾ Required quality control volume based on 40 m³/ha released over 48 hours



JFSA Canada Inc.
52 Springbrook Drive,
Ottawa, ON K2S 1B9
T 613-836-3884 F 613-836-0332

jfsa.com

Attachment C

Cumulative Impact Assessment – Jock River Development,
AECOM 2010

Memorandum

To	Susan Murphy, Mattamy Homes	Page	1
CC			
Subject	Cumulative Impact Assessment – Jock River Development		
From	Paul Frigon, AECOM		
Date	March 3, 2010	Project Number	60117455

We have completed a cumulative impact assessment of future development in the Jock River Watershed upstream of Eagleson Road, on peak flows in the Jock River. As detailed below, it is evident that there is no cumulative impact on peak flows in the Jock River from foreseeable development.

The ten (10) development areas, as identified by the RVCA, are located in **Figure 1** and detailed in **Figure 2**, for Richmond, and for the remaining nine areas in the attached **Appendix A**. It is assumed that the ten areas provide a reasonable estimate of potential urbanisation within the watershed. The hydrologic model for summer flow estimates, prepared for the Jock River Flood Risk Mapping Study (PSR Group/JFSA 2004), was used to assess both existing and future (developed) flows.

The comparison of existing and developed flows was achieved by modifying the Curve Numbers (CN) utilised in the hydrologic model for those catchments that contained proposed development. There was no stormwater management (SWM) component considered: the intent was to gain understanding of the magnitude and timing of development flows and their potential to impact downstream areas. The addition of SWM would reduce flow magnitude but potentially increase the duration of the reduced peak flow.

There was no modification to the Time to Peak (Tp) since development areas typically ranged between 2% and 15% of the total drainage area, in the given subcatchments, and it was assumed this small change in landuse would not impact the overall Tp.

The modified CN are found in **Table 1** and were developed by using area weighted averages for the existing CN and the CN for the proposed development. CN for existing conditions are found in **Table 2** extracted from the Hydrologic Study prepared for the Jock River Flood Risk Mapping Study: the CN identified for proposed development assumed, conservatively, that most rural lot sizes would be ¼ acre with a CN of 83 while lots within Richmond would be less than 1/8 acre with a CN of 90.

A review of the watershed boundaries determined for the hydrologic model and a review of the location of the proposed development (confirmed through detailed engineering analysis

in preparation of subdivision stormwater management plans) suggested that the drainage area of the watershed would have to be increased, as related to developments 4, 5 and 6. This was achieved by adding those development areas (87 ha in total) to the area of the subcatchment identified as JR_GWM ie, the Goodwood Marsh: so JR_GWM increased from 3074 ha to 3161 ha.

The review also identified that the 260 hectares of development in Richmond, as identified in **Figure 2**, would be split between the following catchments: VG_DR, SW_5, SW_6, FL_CK, and SW_5A1 in the following ratios: 51%, 14%, 9%, 14% and 12%.

The result from the modelling of existing and future landuses and their resultant 1:100 Year flows are summarised in **Table 3** and illustrated in **Figure 3** for several significant points along the Jock River. These points include: upstream of Richmond (N6), downstream of the Van Gaal Drain (VG_DR), downstream of Richmond at Eagleson Road (S_N5A) and at the outlet which is the confluence with the Rideau River (N1). As well, the peak flows from several subcatchments (s/c) in Richmond are reported. The modelling input and output are summarised in **Appendix B**.


It is apparent that, given the Time to Peak assumptions in the model, coupled with routing characteristics including channel routing for various reaches and reservoir routing for Goodwood Marsh and the Richmond Fen, there are two major peaks in the system separated by approximately 30 hours.

The first peak is due to lands upstream of Richmond and occurs at roughly 60 hours into the 1:100 Year rainfall event. It is estimated at 60.3 m³/s, upstream of Richmond, for existing conditions and reflects peak flow and timing attenuation from the Goodwood Marsh and the Richmond Fen. This is illustrated in **Figure 3** by the hydrograph upstream (u/s) of Richmond. Review of the peak flow considering development, at this point in the system – 60.3m³/s, suggests that development upstream of Richmond has no impact on peak flows – see **Table 2** for peak flow estimates at node N6 upstream of Richmond.

The second peak occurs downstream of Richmond and is illustrated by review, in **Figure 3**, of the hydrograph at Eagleson Road (S_N5). The peak occurs at roughly 30 hours and is estimated at 88.6m³/s at this location under existing conditions. The hydrograph is heavily influenced by Flowing Creek (FL_CK) interaction with the rising limb of the flows from upstream of Richmond. Review of the peak flow considering development, at this point in the system, suggests that development through Richmond has little or no impact on peak flows: **Table 2** indicates an increase to 89.0m³/s under future conditions which is less than a 0.5% increase and well within the accuracy and limitations of the model and its current assumptions: for example, no SWM has been accounted for in the Mattamy development in Richmond (subcatchments VG_DR and SW_6).

In conclusion, a simplistic approach has been used to identify the cumulative impact of development on peak flows in the Jock River watershed. Given the size of the watershed and the relatively small amount of development in the foreseeable future, it is apparent that there is no impact from anticipated development on Jock River flows.

LOCATION #	DEVELOPMENT NAME	AREA (Ha)
1	FRANKTOWN	106
2	PROSPECT	129
3	ASHTON	54
4	RICHARDSON	26
5	AMT GROUP	22
6	HAY FAMILY DEVELOPMENTS	15
7	1343791 ONTARIO LTD.	32
8	VILLAGE OF RICHMOND	413
9	FERNBANK LANDS	204
10	HARTSMERE LANDS	107



1 LOCATION NUMBER VACANT DEVELOPMENT

Legend:

- Watershed
- Bogs (Reservoir)
- Nodes
- Flow gauges
- Rain gauges
- Snow course stations
- River Cross-Sections (based on topo. maps)
- River Cross-Sections adjusted with field data
- Reaches limits

Flow gauges ID

- (A) 02LA007- Jock River near Richmond
- (B) Jock River at Franktown Rd

Rain gauges ID

- 109 Richmond
- 110 Manotick
- 114 Barrhaven
- 116 Maple Grove
- JFSA JFSA Inc, Temporary Rain Gauge 2003

Snow course stations ID

- 3301 Ashton
- 3304 Nolans Corners
- 3306 Pierces Corners
- 3307 Bells Corners
- 3309 Wolford Centre

Client: **RIDEAU VALLEY CONSERVATION AUTHORITY**

Project: **Jock River Flood Plain Mapping Study**

Title: **Watershed Delineation**

J.F. Sabourin & Associates Inc.
WATER RESOURCES AND ENVIRONMENTAL CONSULTANTS
OTTAWA (613) 727-5199
GATINEAU (619) 243-6858

No.	DATE	BY	ISSUES / REVISIONS
1			

AECOM
AECOM Canada Ltd.
1701 Hollis Street, Halifax, Nova Scotia, Canada B3J 3M8
T902.428.2021 F902.428.2031

This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.
Do not scale this document. All measurements must be obtained from stated dimensions.

CLIENT: **MATTAMY HOMES**


PROJECT: **RICHMOND**

DRAWING: **VACANT DEVELOPMENT LANDS IN BECKWITH AND OTTAWA UPSTREAM OF EAGLESON ROAD**

DRAWN BY: S.A.E.	CHECKED BY:	PROJECT No.: 60117455
DESIGNED BY:	APPROVED BY:	DRAWING No.
SCALE: N.T.S.	DATE: Jan, 2010	Fig. 1

ID - C:\Projects\1818-100001\00072 - Mattamy - Jock River\Cumulative Impact Analysis\development areas\0117455_Fig_1.dwg - Pl, 29 Jan 2010 - 11:24

Figure 2
Development in Richmond



0 250 500 1,000
Meters

Legend

-  Infill Parcels
-  Larger Parcels
-  Floodplain

Figure 3 1:100 Year Hydrographs for selected catchments and locations on the Jock River





Table 1: CN determination based on future development							
development			sub-catchment				
location	area (ha)	CN	id	area (ha)	CN	revised CN	
1	106	83	JR_HW	3680	64	64.5	
2	129	83	KG_CK	8376	66	66.3	
7	32	83	KG_CK				
3	54	83	JR_ASH	1781	72	72.3	
4	26	83	JR_GWM	3161	55	55.8	
5	22	83	JR_GWM				
6	39	83	JR_GWM				
8d	36	90	SW_5	224	77	79.1	
8c	132	90	VG_DR	1332	72	73.8	
10	107	83	FL_CK	4945	74	74.6	
9	204	83	FL_CK				
8a	36	90	FL_CK				
8e	24.0	90	SW_6	165	67	70.3	
8b	30	90	SW_5A1	1412	75	75.3	
In Richmond			% of remaining	remaining			
			development	development area (ha)			
8a	FL_CK		14%	36			
8b	SW_5A1		12%	30			
8c	VG_DR		51%	132			
8d	SW_5		14%	36			
8e	SW_6		9%	24			
		TOTAL	100%	258			
				<i>(From Figure 2)</i>			


Table 2: 1:100 Year Peak Flow Comparisons - Selected Locations - Existing and Future Conditions

Location	Existing		Future			
	peak (m3/s)	time (hrs)	peak (m3/s)	time (hrs)		
u/s Richmond (N6)	60.3	60:00:00	60.3	60:00:00		
s/c SW-6	1.5	33:00:00	1.6	32:30:00		
s/c VG_DR	10.6	35:00:00	10.9	35:00:00		
s/c SW_5	9.3	28:30:00	10.0	28:30:00		
s/c FL_CK	51.1	33:00:00	51.1	33:00:00		
d/s Eagleson (S_N5A)	88.6	34:30:00	89.0	34:30:00		
Confluence with Rideau (N1)	158.3	34:00:00	158.8	34:00:00		


APPENDIX A
Location of Future Development
Jock River Watershed
Drainage Areas
Upstream of Eagleson Road




1 FRANKTOWN




2 PROSPECT




3 ASHTON



4 RICHARDSON



5 AMT GROUP



6 HAY FAMILY DEVELOPMENTS

No.	DATE	BY	ISSUES / REVISIONS
1			



AECOM Canada Ltd.
1701 Hollis Street, Halifax, Nova Scotia, Canada B3J 3M8
T902.428.2021 F902.428.2031


This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.
Do not scale this document. All measurements must be obtained from stated dimensions.

MATTAMY HOMES


PROJECT:
RICHMOND

DRAWING:
VACANT DEVELOPMENT LANDS IN BECKWITH AND OTTAWA UPSTREAM OF EAGLESON ROAD


DRAWN BY: S.A.E.	CHECKED BY:	PROJECT No.:
DESIGNED BY:	APPROVED BY:	60117455
N.T.S.	DATE: Jan. 2010	Fig. A1



7 1343791 ONTARIO LTD.



9 FERNBANK LANDS



10 HARTSMERE LANDS

No.	DATE	BY	ISSUES / REVISIONS
1			



AECOM Canada Ltd.
1701 Hollis Street, Halifax, Nova Scotia, Canada B3J 3M8
T902.428.2021 F902.428.2031

This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.
Do not scale this document. All measurements must be obtained from stated dimensions.

MATTAMY HOMES

PROJECT:

RICHMOND

DRAWING:
VACANT DEVELOPMENT LANDS IN BECKWITH AND OTTAWA UPSTREAM OF EAGLESON ROAD

DRAWN BY:	CHECKED BY:	PROJECT No.:
S.A.E.		60117455
DESIGNED BY:	APPROVED BY:	DRAWING No.
N.T.S.		
DATE:	Jan. 2010	Fig. A2

APPENDIX B
Hydrologic Model
Input and Output files

SWMHYMO – INPUT - EXISTING

```

20 Metric units / ID numbers OFF
*#*****
*# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
*#*****
*# Project Name: [Jock River] Project Number: [411-02]
*# Date : 06-06-2003
*# Modeller : [JoF]
*# Company : JFSAinc.
*# License # : 2549237
*#*****
*# CALIBRATION OF SUMMER MODEL PARAMETERS
*# USING CONTINUOUS SIMULATIONS
*# Rainfall data from JFSA rainauge installed at site + other gauges by the City
*# Use data collected from May 1st to July 14, 2003
*
* Calibrated parameters for Summer 2003 data: APII=50, APIK=0.85, CN=varies,
* SK=0.01, InterEventTime=12,
* GWResk=0.96, VHydCond=0.055
*
*# -----
*#
*# EXISING SUMMER
*#
*#
*#
*START TZERO=[2003.0501], METOUT=[2], NSTORM=[1], NRUN=[001]
* ["XAVG0315.STM"] average storm data a 15 minute time step
* The above rainf file is an average of the JFSA gauge data
* with the City of Ottawa rainfall data collected during
* the same period.
*% 2 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[1]
["C:\STORMS-PF\C24SC002.stm"]
*%-----|-----
*%-----|-----
READ STORM STORM_FILENAME=["storm.001"]
*%-----|-----
MODIFY STORM ICASEms=[1], NSHIFT=[96],
RedFACT=[1],
*%-----|-----
COMPUTE API APII=[50], APIK=[.85]/day
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*%-----|-----
CONTINUOUS NASHYD 1 NHYD=["JR_HW"], DT=[30]min, AREA=[3680] (ha),
DWF=[0] (cms), CN/C=[64], IA=[2.5] (mm),
N=[3.0], TP=[7.13]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*%-----|-----
CONTINUOUS NASHYD 2 NHYD=["SW_13"], DT=[30]min, AREA=[971] (ha),
DWF=[0] (cms), CN/C=[61], IA=[2.5] (mm),
N=[3.0], TP=[3.76]hrs,
Continuous simulation parameters:

```

```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Starting with the addition of Jock River Headwater and Subwatershed 13
*#
ADD HYD          1  NHYDsum=["S_N13"] NHYDs to add=1 2
*#
*# Sum of hydrographs from Node 13 routed to Node 13A
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
*#
ROUTE CHANNEL   NHYDout=2  ["N13A"] ,  NHYDin=1 ,
RDT=[30] (min),
CHLGTH=[9074] (m),  CHSLOPE=[0.0220] (%),
                    FPSLOPE=[0.0220] (%),
SECNUM=[1.0],      NSEG=[1]
( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
( DISTANCE (m), ELEVATION (m))=
    [-40, 132.5]
    [-30, 132]
    [-25, 131.5]
    [-13, 130]
    [-8, 127.00]
    [-7, 126.50]
    [-6, 126]
    [-5.5, 125.50]
    [0, 123.75]
    [4.5, 125.50]
    [6, 126]
    [7.5, 126.5]
    [9, 127]
    [10, 127.5]
    [11.5, 128.0]
    [15.5, 129.5]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*%-----|-----
CONTINUOUS NASHYD  NHYD=1  ["JR_GWM"], DT=[30]min, AREA=[3161] (ha),
DWF=[0] (cms),  CN/C=[55], IA=[2.5] (mm),
N=[3], TP=[11.33]hrs,
Continuou simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
*#
ADD HYD          NHYDsum=1  ["SN13A"], NHYDs to add= 2 1  ["N13A"+"JR_GWM"]
*%-----|-----
*#
*# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
*#
ROUTE RESERVOIR  NHYDout= 2  ["RES_GM"] ,NHYDin= 1 ,
RDT=[30] (min),

```

TABLE of (OUTFLOW-STORAGE) values

(cms) - (ha-m)
 [0.0 , 0.0]
 [1.991, 2.144]
 [2.693, 39.826]
 [3.509, 81.697]
 [4.578, 318.774]
 [5.647, 594.947]
 [7.109, 910.219]
 [8.616, 1264.589]
 [10.371, 1658.057]
 [12.402, 2090.622]
 [22.056, 3462.487]
 [-1 , -1] (max twenty pts)

NHYDovf=[" " ,

*%-----|-----

*#

SAVE HYD NHYD= 2 , # OF PCYCLES=[-1], ICASEsh=[-1]
 HYD_FILENAME=["H_RESGM"]
 HYD_COMMENT=["Outflow from Res GM"]

*%-----|-----

*# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
 *# (Approximated cross-section - see cross-section 258)

*# Use n=0.04 for summer conditions and n=0.025 for spring conditions

ROUTE CHANNEL NHYDout=1 ["N12"] ,NHYDin=2,
 RDT=[30](min),
 CHLGTH=[5926](m), CHSLOPE=[0.0759](%),
 FPSLOPE=[0.0759](%),
 SECNUM=[1.0], NSEG=[1]
 (SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
 (DISTANCE (m), ELEVATION (m))=
 [-40, 132.5]
 [-30, 132]
 [-25, 131.5]
 [-13, 130]
 [-8, 127.00]
 [-7, 126.50]
 [-6, 126]
 [-5.5, 125.50]
 [0, 123.75]
 [4.5, 125.50]
 [6, 126]
 [7.5, 126.5]
 [9, 127]
 [10, 127.5]
 [11.5, 128.00]
 [15.5, 129.5]

*%-----|-----

CONTINUOUS NASHYD NHYD=4 ["SW_11"], DT=[30]min, AREA=[500](ha),
 DWF=[0](cms), CN/C=[66], IA=[2.5](mm),
 N=[3.0], TP=[1.24]hrs,
 Continuous simulation parameters:
 IaRECper=[4](hrs),
 SMIN=[-1](mm), SMAX=[-1](mm), SK=[0.010]/(mm),
 InterEventTime=[12](hrs)
 Baseflow simulation parameters:
 BaseFlowOption=[1],
 InitGWResVol=[50](mm), GWResK=[0.96](mm/day/mm)
 VHydCond=[0.055](mm/hr), END=-1

*%-----|-----

CONTINUOUS NASHYD NHYD= 2 ["JR_ASH"], DT=[30]min, AREA=[1781](ha),
 DWF=[0](cms), CN/C=[72], IA=[2.5](mm),
 N=[3.0], TP=[3.91]hrs,
 Continuous simulation parameters:
 IaRECper=[4](hrs),
 SMIN=[-1](mm), SMAX=[-1](mm), SK=[0.010]/(mm),
 InterEventTime=[12](hrs)

Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr) , END=-1

*%-----|-----

*#

*# Addition of Subwatershed Jock River at Ashton to Node 12

*#

ADD HYD NHYDsum=1 ["S_N12"], NHYDs to add= 1 2 ["N12"+"JR_ASH"]
SAVE HYD NHYD=1 , # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H_SN12"]
HYD_COMMENT=["flow at S_N12 near Ashton"]

*%-----|-----

*#

*# Sum of hydrographs from Node 12 routed to Node 11

*# (Approximated cross-section - see cross-section 258)

*# Use n=0.04 for summer conditions and n=0.025 for spring conditions

ROUTE CHANNEL NHYDout= 2 ["N11"] ,NHYDin= 1 ,
RDT=[30] (min),
CHLGTH=[972] (m), CHSLOPE=[0.0514] (%),
FPSLOPE=[0.0514] (%),
SECNUM=[1.0], NSEG=[1]
(SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-40, 132.5]
[-30, 132]
[-25, 131.5]
[-13, 130]
[-8, 127.00]
[-7, 126.50]
[-6, 126]
[-5.5, 125.50]
[0, 123.75]
[4.5, 125.50]
[6, 126]
[7.5, 126.5]
[9, 127]
[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

*%-----|-----

*#

*# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248

*#

ROUTE CHANNEL NHYDout= 3 ["Dum11"] ,NHYDin= 1,
RDT=[30] (min),
CHLGTH=[972] (m), CHSLOPE=[0.054] (%),
FPSLOPE=[0.054] (%),
SECNUM=[1.0], NSEG=[1]
(SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-40, 132.5]
[-30, 132]
[-25, 131.5]
[-13, 130]
[-8, 127.00]
[-7, 126.50]
[-6, 126]
[-5.5, 125.50]
[0, 123.75]
[4.5, 125.50]
[6, 126]
[7.5, 126.5]
[9, 127]
[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*%-----|-----
CONTINUOUS NASHYD  NHYD= 5 ["NN_CK"], DT=[30]min, AREA=[1917] (ha),
                   DWF=[0] (cms),  CN/C=[66], IA=[2.5] (mm),
                   N=[3.0], TP=[5.29]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*%-----|-----
*#
*# Addition of Subwatershed 11 and No Name Creek to Node 11
*#
ADD HYD            NHYDsum=1 ["S_N11"], NHYDs to add= 3 4 5 ["Dum11"+"SW_11"+"NN_CK"]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.52
*%-----|-----
*%-----|-----
*#
*# Sum of hydrographs from Node 11 routed to Node 10
*# Section 1
*#
ROUTE CHANNEL     NHYDout= 2 ["N10"], NHYDin= 1 ,
                   RDT=[30] (min),
                   CHLGTH=[14028] (m),  CHSLOPE=[0.1568] (%),
                                           FPSLOPE=[0.1568] (%),
                   SECNUM=[1.0],        NSEG=[5]
                   ( SEGROUGH, SEGDIST (m))=
                   [0.04,-52.82
                    0.1,-6.47
                    -0.05,6.47
                    0.1,45.36
                    0.04,423.88] NSEG times
                   ( DISTANCE (m), ELEVATION (m))=
                   [-226.24 ,112.50]
                   [-167.50 ,111.50]
                   [-106.81 ,111.00]
                   [-92.37 ,110.00]
                   [-52.82 ,109.00]
                   [-24.90 ,109.00]
                   [-17.02 ,108.50]
                   [-6.47 ,108.00]
                   [6.47 ,108.00]
                   [15.67 ,108.50]
                   [18.95 ,109.00]
                   [45.36 ,109.50]
                   [120.79 ,110.00]
                   [145.72 ,111.00]
                   [181.56 ,111.50]
                   [423.88 ,112.50]
CONTINUOUS NASHYD  NHYD= 4 ["SW_10"], DT=[30]min, AREA=[5666] (ha),
                   DWF=[0] (cms),  CN/C=[72], IA=[2.5] (mm),
                   N=[3.0], TP=[8.00]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:

```

```

BaseFlowOption=[1] ,
InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr) , END=-1
*%-----|-----
*#
*# Addition of Subwatershed 10 to Node 10
*#
ADD HYD          NHYDsum= 1 ["S_N10"], NHYDs to add= 2 4 ["N10"+"SW_10"]
*%-----|-----
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                 HYD_FILENAME=["H_SN10"]
                 HYD_COMMENT=["flow at S_N10: N10 + SW_10"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*%-----|-----
CONTINUOUS NASHYD NHYD= 3 ["KG_CK"], DT=[30]min, AREA=[8376] (ha),
                 DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),
                 N=[3.0], TP=[11.66]hrs,
                 Continuous simulation parameters:
                 IaRECper=[4] (hrs),
                 SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                 InterEventTime=[12] (hrs)
                 Baseflow simulation parameters:
                 BaseFlowOption=[1] ,
                 InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
                 VHydCond=[0.055] (mm/hr) , END=-1
*%-----|-----
*# Addition of Kings Creek to S_N10
*#
ADD HYD          NHYDsum=2 ["S_N10A"], NHYDs to add= 1 3 ["S_N10"+"KG_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 10 routed to Node 9
*# Section 2
*#
ROUTE CHANNEL   NHYDout= 1 ["N9"] ,NHYDin= 2
                 RDT=[30] (min) ,
                 CHLGTH=[3982] (m) , CHSLOPE=[0.0753] (%),
                                     FPSLOPE=[0.0753] (%),
                 SECNUM=[1.0], NSEG=[4]
                 ( SEGROUGH, SEGDIST (m) )=
                 [0.04,-30.27
                 0.05,-18.42
                 -0.05,18.42
                 0.04,131.58] NSEG times
                 ( DISTANCE (m), ELEVATION (m) )=
                 [-446.74, 106.00]
                 [-415.68, 105.50]
                 [-285.40, 105.00]
                 [-173.77, 104.50]
                 [-144.95, 104.00]
                 [-111.18, 103.50]
                 [-94.06, 103.00]
                 [-71.02, 102.50]
                 [-30.27, 102.00]
                 [-19.33, 100.00]
                 [-18.42, 99.50]
                 [18.42, 99.50]
                 [20.77, 100.00]
                 [27.93, 101.00]
                 [52.29, 101.00]
                 [68.80, 101.50]
                 [79.66, 103.00]
                 [91.50, 103.50]
                 [131.58, 104.00]

```

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.68
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_9"], DT=[30]min, AREA=[1132] (ha),
                   DWF=[0] (cms), CN/C=[70], IA=[2.5] (mm),
                   N=[3.0], TP=[2.51]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["NC_CK"], DT=[30]min, AREA=[4464] (ha),
                   DWF=[0] (cms), CN/C=[62], IA=[2.5] (mm),
                   N=[3.0], TP=[11.32]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 9 and Nichols Creek to Node 9
*#
ADD HYD             NHYDsum= 2 ["S_N9"], NHYDs to add= 1 3 4 ["N9"+"SW_9"+"NC_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 9 routed to Node 8
*# Section 3
*#
ROUTE CHANNEL      NHYDout= 1 ["N8"] ,NHYDin= 2
                   RDT=[30] (min),
                   CHLGTH=[2269] (m), CHSLOPE=[0.0882] (%),
                                       FPSLOPE=[0.0882] (%),
                   SECNUM=[1.0], NSEG=[3]
                   ( SEGROUGH, SEGDIST (m))=
                     [0.1,-17.99
                      -0.045,17.31
                      0.1,456.58] NSEG times
                   ( DISTANCE (m), ELEVATION (m))=
                     [-201.19,100.50]
                     [-135.21, 100.00]
                     [-94.83, 99.50]
                     [-67.05, 99.00]
                     [-17.99, 98.50]
                     [-16.02, 98.00]
                     [-13.95, 97.50]
                     [13.95, 97.50]
                     [15.64, 98.00]
                     [17.31, 98.50]
                     [162.02, 98.50]
                     [172.89 ,99.00]
                     [314.38, 99.00]
                     [343.78, 99.50]

```


[365.67, 100.00]
[376.68, 100.00]
[393.11, 99.50]
[404.97, 99.50]
[431.70, 100.00]
[456.58, 100.50]

```
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.80  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 3 ["SW_8"], DT=[30]min, AREA=[131] (ha),  
DWF=[0] (cms), CN/C=[63], IA=[2.5] (mm),  
N=[3.0], TP=[0.90]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.65  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 4 ["HB_DR"], DT=[30]min, AREA=[3854] (ha),  
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),  
N=[3.0], TP=[8.42]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# Addition of Subwatershed 8 and Hobb's Drain to Node 8  
*#  
ADD HYD          NHYDsum= 2 ["S_N8"], NHYDs to add= 1 3 4 ["N8"+"SW_8"+"HB_DR"]  
*%-----|-----  
*#  
*# Sum of hydrographs from Node 8 routed to Node 7  
*# Section 4  
*#  
ROUTE CHANNEL   NHYDout= 1 ["N7"] ,NHYDin= 2  
RDT=[30] (min),  
CHLGTH=[3750] (m), CHSLOPE=[0.0533] (%),  
FPSLOPE=[0.0533] (%),  
SECNUM=[1.0], NSEG=[3]  
( SEGROUGH, SEGDIST (m))=  
[0.12,-18.11  
-0.07,17.22  
0.12,590.05] NSEG times  
( DISTANCE (m), ELEVATION (m))=  
[-433.21, 102.00]  
[-425.34, 101.50]  
[-377.56, 101.50]  
[-366.23, 101.00]  
[-202.60, 100.50]  
[-96.25, 99.50]
```

```

[-68.36 99.00]
[-18.11, 98.50]
[-13.81, 97.50]
[13.81, 97.50]
[17.22, 98.50]
[161.95, 98.50]
[173.11, 99.00]
[314.05, 99.00]
[365.52, 100.00]
[404.70, 99.50]
[476.74, 100.50]
[502.31, 101.00]
[584.69, 101.00]
[585.79, 101.00]
[590.05, 102.00]

```

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_7"], DT=[30]min, AREA=[3197] (ha),
                   DWF=[0] (cms), CN/C=[57], IA=[2.5] (mm),
                   N=[3.0], TP=[6.65]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 7 to Node 7
*#
ADD HYD            NHYDsum= 2 ["S_N7"], NHYDs to add= 1 3 ["N7"+"SW_7"]
*%-----|-----
SAVE HYD          NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
                   HYD_FILENAME=["H_SN7"]
                   HYD_COMMENT=["flow at S_N7: N7 + SW_7"]
*%-----|-----
*# Insertion of a reservoir to simulate the effects of the Richmond Fen.
*# Storage area and volumes were estimated from available topo maps.
*# Release rate from fen was assumed to be controlled by the downstream
*# river cross-section for summer conditions. It is was assumed that for up to
*# 0.75 m of water, the main channel of the river provided the storage. Above
*# this depth, the wetland starts to significantly store water.
*#
ROUTE RESERVOIR  NHYDout= 1 ["RES_RF"] ,NHYDin= 2
                   RDT=[30] (min),
                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)
                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)
                   [ 0.0 , 0.0 ]
                   [0.9051, 2.40]
                   [2.907, 4.13]
                   [9.744, 9.18]
                   [20.304, 14.96]
                   [34.167, 310.21]
                   [74.993, 605.46]
                   [104.876, 900.71]
                   [140.56, 2892.00]
                   [225.00, 3615.63]
                   [ -1 , -1 ] (max twenty pts)
                   NHYDovf=[" " ] ,

```

```

*%-----|-----
SAVE HYD      NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["H_ResRF"]
              HYD_COMMENT=["outflow of Richmond Fen"]
*%-----|-----
*#
*# Sum of hydrographs from Node 7 routed to Node 6
*# Section 5
*#
ROUTE CHANNEL  NHYDout= 2["N6"] ,NHYDin= 1
               RDT=[30] (min) ,
               CHLGTH=[3056] (m) ,   CHSLOPE=[0.0818] (%),
                                       FPSLOPE=[0.0818] (%),
               SECNUM=[1.0],         NSEG=[5]
               ( SEGROUGH, SEGDIST (m))=
                 [0.025,-70.8
                 0.1,-23.9
                 -0.05,23.9
                 0.06,39.8
                 0.05,96.3] NSEG times
               ( DISTANCE (m), ELEVATION (m))=
                 [-100.8, 97.00]
                 [-70.8, 96.50]
                 [-52.0, 96.00]
                 [-35.1, 95.50]
                 [-30.6, 95.00]
                 [-23.9, 94.54]
                 [23.9, 94.54]
                 [39.8, 95.00]
                 [50.4, 95.50]
                 [93.5, 96.00]
                 [94.9, 96.50]
                 [96.3, 97.00]

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_6"], DT=[30]min, AREA=[165] (ha),
                  DWF=[0] (cms),   CN/C=[67], IA=[2.5] (mm),
                  N=[3.0], TP=[4.18]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),   END=-1

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.67
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["VG_DR"], DT=[30]min, AREA=[1332] (ha),
                  DWF=[0] (cms),   CN/C=[72], IA=[2.5] (mm),
                  N=[3.0], TP=[5.95]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),   END=-1
SAVE HYD      NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]

```

HYD_FILENAME=["H-VG_DR"]
HYD_COMMENT=["flow at Van Gaal Drain"]

*%-----|-----
*#
*# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
*#
ADD HYD NHYDsum= 1 ["S_N6"], NHYDs to add= 2 3 4 ["N6"+"SW_6"+"VG_DR"]
*%-----|-----

*#
*# Sum of hydrographs from Node 6 routed to Node 5
*# Section 6
*#

ROUTE CHANNEL NHYDout= 2 ["N5"] ,NHYDin= 1
 RDT=[30] (min),
 CHLGTH=[1852] (m), CHSLOPE=[0.0540] (%),
 FPSLOPE=[0.0540] (%),
 SECNUM=[1.0], NSEG=[3]
 (SEGROUGH, SEGDIST (m))=
 [0.035,-131.59
 -0.045,48.96
 0.1,239.04] NSEG times
 (DISTANCE (m), ELEVATION (m))=
 [-686.30, 94.50]
 [-675.70, 94.00]
 [-492.52, 93.00]
 [-467.28, 94.00]
 [-131.59, 94.00]
 [-92.79, 92.50]
 [-18.06, 91.00]
 [18.06, 91.00]
 [43.47, 92.50]
 [48.96, 94.00]
 [177.43, 94.00]
 [239.04,94.50]

*%-----|-----
CONTINUOUS NASHYD NHYD= 3 ["SW_5"], DT=[30]min, AREA=[224] (ha),
 DWF=[0] (cms), CN/C=[77], IA=[2.5] (mm),
 N=[3.0], TP=[0.75]hrs,
 Continuous simulation parameters:
 IaRECper=[4] (hrs),
 SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
 InterEventTime=[12] (hrs)
 Baseflow simulation parameters:
 BaseFlowOption=[1] ,
 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
 VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----

*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.20
*%-----|-----

CONTINUOUS NASHYD NHYD= 4 ["FL_CK"], DT=[30]min, AREA=[4945] (ha),
 DWF=[0] (cms), CN/C=[74], IA=[2.5] (mm),
 N=[3.0], TP=[4.45]hrs,
 Continuous simulation parameters:
 IaRECper=[4] (hrs),
 SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
 InterEventTime=[12] (hrs)
 Baseflow simulation parameters:
 BaseFlowOption=[1] ,
 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
 VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----

*#
*# Addition of Subwatershed 5 and Flowing Creek to Node 5

```

*#
ADD HYD          NHYDsum= 1 ["S_N5"], NHYDs to add= 2 3 4 ["N5"+"SW_5"+"FL_CK"]
SAVE HYD        NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["N5ex"]
                HYD_COMMENT=["flow at N5"]
SAVE HYD        NHYD=3, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["SW_5ex"]
                HYD_COMMENT=["flow at SW_5"]
SAVE HYD        NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["FL_CKex"]
                HYD_COMMENT=["flow at FL_CK"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["S_N5ex"]
                HYD_COMMENT=["flow at S_N5"]
*%-----|-----

```

```

*#
*# Sum of hydrographs from Node 5 routed to Node 5A
*# Section 7
*#

```

```

ROUTE CHANNEL   NHYDout= 2 ["N5A"], NHYDin= 1
                RDT=[30] (min),
                CHLGTH=[556] (m), CHSLOPE=[0.0900] (%),
                FPSLOPE=[0.0900] (%),
                SECNUM=[1.0], NSEG=[4]
                ( SEGROUGH, SEGDIST (m))=
                  [0.04,-41.5
                  0.1,-14.0
                  -0.045,14.0
                  0.1,41.1] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                  [-275.8, 93.00]
                  [-248.6, 92.50]
                  [-237.0, 92.00]
                  [-219.3, 91.50]
                  [-202.1, 91.50]
                  [-186.0, 92.00]
                  [-129.2, 92.00]
                  [-117.6, 91.50]
                  [-100.6, 91.00]
                  [-41.5, 91.00]
                  [-20.0, 91.00]
                  [-14.0, 90.54]
                  [14.0, 90.54]
                  [15.3, 91.00]
                  [17.3, 91.50]
                  [38.4, 92.00]
                  [39.8, 92.50]
                  [41.1, 93.00]
*%-----|-----

```

```

CONTINUOUS NASHYD NHYD= 3 ["SW_5A2"], DT=[30]min, AREA=[20] (ha),
                 DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
                 N=[3.0], TP=[0.62]hrs,
                 Continuous simulation parameters:
                 IaRECper=[4] (hrs),
                 SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                 InterEventTime=[12] (hrs)
                 Baseflow simulation parameters:
                 BaseFlowOption=[1] ,
                 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                 VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----

```

```

*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.61
*%-----|-----

```

```

CONTINUOUS NASHYD NHYD= 4 ["SW_5A1"], DT=[30]min, AREA=[1412] (ha),
                 DWF=[0] (cms), CN/C=[75], IA=[2.5] (mm),

```

```

N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
*#
ADD HYD          NHYDsum= 1 ["S_N5A"], NHYDs to add= 2 3 4 ["N5A"+"SW_5A2"+"SW_5A1"]
*%-----|-----
*#
*# Sum of hydrographs from Node 5A routed to Node 4
*# Section 8
*#
ROUTE CHANNEL   NHYDout= 2["N4"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[4630] (m), CHSLOPE=[0.0432] (%),
                  FPSLOPE=[0.0432] (%),
SECNUM=[1.0],    NSEG=[3]
( SEGROUGH, SEGDIST (m))=
  [0.05,-28.2
  -0.035,28.2
  0.05,173.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-38.9, 92.00]
  [-35.8, 91.50]
  [-33.3, 91.00]
  [-28.2, 90.50]
  [-15.0, 87.48]
  [-5.0, 88.34]
  [5.0, 86.20]
  [15.0, 88.55]
  [28.2, 90.50]
  [29.7, 91.00]
  [46.5, 91.00]
  [127.8, 91.00]
  [148.7, 91.50]
  [173.1, 92.00]

*%-----|-----
CONTINUOUS NASHYD NHYD= 3["SW_4"], DT=[30]min, AREA=[585] (ha),
DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[1.75]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
CONTINUOUS NASHYD NHYD= 4 ["LM_CK"], DT=[30]min, AREA=[1021] (ha),
DWF=[0] (cms), CN/C=[80], IA=[2.5] (mm),
N=[3.0], TP=[2.46]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)

```

VHydCond=[0.055] (mm/hr), END=-1

```
*%-----|-----  
*#  
*# Addition of Subwatershed 4 and Leamy Creek to Node 4  
*#  
ADD HYD          NHYDsum= 1 ["S_N4"], NHYDs to add= 2 3 4 ["N4"+"SW_4"+"LM_CK"]  
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]  
                 HYD_COMMENT=["flow at S_N4"]  
*%-----|-----
```

```
*#  
*# Sum of hydrographs from Node 4 routed to Node 2  
*# Section 9  
*#
```

```
ROUTE CHANNEL   NHYDout= 2 ["N2"] ,NHYDin= 1  
                RDT=[30] (min),  
                CHLGTH=[1667] (m),  CHSLOPE=[0.0600] (%),  
                FPSLOPE=[0.0600] (%),  
                SECNUM=[1.0],       NSEG=[4]  
                ( SEGROUGH, SEGDIST (m))=  
                [0.1,-28.0  
                -0.04,28.4  
                0.06,31.7  
                0.04,80.2] NSEG times  
                ( DISTANCE (m), ELEVATION (m))=  
                [-36.3, 92.00]  
                [-32.6, 91.50]  
                [-30.2, 91.00]  
                [-28.0, 90.45]  
                [-15.0, 87.48]  
                [-5.0, 88.34]  
                [5.0, 86.20]  
                [15.0, 88.55]  
                [28.0, 90.45]  
                [28.4, 90.50]  
                [30.4, 91.00]  
                [31.7, 91.50]  
                [80.2, 92.00]
```

```
*%-----|-----  
CONTINUOUS NASHYD NHYD= 3 ["SW_2"], DT=[30]min, AREA=[177] (ha),  
                 DWF=[0] (cms),  CN/C=[77], IA=[2.5] (mm),  
                 N=[3.0], TP=[0.75]hrs,  
                 Continuous simulation parameters:  
                 IaRECper=[4] (hrs),  
                 SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),  
                 InterEventTime=[12] (hrs)  
                 Baseflow simulation parameters:  
                 BaseFlowOption=[1] ,  
                 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                 VHydCond=[0.055] (mm/hr), END=-1
```

```
*%-----|-----  
CONTINUOUS NASHYD NHYD= 4 ["SM_DR"], DT=[30]min, AREA=[1122] (ha),  
                 DWF=[0] (cms),  CN/C=[81], IA=[2.5] (mm),  
                 N=[3.0], TP=[3.25]hrs,  
                 Continuous simulation parameters:  
                 IaRECper=[4] (hrs),  
                 SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),  
                 InterEventTime=[12] (hrs)  
                 Baseflow simulation parameters:  
                 BaseFlowOption=[1] ,  
                 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                 VHydCond=[0.055] (mm/hr), END=-1
```

```
*%-----|-----  
CONTINUOUS NASHYD NHYD= 5 ["MO_DR"], DT=[30]min, AREA=[2737] (ha),  
                 DWF=[0] (cms),  CN/C=[76], IA=[2.5] (mm),  
                 N=[3.0], TP=[3.03]hrs,  
                 Continuous simulation parameters:
```



```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
*#
ADD HYD          NHYDsum= 1 ["S_N2"], NHYDs to add= 2 3 4 5
                  ["N2"+"SW_2"+"SM_DR"+"MO_DR"]
*%-----|-----
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                  HYD_FILENAME=["H_SN2"]
                  HYD_COMMENT=["flow at S_N2 Jock River Gauge at Moodie Dr."]
*%-----|-----
*#
*# Sum of hydrographs from Node 2 routed to Node 1
*# Section 10
*#
ROUTE CHANNEL   NHYDout= 2 ["N1"] ,NHYDin= 1
                  RDT=[30] (min),
                  CHLGTH=[10046] (m),  CHSLOPE=[0.0498] (%),
                                      FPSLOPE=[0.0498] (%),
                  SECNUM=[1.0],        NSEG=[5]
                  ( SEGROUGH, SEGDIST (m))=
                    [0.04,-27.6
                     0.06,-15.0
                    -0.045,15.0
                     0.06,25.4
                    0.04,122.6] NSEG times
                  ( DISTANCE (m), ELEVATION (m))=
                    [-87.0, 91.50]
                    [-32.4, 91.00]
                    [-27.6, 90.50]
                    [-25.0, 90.00]
                    [-22.9, 89.57]
                    [-15.0, 86.20]
                    [-5.0, 84.83]
                    [5.0, 84.83]
                    [15.0, 88.11]
                    [22.9, 89.57]
                    [25.4, 90.00]
                    [27.9, 90.50]
                    [38.0, 91.00]
                    [112.5, 91.00]
                    [114.3, 90.50]
                    [115.1, 90.26]
                    [116.3, 90.50]
                    [119.0, 91.00]
                    [121.0, 91.50]
                    [122.6, 92.00]
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_1"], DT=[30]min, AREA=[3176] (ha),
                   DWF=[0] (cms),  CN/C=[78], IA=[2.5] (mm),
                   N=[3.0], TP=[3.56]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----

```

```

*#
*# Addition of Subwatershed 1 to Node 1
*#
ADD HYD          NHYDsum= 1["N1"], NHYDs to add= 2 3 ["N1"+"SW_1"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]
                HYD_FILENAME=["N1-ex"]
                HYD_COMMENT=["total outflow of Jock River"]
#####
*% 5 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START          TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[5]
*%            ["C24SC005.stm"] <--storm filename, one per line for NSTORM time
*%-----|-----|
*% 100 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START          TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[100]
*%            ["C24SC100.stm"] <--storm filename, one per line for NSTORM time
FINISH

```

SWMHYMO – OUTPUT - EXISTING

```

#*****
# Project Name: [Jock River]      Project Number: [411-02]
# Date       : 06-06-2003
# Modeller   : [JoF]
# Company    : JFSAinc.
# License #   : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
#   EXISING SUMMER
#
#
RUN:COMMAND#
001:0001-----
START
  [TZERO =   .00 hrs on      0]
  [METOUT=  2   (1=imperial, 2=metric output)]
  [NSTORM=  1 ]
  [NRUN =  1 ]
001:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:2 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 45.51]
001:0003-----
MODIFY STORM
  [RFACT=  1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 45.51]
001:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax= 80.12: APIavg= 56.74: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW  3680.00  6.065 No_date  37:00  11.44 .251
  [CN= 64.0: N= 3.00]
  [Tp= 7.13:DT=30.00]
  [IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13  971.00  2.154 No_date  32:30  10.72 .236
  [CN= 61.0: N= 3.00]
  [Tp= 3.76:DT=30.00]
  [IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
  [InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
001:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N13  3680.00  6.065 No_date  37:00  11.44 n/a
                + 02:SW_13  971.00  2.154 No_date  32:30  10.72 n/a
  [DT=30.00] SUM= 01:S_N13  4651.00  7.713 No_date  35:30  11.29 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#

```

```

001:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 7.713 No_date 35:30 11.29 n/a
[RDT=30.00] out<- 02:N13A 4651.00 6.154 No_date 39:30 11.29 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .427:Dmax= 2.537}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 3.203 No_date 39:30 9.41 .207
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
001:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 6.154 No_date 39:30 11.29 n/a
+ 01:SN13A 3161.00 3.203 No_date 39:30 9.41 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 9.357 No_date 39:30 10.53 n/a

#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
001:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 9.357 No_date 39:30 10.53 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
{MxStoUsed=.3547E+02}

#
001:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
fname :C:\STORMS~1\H_RESGM.001
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
[RDT=30.00] out<- 01:N12 7812.00 2.604 No_date 58:00 10.53 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .501:Dmax= 1.328}

001:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11 500.00 2.663 No_date 29:00 11.95 .263
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

001:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00 5.417 No_date 32:30 13.91 .306
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
001:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N12 7812.00 2.604 No_date 58:00 10.53 n/a
+ 02:JR_ASH 1781.00 5.417 No_date 32:30 13.91 n/a
[DT=30.00] SUM= 01:S_N12 9593.00 7.377 No_date 32:30 11.16 n/a

001:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N12 9593.00 7.377 No_date 32:30 11.16 n/a
fname :C:\STORMS~1\H_SN12.001
remark:flow at S_N12 near Ashton

#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)

```

```

# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 02:N11  9593.00  7.323 No_date  33:00  11.16  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .580:Dmax= 2.120}

#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
001:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 03:Dum11 9593.00  7.326 No_date  33:00  11.16  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .589:Dmax= 2.098}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00  3.966 No_date  34:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
001:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00  7.326 No_date  33:00  11.16  n/a
                + 04:SW_11   500.00  2.663 No_date  29:00  11.95  n/a
                + 05:NN_CK  1917.00  3.966 No_date  34:30  11.95  n/a
[DT=30.00] SUM= 01:S_N11 12010.00 11.957 No_date  33:00  11.32  n/a

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
001:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00 11.957 No_date  33:00  11.32  n/a
[RDT=30.00] out<- 02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
[L/S/n=14028./ .157/.040]
{Vmax= .460:Dmax= .881}

001:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00 10.936 No_date  38:00  13.91  .306
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 10 to Node 10
#
001:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
                + 04:SW_10  5666.00 10.936 No_date  38:00  13.91  n/a
[DT=30.00] SUM= 01:S_N10 17676.00 19.109 No_date  38:30  12.15  n/a

001:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00 19.109 No_date  38:30  12.15  n/a
fname :C:\STORMS~1\H_SN10.001
remark:flow at S_N10: N10 + SW_10

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
001:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK  8376.00 10.656 No_date  39:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]

```

```

[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
001:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00 19.109 No_date 38:30 12.15 n/a
                + 03:KG_CK 8376.00 10.656 No_date 39:30 11.95 n/a
                [DT=30.00] SUM= 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
001:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
[RDT=30.00] out<- 01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .591:Dmax= 1.193}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
001:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 4.365 No_date 30:30 13.32 .293
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 .241
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
001:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
                + 03:SW_9 1132.00 4.365 No_date 30:30 13.32 n/a
                + 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 n/a
                [DT=30.00] SUM= 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
001:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
[RDT=30.00] out<- 01:N8 31648.00 33.315 No_date 40:00 11.97 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .420:Dmax= 1.270}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 .770 No_date 28:30 11.20 .246
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
001:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 6.083 No_date 38:30 11.95 .263
[CN= 66.0: N= 3.00]

```



```

[TP= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
001:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N8      31648.00  33.315 No_date  40:00  11.97  n/a
                + 03:SW_8    131.00    .770 No_date   28:30  11.20  n/a
                + 04:HB_DR   3854.00   6.083 No_date   38:30  11.95  n/a
[DT=30.00] SUM= 02:S_N8  35633.00  39.371 No_date  39:30  11.96  n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
001:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N8  35633.00  39.371 No_date  39:30  11.96  n/a
[RDT=30.00] out<- 01:N7    35633.00  32.183 No_date  44:00  11.96  n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .209:Dmax= 1.635}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7    3197.00   4.557 No_date  36:30   9.83  .216
[CN= 57.0: N= 3.00]
[TP= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
001:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00  32.183 No_date  44:00  11.96  n/a
                + 03:SW_7    3197.00   4.557 No_date  36:30   9.83  n/a
[DT=30.00] SUM= 02:S_N7  38830.00  34.359 No_date  43:00  11.79  n/a
001:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7   38830.00  34.359 No_date  43:00  11.79  n/a
fname :C:\STORMS~1\H_SN7.001
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
001:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7  38830.00  34.359 No_date  43:00  11.79  n/a
[RDT=30.00] out<- 01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
{MxStoUsed=.7407E+02}
001:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
fname :C:\STORMS~1\H_ResRF.001
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
001:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
[RDT=30.00] out<- 02:N6    38830.00  23.056 No_date  56:00  11.79  n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .431:Dmax= .805}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75

```

```

001:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6      165.00      .407 No_date   33:00   12.21 .268
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
001:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR    1332.00     3.083 No_date   35:00   13.91 .306
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
001:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR    1332.00     3.083 No_date   35:00   13.91 n/a
fname :C:\STORMS~1\H-VG_DR.001
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
001:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N6       38830.00    23.056 No_date   56:00   11.79 n/a
                + 03:SW_6      165.00      .407 No_date   33:00   12.21 n/a
                + 04:VG_DR    1332.00     3.083 No_date   35:00   13.91 n/a
[DT=30.00] SUM= 01:S_N6  40327.01    23.227 No_date   39:30   11.86 n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
001:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6  40327.01    23.227 No_date   39:30   11.86 n/a
[RDT=30.00] out<- 02:N5  40327.01    23.175 No_date   55:00   11.86 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .378:Dmax= .915}
001:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5      224.00     2.527 No_date   28:30   15.88 .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
001:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK    4945.00    14.579 No_date   33:00   14.54 .319
[CN= 74.0: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
001:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N5       40327.01    23.175 No_date   55:00   11.86 n/a
                + 03:SW_5      224.00     2.527 No_date   28:30   15.88 n/a
                + 04:FL_CK    4945.00    14.579 No_date   33:00   14.54 n/a
[DT=30.00] SUM= 01:S_N5  45496.01    32.982 No_date   37:00   12.17 n/a
001:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:N5       40327.01    23.175 No_date   55:00   11.86 n/a
fname :C:\STORMS~1\N5ex.001
remark:flow at N5
001:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          03:SW_5      224.00     2.527 No_date   28:30   15.88 n/a
fname :C:\STORMS~1\SW_5ex.001
remark:flow at SW_5

```

001:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
fname :C:\STORMS~1\FL_CKex.001
remark:flow at FL_CK

001:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N5 45496.01 32.982 No_date 37:00 12.17 n/a
fname :C:\STORMS~1\S_N5ex.001
remark:flow at S_N5

Sum of hydrographs from Node 5 routed to Node 5A
Section 7

001:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5 45496.01 32.982 No_date 37:00 12.17 n/a
[RDT=30.00] out<- 02:N5A 45496.01 32.930 No_date 37:00 12.17 n/a
[L/S/n= 556./ .090/.040]
{Vmax= .443:Dmax= .935}

001:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 .287 No_date 28:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
of 1.61

001:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 .334
[CN= 75.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#

001:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5A 45496.01 32.930 No_date 37:00 12.17 n/a
+ 03:SW_5A2 20.00 .287 No_date 28:30 17.76 n/a
+ 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 n/a
[DT=30.00] SUM= 01:S_N5A 46928.01 35.948 No_date 37:00 12.26 n/a

Sum of hydrographs from Node 5A routed to Node 4
Section 8

001:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5A 46928.01 35.948 No_date 37:00 12.26 n/a
[RDT=30.00] out<- 02:N4 46928.01 35.073 No_date 39:00 12.26 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .693:Dmax= 2.837}

001:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4 585.00 4.232 No_date 29:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

001:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK 1021.00 5.667 No_date 30:30 17.36 .382
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 4 and Leamy Creek to Node 4
#

001:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N4 46928.01 35.073 No_date 39:00 12.26 n/a
+ 03:SW_4 585.00 4.232 No_date 29:30 17.76 n/a

```

+ 04:LM_CK 1021.00 5.667 No_date 30:30 17.36 n/a
[DT=30.00] SUM= 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
001:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
fname :C:\STORMS~1\H-S_N4.001
remark:flow at S_N4

```

```

#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#

```

```

001:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
[RDT=30.00] out<- 02:N2 48534.01 37.307 No_date 39:00 12.44 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .714:Dmax= 2.841}
001:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2 177.00 1.996 No_date 28:30 15.88 .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
001:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR 1122.00 5.257 No_date 31:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR 2737.00 11.338 No_date 31:30 15.53 .341
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#

```

```

001:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N2 48534.01 37.307 No_date 39:00 12.44 n/a
+ 03:SW_2 177.00 1.996 No_date 28:30 15.88 n/a
+ 04:SM_DR 1122.00 5.257 No_date 31:30 17.76 n/a
+ 05:MO_DR 2737.00 11.338 No_date 31:30 15.53 n/a
[DT=30.00] SUM= 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
001:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
fname :C:\STORMS~1\H_SN2.001
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#

```

```

001:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
[RDT=30.00] out<- 02:N1 52570.01 42.616 No_date 39:30 12.72 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .767:Dmax= 2.662}
001:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 12.490 No_date 32:00 16.23 .357
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 1 to Node 1
#

```

```

001:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 42.616 No_date 39:30 12.72 n/a
+ 03:SW_1 3176.00 12.490 No_date 32:00 16.23 n/a

```

```
[DT=30.00] SUM= 01:N1 55746.00 49.180 No_date 36:30 12.92 n/a
001:0073-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
SAVE HYD 01:N1 55746.00 49.180 No_date 36:30 12.92 n/a
fname :C:\STORMS~1\H-N1.001
remark:N1-ex
```

```
#####
** END OF RUN : 4
```

```
*****
```

```
RUN:COMMAND#
```

```
005:0001-----
```

```
START
```

```
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 5 ]
```

```
*****
```

```
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
```

```
*****
```

```
# Project Name: [Jock River] Project Number: [411-02]
```

```
# Date : 06-06-2003
```

```
# Modeller : [JoF]
```

```
# Company : JFSAinc.
```

```
# License # : 2549237
```

```
*****
```

```
# CALIBRATION OF SUMMER MODEL PARAMETERS
```

```
# USING CONTINUOUS SIMULATIONS
```

```
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
```

```
# Use data collected from May 1st to July 14, 2003
```

```
# -----
```

```
#
```

```
# EXISING SUMMER
```

```
#
```

```
#
```

```
005:0002-----
```

```
READ STORM
```

```
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:5 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 57.12]
```

```
005:0003-----
```

```
MODIFY STORM
```

```
[RFAC= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 57.12]
```

```
005:0004-----
```

```
COMPUTE API
```

```
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax= 90.83: APIavg= 60.09: APImin= 44.87}
```

```
#
```

```
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
```

```
# of 1.32
```

```
005:0005-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
```

```
CONTINUOUS NASHYD 01:JR_HW 3680.00 9.169 No_date 37:00 16.38 .287
```

```
[CN= 64.0: N= 3.00]
```

```
[Tp= 7.13:DT=30.00]
```

```
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
```

```
[InterEventTime= 12.00]
```

```
#
```

```
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
```

```
# of 1.32
```

```
005:0006-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
```

```
CONTINUOUS NASHYD 02:SW_13 971.00 3.350 No_date 32:30 15.27 .267
```

```
[CN= 61.0: N= 3.00]
```

```

[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
005:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N13   3680.00   9.169 No_date   37:00   16.38 n/a
                + 02:SW_13    971.00    3.350 No_date   32:30   15.27 n/a
[DT=30.00] SUM= 01:S_N13   4651.00   11.688 No_date   35:30   16.15 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
005:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N13   4651.00   11.688 No_date   35:30   16.15 n/a
[RDT=30.00] out<- 02:N13A   4651.00    9.343 No_date   39:30   16.15 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .475:Dmax= 2.992}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM  3161.00    4.639 No_date   39:30   13.20 .231
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
005:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N13A    4651.00    9.343 No_date   39:30   16.15 n/a
                + 01:SN13A   3161.00    4.639 No_date   39:30   13.20 n/a
[DT=30.00] SUM= 01:SN13A   7812.00   13.982 No_date   39:30   14.96 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
005:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A   7812.00   13.982 No_date   39:30   14.96 n/a
[RDT=30.00] out<- 02:RES_GM  7812.00    3.139 No_date   58:00   14.96 n/a
{MxStoUsed=.6269E+02}
#
005:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:RES_GM  7812.00    3.139 No_date   58:00   14.96 n/a
fname :C:\STORMS~1\H_RESGM.005
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:RES_GM  7812.00    3.139 No_date   58:00   14.96 n/a
[RDT=30.00] out<- 01:N12    7812.00    3.129 No_date   60:30   14.96 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .526:Dmax= 1.427}
005:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11    500.00    4.260 No_date   29:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
005:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH  1781.00    8.382 No_date   32:30   20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]

```

```

[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
005:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12  7812.00   3.129 No_date  60:30  14.96 n/a
                + 02:JR_ASH  1781.00   8.382 No_date  32:30  20.09 n/a
[DT=30.00] SUM= 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
005:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
fname :C:\STORMS~1\H_SN12.005
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
[RDT=30.00] out<- 02:N11  9593.00  10.235 No_date  33:00  15.91 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .634:Dmax= 2.418}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
005:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
[RDT=30.00] out<- 03:Dum11  9593.00  10.246 No_date  33:00  15.91 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .645:Dmax= 2.393}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   6.085 No_date  34:00  17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
005:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00  10.246 No_date  33:00  15.91 n/a
                + 04:SW_11   500.00   4.260 No_date  29:00  17.15 n/a
                + 05:NN_CK  1917.00   6.085 No_date  34:00  17.15 n/a
[DT=30.00] SUM= 01:S_N11 12010.00  17.319 No_date  33:00  16.16 n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
005:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N11 12010.00  17.319 No_date  33:00  16.16 n/a
[RDT=30.00] out<- 02:N10  12010.00  11.909 No_date  38:30  16.16 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .462:Dmax= 1.078}
005:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  16.454 No_date  38:00  20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#

```



```

005:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10    12010.00   11.909 No_date   38:30   16.16  n/a
          + 04:SW_10    5666.00   16.454 No_date   38:00   20.09  n/a
[DT=30.00] SUM= 01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
005:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
fname :C:\STORMS~1\H_SN10.005
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
005:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK   8376.00   15.668 No_date   39:30   17.15  .300
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
005:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
          + 03:KG_CK   8376.00   15.668 No_date   39:30   17.15  n/a
[DT=30.00] SUM= 02:S_N10A 26052.00   43.598 No_date   39:30   17.33  n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
005:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00   43.598 No_date   39:30   17.33  n/a
[RDT=30.00] out<- 01:N9    26052.00   42.453 No_date   39:30   17.33  n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .663:Dmax= 1.480}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
005:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9    1132.00    6.854 No_date   30:30   19.22  .336
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK   4464.00    7.795 No_date   39:30   15.63  .274
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
005:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9     26052.00   42.453 No_date   39:30   17.33  n/a
          + 03:SW_9    1132.00    6.854 No_date   30:30   19.22  n/a
          + 04:NC_CK   4464.00    7.795 No_date   39:30   15.63  n/a
[DT=30.00] SUM= 02:S_N9    31648.00   52.078 No_date   39:30   17.16  n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
005:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9    31648.00   52.078 No_date   39:30   17.16  n/a
[RDT=30.00] out<- 01:N8    31648.00   48.443 No_date   40:00   17.16  n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .371:Dmax= 1.510}

```

```

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8      131.00    1.239 No_date  28:30   16.00 .280
  [CN= 63.0: N= 3.00]
  [Tp= .90:DT=30.00]
  [IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
005:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR      3854.00    9.126 No_date  38:30   17.15 .300
  [CN= 66.0: N= 3.00]
  [Tp= 8.42:DT=30.00]
  [IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
005:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N8      31648.00    48.443 No_date  40:00   17.16 n/a
                + 03:SW_8      131.00    1.239 No_date  28:30   16.00 n/a
                + 04:HB_DR      3854.00    9.126 No_date  38:30   17.15 n/a
  [DT=30.00] SUM= 02:S_N8      35633.00    57.182 No_date  39:30   17.16 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
005:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8      35633.00    57.182 No_date  39:30   17.16 n/a
  [RDT=30.00] out<- 01:N7      35633.00    46.901 No_date  45:00   17.16 n/a
  [L/S/n= 3750./ .053/.070]
  {Vmax= .207:Dmax= 1.840}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7      3197.00    6.873 No_date  36:00   13.87 .243
  [CN= 57.0: N= 3.00]
  [Tp= 6.65:DT=30.00]
  [IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
005:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00    46.901 No_date  45:00   17.16 n/a
                + 03:SW_7      3197.00    6.873 No_date  36:00   13.87 n/a
  [DT=30.00] SUM= 02:S_N7      38830.00    50.132 No_date  43:30   16.89 n/a
005:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7      38830.00    50.132 No_date  43:30   16.89 n/a
  fname :C:\STORMS~1\H_SN7.005
  remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
005:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7      38830.00    50.132 No_date  43:30   16.89 n/a
  [RDT=30.00] out<- 01:RES_RF 38830.00    27.650 No_date  59:00   16.89 n/a
  {MxStoUsed=.1714E+03}
005:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

SAVE HYD          01:RES_RF 38830.00  27.650 No_date  59:00  16.89 n/a
fname :C:\STORMS~1\H_ResRF.005
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
005:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:RES_RF 38830.00  27.650 No_date  59:00  16.89 n/a
[RDT=30.00] out<- 02:N6  38830.00  27.619 No_date  60:00  16.89 n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .458:Dmax= .889}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
005:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6  165.00  .630 No_date  33:00  17.55 .307
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
005:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR  1332.00  4.700 No_date  35:00  20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
005:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR  1332.00  4.700 No_date  35:00  20.09 n/a
fname :C:\STORMS~1\H-VG_DR.005
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
005:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6  38830.00  27.619 No_date  60:00  16.89 n/a
+ 03:SW_6  165.00  .630 No_date  33:00  17.55 n/a
+ 04:VG_DR  1332.00  4.700 No_date  35:00  20.09 n/a
[DT=30.00] SUM= 01:S_N6  40327.01  27.692 No_date  59:30  16.99 n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
005:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6  40327.01  27.692 No_date  59:30  16.99 n/a
[RDT=30.00] out<- 02:N5  40327.01  27.656 No_date  59:30  16.99 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .396:Dmax= .997}
005:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5  224.00  3.985 No_date  28:30  22.94 .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
005:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK  4945.00  22.432 No_date  33:00  21.01 .368
[CN= 74.0: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#

```

```

# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
005:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5      40327.01  27.656 No_date  59:30  16.99 n/a
                + 03:SW_5    224.00   3.985 No_date  28:30  22.94 n/a
                + 04:FL_CK   4945.00  22.432 No_date  33:00  21.01 n/a
  [DT=30.00] SUM= 01:S_N5    45496.01  43.205 No_date  35:00  17.46 n/a
005:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD        02:N5      40327.01  27.656 No_date  59:30  16.99 n/a
  fname :C:\STORMS~1\N5ex.005
  remark:flow at N5
005:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD        03:SW_5    224.00   3.985 No_date  28:30  22.94 n/a
  fname :C:\STORMS~1\SW_5ex.005
  remark:flow at SW_5
005:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD        04:FL_CK   4945.00  22.432 No_date  33:00  21.01 n/a
  fname :C:\STORMS~1\FL_CKex.005
  remark:flow at FL_CK
005:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD        01:S_N5    45496.01  43.205 No_date  35:00  17.46 n/a
  fname :C:\STORMS~1\S_N5ex.005
  remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
005:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 01:S_N5    45496.01  43.205 No_date  35:00  17.46 n/a
  [RDT=30.00] out<- 02:N5A    45496.01  43.167 No_date  35:30  17.46 n/a
  [L/S/n= 556./ .090/.040]
  {Vmax= .464:Dmax= 1.057}
005:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  * CONTINUOUS NASHYD 03:SW_5A2    20.00   .448 No_date  28:30  25.59 .448
  [CN= 81.0: N= 3.00]
  [Tp= .62:DT=30.00]
  [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
005:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:SW_5A1  1412.00  4.515 No_date  37:30  21.96 .384
  [CN= 75.0: N= 3.00]
  [Tp= 8.00:DT=30.00]
  [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
005:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5A    45496.01  43.167 No_date  35:30  17.46 n/a
                + 03:SW_5A2    20.00   .448 No_date  28:30  25.59 n/a
                + 04:SW_5A1  1412.00  4.515 No_date  37:30  21.96 n/a
  [DT=30.00] SUM= 01:S_N5A  46928.01  47.522 No_date  35:30  17.60 n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
005:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 01:S_N5A  46928.01  47.522 No_date  35:30  17.60 n/a
  [RDT=30.00] out<- 02:N4     46928.01  45.859 No_date  37:30  17.60 n/a
  [L/S/n= 4630./ .043/.035]
  {Vmax= .753:Dmax= 3.105}
005:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 03:SW_4     585.00   6.551 No_date  29:30  25.59 .448
  [CN= 81.0: N= 3.00]

```

```
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
005:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK 1021.00 8.738 No_date 30:30 25.04 .438
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
```

#

Addition of Subwatershed 4 and Leamy Creek to Node 4

#

```
005:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4      46928.01  45.859 No_date  37:30  17.60  n/a
                + 03:SW_4    585.00   6.551 No_date  29:30  25.59  n/a
                + 04:LM_CK   1021.00  8.738 No_date  30:30  25.04  n/a
[DT=30.00] SUM= 01:S_N4  48534.01  50.003 No_date  36:30  17.85  n/a
005:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  50.003 No_date  36:30  17.85  n/a
fname :C:\STORMS~1\H-S_N4.005
remark:flow at S_N4
```

#

Sum of hydrographs from Node 4 routed to Node 2

Section 9

#

```
005:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4  48534.01  50.003 No_date  36:30  17.85  n/a
[RDT=30.00] out<- 02:N2  48534.01  49.892 No_date  37:00  17.85  n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .780:Dmax= 3.124}
```

```
005:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2  177.00   3.149 No_date  28:30  22.94  .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
```

```
005:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR  1122.00  8.043 No_date  31:30  25.59  .448
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
```

```
005:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR  2737.00  17.548 No_date  31:30  22.44  .393
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
```

#

Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2

#

```
005:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2      48534.01  49.892 No_date  37:00  17.85  n/a
                + 03:SW_2    177.00   3.149 No_date  28:30  22.94  n/a
                + 04:SM_DR   1122.00  8.043 No_date  31:30  25.59  n/a
                + 05:MO_DR   2737.00  17.548 No_date  31:30  22.44  n/a
[DT=30.00] SUM= 01:S_N2  52570.01  66.308 No_date  33:00  18.27  n/a
005:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N2  52570.01  66.308 No_date  33:00  18.27  n/a
fname :C:\STORMS~1\H_SN2.005
remark:flow at S_N2 Jock River Gauge at Moodie Dr.
```

#

Sum of hydrographs from Node 2 routed to Node 1

Section 10

#

```
005:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2  52570.01  66.308 No_date  33:00  18.27  n/a
```

```
[RDT=30.00] out<- 02:N1      52570.01  59.710 No_date  37:00  18.27  n/a
[L/S/n=10046./ .050/.040]
{Vmax= .861:Dmax= 3.202}
005:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1      3176.00  19.206 No_date  32:00  23.45  .411
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]
```

#

Addition of Subwatershed 1 to Node 1

#

```
005:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N1      52570.01  59.710 No_date  37:00  18.27  n/a
      + 03:SW_1      3176.00  19.206 No_date  32:00  23.45  n/a
[DT=30.00] SUM= 01:N1      55746.00  72.094 No_date  35:00  18.57  n/a
005:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:N1      55746.00  72.094 No_date  35:00  18.57  n/a
fname :C:\STORMS~1\H-N1.005
remark:N1-ex
```

```
#####
** END OF RUN : 99
```

RUN:COMMAND#

```
100:0001-----
START
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 100 ]
```

SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE

```
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237
```

CALIBRATION OF SUMMER MODEL PARAMETERS

USING CONTINUOUS SIMULATIONS

Rainfall data from JFSA rainauge installed at site + other gauges by the Cit

Use data collected from May 1st to July 14, 2003

#

EXISING SUMMER

#

#

```
100:0002-----
READ STORM
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:100 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 88.57]
```

```
100:0003-----
MODIFY STORM
[RFACT= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 88.57]
```

```
100:0004-----
COMPUTE API
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax=119.84: APIavg= 69.19: APImin= 44.87}
```

```

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 21.054 No_date 36:30 35.15 .397
[CN= 64.0: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 8.058 No_date 32:30 32.81 .370
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
100:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 21.054 No_date 36:30 35.15 n/a
+ 02:SW_13 971.00 8.058 No_date 32:30 32.81 n/a
[DT=30.00] SUM= 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
100:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
[RDT=30.00] out<- 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .594:Dmax= 4.138}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 10.266 No_date 39:30 28.27 .319
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
100:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
+ 01:SN13A 3161.00 10.266 No_date 39:30 28.27 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
100:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
{MxStoUsed=.1788E+03}
#
100:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
fname :C:\STORMS~1\H_RESGM.100
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```



```

ROUTE CHANNEL  -> 02:RES_GM  7812.00   3.947 No_date  63:30  32.08  n/a
[RDT=30.00] out<- 01:N12   7812.00   3.943 No_date  66:30  32.08  n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .560:Dmax= 1.559}
100:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11   500.00  10.499 No_date  29:00  36.74  .415
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
100:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00  19.356 No_date  32:30  42.46  .479
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
100:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12   7812.00   3.943 No_date  66:30  32.08  n/a
+ 02:JR_ASH     1781.00  19.356 No_date  32:30  42.46  n/a
[DT=30.00] SUM= 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
100:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
fname :C:\STORMS~1\H_SN12.100
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
[RDT=30.00] out<- 02:N11   9593.00  21.120 No_date  33:00  34.00  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .760:Dmax= 3.206}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
100:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
[RDT=30.00] out<- 03:Dum11  9593.00  21.116 No_date  32:30  34.00  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .774:Dmax= 3.175}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00  14.197 No_date  34:00  36.74  .415
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
100:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11   9593.00  21.116 No_date  32:30  34.00  n/a
+ 04:SW_11      500.00  10.499 No_date  29:00  36.74  n/a
+ 05:NN_CK     1917.00  14.197 No_date  34:00  36.74  n/a
[DT=30.00] SUM= 01:S_N11 12010.00  37.438 No_date  33:00  34.55  n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1

```

```

#
100:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11  12010.00  37.438 No_date  33:00  34.55 n/a
[RDT=30.00] out<- 02:N10   12010.00  23.324 No_date  39:00  34.55 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .484:Dmax= 1.483}
100:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  36.560 No_date  37:30  42.46 .479
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
100:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10   12010.00  23.324 No_date  39:00  34.55 n/a
                + 04:SW_10  5666.00  36.560 No_date  37:30  42.46 n/a
[DT=30.00] SUM= 01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
100:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
fname :C:\STORMS~1\H_SN10.100
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
100:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK  8376.00  34.456 No_date  39:30  36.74 .415
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
100:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
                + 03:KG_CK  8376.00  34.456 No_date  39:30  36.74 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00  93.257 No_date  39:30  36.98 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
100:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00  93.257 No_date  39:30  36.98 n/a
[RDT=30.00] out<- 01:N9   26052.00  91.386 No_date  39:30  36.98 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .769:Dmax= 2.125}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
100:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9   1132.00  16.257 No_date  30:30  40.80 .461
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK  4464.00  17.270 No_date  39:30  33.59 .379
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9

```

```

#
100:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N9      26052.00  91.386 No_date  39:30  36.98  n/a
                + 03:SW_9      1132.00  16.257 No_date  30:30  40.80  n/a
                + 04:NC_CK      4464.00  17.270 No_date  39:30  33.59  n/a
                [DT=30.00] SUM= 02:S_N9  31648.00 112.276 No_date  39:30  36.63  n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
100:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 02:S_N9  31648.00 112.276 No_date  39:30  36.63  n/a
  [RDT=30.00] out<- 01:N8  31648.00 106.477 No_date  40:00  36.63  n/a
  [L/S/n= 2269./ .088/.045]
  {Vmax= .372:Dmax= 1.905}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  * CONTINUOUS NASHYD 03:SW_8  131.00  3.096 No_date  28:30  34.37  .388
  [CN= 63.0: N= 3.00]
  [Tp= .90:DT=30.00]
  [IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
100:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:HB_DR  3854.00  20.590 No_date  38:00  36.74  .415
  [CN= 66.0: N= 3.00]
  [Tp= 8.42:DT=30.00]
  [IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
100:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N8      31648.00 106.477 No_date  40:00  36.63  n/a
                + 03:SW_8      131.00  3.096 No_date  28:30  34.37  n/a
                + 04:HB_DR      3854.00  20.590 No_date  38:00  36.74  n/a
                [DT=30.00] SUM= 02:S_N8  35633.00 126.247 No_date  39:30  36.64  n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
100:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 02:S_N8  35633.00 126.247 No_date  39:30  36.64  n/a
  [RDT=30.00] out<- 01:N7  35633.00 108.774 No_date  44:30  36.64  n/a
  [L/S/n= 3750./ .053/.070]
  {Vmax= .236:Dmax= 2.384}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 03:SW_7  3197.00  16.027 No_date  36:00  29.76  .336
  [CN= 57.0: N= 3.00]
  [Tp= 6.65:DT=30.00]
  [IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
100:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N7      35633.00 108.774 No_date  44:30  36.64  n/a
                + 03:SW_7      3197.00  16.027 No_date  36:00  29.76  n/a
                [DT=30.00] SUM= 02:S_N7  38830.00 117.367 No_date  43:30  36.07  n/a
100:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

SAVE HYD          02:S_N7   38830.00  117.367 No_date   43:30   36.07  n/a
  fname :C:\STORMS~1\H_SN7.100
  remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
100:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7   38830.00  117.367 No_date   43:30   36.07  n/a
[RDT=30.00] out<- 01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
{MxStoUsed=.5014E+03}
100:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
  fname :C:\STORMS~1\H_ResRF.100
  remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
100:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
[RDT=30.00] out<- 02:N6     38830.00   60.346 No_date   60:00   36.07  n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .553:Dmax= 1.353}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
100:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6    165.00    1.482 No_date   33:00   37.54  .424
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
100:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR   1332.00   10.635 No_date   35:00   42.46  .479
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
100:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR   1332.00   10.635 No_date   35:00   42.46  n/a
  fname :C:\STORMS~1\H-VG_DR.100
  remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
100:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6     38830.00   60.346 No_date   60:00   36.07  n/a
+ 03:SW_6        165.00    1.482 No_date   33:00   37.54  n/a
+ 04:VG_DR       1332.00   10.635 No_date   35:00   42.46  n/a
[DT=30.00] SUM= 01:S_N6   40327.01   60.507 No_date   59:30   36.29  n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
100:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N6   40327.01   60.507 No_date   59:30   36.29  n/a
[RDT=30.00] out<- 02:N5     40327.01   60.393 No_date   60:30   36.29  n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .490:Dmax= 1.451}
100:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

* CONTINUOUS NASHYD 03:SW_5      224.00    9.294 No_date  28:30  47.59 .537
  [CN= 77.0: N= 3.00]
  [Tp=  .75:DT=30.00]
  [IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
  [InterEventTime= 12.00]

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
100:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK    4945.00    51.121 No_date  33:00  44.15 .498
  [CN= 74.0: N= 3.00]
  [Tp= 4.45:DT=30.00]
  [IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
  [InterEventTime= 12.00]

#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
100:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5         40327.01    60.393 No_date  60:30  36.29 n/a
                + 03:SW_5      224.00     9.294 No_date  28:30  47.59 n/a
                + 04:FL_CK    4945.00    51.121 No_date  33:00  44.15 n/a
  [DT=30.00] SUM= 01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
100:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N5         40327.01    60.393 No_date  60:30  36.29 n/a
  fname :C:\STORMS~1\N5ex.100
  remark:flow at N5
100:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         03:SW_5      224.00     9.294 No_date  28:30  47.59 n/a
  fname :C:\STORMS~1\SW_5ex.100
  remark:flow at SW_5
100:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:FL_CK    4945.00    51.121 No_date  33:00  44.15 n/a
  fname :C:\STORMS~1\FL_CKex.100
  remark:flow at FL_CK
100:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
  fname :C:\STORMS~1\S_N5ex.100
  remark:flow at S_N5

#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
100:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
  [RDT=30.00] out<- 02:N5A    45496.01    79.822 No_date  34:00  37.20 n/a
  [L/S/n= 556./ .090/.040]
  {Vmax= .544:Dmax= 1.346}
100:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2    20.00     1.014 No_date  28:30  52.03 .587
  [CN= 81.0: N= 3.00]
  [Tp=  .62:DT=30.00]
  [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
  [InterEventTime= 12.00]

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
100:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1  1412.00     9.884 No_date  37:30  45.85 .518
  [CN= 75.0: N= 3.00]
  [Tp= 8.00:DT=30.00]
  [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
  [InterEventTime= 12.00]

#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
100:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A    45496.01    79.822 No_date  34:00  37.20 n/a

```

```

+ 03:SW_5A2    20.00    1.014 No_date    28:30    52.03 n/a
+ 04:SW_5A1   1412.00    9.884 No_date    37:30    45.85 n/a
[DT=30.00] SUM= 01:S_N5A 46928.01  88.624 No_date    34:30    37.46 n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
100:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A 46928.01  88.624 No_date    34:30    37.46 n/a
[RDT=30.00] out<- 02:N4    46928.01  84.961 No_date    36:00    37.46 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .901:Dmax= 3.849}
100:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4    585.00    14.684 No_date    29:30    52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK   1021.00    19.515 No_date    30:30    51.13 .577
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
100:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4    46928.01  84.961 No_date    36:00    37.46 n/a
+ 03:SW_4        585.00    14.684 No_date    29:30    52.03 n/a
+ 04:LM_CK       1021.00    19.515 No_date    30:30    51.13 n/a
[DT=30.00] SUM= 01:S_N4 48534.01  95.703 No_date    34:30    37.93 n/a
100:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4 48534.01  95.703 No_date    34:30    37.93 n/a
fname :C:\STORMS~1\H-S_N4.100
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
100:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N4 48534.01  95.703 No_date    34:30    37.93 n/a
[RDT=30.00] out<- 02:N2    48534.01  95.351 No_date    35:00    37.93 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .942:Dmax= 3.915}
100:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2    177.00    7.344 No_date    28:30    47.59 .537
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
100:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR   1122.00    17.710 No_date    31:30    52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR   2737.00    40.026 No_date    31:00    46.72 .527
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
100:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

ADD HYD          02:N2      48534.01   95.351 No_date   35:00   37.93  n/a
                + 03:SW_2    177.00    7.344 No_date   28:30   47.59  n/a
                + 04:SM_DR   1122.00   17.710 No_date   31:30   52.03  n/a
                + 05:MO_DR   2737.00   40.026 No_date   31:00   46.72  n/a
[DT=30.00] SUM= 01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
100:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
fname :C:\STORMS~1\H_SN2.100
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#

```

```

100:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
[RDT=30.00] out<- 02:N1    52570.01  124.317 No_date   35:00   38.72  n/a
[L/S/n=10046./ .050/.040]
{Vmax= 1.091:Dmax= 4.554}

```

```

100:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1    3176.00   43.079 No_date   32:00   48.46  .547
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 1 to Node 1
#

```

```

100:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N1      52570.01  124.317 No_date   35:00   38.72  n/a
                + 03:SW_1    3176.00   43.079 No_date   32:00   48.46  n/a
[DT=30.00] SUM= 01:N1      55746.00  158.436 No_date   34:00   39.27  n/a

```

```

100:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:N1      55746.00  158.436 No_date   34:00   39.27  n/a
fname :C:\STORMS~1\H-N1.100
remark:N1-ex

```

```

#####
100:0002-----
FINISH

```

```

*****

```

SWMHYMO – INPUT - FUTURE


```

20 Metric units / ID numbers OFF
*#*****
*# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
*#*****
*# Project Name: [Jock River] Project Number: [411-02]
*# Date : 06-06-2003
*# Modeller : [JoF]
*# Company : JFSAinc.
*# License # : 2549237
*#*****
*# CALIBRATION OF SUMMER MODEL PARAMETERS
*# USING CONTINUOUS SIMULATIONS
*# Rainfall data from JFSA rainauge installed at site + other gauges by the City
*# Use data collected from May 1st to July 14, 2003
*
* Calibrated parameters for Summer 2003 data: APII=50, APIK=0.85, CN=varies,
* SK=0.01, InterEventTime=12,
* GWResk=0.96, VHydCond=0.055
*
*# -----
*#
*# FUTURE SUMMER - Cumulative Development
*#
*#
*
*START TZERO=[2003.0501], METOUT=[2], NSTORM=[1], NRUN=[001]
* ["XAVG0315.STM"] average storm data a 15 minute time step
* The above rainf file is an average of the JFSA gauge data
* with the City of Ottawa rainfall data collected during
* the same period.
*% 2 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[1]
["C:\STORMS-PF\C24SC002.stm"]
*%-----|-----
*%-----|-----
READ STORM STORM_FILENAME=["storm.001"]
*%-----|-----
MODIFY STORM ICASEms=[1], NSHIFT=[96],
RedFACT=[1],
*%-----|-----
COMPUTE API APII=[50], APIK=[.85]/day
*%-----|-----
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*# mod CN
*%-----|-----
CONTINUOUS NASHYD 1 NHYD=["JR_HW"], DT=[30]min, AREA=[3680] (ha),
DWF=[0] (cms), CN/C=[64.5], IA=[2.5] (mm),
N=[3.0], TP=[7.13]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1],
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*%-----|-----
CONTINUOUS NASHYD 2 NHYD=["SW_13"], DT=[30]min, AREA=[971] (ha),
DWF=[0] (cms), CN/C=[61], IA=[2.5] (mm),
N=[3.0], TP=[3.76]hrs,

```

```

Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Starting with the addition of Jock River Headwater and Subwatershed 13
*#
ADD HYD          1  NHYDsum=["S_N13"] NHYDs to add=1 2
*#
*# Sum of hydrographs from Node 13 routed to Node 13A
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
*#
ROUTE CHANNEL    NHYDout=2  ["N13A"] ,  NHYDin=1 ,
RDT=[30] (min),
CHLGTH=[9074] (m),  CHSLOPE=[0.0220] (%),
                                FPSLOPE=[0.0220] (%),
SECNUM=[1.0],      NSEG=[1]
( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
( DISTANCE (m), ELEVATION (m))=
    [-40, 132.5]
    [-30, 132]
    [-25, 131.5]
    [-13, 130]
    [-8, 127.00]
    [-7, 126.50]
    [-6, 126]
    [-5.5, 125.50]
    [0, 123.75]
    [4.5, 125.50]
    [6, 126]
    [7.5, 126.5]
    [9, 127]
    [10, 127.5]
    [11.5, 128.0]
    [15.5, 129.5]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*#mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD=1  ["JR_GWM"], DT=[30]min, AREA=[3161] (ha),
DWF=[0] (cms),  CN/C=[55.8],  IA=[2.5] (mm),
N=[3],  TP=[11.33]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
*#
ADD HYD          NHYDsum=1  ["SN13A"], NHYDs to add= 2 1  ["N13A"+"JR_GWM"]
*%-----|-----
*%-----|-----
*#
*# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
*#

```



```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Ashton to Node 12
*#
ADD HYD          NHYDsum=1 ["S_N12"], NHYDs to add= 1 2 ["N12"+"JR_ASH"]
SAVE HYD         NHYD=1 , # OF PCYCLES=[-1],  ICASEsh=[-1]
                 HYD_FILENAME=["H_SN12"]
                 HYD_COMMENT=["flow at S_N12 near Ashton"]
*%-----|-----
*#
*# Sum of hydrographs from Node 12 routed to Node 11
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
ROUTE CHANNEL   NHYDout= 2 ["N11"] ,NHYDin= 1 ,
                RDT=[30] (min),
                CHLGTH=[972] (m),  CHSLOPE=[0.0514] (%),
                                FPSLOPE=[0.0514] (%),
                SECNUM=[1.0],      NSEG=[1]
                ( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                [-40, 132.5]
                [-30, 132]
                [-25, 131.5]
                [-13, 130]
                [-8, 127.00]
                [-7, 126.50]
                [-6, 126]
                [-5.5, 125.50]
                [0, 123.75]
                [4.5, 125.50]
                [6, 126]
                [7.5, 126.5]
                [9, 127]
                [10, 127.5]
                [11.5, 128.00]
                [15.5, 129.5]
*%-----|-----
*#
*# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
*#
ROUTE CHANNEL   NHYDout= 3 ["Dum11"] ,NHYDin= 1,
                RDT=[30] (min),
                CHLGTH=[972] (m),  CHSLOPE=[0.054] (%),
                                FPSLOPE=[0.054] (%),
                SECNUM=[1.0],      NSEG=[1]
                ( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                [-40, 132.5]
                [-30, 132]
                [-25, 131.5]
                [-13, 130]
                [-8, 127.00]
                [-7, 126.50]
                [-6, 126]
                [-5.5, 125.50]
                [0, 123.75]
                [4.5, 125.50]
                [6, 126]
                [7.5, 126.5]
                [9, 127]

```

[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

*%-----|-----
*#

*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80

*%-----|-----

CONTINUOUS NASHYD NHYD= 5 ["NN_CK"], DT=[30]min, AREA=[1917] (ha),
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),
N=[3.0], TP=[5.29]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

*%-----|-----
*%-----|-----

*#
*# Addition of Subwatershed 11 and No Name Creek to Node 11
*#

ADD HYD NHYDsum=1 ["S_N11"], NHYDs to add= 3 4 5 ["Dum11"+"SW_11"+"NN_CK"]

*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.52

*%-----|-----
*%-----|-----

*#
*# Sum of hydrographs from Node 11 routed to Node 10
*# Section 1
*#

ROUTE CHANNEL NHYDout= 2 ["N10"] ,NHYDin= 1 ,
RDT=[30] (min),
CHLGTH=[14028] (m), CHSLOPE=[0.1568] (%),
FPSLOPE=[0.1568] (%),
SECNUM=[1.0], NSEG=[5]
(SEGROUGH, SEGDIST (m))=
[0.04,-52.82
0.1,-6.47
-0.05,6.47
0.1,45.36
0.04,423.88] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-226.24 ,112.50]
[-167.50 ,111.50]
[-106.81 ,111.00]
[-92.37 ,110.00]
[-52.82 ,109.00]
[-24.90, 109.00]
[-17.02, 108.50]
[-6.47, 108.00]
[6.47, 108.00]
[15.67, 108.50]
[18.95, 109.00]
[45.36, 109.50]
[120.79, 110.00]
[145.72, 111.00]
[181.56, 111.50]
[423.88, 112.50]

CONTINUOUS NASHYD NHYD= 4 ["SW_10"], DT=[30]min, AREA=[5666] (ha),
DWF=[0] (cms), CN/C=[72], IA=[2.5] (mm),
N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),

```

SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed 10 to Node 10
*#
ADD HYD          NHYDsum= 1 ["S_N10"], NHYDs to add= 2 4 ["N10"+"SW_10"]
*%-----|-----
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["H_SN10"]
                HYD_COMMENT=["flow at S_N10: N10 + SW_10"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*#mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["KG_CK"], DT=[30]min, AREA=[8376] (ha),
                  DWF=[0] (cms), CN/C=[66.3], IA=[2.5] (mm),
                  N=[3.0], TP=[11.66]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*# Addition of Kings Creek to S_N10
*#
ADD HYD          NHYDsum=2 ["S_N10A"], NHYDs to add= 1 3 ["S_N10"+"KG_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 10 routed to Node 9
*# Section 2
*#
ROUTE CHANNEL    NHYDout= 1 ["N9"] ,NHYDin= 2
                  RDT=[30] (min),
                  CHLGTH=[3982] (m),  CHSLOPE=[0.0753] (%),
                                      FPSLOPE=[0.0753] (%),
                  SECNUM=[1.0],      NSEG=[4]
                  ( SEGROUGH, SEGDIST (m))=
                    [0.04,-30.27
                     0.05,-18.42
                    -0.05,18.42
                    0.04,131.58] NSEG times
                  ( DISTANCE (m), ELEVATION (m))=
                    [-446.74, 106.00]
                    [-415.68, 105.50]
                    [-285.40, 105.00]
                    [-173.77, 104.50]
                    [-144.95, 104.00]
                    [-111.18, 103.50]
                    [-94.06, 103.00]
                    [-71.02, 102.50]
                    [-30.27, 102.00]
                    [-19.33, 100.00]
                    [-18.42, 99.50]
                    [18.42, 99.50]
                    [20.77, 100.00]
                    [27.93, 101.00]
                    [52.29, 101.00]

```

[68.80, 101.50]
[79.66, 103.00]
[91.50, 103.50]
[131.58, 104.00]

```
*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.68
*%-----|-----|
CONTINUOUS NASHYD  NHYD= 3 ["SW_9"], DT=[30]min, AREA=[1132] (ha),
                   DWF=[0] (cms),  CN/C=[70], IA=[2.5] (mm),
                   N=[3.0], TP=[2.51]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----|
CONTINUOUS NASHYD  NHYD= 4 ["NC_CK"], DT=[30]min, AREA=[4464] (ha),
                   DWF=[0] (cms),  CN/C=[62], IA=[2.5] (mm),
                   N=[3.0], TP=[11.32]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----|
*#
*# Addition of Subwatershed 9 and Nichols Creek to Node 9
*#
ADD HYD            NHYDsum= 2 ["S_N9"], NHYDs to add= 1 3 4 ["N9"+"SW_9"+"NC_CK"]
*%-----|-----|
*#
*# Sum of hydrographs from Node 9 routed to Node 8
*# Section 3
*#
ROUTE CHANNEL     NHYDout= 1 ["N8"] ,NHYDin= 2
                   RDT=[30] (min),
                   CHLGTH=[2269] (m),  CHSLOPE=[0.0882] (%),
                                       FPSLOPE=[0.0882] (%),
                   SECNUM=[1.0],      NSEG=[3]
                   ( SEGROUGH, SEGDIST (m) )=
                   [0.1,-17.99
                   -0.045,17.31
                   0.1,456.58] NSEG times
                   ( DISTANCE (m), ELEVATION (m) )=
                   [-201.19,100.50]
                   [-135.21, 100.00]
                   [-94.83, 99.50]
                   [-67.05, 99.00]
                   [-17.99, 98.50]
                   [-16.02, 98.00]
                   [-13.95, 97.50]
                   [13.95, 97.50]
                   [15.64, 98.00]
                   [17.31, 98.50]
```

[162.02, 98.50]
[172.89 ,99.00]
[314.38, 99.00]
[343.78, 99.50]
[365.67, 100.00]
[376.68, 100.00]
[393.11, 99.50]
[404.97, 99.50]
[431.70, 100.00]
[456.58, 100.50]

```
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.80  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 3 ["SW_8"], DT=[30]min, AREA=[131] (ha),  
DWF=[0] (cms), CN/C=[63], IA=[2.5] (mm),  
N=[3.0], TP=[0.90]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.65  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 4 ["HB_DR"], DT=[30]min, AREA=[3854] (ha),  
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),  
N=[3.0], TP=[8.42]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
  
*%-----|-----  
*#  
*# Addition of Subwatershed 8 and Hobb's Drain to Node 8  
*#  
ADD HYD          NHYDsum= 2 ["S_N8"], NHYDs to add= 1 3 4 ["N8"+"SW_8"+"HB_DR"]  
*%-----|-----  
*#  
*# Sum of hydrographs from Node 8 routed to Node 7  
*# Section 4  
*#  
ROUTE CHANNEL   NHYDout= 1 ["N7"] ,NHYDin= 2  
RDT=[30] (min),  
CHLGTH=[3750] (m), CHSLOPE=[0.0533] (%),  
FPSLOPE=[0.0533] (%),  
SECNUM=[1.0], NSEG=[3]  
( SEGROUGH, SEGDIST (m))=  
[0.12,-18.11  
-0.07,17.22  
0.12,590.05] NSEG times  
( DISTANCE (m), ELEVATION (m))=  
[-433.21, 102.00]  
[-425.34, 101.50]
```



```

[-377.56, 101.50]
[-366.23, 101.00]
[-202.60, 100.50]
[-96.25, 99.50]
[-68.36 99.00]
[-18.11, 98.50]
[-13.81, 97.50]
[13.81, 97.50]
[17.22, 98.50]
[161.95, 98.50]
[173.11, 99.00]
[314.05, 99.00]
[365.52, 100.00]
[404.70, 99.50]
[476.74, 100.50]
[502.31, 101.00]
[584.69, 101.00]
[585.79, 101.00]
[590.05, 102.00]

```

```

*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----|

```

```

CONTINUOUS NASHYD  NHYD= 3 ["SW_7"], DT=[30]min, AREA=[3197] (ha),
                   DWF=[0] (cms), CN/C=[57], IA=[2.5] (mm),
                   N=[3.0], TP=[6.65]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1

```

```

*%-----|-----|
*#
*# Addition of Subwatershed 7 to Node 7
*#

```

```

ADD HYD              NHYDsum= 2 ["S_N7"], NHYDs to add= 1 3 ["N7"+"SW_7"]

```

```

*%-----|-----|
SAVE HYD            NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
                   HYD_FILENAME=["H_SN7"]
                   HYD_COMMENT=["flow at S_N7: N7 + SW_7"]

```

```

*%-----|-----|
*# Insertion of a reservoir to simulate the effects of the Richmond Fen.
*# Storage area and volumes were estimated from available topo maps.
*# Release rate from fen was assumed to be controlled by the downstream
*# river cross-section for summer conditions. It is was assumed that for up to
*# 0.75 m of water, the main channel of the river provided the storage. Above
*# this depth, the wetland starts to signigicantly store water.
*#

```

```

ROUTE RESERVOIR    NHYDout= 1 ["RES_RF"] ,NHYDin= 2
                   RDT=[30] (min),

```

```

                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)

```

```

                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)

```

```

                   [ 0.0 , 0.0 ]
                   [0.9051, 2.40]
                   [2.907, 4.13]
                   [9.744, 9.18]
                   [20.304, 14.96]
                   [34.167, 310.21]
                   [74.993, 605.46]
                   [104.876, 900.71]

```

```

[140.56, 2892.00]
[225.00, 3615.63]
[ -1 , -1 ] (max twenty pts)
NHYDovf=[" " ] ,
*%-----|-----
SAVE HYD      NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["H_ResRF"]
              HYD_COMMENT=["outflow of Richmond Fen"]
*%-----|-----
*#
*# Sum of hydrographs from Node 7 routed to Node 6
*# Section 5
*#
ROUTE CHANNEL    NHYDout= 2["N6"] ,NHYDin= 1
                 RDT=[30] (min),
                 CHLGTH=[3056] (m),  CHSLOPE=[0.0818] (%),
                                     FPSLOPE=[0.0818] (%),
                 SECNUM=[1.0],      NSEG=[5]
                 ( SEGROUGH, SEGDIST (m))=
                   [0.025,-70.8
                    0.1,-23.9
                   -0.05,23.9
                    0.06,39.8
                   0.05,96.3] NSEG times
                 ( DISTANCE (m), ELEVATION (m))=
                   [-100.8, 97.00]
                   [-70.8, 96.50]
                   [-52.0, 96.00]
                   [-35.1, 95.50]
                   [-30.6, 95.00]
                   [-23.9, 94.54]
                   [23.9, 94.54]
                   [39.8, 95.00]
                   [50.4, 95.50]
                   [93.5, 96.00]
                   [94.9, 96.50]
                   [96.3, 97.00]
SAVE HYD      NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["N6"]
              HYD_COMMENT=["flow at N6 u/s of Richmond"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*#mod CN - Tp reduced by 25%
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_6"], DT=[30]min, AREA=[165] (ha),
                  DWF=[0] (cms),  CN/C=[70.3], IA=[2.5] (mm),
                  N=[3.0], TP=[4.18]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.67
*# mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["VG_DR"], DT=[30]min, AREA=[1332] (ha),
                  DWF=[0] (cms),  CN/C=[73.8], IA=[2.5] (mm),
                  N=[3.0], TP=[5.95]hrs,

```

```

Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
SAVE HYD      NHYD=4,  # OF PCYCLES=[-1],  ICASEsh=[-1]
              HYD_FILENAME=["H-VG_DR"]
              HYD_COMMENT=["flow at Van Gaal Drain"]

*%-----|-----
*#
*# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
*#
ADD HYD      NHYDsum= 1 ["S_N6"], NHYDs to add= 2 3 4 ["N6"+"SW_6"+"VG_DR"]
SAVE HYD      NHYD=3,  # OF PCYCLES=[-1],  ICASEsh=[-1]
              HYD_FILENAME=["SW_6"]
              HYD_COMMENT=["flow from SW_6"]
SAVE HYD      NHYD=4,  # OF PCYCLES=[-1],  ICASEsh=[-1]
              HYD_FILENAME=["VG_DR"]
              HYD_COMMENT=["flow from VG_DR"]

*%-----|-----
*#
*# Sum of hydrographs from Node 6 routed to Node 5
*# Section 6
*#
ROUTE CHANNEL      NHYDout= 2 ["N5"] ,NHYDin= 1
                  RDT=[30] (min),
                  CHLGTH=[1852] (m),  CHSLOPE=[0.0540] (%),
                                      FPSLOPE=[0.0540] (%),
                  SECNUM=[1.0],      NSEG=[3]
                  ( SEGROUGH, SEGDIST (m))=
                    [0.035,-131.59
                    -0.045,48.96
                    0.1,239.04] NSEG times
                  ( DISTANCE (m), ELEVATION (m))=
                    [-686.30, 94.50]
                    [-675.70, 94.00]
                    [-492.52, 93.00]
                    [-467.28, 94.00]
                    [-131.59, 94.00]
                    [-92.79, 92.50]
                    [-18.06, 91.00]
                    [18.06, 91.00]
                    [43.47, 92.50]
                    [48.96, 94.00]
                    [177.43, 94.00]
                    [239.04,94.50]

*%-----|-----
*# mod CN
CONTINUOUS NASHYD  NHYD= 3 ["SW_5"], DT=[30]min, AREA=[224] (ha),
                  DWF=[0] (cms),  CN/C=[79.1],  IA=[2.5] (mm),
                  N=[3.0],  TP=[0.75]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.20

```

```

*# mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["FL_CK"], DT=[30]min, AREA=[4945] (ha),
DWF=[0] (cms), CN/C=[74.6], IA=[2.5] (mm),
N=[3.0], TP=[4.45]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

*%-----|-----
*#
*# Addition of Subwatershed 5 and Flowing Creek to Node 5
*#
ADD HYD          NHYDsum= 1 ["S_N5"], NHYDs to add= 2 3 4 ["N5"+"SW_5"+"FL_CK"]
SAVE HYD         NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["N5"]
HYD_COMMENT=["flow at N5"]
SAVE HYD         NHYD=3, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["SW_5"]
HYD_COMMENT=["flow at SW_5"]
SAVE HYD         NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["FL_CK"]
HYD_COMMENT=["flow at FL_CK"]
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["S_N5"]
HYD_COMMENT=["flow at S_N5"]

*%-----|-----
*#
*# Sum of hydrographs from Node 5 routed to Node 5A
*# Section 7
*#
ROUTE CHANNEL    NHYDout= 2 ["N5A"], NHYDin= 1
RDT=[30] (min),
CHLGTH=[556] (m), CHSLOPE=[0.0900] (%),
FPSLOPE=[0.0900] (%),
SECNUM=[1.0], NSEG=[4]
( SEGROUGH, SEGDIST (m))=
  [0.04,-41.5
   0.1,-14.0
  -0.045,14.0
   0.1,41.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-275.8, 93.00]
  [-248.6, 92.50]
  [-237.0, 92.00]
  [-219.3, 91.50]
  [-202.1, 91.50]
  [-186.0, 92.00]
  [-129.2, 92.00]
  [-117.6, 91.50]
  [-100.6, 91.00]
  [-41.5, 91.00]
  [-20.0, 91.00]
  [-14.0, 90.54]
  [14.0, 90.54]
  [15.3, 91.00]
  [17.3, 91.50]
  [38.4, 92.00]
  [39.8, 92.50]
  [41.1, 93.00]

*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_5A2"], DT=[30]min, AREA=[20] (ha),

```

```

DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[0.62]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.61
*# mod CN
*%-----|-----
CONTINUOUS NASHYD NHYD= 4 ["SW_5A1"], DT=[30]min, AREA=[1412] (ha),
DWF=[0] (cms), CN/C=[75.3], IA=[2.5] (mm),
N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
*#
ADD HYD NHYDsum= 1 ["S_N5A"], NHYDs to add= 2 3 4 ["N5A"+"SW_5A2"+"SW_5A1"]
*%-----|-----
*#
*# Sum of hydrographs from Node 5A routed to Node 4
*# Section 8
*#
ROUTE CHANNEL NHYDout= 2["N4"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[4630] (m), CHSLOPE=[0.0432] (%),
FPSLOPE=[0.0432] (%),
SECNUM=[1.0], NSEG=[3]
( SEGROUGH, SEGDIST (m))=
[0.05,-28.2
-0.035,28.2
0.05,173.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
[-38.9, 92.00]
[-35.8, 91.50]
[-33.3, 91.00]
[-28.2, 90.50]
[-15.0, 87.48]
[-5.0, 88.34]
[5.0, 86.20]
[15.0, 88.55]
[28.2, 90.50]
[29.7, 91.00]
[46.5, 91.00]
[127.8, 91.00]
[148.7, 91.50]
[173.1, 92.00]
*%-----|-----
CONTINUOUS NASHYD NHYD= 3["SW_4"], DT=[30]min, AREA=[585] (ha),
DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[1.75]hrs,
Continuous simulation parameters:

```

```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["LM_CK"], DT=[30]min, AREA=[1021] (ha),
DWF=[0] (cms),  CN/C=[80], IA=[2.5] (mm),
N=[3.0], TP=[2.46]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1

*%-----|-----
*#
*# Addition of Subwatershed 4 and Leamy Creek to Node 4
*#
ADD HYD          NHYDsum= 1 ["S_N4"], NHYDs to add= 2 3 4 ["N4"+"SW_4"+"LM_CK"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]
                HYD_COMMENT=["flow at S_N4"]
*%-----|-----
*#
*# Sum of hydrographs from Node 4 routed to Node 2
*# Section 9
*#
ROUTE CHANNEL   NHYDout= 2 ["N2"] ,NHYDin= 1
                RDT=[30] (min),
                CHLGTH=[1667] (m),  CHSLOPE=[0.0600] (%),
                                FPSLOPE=[0.0600] (%),
                SECNUM=[1.0],      NSEG=[4]
                ( SEGROUGH, SEGDIST (m))=
                  [0.1,-28.0
                  -0.04,28.4
                  0.06,31.7
                  0.04,80.2] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                  [-36.3, 92.00]
                  [-32.6, 91.50]
                  [-30.2, 91.00]
                  [-28.0, 90.45]
                  [-15.0, 87.48]
                  [-5.0, 88.34]
                  [5.0, 86.20]
                  [15.0, 88.55]
                  [28.0, 90.45]
                  [28.4, 90.50]
                  [30.4, 91.00]
                  [31.7, 91.50]
                  [80.2, 92.00]
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_2"], DT=[30]min, AREA=[177] (ha),
DWF=[0] (cms),  CN/C=[77], IA=[2.5] (mm),
N=[3.0], TP=[0.75]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)

```

```

VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
CONTINUOUS NASHYD  NHYD= 4 ["SM_DR"], DT=[30]min, AREA=[1122] (ha),
DWF=[0] (cms),   CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[3.25]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
CONTINUOUS NASHYD  NHYD= 5 ["MO_DR"], DT=[30]min, AREA=[2737] (ha),
DWF=[0] (cms),   CN/C=[76], IA=[2.5] (mm),
N=[3.0], TP=[3.03]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
*#
*# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
*#
ADD HYD           NHYDsum= 1 ["S_N2"], NHYDs to add= 2 3 4 5
                  ["N2"+"SW_2"+"SM_DR"+"MO_DR"]
*%-----|
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H_SN2"]
HYD_COMMENT=["flow at S_N2 Jock River Gauge at Moodie Dr."]
*%-----|
*#
*# Sum of hydrographs from Node 2 routed to Node 1
*# Section 10
*#
ROUTE CHANNEL   NHYDout= 2 ["N1"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[10046] (m),   CHSLOPE=[0.0498] (%),
                    FPSLOPE=[0.0498] (%),
SECNUM=[1.0],        NSEG=[5]
( SEGROUGH, SEGDIST (m))=
  [0.04,-27.6
   0.06,-15.0
  -0.045,15.0
   0.06,25.4
   0.04,122.6] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-87.0, 91.50]
  [-32.4, 91.00]
  [-27.6, 90.50]
  [-25.0, 90.00]
  [-22.9, 89.57]
  [-15.0, 86.20]
  [-5.0, 84.83]
  [5.0, 84.83]
  [15.0, 88.11]
  [22.9, 89.57]
  [25.4, 90.00]
  [27.9, 90.50]
  [38.0, 91.00]
  [112.5, 91.00]
  [114.3, 90.50]

```

[115.1, 90.26]
[116.3, 90.50]
[119.0, 91.00]
[121.0, 91.50]
[122.6, 92.00]

```
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 3 ["SW_1"], DT=[30]min, AREA=[3176] (ha),  
                   DWF=[0] (cms), CN/C=[78], IA=[2.5] (mm),  
                   N=[3.0], TP=[3.56]hrs,  
                   Continuous simulation parameters:  
                   IaRECper=[4] (hrs),  
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
                   InterEventTime=[12] (hrs)  
                   Baseflow simulation parameters:  
                   BaseFlowOption=[1] ,  
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                   VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# Addition of Subwatershed 1 to Node 1  
*#  
ADD HYD             NHYDsum= 1["N1"], NHYDs to add= 2 3 ["N1"+"SW_1"]  
SAVE HYD            NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]  
                   HYD_FILENAME=["N1-fut"]  
                   HYD_COMMENT=["total outflow of Jock River"]  
*#####  
*% 5 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves  
START              TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[5]  
*%                ["C24SC005.stm"] <--storm filename, one per line for NSTORM time  
*%-----|-----  
  
*% 100 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves  
START              TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[100]  
*%                ["C24SC100.stm"] <--storm filename, one per line for NSTORM time  
FINISH
```


SWMHYMO – OUTPUT - FUTURE


```

# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#*****
# Project Name: [Jock River]      Project Number: [411-02]
# Date       : 06-06-2003
# Modeller   : [JoF]
# Company    : JFSAinc.
# License #   : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#
RUN:COMMAND#
001:0001-----
START
  [TZERO = .00 hrs on 0]
  [METOUT= 2 (1=imperial, 2=metric output)]
  [NSTORM= 1 ]
  [NRUN = 1 ]
001:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:2 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 45.51]
001:0003-----
MODIFY STORM
  [RFAC= 1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 45.51]
001:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax= 80.12: APIavg= 56.74: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
001:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 6.065 No_date 37:00 11.44 .251
  [CN= 64.5: N= 3.00]
  [Tp= 7.13:DT=30.00]
  [IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 2.154 No_date 32:30 10.72 .236
  [CN= 61.0: N= 3.00]
  [Tp= 3.76:DT=30.00]
  [IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
  [InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
001:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N13 3680.00 6.065 No_date 37:00 11.44 n/a
                + 02:SW_13 971.00 2.154 No_date 32:30 10.72 n/a
  [DT=30.00] SUM= 01:S_N13 4651.00 7.713 No_date 35:30 11.29 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions

```

```

#
001:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N13  4651.00  7.713 No_date  35:30  11.29  n/a
[RDT=30.00] out<- 02:N13A  4651.00  6.154 No_date  39:30  11.29  n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .427:Dmax= 2.537}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
001:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00  3.203 No_date  39:30  9.41  .207
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
001:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N13A  4651.00  6.154 No_date  39:30  11.29  n/a
+ 01:SN13A  3161.00  3.203 No_date  39:30  9.41  n/a
[DT=30.00] SUM= 01:SN13A  7812.00  9.357 No_date  39:30  10.53  n/a

#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
001:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A  7812.00  9.357 No_date  39:30  10.53  n/a
[RDT=30.00] out<- 02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
{MxStoUsed=.3547E+02}

#
001:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
fname :C:\STORMS~1\H_RESGM.001
remark:Outflow from Res GM

# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
[RDT=30.00] out<- 01:N12  7812.00  2.604 No_date  58:00  10.53  n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .501:Dmax= 1.328}

001:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11  500.00  2.663 No_date  29:00  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

#mod CN
001:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00  5.417 No_date  32:30  13.91  .306
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
001:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12  7812.00  2.604 No_date  58:00  10.53  n/a
+ 02:JR_ASH 1781.00  5.417 No_date  32:30  13.91  n/a
[DT=30.00] SUM= 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
001:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
fname :C:\STORMS~1\H_SN12.001
remark:flow at S_N12 near Ashton

```

```

#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00   7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 02:N11  9593.00   7.323 No_date  33:00  11.16  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .580:Dmax= 2.120}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
001:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00   7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 03:Dum11 9593.00   7.326 No_date  33:00  11.16  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .589:Dmax= 2.098}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   3.966 No_date  34:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
001:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00   7.326 No_date  33:00  11.16  n/a
+ 04:SW_11      500.00   2.663 No_date  29:00  11.95  n/a
+ 05:NN_CK      1917.00   3.966 No_date  34:30  11.95  n/a
[DT=30.00] SUM= 01:S_N11 12010.00  11.957 No_date  33:00  11.32  n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
001:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00  11.957 No_date  33:00  11.32  n/a
[RDT=30.00] out<- 02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
[L/S/n=14028./ .157/.040]
{Vmax= .460:Dmax= .881}
001:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  10.936 No_date  38:00  13.91  .306
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
001:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
+ 04:SW_10      5666.00  10.936 No_date  38:00  13.91  n/a
[DT=30.00] SUM= 01:S_N10 17676.00  19.109 No_date  38:30  12.15  n/a
001:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00  19.109 No_date  38:30  12.15  n/a
fname :C:\STORMS~1\H_SN10.001
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN

```

```

001:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 10.656 No_date 39:30 11.95 .263
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
001:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N10 17676.00 19.109 No_date 38:30 12.15 n/a
+ 03:KG_CK 8376.00 10.656 No_date 39:30 11.95 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
001:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
[RDT=30.00] out<- 01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .591:Dmax= 1.193}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
001:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 4.365 No_date 30:30 13.32 .293
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 .241
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
001:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
+ 03:SW_9 1132.00 4.365 No_date 30:30 13.32 n/a
+ 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 n/a
[DT=30.00] SUM= 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
001:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
[RDT=30.00] out<- 01:N8 31648.00 33.315 No_date 40:00 11.97 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .420:Dmax= 1.270}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 .770 No_date 28:30 11.20 .246
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)

```

```

# of 1.65
001:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 6.083 No_date 38:30 11.95 .263
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
001:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N8 31648.00 33.315 No_date 40:00 11.97 n/a
+ 03:SW_8 131.00 .770 No_date 28:30 11.20 n/a
+ 04:HB_DR 3854.00 6.083 No_date 38:30 11.95 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 39.371 No_date 39:30 11.96 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
001:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8 35633.00 39.371 No_date 39:30 11.96 n/a
[RDT=30.00] out<- 01:N7 35633.00 32.183 No_date 44:00 11.96 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .209:Dmax= 1.635}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 4.557 No_date 36:30 9.83 .216
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
001:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N7 35633.00 32.183 No_date 44:00 11.96 n/a
+ 03:SW_7 3197.00 4.557 No_date 36:30 9.83 n/a
[DT=30.00] SUM= 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
001:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
fname :C:\STORMS~1\H_SN7.001
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to signigicantly store water.
#
001:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
[RDT=30.00] out<- 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
{MxStoUsed=.7407E+02}
001:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
fname :C:\STORMS~1\H_ResRF.001
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
001:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
[RDT=30.00] out<- 02:N6 38830.00 23.056 No_date 56:00 11.79 n/a
[L/S/n= 3056./ .082/.025]

```

```

      {Vmax= .431:Dmax= .805}
001:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:N6          38830.00   23.056 No_date   56:00   11.79 n/a
  fname :C:\STORMS~1\N6.001
  remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
001:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6          165.00    .454 No_date   33:00   13.32 .293
  [CN= 70.3: N= 3.00]
  [Tp= 4.18:DT=30.00]
  [IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
001:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR          1332.00   3.164 No_date   35:00   14.22 .312
  [CN= 73.8: N= 3.00]
  [Tp= 5.95:DT=30.00]
  [IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
  [InterEventTime= 12.00]
001:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  fname :C:\STORMS~1\H-VG_DR.001
  remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
001:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6          38830.00   23.056 No_date   56:00   11.79 n/a
      + 03:SW_6          165.00    .454 No_date   33:00   13.32 n/a
      + 04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  [DT=30.00] SUM= 01:S_N6          40327.01  23.312 No_date   39:30   11.88 n/a
001:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          03:SW_6          165.00    .454 No_date   33:00   13.32 n/a
  fname :C:\STORMS~1\SW_6.001
  remark:flow from SW_6
001:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  fname :C:\STORMS~1\VG_DR.001
  remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
001:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N6          40327.01  23.312 No_date   39:30   11.88 n/a
  [RDT=30.00] out<- 02:N5          40327.01  23.176 No_date   55:30   11.88 n/a
  {L/S/n= 1852./ .054/.035}
  {Vmax= .378:Dmax= .916}
# mod CN
001:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5          224.00    2.773 No_date   28:30   16.98 .373
  [CN= 79.1: N= 3.00]
  [Tp= .75:DT=30.00]
  [IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
001:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK          4945.00  14.579 No_date   33:00   14.54 .319

```


[CN= 74.6: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 5 and Flowing Creek to Node 5
#

001:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5 40327.01 23.176 No_date 55:30 11.88 n/a
 + 03:SW_5 224.00 2.773 No_date 28:30 16.98 n/a
 + 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
 [DT=30.00] SUM= 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a
001:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:N5 40327.01 23.176 No_date 55:30 11.88 n/a
fname :C:\STORMS~1\N5.001
remark:flow at N5
001:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 03:SW_5 224.00 2.773 No_date 28:30 16.98 n/a
fname :C:\STORMS~1\SW_5.001
remark:flow at SW_5
001:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
fname :C:\STORMS~1\FL_CK.001
remark:flow at FL_CK
001:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a
fname :C:\STORMS~1\S_N5.001
remark:flow at S_N5

Sum of hydrographs from Node 5 routed to Node 5A
Section 7
#

001:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a
 [RD=30.00] out<- 02:N5A 45496.01 33.059 No_date 37:00 12.19 n/a
 [L/S/n= 556./ .090/.040]
 {Vmax= .443:Dmax= .937}
001:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 .287 No_date 28:30 17.76 .390
 [CN= 81.0: N= 3.00]
 [Tp= .62:DT=30.00]
 [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
 [InterEventTime= 12.00]

The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
of 1.61
mod CN

001:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 .334
 [CN= 75.3: N= 3.00]
 [Tp= 8.00:DT=30.00]
 [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
 [InterEventTime= 12.00]

Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#

001:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5A 45496.01 33.059 No_date 37:00 12.19 n/a
 + 03:SW_5A2 20.00 .287 No_date 28:30 17.76 n/a
 + 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 n/a
 [DT=30.00] SUM= 01:S_N5A 46928.01 36.077 No_date 37:00 12.28 n/a

Sum of hydrographs from Node 5A routed to Node 4
Section 8
#

001:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5A 46928.01 36.077 No_date 37:00 12.28 n/a

```

[RDT=30.00] out<- 02:N4      46928.01  35.195 No_date  39:00  12.28  n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .694:Dmax= 2.840}
001:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4      585.00   4.232 No_date  29:30  17.76  .390
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK     1021.00   5.667 No_date  30:30  17.36  .382
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
001:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4      46928.01  35.195 No_date  39:00  12.28  n/a
                + 03:SW_4      585.00   4.232 No_date  29:30  17.76  n/a
                + 04:LM_CK     1021.00   5.667 No_date  30:30  17.36  n/a
                [DT=30.00] SUM= 01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
001:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
fname :C:\STORMS~1\H-S_N4.001
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
001:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
[RDT=30.00] out<- 02:N2      48534.01  37.433 No_date  39:00  12.46  n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .715:Dmax= 2.844}
001:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2      177.00   1.996 No_date  28:30  15.88  .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
001:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR     1122.00   5.257 No_date  31:30  17.76  .390
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR     2737.00  11.338 No_date  31:30  15.53  .341
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
001:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2      48534.01  37.433 No_date  39:00  12.46  n/a
                + 03:SW_2      177.00   1.996 No_date  28:30  15.88  n/a
                + 04:SM_DR     1122.00   5.257 No_date  31:30  17.76  n/a
                + 05:MO_DR     2737.00  11.338 No_date  31:30  15.53  n/a
                [DT=30.00] SUM= 01:S_N2  52570.01  45.832 No_date  33:30  12.74  n/a
001:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N2  52570.01  45.832 No_date  33:30  12.74  n/a
fname :C:\STORMS~1\H_SN2.001
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#
001:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N2   52570.01  45.832 No_date  33:30  12.74 n/a
[RDt=30.00] out<- 02:N1   52570.01  42.743 No_date  39:30  12.74 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .768:Dmax= 2.667}
001:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1   3176.00  12.490 No_date  32:00  16.23 .357
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 1 to Node 1
#
001:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N1   52570.01  42.743 No_date  39:30  12.74 n/a
+ 03:SW_1       3176.00  12.490 No_date  32:00  16.23 n/a
[DT=30.00] SUM= 01:N1   55746.00  49.310 No_date  36:30  12.94 n/a
001:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:N1   55746.00  49.310 No_date  36:30  12.94 n/a
fname :C:\STORMS~1\H-N1.001
remark:N1-fut
#####
** END OF RUN : 4

```

RUN:COMMAND#

```

005:0001-----
START
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 5 ]

```

```

#####
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#####
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237
#####

```

```

# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#

```

```

005:0002-----
READ STORM
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:5 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 57.12]

```

```

005:0003-----
MODIFY STORM

```

```

[RFAC= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 57.12]
005:0004-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
COMPUTE API
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax= 90.83: APIavg= 60.09: APImin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
005:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 9.169 No_date 37:00 16.38 .287
[CN= 64.5: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
005:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 3.350 No_date 32:30 15.27 .267
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
005:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 9.169 No_date 37:00 16.38 n/a
+ 02:SW_13 971.00 3.350 No_date 32:30 15.27 n/a
[DT=30.00] SUM= 01:S_N13 4651.00 11.688 No_date 35:30 16.15 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
005:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 11.688 No_date 35:30 16.15 n/a
[RDT=30.00] out<- 02:N13A 4651.00 9.343 No_date 39:30 16.15 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .475:Dmax= 2.992}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
005:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 4.639 No_date 39:30 13.20 .231
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
005:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 9.343 No_date 39:30 16.15 n/a
+ 01:SN13A 3161.00 4.639 No_date 39:30 13.20 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 13.982 No_date 39:30 14.96 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
005:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 13.982 No_date 39:30 14.96 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.139 No_date 58:00 14.96 n/a
{MxStoUsed=.6269E+02}
#

```

```

005:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
fname :C:\STORMS~1\H_RESGM.005
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
[RDT=30.00] out<- 01:N12    7812.00   3.129 No_date   60:30   14.96 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .526:Dmax= 1.427}
005:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11   500.00   4.260 No_date   29:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#mod CN
005:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH  1781.00   8.382 No_date   32:30   20.09 .352
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
005:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12   7812.00   3.129 No_date   60:30   14.96 n/a
+ 02:JR_ASH     1781.00   8.382 No_date   32:30   20.09 n/a
[DT=30.00] SUM= 01:S_N12  9593.00  10.366 No_date   32:30   15.91 n/a
005:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:S_N12  9593.00  10.366 No_date   32:30   15.91 n/a
fname :C:\STORMS~1\H_SN12.005
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N12  9593.00  10.366 No_date   32:30   15.91 n/a
[RDT=30.00] out<- 02:N11   9593.00  10.235 No_date   33:00   15.91 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .634:Dmax= 2.418}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
005:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N12  9593.00  10.366 No_date   32:30   15.91 n/a
[RDT=30.00] out<- 03:Dum11  9593.00  10.246 No_date   33:00   15.91 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .645:Dmax= 2.393}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   6.085 No_date   34:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
005:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11   9593.00  10.246 No_date   33:00   15.91 n/a

```

```

+ 04:SW_11    500.00    4.260 No_date    29:00    17.15 n/a
+ 05:NN_CK    1917.00    6.085 No_date    34:00    17.15 n/a
[DT=30.00] SUM= 01:S_N11 12010.00 17.319 No_date    33:00    16.16 n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
005:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00 17.319 No_date    33:00    16.16 n/a
[RDT=30.00] out<- 02:N10 12010.00 11.909 No_date    38:30    16.16 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .462:Dmax= 1.078}
005:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10 5666.00 16.454 No_date    38:00    20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
005:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10 12010.00 11.909 No_date    38:30    16.16 n/a
+ 04:SW_10      5666.00 16.454 No_date    38:00    20.09 n/a
[DT=30.00] SUM= 01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
005:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
fname :C:\STORMS~1\H_SN10.005
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN
005:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 15.668 No_date    39:30    17.15 .300
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
005:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
+ 03:KG_CK      8376.00 15.668 No_date    39:30    17.15 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00 43.598 No_date    39:30    17.33 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
005:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00 43.598 No_date    39:30    17.33 n/a
[RDT=30.00] out<- 01:N9 26052.00 42.453 No_date    39:30    17.33 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .663:Dmax= 1.480}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
005:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 6.854 No_date    30:30    19.22 .336
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#

```

```

# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 7.795 No_date 39:30 15.63 .274
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
005:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N9 26052.00 42.453 No_date 39:30 17.33 n/a
+ 03:SW_9 1132.00 6.854 No_date 30:30 19.22 n/a
+ 04:NC_CK 4464.00 7.795 No_date 39:30 15.63 n/a
[DT=30.00] SUM= 02:S_N9 31648.00 52.078 No_date 39:30 17.16 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
005:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 52.078 No_date 39:30 17.16 n/a
[RTD=30.00] out<- 01:N8 31648.00 48.443 No_date 40:00 17.16 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .371:Dmax= 1.510}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 1.239 No_date 28:30 16.00 .280
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
005:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 9.126 No_date 38:30 17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
005:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N8 31648.00 48.443 No_date 40:00 17.16 n/a
+ 03:SW_8 131.00 1.239 No_date 28:30 16.00 n/a
+ 04:HB_DR 3854.00 9.126 No_date 38:30 17.15 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 57.182 No_date 39:30 17.16 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
005:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8 35633.00 57.182 No_date 39:30 17.16 n/a
[RTD=30.00] out<- 01:N7 35633.00 46.901 No_date 45:00 17.16 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .207:Dmax= 1.840}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 6.873 No_date 36:00 13.87 .243
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]

```

```

[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
005:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00   46.901 No_date   45:00   17.16 n/a
                + 03:SW_7   3197.00    6.873 No_date   36:00   13.87 n/a
[DT=30.00] SUM= 02:S_N7   38830.00   50.132 No_date   43:30   16.89 n/a
005:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7   38830.00   50.132 No_date   43:30   16.89 n/a
fname :C:\STORMS~1\H_SN7.005
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
005:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7   38830.00   50.132 No_date   43:30   16.89 n/a
[RD=30.00] out<- 01:RES_RF 38830.00   27.650 No_date   59:00   16.89 n/a
{MxStoUsed=.1714E+03}
005:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00   27.650 No_date   59:00   16.89 n/a
fname :C:\STORMS~1\H_ResRF.005
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
005:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:RES_RF 38830.00   27.650 No_date   59:00   16.89 n/a
[RD=30.00] out<- 02:N6      38830.00   27.619 No_date   60:00   16.89 n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .458:Dmax= .889}
005:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N6      38830.00   27.619 No_date   60:00   16.89 n/a
fname :C:\STORMS~1\N6.005
remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
005:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6   165.00    .702 No_date   33:00   19.22 .336
[CN= 70.3: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
005:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR   1332.00   4.821 No_date   35:00   20.55 .360
[CN= 73.8: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
[InterEventTime= 12.00]
005:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:VG_DR   1332.00   4.821 No_date   35:00   20.55 n/a
fname :C:\STORMS~1\H-VG_DR.005
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6

```



```

#
005:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N6      38830.00  27.619 No_date  60:00  16.89 n/a
                   + 03:SW_6      165.00    .702 No_date  33:00  19.22 n/a
                   + 04:VG_DR     1332.00   4.821 No_date  35:00  20.55 n/a
                   [DT=30.00] SUM= 01:S_N6  40327.01  27.694 No_date  59:30  17.02 n/a
005:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          03:SW_6      165.00    .702 No_date  33:00  19.22 n/a
  fname :C:\STORMS~1\SW_6.005
  remark:flow from SW_6
005:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          04:VG_DR     1332.00   4.821 No_date  35:00  20.55 n/a
  fname :C:\STORMS~1\VG_DR.005
  remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
005:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 01:S_N6  40327.01  27.694 No_date  59:30  17.02 n/a
  [RDT=30.00] out<- 02:N5   40327.01  27.667 No_date  60:30  17.02 n/a
  [L/S/n= 1852./ .054/.035]
  {Vmax= .396:Dmax= .997}
# mod CN
005:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5      224.00    4.345 No_date  28:30  24.50 .429
  [CN= 79.1: N= 3.00]
  [Tp= .75:DT=30.00]
  [IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
005:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:FL_CK     4945.00   22.432 No_date  33:00  21.01 .368
  [CN= 74.6: N= 3.00]
  [Tp= 4.45:DT=30.00]
  [IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
005:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5      40327.01  27.667 No_date  60:30  17.02 n/a
                   + 03:SW_5      224.00    4.345 No_date  28:30  24.50 n/a
                   + 04:FL_CK     4945.00   22.432 No_date  33:00  21.01 n/a
                   [DT=30.00] SUM= 01:S_N5  45496.01  43.412 No_date  35:00  17.49 n/a
005:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          02:N5      40327.01  27.667 No_date  60:30  17.02 n/a
  fname :C:\STORMS~1\N5.005
  remark:flow at N5
005:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          03:SW_5      224.00    4.345 No_date  28:30  24.50 n/a
  fname :C:\STORMS~1\SW_5.005
  remark:flow at SW_5
005:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          04:FL_CK     4945.00   22.432 No_date  33:00  21.01 n/a
  fname :C:\STORMS~1\FL_CK.005
  remark:flow at FL_CK
005:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          01:S_N5     45496.01  43.412 No_date  35:00  17.49 n/a
  fname :C:\STORMS~1\S_N5.005
  remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7

```

```

#
005:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5  45496.01  43.412 No_date  35:00  17.49  n/a
[RDT=30.00] out<- 02:N5A  45496.01  43.373 No_date  35:30  17.49  n/a
[L/S/n= 556./ .090/.040]
{Vmax= .464:Dmax= 1.059}
005:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2  20.00  .448 No_date  28:30  25.59  .448
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
# mod CN
005:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1  1412.00  4.515 No_date  37:30  21.96  .384
[CN= 75.3: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
005:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A  45496.01  43.373 No_date  35:30  17.49  n/a
                + 03:SW_5A2  20.00  .448 No_date  28:30  25.59  n/a
                + 04:SW_5A1  1412.00  4.515 No_date  37:30  21.96  n/a
[DT=30.00] SUM= 01:S_N5A  46928.01  47.728 No_date  35:30  17.62  n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
005:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A  46928.01  47.728 No_date  35:30  17.62  n/a
[RDT=30.00] out<- 02:N4  46928.01  46.060 No_date  37:00  17.62  n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .754:Dmax= 3.110}
005:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4  585.00  6.551 No_date  29:30  25.59  .448
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
005:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK  1021.00  8.738 No_date  30:30  25.04  .438
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
005:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4  46928.01  46.060 No_date  37:00  17.62  n/a
                + 03:SW_4  585.00  6.551 No_date  29:30  25.59  n/a
                + 04:LM_CK  1021.00  8.738 No_date  30:30  25.04  n/a
[DT=30.00] SUM= 01:S_N4  48534.01  50.229 No_date  36:30  17.88  n/a
005:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:S_N4  48534.01  50.229 No_date  36:30  17.88  n/a
fname :C:\STORMS~1\H-S_N4.005
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#

```

005:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4 48534.01 50.229 No_date 36:30 17.88 n/a
[RDT=30.00] out<- 02:N2 48534.01 50.109 No_date 37:00 17.88 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .781:Dmax= 3.129}

005:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2 177.00 3.149 No_date 28:30 22.94 .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]

005:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR 1122.00 8.043 No_date 31:30 25.59 .448
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

005:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR 2737.00 17.548 No_date 31:30 22.44 .393
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#

005:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N2 48534.01 50.109 No_date 37:00 17.88 n/a
+ 03:SW_2 177.00 3.149 No_date 28:30 22.94 n/a
+ 04:SM_DR 1122.00 8.043 No_date 31:30 25.59 n/a
+ 05:MO_DR 2737.00 17.548 No_date 31:30 22.44 n/a
[DT=30.00] SUM= 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a

005:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a
fname :C:\STORMS~1\H_SN2.005
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

Sum of hydrographs from Node 2 routed to Node 1
Section 10
#

005:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a
[RDT=30.00] out<- 02:N1 52570.01 59.921 No_date 37:00 18.30 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .862:Dmax= 3.206}

005:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 19.206 No_date 32:00 23.45 .411
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 1 to Node 1
#

005:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 59.921 No_date 37:00 18.30 n/a
+ 03:SW_1 3176.00 19.206 No_date 32:00 23.45 n/a
[DT=30.00] SUM= 01:N1 55746.00 72.279 No_date 35:00 18.59 n/a

005:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:N1 55746.00 72.279 No_date 35:00 18.59 n/a
fname :C:\STORMS~1\H-N1.005
remark:N1-fut

** END OF RUN : 99

```

RUN:COMMAND#
100:0001-----
START
  [TZERO = .00 hrs on 0]
  [METOUT= 2 (1=imperial, 2=metric output)]
  [NSTORM= 1 ]
  [NRUN = 100 ]
#*****
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#*****
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#
100:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:100 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 88.57]
100:0003-----
MODIFY STORM
  [RFAC= 1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 88.57]
100:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax=119.84: APIavg= 69.19: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
100:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 21.054 No_date 36:30 35.15 .397
[CN= 64.5: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 8.058 No_date 32:30 32.81 .370
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
100:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 21.054 No_date 36:30 35.15 n/a
+ 02:SW_13 971.00 8.058 No_date 32:30 32.81 n/a

```

```

[DT=30.00] SUM= 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
100:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
[RDT=30.00] out<- 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .594:Dmax= 4.138}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
100:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 10.266 No_date 39:30 28.27 .319
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
100:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
+ 01:SN13A 3161.00 10.266 No_date 39:30 28.27 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
100:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
{MxStoUsed=.1788E+03}
#
100:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
fname :C:\STORMS~1\H_RESGM.100
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
[RDT=30.00] out<- 01:N12 7812.00 3.943 No_date 66:30 32.08 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .560:Dmax= 1.559}
100:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11 500.00 10.499 No_date 29:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#mod CN
100:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00 19.356 No_date 32:30 42.46 .479
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
100:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N12 7812.00 3.943 No_date 66:30 32.08 n/a
+ 02:JR_ASH 1781.00 19.356 No_date 32:30 42.46 n/a

```

```
[DT=30.00] SUM= 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
100:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
fname :C:\STORMS~1\H_SN12.100
remark:flow at S_N12 near Ashton
```

```
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
[RDT=30.00] out<- 02:N11 9593.00 21.120 No_date 33:00 34.00 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .760:Dmax= 3.206}
```

```
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
100:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
[RDT=30.00] out<- 03:Dum11 9593.00 21.116 No_date 32:30 34.00 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .774:Dmax= 3.175}
```

```
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK 1917.00 14.197 No_date 34:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
```

```
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
100:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 03:Dum11 9593.00 21.116 No_date 32:30 34.00 n/a
+ 04:SW_11 500.00 10.499 No_date 29:00 36.74 n/a
+ 05:NN_CK 1917.00 14.197 No_date 34:00 36.74 n/a
[DT=30.00] SUM= 01:S_N11 12010.00 37.438 No_date 33:00 34.55 n/a
```

```
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
```

```
100:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N11 12010.00 37.438 No_date 33:00 34.55 n/a
[RDT=30.00] out<- 02:N10 12010.00 23.324 No_date 39:00 34.55 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .484:Dmax= 1.483}
```

```
100:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10 5666.00 36.560 No_date 37:30 42.46 .479
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
```

```
#
# Addition of Subwatershed 10 to Node 10
#
```

```
100:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N10 12010.00 23.324 No_date 39:00 34.55 n/a
+ 04:SW_10 5666.00 36.560 No_date 37:30 42.46 n/a
[DT=30.00] SUM= 01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
```

```
100:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
fname :C:\STORMS~1\H_SN10.100
```

```

    remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN
100:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 34.456 No_date 39:30 36.74 .415
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
100:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
                + 03:KG_CK 8376.00 34.456 No_date 39:30 36.74 n/a
                [DT=30.00] SUM= 02:S_N10A 26052.00 93.257 No_date 39:30 36.98 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
100:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00 93.257 No_date 39:30 36.98 n/a
[RDT=30.00] out<- 01:N9 26052.00 91.386 No_date 39:30 36.98 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .769:Dmax= 2.125}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
100:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 16.257 No_date 30:30 40.80 .461
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 17.270 No_date 39:30 33.59 .379
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
100:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9 26052.00 91.386 No_date 39:30 36.98 n/a
                + 03:SW_9 1132.00 16.257 No_date 30:30 40.80 n/a
                + 04:NC_CK 4464.00 17.270 No_date 39:30 33.59 n/a
                [DT=30.00] SUM= 02:S_N9 31648.00 112.276 No_date 39:30 36.63 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
100:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 112.276 No_date 39:30 36.63 n/a
[RDT=30.00] out<- 01:N8 31648.00 106.477 No_date 40:00 36.63 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .372:Dmax= 1.905}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 3.096 No_date 28:30 34.37 .388
[CN= 63.0: N= 3.00]

```

```

[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
100:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 20.590 No_date 38:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
100:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N8      31648.00 106.477 No_date 40:00 36.63 n/a
                + 03:SW_8    131.00   3.096 No_date 28:30 34.37 n/a
                + 04:HB_DR    3854.00 20.590 No_date 38:00 36.74 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 126.247 No_date 39:30 36.64 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
100:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N8 35633.00 126.247 No_date 39:30 36.64 n/a
[RDT=30.00] out<- 01:N7 35633.00 108.774 No_date 44:30 36.64 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .236:Dmax= 2.384}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 16.027 No_date 36:00 29.76 .336
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
100:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00 108.774 No_date 44:30 36.64 n/a
                + 03:SW_7    3197.00 16.027 No_date 36:00 29.76 n/a
[DT=30.00] SUM= 02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
100:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
fname :C:\STORMS~1\H_SN7.100
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
100:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
[RDT=30.00] out<- 01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
{MxStoUsed=.5014E+03}
100:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
fname :C:\STORMS~1\H_ResRF.100
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5

```



```

#
100:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
[RDT=30.00] out<- 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .553:Dmax= 1.353}
100:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
fname :C:\STORMS~1\N6.100
remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
100:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6 165.00 1.630 No_date 32:30 40.80 .461
[CN= 70.3: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
100:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 .489
[CN= 73.8: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
[InterEventTime= 12.00]
100:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
fname :C:\STORMS~1\H-VG_DR.100
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
100:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
+ 03:SW_6 165.00 1.630 No_date 32:30 40.80 n/a
+ 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
[DT=30.00] SUM= 01:S_N6 40327.01 60.510 No_date 59:30 36.33 n/a
100:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 03:SW_6 165.00 1.630 No_date 32:30 40.80 n/a
fname :C:\STORMS~1\SW_6.100
remark:flow from SW_6
100:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
fname :C:\STORMS~1\VG_DR.100
remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
100:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6 40327.01 60.510 No_date 59:30 36.33 n/a
[RDT=30.00] out<- 02:N5 40327.01 60.396 No_date 60:30 36.33 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .490:Dmax= 1.451}
# mod CN
100:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5 224.00 9.957 No_date 28:30 50.23 .567
[CN= 79.1: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
[InterEventTime= 12.00]
#

```

```

# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
100:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK 4945.00 51.121 No_date 33:00 44.15 .498
[CN= 74.6: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
100:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5      40327.01 60.396 No_date 60:30 36.33 n/a
                + 03:SW_5    224.00  9.957 No_date 28:30 50.23 n/a
                + 04:FL_CK    4945.00 51.121 No_date 33:00 44.15 n/a
[DT=30.00] SUM= 01:S_N5 45496.01 80.280 No_date 34:00 37.25 n/a
100:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N5      40327.01 60.396 No_date 60:30 36.33 n/a
fname :C:\STORMS~1\N5.100
remark:flow at N5
100:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         03:SW_5    224.00  9.957 No_date 28:30 50.23 n/a
fname :C:\STORMS~1\SW_5.100
remark:flow at SW_5
100:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:FL_CK    4945.00 51.121 No_date 33:00 44.15 n/a
fname :C:\STORMS~1\FL_CK.100
remark:flow at FL_CK
100:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N5    45496.01 80.280 No_date 34:00 37.25 n/a
fname :C:\STORMS~1\S_N5.100
remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
100:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N5    45496.01 80.280 No_date 34:00 37.25 n/a
[RDT=30.00] out<- 02:N5A    45496.01 80.210 No_date 34:00 37.25 n/a
[L/S/n= 556./ .090/.040]
{Vmax= .545:Dmax= 1.349}
100:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 1.014 No_date 28:30 52.03 .587
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
# mod CN
100:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 9.884 No_date 37:30 45.85 .518
[CN= 75.3: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
100:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A    45496.01 80.210 No_date 34:00 37.25 n/a
                + 03:SW_5A2 20.00 1.014 No_date 28:30 52.03 n/a
                + 04:SW_5A1 1412.00 9.884 No_date 37:30 45.85 n/a
[DT=30.00] SUM= 01:S_N5A 46928.01 89.005 No_date 34:30 37.51 n/a
#

```

```

# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
100:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A  46928.01  89.005 No_date  34:30  37.51 n/a
[RDT=30.00] out<- 02:N4    46928.01  85.339 No_date  36:00  37.51 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .902:Dmax= 3.855}
100:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4    585.00  14.684 No_date  29:30  52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK   1021.00  19.515 No_date  30:30  51.13 .577
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
100:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4    46928.01  85.339 No_date  36:00  37.51 n/a
                + 03:SW_4    585.00  14.684 No_date  29:30  52.03 n/a
                + 04:LM_CK   1021.00  19.515 No_date  30:30  51.13 n/a
[DT=30.00] SUM= 01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
100:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
fname :C:\STORMS~1\H-S_N4.100
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
100:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
[RDT=30.00] out<- 02:N2    48534.01  95.740 No_date  35:00  37.97 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .943:Dmax= 3.921}
100:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2    177.00  7.344 No_date  28:30  47.59 .537
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
100:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR   1122.00  17.710 No_date  31:30  52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR   2737.00  40.026 No_date  31:00  46.72 .527
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
100:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2    48534.01  95.740 No_date  35:00  37.97 n/a
                + 03:SW_2    177.00  7.344 No_date  28:30  47.59 n/a
                + 04:SM_DR   1122.00  17.710 No_date  31:30  52.03 n/a
                + 05:MO_DR   2737.00  40.026 No_date  31:00  46.72 n/a

```

[DT=30.00] SUM= 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
100:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
fname :C:\STORMS~1\H_SN2.100
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

Sum of hydrographs from Node 2 routed to Node 1
Section 10

100:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
[RDT=30.00] out<- 02:N1 52570.01 124.692 No_date 35:00 38.76 n/a
[L/S/n=10046./ .050/.040]
{Vmax= 1.092:Dmax= 4.559}

100:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 43.079 No_date 32:00 48.46 .547
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 1 to Node 1

100:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 124.692 No_date 35:00 38.76 n/a
+ 03:SW_1 3176.00 43.079 No_date 32:00 48.46 n/a
[DT=30.00] SUM= 01:N1 55746.00 158.805 No_date 34:00 39.31 n/a
100:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:N1 55746.00 158.805 No_date 34:00 39.31 n/a
fname :C:\STORMS~1\H-N1.100
remark:N1-fut

#####


100:0002-----
FINISH

WARNINGS / ERRORS / NOTES


001:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.

R.V. may be ok. Peak flow could be off.
100:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
Simulation ended on 2010-03-07 at 14:11:30


=====




1 FRANKTOWN




2 PROSPECT




3 ASHTON



4 RICHARDSON



5 AMT GROUP



6 HAY FAMILY DEVELOPMENTS

No.	DATE	BY	ISSUES / REVISIONS
1			



AECOM Canada Ltd.
1701 Hollis Street, Halifax, Nova Scotia, Canada B3J 3M8
T902.428.2021 F902.428.2031


This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.
Do not scale this document. All measurements must be obtained from stated dimensions.

MATTAMY HOMES


PROJECT:
RICHMOND

DRAWING:
VACANT DEVELOPMENT LANDS IN BECKWITH AND OTTAWA UPSTREAM OF EAGLESON ROAD


DRAWN BY: S.A.E.	CHECKED BY:	PROJECT No.:
DESIGNED BY:	APPROVED BY:	60117455
N.T.S.	DATE: Jan. 2010	Fig. A1



7 1343791 ONTARIO LTD.



9 FERNBANK LANDS



10 HARTSMERE LANDS

No.	DATE	BY	ISSUES / REVISIONS
1			



AECOM Canada Ltd.
1701 Hollis Street, Halifax, Nova Scotia, Canada B3J 3M8
T902.428.2021 F902.428.2031

This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.
Do not scale this document. All measurements must be obtained from stated dimensions.

MATTAMY HOMES

PROJECT:

RICHMOND

DRAWING:
VACANT DEVELOPMENT LANDS IN BECKWITH AND OTTAWA UPSTREAM OF EAGLESON ROAD

DRAWN BY: S.A.E.	CHECKED BY:	PROJECT No. : 60117455
DESIGNED BY:	APPROVED BY:	DRAWING No.
N.T.S.	DATE: Jan. 2010	Fig. A2

SWMHYMO – INPUT - EXISTING


```

20 Metric units / ID numbers OFF
*****
*# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
*****
*# Project Name: [Jock River] Project Number: [411-02]
*# Date : 06-06-2003
*# Modeller : [JoF]
*# Company : JFSAinc.
*# License # : 2549237
*****
*# CALIBRATION OF SUMMER MODEL PARAMETERS
*# USING CONTINUOUS SIMULATIONS
*# Rainfall data from JFSA rainauge installed at site + other gauges by the City
*# Use data collected from May 1st to July 14, 2003
*
* Calibrated parameters for Summer 2003 data: APII=50, APIK=0.85, CN=varies,
* SK=0.01, InterEventTime=12,
* GWResk=0.96, VHydCond=0.055
*
*# -----
*#
*# EXISING SUMMER
*#
*#
*#
*START TZERO=[2003.0501], METOUT=[2], NSTORM=[1], NRUN=[001]
* ["XAVG0315.STM"] average storm data a 15 minute time step
* The above rainf file is an average of the JFSA gauge data
* with the City of Ottawa rainfall data collected during
* the same period.
*% 2 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[1]
["C:\STORMS-PF\C24SC002.stm"]
*%-----|-----
*%-----|-----
READ STORM STORM_FILENAME=["storm.001"]
*%-----|-----
MODIFY STORM ICASEms=[1], NSHIFT=[96],
RedFACT=[1],
*%-----|-----
COMPUTE API APII=[50], APIK=[.85]/day
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*%-----|-----
CONTINUOUS NASHYD 1 NHYD=["JR_HW"], DT=[30]min, AREA=[3680] (ha),
DWF=[0] (cms), CN/C=[64], IA=[2.5] (mm),
N=[3.0], TP=[7.13]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*%-----|-----
CONTINUOUS NASHYD 2 NHYD=["SW_13"], DT=[30]min, AREA=[971] (ha),
DWF=[0] (cms), CN/C=[61], IA=[2.5] (mm),
N=[3.0], TP=[3.76]hrs,
Continuous simulation parameters:

```

```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Starting with the addition of Jock River Headwater and Subwatershed 13
*#
ADD HYD          1  NHYDsum=["S_N13"] NHYDs to add=1 2
*#
*# Sum of hydrographs from Node 13 routed to Node 13A
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
*#
ROUTE CHANNEL   NHYDout=2  ["N13A"] ,  NHYDin=1 ,
RDT=[30] (min),
CHLGTH=[9074] (m),  CHSLOPE=[0.0220] (%),
                    FPSLOPE=[0.0220] (%),
SECNUM=[1.0],      NSEG=[1]
( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
( DISTANCE (m), ELEVATION (m))=
    [-40, 132.5]
    [-30, 132]
    [-25, 131.5]
    [-13, 130]
    [-8, 127.00]
    [-7, 126.50]
    [-6, 126]
    [-5.5, 125.50]
    [0, 123.75]
    [4.5, 125.50]
    [6, 126]
    [7.5, 126.5]
    [9, 127]
    [10, 127.5]
    [11.5, 128.0]
    [15.5, 129.5]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*%-----|-----
CONTINUOUS NASHYD  NHYD=1  ["JR_GWM"],  DT=[30]min,  AREA=[3161] (ha),
DWF=[0] (cms),  CN/C=[55],  IA=[2.5] (mm),
N=[3],  TP=[11.33]hrs,
Continuou simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
*#
ADD HYD          NHYDsum=1  ["SN13A"],  NHYDs to add= 2 1  ["N13A"+"JR_GWM"]
*%-----|-----
*#
*# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
*#
ROUTE RESERVOIR  NHYDout= 2  ["RES_GM"] ,NHYDin= 1 ,
RDT=[30] (min),

```

TABLE of (OUTFLOW-STORAGE) values

(cms) - (ha-m)
 [0.0 , 0.0]
 [1.991, 2.144]
 [2.693, 39.826]
 [3.509, 81.697]
 [4.578, 318.774]
 [5.647, 594.947]
 [7.109, 910.219]
 [8.616, 1264.589]
 [10.371, 1658.057]
 [12.402, 2090.622]
 [22.056, 3462.487]
 [-1 , -1] (max twenty pts)

NHYDovf=[" " ,

*%-----|-----

*#

SAVE HYD NHYD= 2 , # OF PCYCLES=[-1], ICASEsh=[-1]
 HYD_FILENAME=["H_RESGM"]
 HYD_COMMENT=["Outflow from Res GM"]

*%-----|-----

*# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
 *# (Approximated cross-section - see cross-section 258)

*# Use n=0.04 for summer conditions and n=0.025 for spring conditions

ROUTE CHANNEL NHYDout=1 ["N12"] ,NHYDin=2,
 RDT=[30](min),
 CHLGTH=[5926](m), CHSLOPE=[0.0759](%),
 FPSLOPE=[0.0759](%),
 SECNUM=[1.0], NSEG=[1]
 (SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
 (DISTANCE (m), ELEVATION (m))=
 [-40, 132.5]
 [-30, 132]
 [-25, 131.5]
 [-13, 130]
 [-8, 127.00]
 [-7, 126.50]
 [-6, 126]
 [-5.5, 125.50]
 [0, 123.75]
 [4.5, 125.50]
 [6, 126]
 [7.5, 126.5]
 [9, 127]
 [10, 127.5]
 [11.5, 128.00]
 [15.5, 129.5]

*%-----|-----

CONTINUOUS NASHYD NHYD=4 ["SW_11"], DT=[30]min, AREA=[500](ha),
 DWF=[0](cms), CN/C=[66], IA=[2.5](mm),
 N=[3.0], TP=[1.24]hrs,
 Continuous simulation parameters:
 IaRECper=[4](hrs),
 SMIN=[-1](mm), SMAX=[-1](mm), SK=[0.010]/(mm),
 InterEventTime=[12](hrs)
 Baseflow simulation parameters:
 BaseFlowOption=[1],
 InitGWResVol=[50](mm), GWResK=[0.96](mm/day/mm)
 VHydCond=[0.055](mm/hr), END=-1

*%-----|-----

CONTINUOUS NASHYD NHYD= 2 ["JR_ASH"], DT=[30]min, AREA=[1781](ha),
 DWF=[0](cms), CN/C=[72], IA=[2.5](mm),
 N=[3.0], TP=[3.91]hrs,
 Continuous simulation parameters:
 IaRECper=[4](hrs),
 SMIN=[-1](mm), SMAX=[-1](mm), SK=[0.010]/(mm),
 InterEventTime=[12](hrs)

Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr) , END=-1

*%-----|-----

*#

*# Addition of Subwatershed Jock River at Ashton to Node 12

*#

ADD HYD NHYDsum=1 ["S_N12"], NHYDs to add= 1 2 ["N12"+"JR_ASH"]
SAVE HYD NHYD=1 , # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H_SN12"]
HYD_COMMENT=["flow at S_N12 near Ashton"]

*%-----|-----

*#

*# Sum of hydrographs from Node 12 routed to Node 11

*# (Approximated cross-section - see cross-section 258)

*# Use n=0.04 for summer conditions and n=0.025 for spring conditions

ROUTE CHANNEL NHYDout= 2 ["N11"] ,NHYDin= 1 ,
RDT=[30] (min),
CHLGTH=[972] (m), CHSLOPE=[0.0514] (%),
FPSLOPE=[0.0514] (%),
SECNUM=[1.0], NSEG=[1]
(SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-40, 132.5]
[-30, 132]
[-25, 131.5]
[-13, 130]
[-8, 127.00]
[-7, 126.50]
[-6, 126]
[-5.5, 125.50]
[0, 123.75]
[4.5, 125.50]
[6, 126]
[7.5, 126.5]
[9, 127]
[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

*%-----|-----

*#

*# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248

*#

ROUTE CHANNEL NHYDout= 3 ["Dum11"] ,NHYDin= 1,
RDT=[30] (min),
CHLGTH=[972] (m), CHSLOPE=[0.054] (%),
FPSLOPE=[0.054] (%),
SECNUM=[1.0], NSEG=[1]
(SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-40, 132.5]
[-30, 132]
[-25, 131.5]
[-13, 130]
[-8, 127.00]
[-7, 126.50]
[-6, 126]
[-5.5, 125.50]
[0, 123.75]
[4.5, 125.50]
[6, 126]
[7.5, 126.5]
[9, 127]
[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

```

*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*%-----|-----|
CONTINUOUS NASHYD  NHYD= 5 ["NN_CK"], DT=[30]min, AREA=[1917] (ha),
                   DWF=[0] (cms),  CN/C=[66], IA=[2.5] (mm),
                   N=[3.0], TP=[5.29]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----|
*%-----|-----|
*#
*# Addition of Subwatershed 11 and No Name Creek to Node 11
*#
ADD HYD            NHYDsum=1 ["S_N11"], NHYDs to add= 3 4 5 ["Dum11"+"SW_11"+"NN_CK"]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.52
*%-----|-----|
*%-----|-----|
*#
*# Sum of hydrographs from Node 11 routed to Node 10
*# Section 1
*#
ROUTE CHANNEL     NHYDout= 2 ["N10"], NHYDin= 1 ,
                   RDT=[30] (min),
                   CHLGTH=[14028] (m),  CHSLOPE=[0.1568] (%),
                                           FPSLOPE=[0.1568] (%),
                   SECNUM=[1.0],        NSEG=[5]
                   ( SEGROUGH, SEGDIST (m))=
                   [0.04,-52.82
                    0.1,-6.47
                    -0.05,6.47
                    0.1,45.36
                    0.04,423.88] NSEG times
                   ( DISTANCE (m), ELEVATION (m))=
                   [-226.24 ,112.50]
                   [-167.50 ,111.50]
                   [-106.81 ,111.00]
                   [-92.37 ,110.00]
                   [-52.82 ,109.00]
                   [-24.90 ,109.00]
                   [-17.02 ,108.50]
                   [-6.47 ,108.00]
                   [6.47 ,108.00]
                   [15.67 ,108.50]
                   [18.95 ,109.00]
                   [45.36 ,109.50]
                   [120.79 ,110.00]
                   [145.72 ,111.00]
                   [181.56 ,111.50]
                   [423.88 ,112.50]
CONTINUOUS NASHYD  NHYD= 4 ["SW_10"], DT=[30]min, AREA=[5666] (ha),
                   DWF=[0] (cms),  CN/C=[72], IA=[2.5] (mm),
                   N=[3.0], TP=[8.00]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:

```

```

BaseFlowOption=[1] ,
InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr) , END=-1
*%-----|-----
*#
*# Addition of Subwatershed 10 to Node 10
*#
ADD HYD          NHYDsum= 1 ["S_N10"], NHYDs to add= 2 4 ["N10"+"SW_10"]
*%-----|-----
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                 HYD_FILENAME=["H_SN10"]
                 HYD_COMMENT=["flow at S_N10: N10 + SW_10"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*%-----|-----
CONTINUOUS NASHYD NHYD= 3 ["KG_CK"], DT=[30]min, AREA=[8376] (ha),
                 DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),
                 N=[3.0], TP=[11.66]hrs,
                 Continuous simulation parameters:
                 IaRECper=[4] (hrs),
                 SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                 InterEventTime=[12] (hrs)
                 Baseflow simulation parameters:
                 BaseFlowOption=[1] ,
                 InitGWResVol=[50] (mm) , GWResK=[0.96] (mm/day/mm)
                 VHydCond=[0.055] (mm/hr) , END=-1
*%-----|-----
*# Addition of Kings Creek to S_N10
*#
ADD HYD          NHYDsum=2 ["S_N10A"], NHYDs to add= 1 3 ["S_N10"+"KG_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 10 routed to Node 9
*# Section 2
*#
ROUTE CHANNEL   NHYDout= 1 ["N9"] ,NHYDin= 2
                 RDT=[30] (min) ,
                 CHLGTH=[3982] (m) , CHSLOPE=[0.0753] (%),
                                     FPSLOPE=[0.0753] (%),
                 SECNUM=[1.0], NSEG=[4]
                 ( SEGROUGH, SEGDIST (m) )=
                 [0.04,-30.27
                 0.05,-18.42
                 -0.05,18.42
                 0.04,131.58] NSEG times
                 ( DISTANCE (m), ELEVATION (m) )=
                 [-446.74, 106.00]
                 [-415.68, 105.50]
                 [-285.40, 105.00]
                 [-173.77, 104.50]
                 [-144.95, 104.00]
                 [-111.18, 103.50]
                 [-94.06, 103.00]
                 [-71.02, 102.50]
                 [-30.27, 102.00]
                 [-19.33, 100.00]
                 [-18.42, 99.50]
                 [18.42, 99.50]
                 [20.77, 100.00]
                 [27.93, 101.00]
                 [52.29, 101.00]
                 [68.80, 101.50]
                 [79.66, 103.00]
                 [91.50, 103.50]
                 [131.58, 104.00]

```

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.68
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_9"], DT=[30]min, AREA=[1132] (ha),
                   DWF=[0] (cms), CN/C=[70], IA=[2.5] (mm),
                   N=[3.0], TP=[2.51]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["NC_CK"], DT=[30]min, AREA=[4464] (ha),
                   DWF=[0] (cms), CN/C=[62], IA=[2.5] (mm),
                   N=[3.0], TP=[11.32]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 9 and Nichols Creek to Node 9
*#
ADD HYD            NHYDsum= 2 ["S_N9"], NHYDs to add= 1 3 4 ["N9"+"SW_9"+"NC_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 9 routed to Node 8
*# Section 3
*#
ROUTE CHANNEL     NHYDout= 1 ["N8"] ,NHYDin= 2
                   RDT=[30] (min),
                   CHLGTH=[2269] (m), CHSLOPE=[0.0882] (%),
                                       FPSLOPE=[0.0882] (%),
                   SECNUM=[1.0], NSEG=[3]
                   ( SEGROUGH, SEGDIST (m))=
                     [0.1,-17.99
                      -0.045,17.31
                      0.1,456.58] NSEG times
                   ( DISTANCE (m), ELEVATION (m))=
                     [-201.19,100.50]
                     [-135.21, 100.00]
                     [-94.83, 99.50]
                     [-67.05, 99.00]
                     [-17.99, 98.50]
                     [-16.02, 98.00]
                     [-13.95, 97.50]
                     [13.95, 97.50]
                     [15.64, 98.00]
                     [17.31, 98.50]
                     [162.02, 98.50]
                     [172.89 ,99.00]
                     [314.38, 99.00]
                     [343.78, 99.50]

```

[365.67, 100.00]
[376.68, 100.00]
[393.11, 99.50]
[404.97, 99.50]
[431.70, 100.00]
[456.58, 100.50]

```
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_8"], DT=[30]min, AREA=[131] (ha),
DWF=[0] (cms), CN/C=[63], IA=[2.5] (mm),
N=[3.0], TP=[0.90]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.65
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["HB_DR"], DT=[30]min, AREA=[3854] (ha),
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),
N=[3.0], TP=[8.42]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 8 and Hobb's Drain to Node 8
*#
ADD HYD          NHYDsum= 2 ["S_N8"], NHYDs to add= 1 3 4 ["N8"+"SW_8"+"HB_DR"]
*%-----|-----
*#
*# Sum of hydrographs from Node 8 routed to Node 7
*# Section 4
*#
ROUTE CHANNEL   NHYDout= 1 ["N7"] ,NHYDin= 2
RDT=[30] (min),
CHLGTH=[3750] (m), CHSLOPE=[0.0533] (%),
FPSLOPE=[0.0533] (%),
SECNUM=[1.0], NSEG=[3]
( SEGROUGH, SEGDIST (m))=
[0.12,-18.11
-0.07,17.22
0.12,590.05] NSEG times
( DISTANCE (m), ELEVATION (m))=
[-433.21, 102.00]
[-425.34, 101.50]
[-377.56, 101.50]
[-366.23, 101.00]
[-202.60, 100.50]
[-96.25, 99.50]
```



```

[-68.36 99.00]
[-18.11, 98.50]
[-13.81, 97.50]
[13.81, 97.50]
[17.22, 98.50]
[161.95, 98.50]
[173.11, 99.00]
[314.05, 99.00]
[365.52, 100.00]
[404.70, 99.50]
[476.74, 100.50]
[502.31, 101.00]
[584.69, 101.00]
[585.79, 101.00]
[590.05, 102.00]

```

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_7"], DT=[30]min, AREA=[3197] (ha),
                   DWF=[0] (cms), CN/C=[57], IA=[2.5] (mm),
                   N=[3.0], TP=[6.65]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 7 to Node 7
*#
ADD HYD            NHYDsum= 2 ["S_N7"], NHYDs to add= 1 3 ["N7"+"SW_7"]
*%-----|-----
SAVE HYD          NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
                   HYD_FILENAME=["H_SN7"]
                   HYD_COMMENT=["flow at S_N7: N7 + SW_7"]
*%-----|-----
*# Insertion of a reservoir to simulate the effects of the Richmond Fen.
*# Storage area and volumes were estimated from available topo maps.
*# Release rate from fen was assumed to be controlled by the downstream
*# river cross-section for summer conditions. It is was assumed that for up to
*# 0.75 m of water, the main channel of the river provided the storage. Above
*# this depth, the wetland starts to significantly store water.
*#
ROUTE RESERVOIR  NHYDout= 1 ["RES_RF"] ,NHYDin= 2
                   RDT=[30] (min),
                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)
                   TABLE of ( OUTFLOW-STORAGE ) values
                   (cms) - (ha-m)
                   [ 0.0 , 0.0 ]
                   [0.9051, 2.40]
                   [2.907, 4.13]
                   [9.744, 9.18]
                   [20.304, 14.96]
                   [34.167, 310.21]
                   [74.993, 605.46]
                   [104.876, 900.71]
                   [140.56, 2892.00]
                   [225.00, 3615.63]
                   [ -1 , -1 ] (max twenty pts)
                   NHYDovf=[" " ] ,

```

```

*%-----|-----
SAVE HYD      NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["H_ResRF"]
              HYD_COMMENT=["outflow of Richmond Fen"]
*%-----|-----
*#
*# Sum of hydrographs from Node 7 routed to Node 6
*# Section 5
*#
ROUTE CHANNEL  NHYDout= 2["N6"] ,NHYDin= 1
               RDT=[30] (min) ,
               CHLGTH=[3056] (m) ,   CHSLOPE=[0.0818] (%),
                                       FPSLOPE=[0.0818] (%),
               SECNUM=[1.0],         NSEG=[5]
               ( SEGROUGH, SEGDIST (m))=
                 [0.025,-70.8
                  0.1,-23.9
                  -0.05,23.9
                  0.06,39.8
                  0.05,96.3] NSEG times
               ( DISTANCE (m), ELEVATION (m))=
                 [-100.8, 97.00]
                 [-70.8, 96.50]
                 [-52.0, 96.00]
                 [-35.1, 95.50]
                 [-30.6, 95.00]
                 [-23.9, 94.54]
                 [23.9, 94.54]
                 [39.8, 95.00]
                 [50.4, 95.50]
                 [93.5, 96.00]
                 [94.9, 96.50]
                 [96.3, 97.00]

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_6"], DT=[30]min, AREA=[165] (ha),
                  DWF=[0] (cms),   CN/C=[67], IA=[2.5] (mm),
                  N=[3.0], TP=[4.18]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),   END=-1

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.67
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["VG_DR"], DT=[30]min, AREA=[1332] (ha),
                  DWF=[0] (cms),   CN/C=[72], IA=[2.5] (mm),
                  N=[3.0], TP=[5.95]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),   END=-1
SAVE HYD      NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]

```

HYD_FILENAME=["H-VG_DR"]
HYD_COMMENT=["flow at Van Gaal Drain"]

```
*%-----|-----|
*#
*# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
*#
ADD HYD          NHYDsum= 1 ["S_N6"], NHYDs to add= 2 3 4 ["N6"+"SW_6"+"VG_DR"]
*%-----|-----|
*#
*# Sum of hydrographs from Node 6 routed to Node 5
*# Section 6
*#
ROUTE CHANNEL   NHYDout= 2 ["N5"], NHYDin= 1
                RDT=[30] (min),
                CHLGTH=[1852] (m),  CHSLOPE=[0.0540] (%),
                                   FPSLOPE=[0.0540] (%),
                SECNUM=[1.0],      NSEG=[3]
                ( SEGROUGH, SEGDIST (m))=
                  [0.035,-131.59
                  -0.045,48.96
                  0.1,239.04] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                                   [-686.30, 94.50]
                                   [-675.70, 94.00]
                                   [-492.52, 93.00]
                                   [-467.28, 94.00]
                                   [-131.59, 94.00]
                                   [-92.79, 92.50]
                                   [-18.06, 91.00]
                                   [18.06, 91.00]
                                   [43.47, 92.50]
                                   [48.96, 94.00]
                                   [177.43, 94.00]
                                   [239.04,94.50]

*%-----|-----|
CONTINUOUS NASHYD NHYD= 3 ["SW_5"], DT=[30]min, AREA=[224] (ha),
                  DWF=[0] (cms),  CN/C=[77], IA=[2.5] (mm),
                  N=[3.0], TP=[0.75]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1

*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.20
*%-----|-----|
CONTINUOUS NASHYD NHYD= 4 ["FL_CK"], DT=[30]min, AREA=[4945] (ha),
                  DWF=[0] (cms),  CN/C=[74], IA=[2.5] (mm),
                  N=[3.0], TP=[4.45]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1

*%-----|-----|
*#
*# Addition of Subwatershed 5 and Flowing Creek to Node 5
```

```

*#
ADD HYD          NHYDsum= 1 ["S_N5"], NHYDs to add= 2 3 4 ["N5"+"SW_5"+"FL_CK"]
SAVE HYD        NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["N5ex"]
                HYD_COMMENT=["flow at N5"]
SAVE HYD        NHYD=3, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["SW_5ex"]
                HYD_COMMENT=["flow at SW_5"]
SAVE HYD        NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["FL_CKex"]
                HYD_COMMENT=["flow at FL_CK"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["S_N5ex"]
                HYD_COMMENT=["flow at S_N5"]
*%-----|-----

```

```

*#
*# Sum of hydrographs from Node 5 routed to Node 5A
*# Section 7
*#

```

```

ROUTE CHANNEL   NHYDout= 2 ["N5A"], NHYDin= 1
                RDT=[30] (min),
                CHLGTH=[556] (m), CHSLOPE=[0.0900] (%),
                FPSLOPE=[0.0900] (%),
                SECNUM=[1.0], NSEG=[4]
                ( SEGROUGH, SEGDIST (m))=
                  [0.04,-41.5
                  0.1,-14.0
                  -0.045,14.0
                  0.1,41.1] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                  [-275.8, 93.00]
                  [-248.6, 92.50]
                  [-237.0, 92.00]
                  [-219.3, 91.50]
                  [-202.1, 91.50]
                  [-186.0, 92.00]
                  [-129.2, 92.00]
                  [-117.6, 91.50]
                  [-100.6, 91.00]
                  [-41.5, 91.00]
                  [-20.0, 91.00]
                  [-14.0, 90.54]
                  [14.0, 90.54]
                  [15.3, 91.00]
                  [17.3, 91.50]
                  [38.4, 92.00]
                  [39.8, 92.50]
                  [41.1, 93.00]
*%-----|-----

```

```

CONTINUOUS NASHYD NHYD= 3 ["SW_5A2"], DT=[30]min, AREA=[20] (ha),
                  DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
                  N=[3.0], TP=[0.62]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----

```

```

*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.61
*%-----|-----

```

```

CONTINUOUS NASHYD NHYD= 4 ["SW_5A1"], DT=[30]min, AREA=[1412] (ha),
                  DWF=[0] (cms), CN/C=[75], IA=[2.5] (mm),

```

```

N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
*#
ADD HYD          NHYDsum= 1 ["S_N5A"], NHYDs to add= 2 3 4 ["N5A"+"SW_5A2"+"SW_5A1"]
*%-----|-----
*#
*# Sum of hydrographs from Node 5A routed to Node 4
*# Section 8
*#
ROUTE CHANNEL   NHYDout= 2["N4"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[4630] (m), CHSLOPE=[0.0432] (%),
                  FPSLOPE=[0.0432] (%),
SECNUM=[1.0],    NSEG=[3]
( SEGROUGH, SEGDIST (m))=
  [0.05,-28.2
  -0.035,28.2
  0.05,173.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-38.9, 92.00]
  [-35.8, 91.50]
  [-33.3, 91.00]
  [-28.2, 90.50]
  [-15.0, 87.48]
  [-5.0, 88.34]
  [5.0, 86.20]
  [15.0, 88.55]
  [28.2, 90.50]
  [29.7, 91.00]
  [46.5, 91.00]
  [127.8, 91.00]
  [148.7, 91.50]
  [173.1, 92.00]

*%-----|-----
CONTINUOUS NASHYD NHYD= 3["SW_4"], DT=[30]min, AREA=[585] (ha),
DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[1.75]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
CONTINUOUS NASHYD NHYD= 4 ["LM_CK"], DT=[30]min, AREA=[1021] (ha),
DWF=[0] (cms), CN/C=[80], IA=[2.5] (mm),
N=[3.0], TP=[2.46]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)

```

VHydCond=[0.055] (mm/hr), END=-1

```
*%-----|-----  
*#  
*# Addition of Subwatershed 4 and Leamy Creek to Node 4  
*#  
ADD HYD          NHYDsum= 1 ["S_N4"], NHYDs to add= 2 3 4 ["N4"+"SW_4"+"LM_CK"]  
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]  
                 HYD_COMMENT=["flow at S_N4"]  
*%-----|-----
```

```
*#  
*# Sum of hydrographs from Node 4 routed to Node 2  
*# Section 9  
*#
```

```
ROUTE CHANNEL   NHYDout= 2 ["N2"] ,NHYDin= 1  
                RDT=[30] (min),  
                CHLGTH=[1667] (m),  CHSLOPE=[0.0600] (%),  
                FPSLOPE=[0.0600] (%),  
                SECNUM=[1.0],      NSEG=[4]  
                ( SEGROUGH, SEGDIST (m))=  
                  [0.1,-28.0  
                  -0.04,28.4  
                  0.06,31.7  
                  0.04,80.2] NSEG times  
                ( DISTANCE (m), ELEVATION (m))=  
                  [-36.3, 92.00]  
                  [-32.6, 91.50]  
                  [-30.2, 91.00]  
                  [-28.0, 90.45]  
                  [-15.0, 87.48]  
                  [-5.0, 88.34]  
                  [5.0, 86.20]  
                  [15.0, 88.55]  
                  [28.0, 90.45]  
                  [28.4, 90.50]  
                  [30.4, 91.00]  
                  [31.7, 91.50]  
                  [80.2, 92.00]
```

```
*%-----|-----  
CONTINUOUS NASHYD NHYD= 3 ["SW_2"], DT=[30]min, AREA=[177] (ha),  
                 DWF=[0] (cms),  CN/C=[77], IA=[2.5] (mm),  
                 N=[3.0], TP=[0.75]hrs,  
                 Continuous simulation parameters:  
                 IaRECper=[4] (hrs),  
                 SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),  
                 InterEventTime=[12] (hrs)  
                 Baseflow simulation parameters:  
                 BaseFlowOption=[1] ,  
                 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                 VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----
```

```
CONTINUOUS NASHYD NHYD= 4 ["SM_DR"], DT=[30]min, AREA=[1122] (ha),  
                 DWF=[0] (cms),  CN/C=[81], IA=[2.5] (mm),  
                 N=[3.0], TP=[3.25]hrs,  
                 Continuous simulation parameters:  
                 IaRECper=[4] (hrs),  
                 SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),  
                 InterEventTime=[12] (hrs)  
                 Baseflow simulation parameters:  
                 BaseFlowOption=[1] ,  
                 InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                 VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----
```

```
CONTINUOUS NASHYD NHYD= 5 ["MO_DR"], DT=[30]min, AREA=[2737] (ha),  
                 DWF=[0] (cms),  CN/C=[76], IA=[2.5] (mm),  
                 N=[3.0], TP=[3.03]hrs,  
                 Continuous simulation parameters:
```

```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
*#
ADD HYD          NHYDsum= 1 ["S_N2"], NHYDs to add= 2 3 4 5
                  ["N2"+"SW_2"+"SM_DR"+"MO_DR"]
*%-----|-----
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                  HYD_FILENAME=["H_SN2"]
                  HYD_COMMENT=["flow at S_N2 Jock River Gauge at Moodie Dr."]
*%-----|-----
*#
*# Sum of hydrographs from Node 2 routed to Node 1
*# Section 10
*#
ROUTE CHANNEL   NHYDout= 2 ["N1"] ,NHYDin= 1
                  RDT=[30] (min),
                  CHLGTH=[10046] (m),  CHSLOPE=[0.0498] (%),
                                      FPSLOPE=[0.0498] (%),
                  SECNUM=[1.0],        NSEG=[5]
                  ( SEGROUGH, SEGDIST (m))=
                    [0.04,-27.6
                     0.06,-15.0
                    -0.045,15.0
                     0.06,25.4
                    0.04,122.6] NSEG times
                  ( DISTANCE (m), ELEVATION (m))=
                    [-87.0, 91.50]
                    [-32.4, 91.00]
                    [-27.6, 90.50]
                    [-25.0, 90.00]
                    [-22.9, 89.57]
                    [-15.0, 86.20]
                    [-5.0, 84.83]
                    [5.0, 84.83]
                    [15.0, 88.11]
                    [22.9, 89.57]
                    [25.4, 90.00]
                    [27.9, 90.50]
                    [38.0, 91.00]
                    [112.5, 91.00]
                    [114.3, 90.50]
                    [115.1, 90.26]
                    [116.3, 90.50]
                    [119.0, 91.00]
                    [121.0, 91.50]
                    [122.6, 92.00]
*%-----|-----
CONTINUOUS NASHYD NHYD= 3 ["SW_1"], DT=[30]min, AREA=[3176] (ha),
                  DWF=[0] (cms),  CN/C=[78], IA=[2.5] (mm),
                  N=[3.0], TP=[3.56]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----

```

```

*#
*# Addition of Subwatershed 1 to Node 1
*#
ADD HYD          NHYDsum= 1["N1"], NHYDs to add= 2 3 ["N1"+"SW_1"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]
                HYD_FILENAME=["N1-ex"]
                HYD_COMMENT=["total outflow of Jock River"]
#####
*% 5 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START          TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[5]
*%            ["C24SC005.stm"] <--storm filename, one per line for NSTORM time
*%-----|-----|
*% 100 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
START          TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[100]
*%            ["C24SC100.stm"] <--storm filename, one per line for NSTORM time
FINISH

```


SWMHYMO – OUTPUT - EXISTING

```

#*****
# Project Name: [Jock River]      Project Number: [411-02]
# Date       : 06-06-2003
# Modeller   : [JoF]
# Company    : JFSAinc.
# License #   : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
#   EXISING SUMMER
#
#
RUN:COMMAND#
001:0001-----
START
  [TZERO =   .00 hrs on      0]
  [METOUT=  2   (1=imperial, 2=metric output)]
  [NSTORM=  1 ]
  [NRUN =  1 ]
001:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:2 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 45.51]
001:0003-----
MODIFY STORM
  [RFACT=  1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 45.51]
001:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax= 80.12: APIavg= 56.74: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW  3680.00  6.065 No_date  37:00  11.44 .251
  [CN= 64.0: N= 3.00]
  [Tp= 7.13:DT=30.00]
  [IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13  971.00  2.154 No_date  32:30  10.72 .236
  [CN= 61.0: N= 3.00]
  [Tp= 3.76:DT=30.00]
  [IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
  [InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
001:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N13  3680.00  6.065 No_date  37:00  11.44 n/a
                + 02:SW_13  971.00  2.154 No_date  32:30  10.72 n/a
  [DT=30.00] SUM= 01:S_N13  4651.00  7.713 No_date  35:30  11.29 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#

```

```

001:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 7.713 No_date 35:30 11.29 n/a
[RDT=30.00] out<- 02:N13A 4651.00 6.154 No_date 39:30 11.29 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .427:Dmax= 2.537}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 3.203 No_date 39:30 9.41 .207
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
001:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 6.154 No_date 39:30 11.29 n/a
+ 01:SN13A 3161.00 3.203 No_date 39:30 9.41 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 9.357 No_date 39:30 10.53 n/a

#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
001:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 9.357 No_date 39:30 10.53 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
{MxStoUsed=.3547E+02}

#
001:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
fname :C:\STORMS~1\H_RESGM.001
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:RES_GM 7812.00 2.612 No_date 55:30 10.53 n/a
[RDT=30.00] out<- 01:N12 7812.00 2.604 No_date 58:00 10.53 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .501:Dmax= 1.328}

001:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11 500.00 2.663 No_date 29:00 11.95 .263
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

001:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00 5.417 No_date 32:30 13.91 .306
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
001:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N12 7812.00 2.604 No_date 58:00 10.53 n/a
+ 02:JR_ASH 1781.00 5.417 No_date 32:30 13.91 n/a
[DT=30.00] SUM= 01:S_N12 9593.00 7.377 No_date 32:30 11.16 n/a

001:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N12 9593.00 7.377 No_date 32:30 11.16 n/a
fname :C:\STORMS~1\H_SN12.001
remark:flow at S_N12 near Ashton

#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)

```

```

# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 02:N11  9593.00  7.323 No_date  33:00  11.16  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .580:Dmax= 2.120}

#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
001:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 03:Dum11 9593.00  7.326 No_date  33:00  11.16  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .589:Dmax= 2.098}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00  3.966 No_date  34:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
001:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00  7.326 No_date  33:00  11.16  n/a
                + 04:SW_11   500.00  2.663 No_date  29:00  11.95  n/a
                + 05:NN_CK  1917.00  3.966 No_date  34:30  11.95  n/a
[DT=30.00] SUM= 01:S_N11 12010.00 11.957 No_date  33:00  11.32  n/a

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
001:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00 11.957 No_date  33:00  11.32  n/a
[RDT=30.00] out<- 02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
[L/S/n=14028./ .157/.040]
{Vmax= .460:Dmax= .881}

001:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00 10.936 No_date  38:00  13.91  .306
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 10 to Node 10
#
001:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
                + 04:SW_10  5666.00 10.936 No_date  38:00  13.91  n/a
[DT=30.00] SUM= 01:S_N10 17676.00 19.109 No_date  38:30  12.15  n/a

001:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00 19.109 No_date  38:30  12.15  n/a
fname :C:\STORMS~1\H_SN10.001
remark:flow at S_N10: N10 + SW_10

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
001:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK  8376.00 10.656 No_date  39:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]

```

```

[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
001:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00  19.109 No_date  38:30  12.15 n/a
                + 03:KG_CK  8376.00  10.656 No_date  39:30  11.95 n/a
                [DT=30.00] SUM= 02:S_N10A 26052.00  29.632 No_date  39:30  12.08 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
001:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00  29.632 No_date  39:30  12.08 n/a
[RDT=30.00] out<- 01:N9  26052.00  28.892 No_date  39:30  12.08 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .591:Dmax= 1.193}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
001:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9  1132.00  4.365 No_date  30:30  13.32 .293
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK  4464.00  5.312 No_date  39:30  10.96 .241
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
001:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9  26052.00  28.892 No_date  39:30  12.08 n/a
                + 03:SW_9  1132.00  4.365 No_date  30:30  13.32 n/a
                + 04:NC_CK  4464.00  5.312 No_date  39:30  10.96 n/a
                [DT=30.00] SUM= 02:S_N9  31648.00  35.499 No_date  39:30  11.97 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
001:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N9  31648.00  35.499 No_date  39:30  11.97 n/a
[RDT=30.00] out<- 01:N8  31648.00  33.315 No_date  40:00  11.97 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .420:Dmax= 1.270}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8  131.00  .770 No_date  28:30  11.20 .246
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
001:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR  3854.00  6.083 No_date  38:30  11.95 .263
[CN= 66.0: N= 3.00]

```

```

[TP= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
001:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N8      31648.00  33.315 No_date  40:00  11.97  n/a
                + 03:SW_8    131.00    .770 No_date   28:30  11.20  n/a
                + 04:HB_DR   3854.00   6.083 No_date   38:30  11.95  n/a
                [DT=30.00] SUM= 02:S_N8  35633.00  39.371 No_date  39:30  11.96  n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
001:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8  35633.00  39.371 No_date  39:30  11.96  n/a
[RDT=30.00] out<- 01:N7  35633.00  32.183 No_date  44:00  11.96  n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .209:Dmax= 1.635}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7  3197.00   4.557 No_date  36:30   9.83  .216
[CN= 57.0: N= 3.00]
[TP= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
001:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00  32.183 No_date  44:00  11.96  n/a
                + 03:SW_7    3197.00   4.557 No_date  36:30   9.83  n/a
                [DT=30.00] SUM= 02:S_N7  38830.00  34.359 No_date  43:00  11.79  n/a
001:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7   38830.00  34.359 No_date  43:00  11.79  n/a
fname :C:\STORMS~1\H_SN7.001
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
001:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7  38830.00  34.359 No_date  43:00  11.79  n/a
[RDT=30.00] out<- 01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
{MxStoUsed=.7407E+02}
001:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
fname :C:\STORMS~1\H_ResRF.001
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
001:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:RES_RF 38830.00  23.079 No_date  54:30  11.79  n/a
[RDT=30.00] out<- 02:N6  38830.00  23.056 No_date  56:00  11.79  n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .431:Dmax= .805}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75

```

```

001:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6      165.00      .407 No_date   33:00   12.21 .268
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
001:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR     1332.00     3.083 No_date   35:00   13.91 .306
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
001:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR     1332.00     3.083 No_date   35:00   13.91 n/a
fname :C:\STORMS~1\H-VG_DR.001
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
001:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N6         38830.00    23.056 No_date   56:00   11.79 n/a
                + 03:SW_6      165.00      .407 No_date   33:00   12.21 n/a
                + 04:VG_DR     1332.00     3.083 No_date   35:00   13.91 n/a
[DT=30.00] SUM= 01:S_N6    40327.01    23.227 No_date   39:30   11.86 n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
001:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6    40327.01    23.227 No_date   39:30   11.86 n/a
[RDT=30.00] out<- 02:N5     40327.01    23.175 No_date   55:00   11.86 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .378:Dmax= .915}
001:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5      224.00      2.527 No_date   28:30   15.88 .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
001:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK     4945.00    14.579 No_date   33:00   14.54 .319
[CN= 74.0: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
001:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N5         40327.01    23.175 No_date   55:00   11.86 n/a
                + 03:SW_5      224.00      2.527 No_date   28:30   15.88 n/a
                + 04:FL_CK     4945.00    14.579 No_date   33:00   14.54 n/a
[DT=30.00] SUM= 01:S_N5    45496.01    32.982 No_date   37:00   12.17 n/a
001:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:N5         40327.01    23.175 No_date   55:00   11.86 n/a
fname :C:\STORMS~1\N5ex.001
remark:flow at N5
001:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          03:SW_5      224.00      2.527 No_date   28:30   15.88 n/a
fname :C:\STORMS~1\SW_5ex.001
remark:flow at SW_5

```

001:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
fname :C:\STORMS~1\FL_CKex.001
remark:flow at FL_CK

001:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N5 45496.01 32.982 No_date 37:00 12.17 n/a
fname :C:\STORMS~1\S_N5ex.001
remark:flow at S_N5

Sum of hydrographs from Node 5 routed to Node 5A
Section 7

001:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5 45496.01 32.982 No_date 37:00 12.17 n/a
[RDT=30.00] out<- 02:N5A 45496.01 32.930 No_date 37:00 12.17 n/a
[L/S/n= 556./ .090/.040]
{Vmax= .443:Dmax= .935}

001:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 .287 No_date 28:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
of 1.61

001:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 .334
[CN= 75.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#

001:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5A 45496.01 32.930 No_date 37:00 12.17 n/a
+ 03:SW_5A2 20.00 .287 No_date 28:30 17.76 n/a
+ 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 n/a
[DT=30.00] SUM= 01:S_N5A 46928.01 35.948 No_date 37:00 12.26 n/a

Sum of hydrographs from Node 5A routed to Node 4
Section 8

001:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5A 46928.01 35.948 No_date 37:00 12.26 n/a
[RDT=30.00] out<- 02:N4 46928.01 35.073 No_date 39:00 12.26 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .693:Dmax= 2.837}

001:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4 585.00 4.232 No_date 29:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

001:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK 1021.00 5.667 No_date 30:30 17.36 .382
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 4 and Leamy Creek to Node 4
#

001:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N4 46928.01 35.073 No_date 39:00 12.26 n/a
+ 03:SW_4 585.00 4.232 No_date 29:30 17.76 n/a


```

+ 04:LM_CK 1021.00 5.667 No_date 30:30 17.36 n/a
[DT=30.00] SUM= 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
001:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
fname :C:\STORMS~1\H-S_N4.001
remark:flow at S_N4

```

```

#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#

```

```

001:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4 48534.01 37.407 No_date 38:30 12.44 n/a
[RDT=30.00] out<- 02:N2 48534.01 37.307 No_date 39:00 12.44 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .714:Dmax= 2.841}
001:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2 177.00 1.996 No_date 28:30 15.88 .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
001:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR 1122.00 5.257 No_date 31:30 17.76 .390
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR 2737.00 11.338 No_date 31:30 15.53 .341
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#

```

```

001:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N2 48534.01 37.307 No_date 39:00 12.44 n/a
+ 03:SW_2 177.00 1.996 No_date 28:30 15.88 n/a
+ 04:SM_DR 1122.00 5.257 No_date 31:30 17.76 n/a
+ 05:MO_DR 2737.00 11.338 No_date 31:30 15.53 n/a
[DT=30.00] SUM= 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
001:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
fname :C:\STORMS~1\H_SN2.001
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#

```

```

001:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 45.692 No_date 33:30 12.72 n/a
[RDT=30.00] out<- 02:N1 52570.01 42.616 No_date 39:30 12.72 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .767:Dmax= 2.662}
001:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 12.490 No_date 32:00 16.23 .357
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 1 to Node 1
#

```

```

001:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 42.616 No_date 39:30 12.72 n/a
+ 03:SW_1 3176.00 12.490 No_date 32:00 16.23 n/a

```

```
[DT=30.00] SUM= 01:N1 55746.00 49.180 No_date 36:30 12.92 n/a
001:0073-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
SAVE HYD 01:N1 55746.00 49.180 No_date 36:30 12.92 n/a
fname :C:\STORMS~1\H-N1.001
remark:N1-ex
```

```
#####
** END OF RUN : 4
```

```
*****
```

```
RUN:COMMAND#
```

```
005:0001-----
```

```
START
```

```
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 5 ]
```

```
*****
```

```
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
```

```
*****
```

```
# Project Name: [Jock River] Project Number: [411-02]
```

```
# Date : 06-06-2003
```

```
# Modeller : [JoF]
```

```
# Company : JFSAinc.
```

```
# License # : 2549237
```

```
*****
```

```
# CALIBRATION OF SUMMER MODEL PARAMETERS
```

```
# USING CONTINUOUS SIMULATIONS
```

```
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
```

```
# Use data collected from May 1st to July 14, 2003
```

```
# -----
```

```
#
```

```
# EXISING SUMMER
```

```
#
```

```
#
```

```
005:0002-----
```

```
READ STORM
```

```
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:5 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 57.12]
```

```
005:0003-----
```

```
MODIFY STORM
```

```
[RFAC= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 57.12]
```

```
005:0004-----
```

```
COMPUTE API
```

```
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax= 90.83: APIavg= 60.09: APImin= 44.87}
```

```
#
```

```
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
```

```
# of 1.32
```

```
005:0005-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
```

```
CONTINUOUS NASHYD 01:JR_HW 3680.00 9.169 No_date 37:00 16.38 .287
```

```
[CN= 64.0: N= 3.00]
```

```
[Tp= 7.13:DT=30.00]
```

```
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
```

```
[InterEventTime= 12.00]
```

```
#
```

```
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
```

```
# of 1.32
```

```
005:0006-----ID:NHYD-----AREA---QPEAK-TpeakDate_hh:mm---R.V.-R.C.-
```

```
CONTINUOUS NASHYD 02:SW_13 971.00 3.350 No_date 32:30 15.27 .267
```

```
[CN= 61.0: N= 3.00]
```

```

[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
005:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N13   3680.00   9.169 No_date   37:00   16.38 n/a
                + 02:SW_13    971.00    3.350 No_date   32:30   15.27 n/a
[DT=30.00] SUM= 01:S_N13   4651.00   11.688 No_date   35:30   16.15 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
005:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N13   4651.00   11.688 No_date   35:30   16.15 n/a
[RDT=30.00] out<- 02:N13A   4651.00   9.343 No_date   39:30   16.15 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .475:Dmax= 2.992}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM  3161.00   4.639 No_date   39:30   13.20 .231
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
005:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N13A    4651.00   9.343 No_date   39:30   16.15 n/a
                + 01:SN13A   3161.00   4.639 No_date   39:30   13.20 n/a
[DT=30.00] SUM= 01:SN13A   7812.00   13.982 No_date   39:30   14.96 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
005:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A   7812.00   13.982 No_date   39:30   14.96 n/a
[RDT=30.00] out<- 02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
{MxStoUsed=.6269E+02}
#
005:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
fname :C:\STORMS~1\H_RESGM.005
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
[RDT=30.00] out<- 01:N12    7812.00   3.129 No_date   60:30   14.96 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .526:Dmax= 1.427}
005:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11    500.00   4.260 No_date   29:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
005:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH  1781.00   8.382 No_date   32:30   20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]

```

```

[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
005:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12  7812.00   3.129 No_date  60:30  14.96 n/a
                + 02:JR_ASH  1781.00   8.382 No_date  32:30  20.09 n/a
                [DT=30.00] SUM= 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
005:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
fname :C:\STORMS~1\H_SN12.005
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
[RDT=30.00] out<- 02:N11  9593.00  10.235 No_date  33:00  15.91 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .634:Dmax= 2.418}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
005:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N12  9593.00  10.366 No_date  32:30  15.91 n/a
[RDT=30.00] out<- 03:Dum11  9593.00  10.246 No_date  33:00  15.91 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .645:Dmax= 2.393}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   6.085 No_date  34:00  17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
005:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00  10.246 No_date  33:00  15.91 n/a
                + 04:SW_11   500.00   4.260 No_date  29:00  17.15 n/a
                + 05:NN_CK  1917.00   6.085 No_date  34:00  17.15 n/a
                [DT=30.00] SUM= 01:S_N11 12010.00 17.319 No_date  33:00  16.16 n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
005:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N11 12010.00 17.319 No_date  33:00  16.16 n/a
[RDT=30.00] out<- 02:N10  12010.00 11.909 No_date  38:30  16.16 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .462:Dmax= 1.078}
005:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  16.454 No_date  38:00  20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#

```

```

005:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10    12010.00   11.909 No_date   38:30   16.16  n/a
          + 04:SW_10    5666.00   16.454 No_date   38:00   20.09  n/a
[DT=30.00] SUM= 01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
005:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
fname :C:\STORMS~1\H_SN10.005
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
005:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK   8376.00   15.668 No_date   39:30   17.15  .300
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
005:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10  17676.00   28.349 No_date   38:00   17.42  n/a
          + 03:KG_CK   8376.00   15.668 No_date   39:30   17.15  n/a
[DT=30.00] SUM= 02:S_N10A 26052.00   43.598 No_date   39:30   17.33  n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
005:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00   43.598 No_date   39:30   17.33  n/a
[RDT=30.00] out<- 01:N9    26052.00   42.453 No_date   39:30   17.33  n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .663:Dmax= 1.480}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
005:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9    1132.00    6.854 No_date   30:30   19.22  .336
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK   4464.00    7.795 No_date   39:30   15.63  .274
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
005:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9     26052.00   42.453 No_date   39:30   17.33  n/a
          + 03:SW_9    1132.00    6.854 No_date   30:30   19.22  n/a
          + 04:NC_CK   4464.00    7.795 No_date   39:30   15.63  n/a
[DT=30.00] SUM= 02:S_N9    31648.00   52.078 No_date   39:30   17.16  n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
005:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9    31648.00   52.078 No_date   39:30   17.16  n/a
[RDT=30.00] out<- 01:N8    31648.00   48.443 No_date   40:00   17.16  n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .371:Dmax= 1.510}

```

```

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8      131.00    1.239 No_date  28:30   16.00 .280
  [CN= 63.0: N= 3.00]
  [Tp= .90:DT=30.00]
  [IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
005:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR      3854.00    9.126 No_date  38:30   17.15 .300
  [CN= 66.0: N= 3.00]
  [Tp= 8.42:DT=30.00]
  [IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
005:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           01:N8          31648.00   48.443 No_date  40:00   17.16 n/a
                  + 03:SW_8      131.00    1.239 No_date  28:30   16.00 n/a
                  + 04:HB_DR      3854.00    9.126 No_date  38:30   17.15 n/a
  [DT=30.00] SUM= 02:S_N8      35633.00   57.182 No_date  39:30   17.16 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
005:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8      35633.00   57.182 No_date  39:30   17.16 n/a
  [RDT=30.00] out<- 01:N7      35633.00   46.901 No_date  45:00   17.16 n/a
  [L/S/n= 3750./ .053/.070]
  {Vmax= .207:Dmax= 1.840}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7      3197.00    6.873 No_date  36:00   13.87 .243
  [CN= 57.0: N= 3.00]
  [Tp= 6.65:DT=30.00]
  [IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
005:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           01:N7          35633.00   46.901 No_date  45:00   17.16 n/a
                  + 03:SW_7      3197.00    6.873 No_date  36:00   13.87 n/a
  [DT=30.00] SUM= 02:S_N7      38830.00   50.132 No_date  43:30   16.89 n/a
005:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:S_N7      38830.00   50.132 No_date  43:30   16.89 n/a
  fname :C:\STORMS~1\H_SN7.005
  remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
005:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7      38830.00   50.132 No_date  43:30   16.89 n/a
  [RDT=30.00] out<- 01:RES_RF 38830.00   27.650 No_date  59:00   16.89 n/a
  {MxStoUsed=.1714E+03}
005:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

SAVE HYD          01:RES_RF 38830.00  27.650 No_date  59:00  16.89 n/a
fname :C:\STORMS~1\H_ResRF.005
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
005:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:RES_RF 38830.00  27.650 No_date  59:00  16.89 n/a
[RDT=30.00] out<- 02:N6   38830.00  27.619 No_date  60:00  16.89 n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .458:Dmax= .889}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
005:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6   165.00   .630 No_date  33:00  17.55 .307
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
005:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR  1332.00  4.700 No_date  35:00  20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
005:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR  1332.00  4.700 No_date  35:00  20.09 n/a
fname :C:\STORMS~1\H-VG_DR.005
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
005:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6   38830.00  27.619 No_date  60:00  16.89 n/a
+ 03:SW_6   165.00   .630 No_date  33:00  17.55 n/a
+ 04:VG_DR  1332.00  4.700 No_date  35:00  20.09 n/a
[DT=30.00] SUM= 01:S_N6  40327.01  27.692 No_date  59:30  16.99 n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
005:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6  40327.01  27.692 No_date  59:30  16.99 n/a
[RDT=30.00] out<- 02:N5   40327.01  27.656 No_date  59:30  16.99 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .396:Dmax= .997}
005:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5   224.00  3.985 No_date  28:30  22.94 .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
005:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK  4945.00  22.432 No_date  33:00  21.01 .368
[CN= 74.0: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#

```

```

# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
005:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5      40327.01   27.656 No_date   59:30   16.99 n/a
                + 03:SW_5    224.00    3.985 No_date   28:30   22.94 n/a
                + 04:FL_CK   4945.00   22.432 No_date   33:00   21.01 n/a
  [DT=30.00] SUM= 01:S_N5    45496.01  43.205 No_date   35:00   17.46 n/a
005:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD         02:N5      40327.01   27.656 No_date   59:30   16.99 n/a
  fname :C:\STORMS~1\N5ex.005
  remark:flow at N5
005:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD         03:SW_5    224.00    3.985 No_date   28:30   22.94 n/a
  fname :C:\STORMS~1\SW_5ex.005
  remark:flow at SW_5
005:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD         04:FL_CK   4945.00   22.432 No_date   33:00   21.01 n/a
  fname :C:\STORMS~1\FL_CKex.005
  remark:flow at FL_CK
005:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD         01:S_N5    45496.01  43.205 No_date   35:00   17.46 n/a
  fname :C:\STORMS~1\S_N5ex.005
  remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
005:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL   -> 01:S_N5    45496.01  43.205 No_date   35:00   17.46 n/a
  [RDT=30.00] out<- 02:N5A    45496.01  43.167 No_date   35:30   17.46 n/a
  [L/S/n= 556./ .090/.040]
  {Vmax= .464:Dmax= 1.057}
005:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  * CONTINUOUS NASHYD 03:SW_5A2    20.00    .448 No_date   28:30   25.59 .448
  [CN= 81.0: N= 3.00]
  [Tp= .62:DT=30.00]
  [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
005:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:SW_5A1  1412.00   4.515 No_date   37:30   21.96 .384
  [CN= 75.0: N= 3.00]
  [Tp= 8.00:DT=30.00]
  [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
005:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5A    45496.01  43.167 No_date   35:30   17.46 n/a
                + 03:SW_5A2    20.00    .448 No_date   28:30   25.59 n/a
                + 04:SW_5A1  1412.00   4.515 No_date   37:30   21.96 n/a
  [DT=30.00] SUM= 01:S_N5A  46928.01  47.522 No_date   35:30   17.60 n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
005:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL   -> 01:S_N5A  46928.01  47.522 No_date   35:30   17.60 n/a
  [RDT=30.00] out<- 02:N4     46928.01  45.859 No_date   37:30   17.60 n/a
  [L/S/n= 4630./ .043/.035]
  {Vmax= .753:Dmax= 3.105}
005:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 03:SW_4     585.00    6.551 No_date   29:30   25.59 .448
  [CN= 81.0: N= 3.00]

```



```
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
005:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK 1021.00 8.738 No_date 30:30 25.04 .438
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
```

#

Addition of Subwatershed 4 and Leamy Creek to Node 4

#

```
005:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4      46928.01  45.859 No_date 37:30 17.60 n/a
                + 03:SW_4    585.00   6.551 No_date 29:30 25.59 n/a
                + 04:LM_CK    1021.00  8.738 No_date 30:30 25.04 n/a
[DT=30.00] SUM= 01:S_N4  48534.01  50.003 No_date 36:30 17.85 n/a
005:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  50.003 No_date 36:30 17.85 n/a
fname :C:\STORMS~1\H-S_N4.005
remark:flow at S_N4
```

#

Sum of hydrographs from Node 4 routed to Node 2

Section 9

#

```
005:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4  48534.01  50.003 No_date 36:30 17.85 n/a
[RDT=30.00] out<- 02:N2  48534.01  49.892 No_date 37:00 17.85 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .780:Dmax= 3.124}
```

```
005:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2 177.00 3.149 No_date 28:30 22.94 .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
```

```
005:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR 1122.00 8.043 No_date 31:30 25.59 .448
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
```

```
005:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR 2737.00 17.548 No_date 31:30 22.44 .393
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
```

#

Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2

#

```
005:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2      48534.01  49.892 No_date 37:00 17.85 n/a
                + 03:SW_2    177.00   3.149 No_date 28:30 22.94 n/a
                + 04:SM_DR    1122.00  8.043 No_date 31:30 25.59 n/a
                + 05:MO_DR    2737.00  17.548 No_date 31:30 22.44 n/a
[DT=30.00] SUM= 01:S_N2  52570.01  66.308 No_date 33:00 18.27 n/a
005:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N2  52570.01  66.308 No_date 33:00 18.27 n/a
fname :C:\STORMS~1\H_SN2.005
remark:flow at S_N2 Jock River Gauge at Moodie Dr.
```

#

Sum of hydrographs from Node 2 routed to Node 1

Section 10

#

```
005:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2  52570.01  66.308 No_date 33:00 18.27 n/a
```

```
[RDT=30.00] out<- 02:N1      52570.01  59.710 No_date  37:00  18.27  n/a
[L/S/n=10046./ .050/.040]
{Vmax= .861:Dmax= 3.202}
005:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1      3176.00  19.206 No_date  32:00  23.45  .411
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]
```

```
#
# Addition of Subwatershed 1 to Node 1
#
```

```
005:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD           02:N1      52570.01  59.710 No_date  37:00  18.27  n/a
      + 03:SW_1      3176.00  19.206 No_date  32:00  23.45  n/a
[DT=30.00] SUM= 01:N1      55746.00  72.094 No_date  35:00  18.57  n/a
005:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:N1      55746.00  72.094 No_date  35:00  18.57  n/a
fname :C:\STORMS~1\H-N1.005
remark:N1-ex
```

```
#####
** END OF RUN : 99
```

```
*****
```

```
RUN:COMMAND#
```

```
100:0001-----
START
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 100 ]
```

```
*****
```

```
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#####
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237
```

```
*****
```

```
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
```

```
# -----
```

```
#
# EXISING SUMMER
#
```

```
#
```

```
100:0002-----
READ STORM
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:100 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 88.57]
```

```
100:0003-----
MODIFY STORM
[RFACT= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 88.57]
```

```
100:0004-----
COMPUTE API
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax=119.84: APIavg= 69.19: APImin= 44.87}
```

```

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 21.054 No_date 36:30 35.15 .397
[CN= 64.0: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 8.058 No_date 32:30 32.81 .370
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
100:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 21.054 No_date 36:30 35.15 n/a
+ 02:SW_13 971.00 8.058 No_date 32:30 32.81 n/a
[DT=30.00] SUM= 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
100:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
[RDT=30.00] out<- 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .594:Dmax= 4.138}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 10.266 No_date 39:30 28.27 .319
[CN= 55.0: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
100:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
+ 01:SN13A 3161.00 10.266 No_date 39:30 28.27 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
100:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
{MxStoUsed=.1788E+03}
#
100:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
fname :C:\STORMS~1\H_RESGM.100
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

ROUTE CHANNEL  -> 02:RES_GM  7812.00   3.947 No_date  63:30  32.08  n/a
[RDT=30.00] out<- 01:N12   7812.00   3.943 No_date  66:30  32.08  n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .560:Dmax= 1.559}
100:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11   500.00  10.499 No_date  29:00  36.74  .415
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
100:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00  19.356 No_date  32:30  42.46  .479
[CN= 72.0: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
100:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12   7812.00   3.943 No_date  66:30  32.08  n/a
+ 02:JR_ASH     1781.00  19.356 No_date  32:30  42.46  n/a
[DT=30.00] SUM= 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
100:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
fname :C:\STORMS~1\H_SN12.100
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
[RDT=30.00] out<- 02:N11   9593.00  21.120 No_date  33:00  34.00  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .760:Dmax= 3.206}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
100:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12   9593.00  21.415 No_date  32:30  34.00  n/a
[RDT=30.00] out<- 03:Dum11  9593.00  21.116 No_date  32:30  34.00  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .774:Dmax= 3.175}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00  14.197 No_date  34:00  36.74  .415
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
100:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11   9593.00  21.116 No_date  32:30  34.00  n/a
+ 04:SW_11      500.00  10.499 No_date  29:00  36.74  n/a
+ 05:NN_CK     1917.00  14.197 No_date  34:00  36.74  n/a
[DT=30.00] SUM= 01:S_N11 12010.00  37.438 No_date  33:00  34.55  n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1

```

```

#
100:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11  12010.00  37.438 No_date  33:00  34.55 n/a
[RDT=30.00] out<- 02:N10   12010.00  23.324 No_date  39:00  34.55 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .484:Dmax= 1.483}
100:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  36.560 No_date  37:30  42.46 .479
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
100:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10   12010.00  23.324 No_date  39:00  34.55 n/a
                + 04:SW_10  5666.00  36.560 No_date  37:30  42.46 n/a
[DT=30.00] SUM= 01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
100:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
fname :C:\STORMS~1\H_SN10.100
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
100:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK  8376.00  34.456 No_date  39:30  36.74 .415
[CN= 66.0: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
100:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10  17676.00  59.680 No_date  38:00  37.09 n/a
                + 03:KG_CK  8376.00  34.456 No_date  39:30  36.74 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00  93.257 No_date  39:30  36.98 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
100:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00  93.257 No_date  39:30  36.98 n/a
[RDT=30.00] out<- 01:N9   26052.00  91.386 No_date  39:30  36.98 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .769:Dmax= 2.125}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
100:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9   1132.00  16.257 No_date  30:30  40.80 .461
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK  4464.00  17.270 No_date  39:30  33.59 .379
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9

```

```

#
100:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N9      26052.00  91.386 No_date  39:30  36.98 n/a
                   + 03:SW_9    1132.00   16.257 No_date  30:30  40.80 n/a
                   + 04:NC_CK   4464.00   17.270 No_date  39:30  33.59 n/a
                   [DT=30.00] SUM= 02:S_N9  31648.00  112.276 No_date  39:30  36.63 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
100:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 02:S_N9  31648.00  112.276 No_date  39:30  36.63 n/a
  [RDT=30.00] out<- 01:N8  31648.00  106.477 No_date  40:00  36.63 n/a
  [L/S/n= 2269./ .088/.045]
  {Vmax= .372:Dmax= 1.905}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  * CONTINUOUS NASHYD 03:SW_8    131.00    3.096 No_date  28:30  34.37 .388
    [CN= 63.0: N= 3.00]
    [Tp= .90:DT=30.00]
    [IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
    [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
100:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:HB_DR   3854.00   20.590 No_date  38:00  36.74 .415
    [CN= 66.0: N= 3.00]
    [Tp= 8.42:DT=30.00]
    [IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
    [InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
100:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N8      31648.00  106.477 No_date  40:00  36.63 n/a
                   + 03:SW_8    131.00    3.096 No_date  28:30  34.37 n/a
                   + 04:HB_DR   3854.00   20.590 No_date  38:00  36.74 n/a
                   [DT=30.00] SUM= 02:S_N8  35633.00  126.247 No_date  39:30  36.64 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
100:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 02:S_N8  35633.00  126.247 No_date  39:30  36.64 n/a
  [RDT=30.00] out<- 01:N7  35633.00  108.774 No_date  44:30  36.64 n/a
  [L/S/n= 3750./ .053/.070]
  {Vmax= .236:Dmax= 2.384}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 03:SW_7    3197.00   16.027 No_date  36:00  29.76 .336
    [CN= 57.0: N= 3.00]
    [Tp= 6.65:DT=30.00]
    [IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
    [InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
100:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          01:N7      35633.00  108.774 No_date  44:30  36.64 n/a
                   + 03:SW_7    3197.00   16.027 No_date  36:00  29.76 n/a
                   [DT=30.00] SUM= 02:S_N7  38830.00  117.367 No_date  43:30  36.07 n/a
100:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

SAVE HYD          02:S_N7   38830.00  117.367 No_date   43:30   36.07  n/a
  fname :C:\STORMS~1\H_SN7.100
  remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
100:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7   38830.00  117.367 No_date   43:30   36.07  n/a
[RDT=30.00] out<- 01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
{MxStoUsed=.5014E+03}
100:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
  fname :C:\STORMS~1\H_ResRF.100
  remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
100:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:RES_RF 38830.00   60.603 No_date   58:30   36.07  n/a
[RDT=30.00] out<- 02:N6     38830.00   60.346 No_date   60:00   36.07  n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .553:Dmax= 1.353}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
100:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6    165.00    1.482 No_date   33:00   37.54  .424
[CN= 67.0: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 50.55: SMAX=336.97: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
100:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR   1332.00   10.635 No_date   35:00   42.46  .479
[CN= 72.0: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
100:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR   1332.00   10.635 No_date   35:00   42.46  n/a
  fname :C:\STORMS~1\H-VG_DR.100
  remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
100:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6     38830.00   60.346 No_date   60:00   36.07  n/a
+ 03:SW_6        165.00    1.482 No_date   33:00   37.54  n/a
+ 04:VG_DR       1332.00   10.635 No_date   35:00   42.46  n/a
[DT=30.00] SUM= 01:S_N6  40327.01  60.507 No_date   59:30   36.29  n/a
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
100:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N6  40327.01  60.507 No_date   59:30   36.29  n/a
[RDT=30.00] out<- 02:N5     40327.01  60.393 No_date   60:30   36.29  n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .490:Dmax= 1.451}
100:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

* CONTINUOUS NASHYD 03:SW_5      224.00    9.294 No_date  28:30  47.59 .537
  [CN= 77.0: N= 3.00]
  [Tp=  .75:DT=30.00]
  [IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
  [InterEventTime= 12.00]

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
100:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK    4945.00    51.121 No_date  33:00  44.15 .498
  [CN= 74.0: N= 3.00]
  [Tp= 4.45:DT=30.00]
  [IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
  [InterEventTime= 12.00]

#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
100:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5         40327.01    60.393 No_date  60:30  36.29 n/a
                + 03:SW_5      224.00     9.294 No_date  28:30  47.59 n/a
                + 04:FL_CK    4945.00    51.121 No_date  33:00  44.15 n/a
  [DT=30.00] SUM= 01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
100:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N5         40327.01    60.393 No_date  60:30  36.29 n/a
  fname :C:\STORMS~1\N5ex.100
  remark:flow at N5
100:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         03:SW_5      224.00     9.294 No_date  28:30  47.59 n/a
  fname :C:\STORMS~1\SW_5ex.100
  remark:flow at SW_5
100:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:FL_CK    4945.00    51.121 No_date  33:00  44.15 n/a
  fname :C:\STORMS~1\FL_CKex.100
  remark:flow at FL_CK
100:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
  fname :C:\STORMS~1\S_N5ex.100
  remark:flow at S_N5

#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
100:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N5    45496.01    79.896 No_date  34:00  37.20 n/a
  [RDT=30.00] out<- 02:N5A    45496.01    79.822 No_date  34:00  37.20 n/a
  [L/S/n= 556./ .090/.040]
  {Vmax= .544:Dmax= 1.346}
100:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2    20.00     1.014 No_date  28:30  52.03 .587
  [CN= 81.0: N= 3.00]
  [Tp=  .62:DT=30.00]
  [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
  [InterEventTime= 12.00]

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
100:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1  1412.00     9.884 No_date  37:30  45.85 .518
  [CN= 75.0: N= 3.00]
  [Tp= 8.00:DT=30.00]
  [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
  [InterEventTime= 12.00]

#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
100:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A    45496.01    79.822 No_date  34:00  37.20 n/a

```



```

                + 03:SW_5A2    20.00    1.014 No_date    28:30    52.03 n/a
                + 04:SW_5A1   1412.00    9.884 No_date    37:30    45.85 n/a
        [DT=30.00] SUM= 01:S_N5A 46928.01    88.624 No_date    34:30    37.46 n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
100:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A  46928.01    88.624 No_date    34:30    37.46 n/a
[RD=30.00] out<- 02:N4    46928.01    84.961 No_date    36:00    37.46 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .901:Dmax= 3.849}
100:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4    585.00    14.684 No_date    29:30    52.03 .587
[CN= 81.0: N= 3.00]
[TP= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM CK   1021.00    19.515 No_date    30:30    51.13 .577
[CN= 80.0: N= 3.00]
[TP= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
100:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4      46928.01    84.961 No_date    36:00    37.46 n/a
                + 03:SW_4    585.00    14.684 No_date    29:30    52.03 n/a
                + 04:LM CK   1021.00    19.515 No_date    30:30    51.13 n/a
        [DT=30.00] SUM= 01:S_N4 48534.01    95.703 No_date    34:30    37.93 n/a
100:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4   48534.01    95.703 No_date    34:30    37.93 n/a
fname :C:\STORMS~1\H-S_N4.100
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
100:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N4  48534.01    95.703 No_date    34:30    37.93 n/a
[RD=30.00] out<- 02:N2    48534.01    95.351 No_date    35:00    37.93 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .942:Dmax= 3.915}
100:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2    177.00    7.344 No_date    28:30    47.59 .537
[CN= 77.0: N= 3.00]
[TP= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
100:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM DR   1122.00    17.710 No_date    31:30    52.03 .587
[CN= 81.0: N= 3.00]
[TP= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO DR   2737.00    40.026 No_date    31:00    46.72 .527
[CN= 76.0: N= 3.00]
[TP= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
100:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-

```

```

ADD HYD          02:N2      48534.01   95.351 No_date   35:00   37.93  n/a
                + 03:SW_2    177.00    7.344 No_date   28:30   47.59  n/a
                + 04:SM_DR   1122.00   17.710 No_date   31:30   52.03  n/a
                + 05:MO_DR   2737.00   40.026 No_date   31:00   46.72  n/a
[DT=30.00] SUM= 01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
100:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
fname :C:\STORMS~1\H_SN2.100
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#

```

```

100:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N2    52570.01  141.440 No_date   32:30   38.72  n/a
[RDT=30.00] out<- 02:N1    52570.01  124.317 No_date   35:00   38.72  n/a
[L/S/n=10046./ .050/.040]
{Vmax= 1.091:Dmax= 4.554}

```

```

100:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1    3176.00   43.079 No_date   32:00   48.46  .547
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

```

```

#
# Addition of Subwatershed 1 to Node 1
#

```

```

100:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N1      52570.01  124.317 No_date   35:00   38.72  n/a
                + 03:SW_1    3176.00   43.079 No_date   32:00   48.46  n/a
[DT=30.00] SUM= 01:N1      55746.00  158.436 No_date   34:00   39.27  n/a

```

```

100:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD        01:N1      55746.00  158.436 No_date   34:00   39.27  n/a
fname :C:\STORMS~1\H-N1.100
remark:N1-ex

```

```

#####
100:0002-----
FINISH

```

```

*****

```

SWMHYMO – INPUT - FUTURE

```

20 Metric units / ID numbers OFF
*#*****
*# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
*#*****
*# Project Name: [Jock River] Project Number: [411-02]
*# Date : 06-06-2003
*# Modeller : [JoF]
*# Company : JFSAinc.
*# License # : 2549237
*#*****
*# CALIBRATION OF SUMMER MODEL PARAMETERS
*# USING CONTINUOUS SIMULATIONS
*# Rainfall data from JFSA rainauge installed at site + other gauges by the City
*# Use data collected from May 1st to July 14, 2003
*
* Calibrated parameters for Summer 2003 data: APII=50, APIK=0.85, CN=varies,
* SK=0.01, InterEventTime=12,
* GWResk=0.96, VHydCond=0.055
*
*# -----
*#
*# FUTURE SUMMER - Cumulative Development
*#
*#
*#
*# START TZERO=[2003.0501], METOUT=[2], NSTORM=[1], NRUN=[001]
*# ["XAVG0315.STM"] average storm data a 15 minute time step
*# The above rainf file is an average of the JFSA gauge data
*# with the City of Ottawa rainfall data collected during
*# the same period.
*# 2 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves
*# START TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[1]
*# ["C:\STORMS-PF\C24SC002.stm"]
*#-----|-----
*#-----|-----
*# READ STORM STORM_FILENAME=["storm.001"]
*#-----|-----
*# MODIFY STORM ICASEms=[1], NSHIFT=[96],
*# RedFACT=[1],
*#-----|-----
*# COMPUTE API APII=[50], APIK=[.85]/day
*#-----|-----
*#-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*# mod CN
*#-----|-----
*# CONTINUOUS NASHYD 1 NHYD=["JR_HW"], DT=[30]min, AREA=[3680] (ha),
*# DWF=[0] (cms), CN/C=[64.5], IA=[2.5] (mm),
*# N=[3.0], TP=[7.13]hrs,
*# Continuous simulation parameters:
*# IaRECper=[4] (hrs),
*# SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
*# InterEventTime=[12] (hrs)
*# Baseflow simulation parameters:
*# BaseFlowOption=[1],
*# InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
*# VHydCond=[0.055] (mm/hr), END=-1
*#-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.32
*#-----|-----
*# CONTINUOUS NASHYD 2 NHYD=["SW_13"], DT=[30]min, AREA=[971] (ha),
*# DWF=[0] (cms), CN/C=[61], IA=[2.5] (mm),
*# N=[3.0], TP=[3.76]hrs,

```

```

Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Starting with the addition of Jock River Headwater and Subwatershed 13
*#
ADD HYD          1  NHYDsum=["S_N13"] NHYDs to add=1 2
*#
*# Sum of hydrographs from Node 13 routed to Node 13A
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
*#
ROUTE CHANNEL    NHYDout=2  ["N13A"] ,  NHYDin=1 ,
RDT=[30] (min),
CHLGTH=[9074] (m),  CHSLOPE=[0.0220] (%),
                                FPSLOPE=[0.0220] (%),
SECNUM=[1.0],      NSEG=[1]
( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
( DISTANCE (m), ELEVATION (m))=
    [-40, 132.5]
    [-30, 132]
    [-25, 131.5]
    [-13, 130]
    [-8, 127.00]
    [-7, 126.50]
    [-6, 126]
    [-5.5, 125.50]
    [0, 123.75]
    [4.5, 125.50]
    [6, 126]
    [7.5, 126.5]
    [9, 127]
    [10, 127.5]
    [11.5, 128.0]
    [15.5, 129.5]
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80
*#mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD=1  ["JR_GWM"], DT=[30]min, AREA=[3161] (ha),
DWF=[0] (cms),  CN/C=[55.8],  IA=[2.5] (mm),
N=[3],  TP=[11.33]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
*#
ADD HYD          NHYDsum=1  ["SN13A"], NHYDs to add= 2 1  ["N13A"+"JR_GWM"]
*%-----|-----
*%-----|-----
*#
*# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
*#

```



```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed Jock River at Ashton to Node 12
*#
ADD HYD          NHYDsum=1 ["S_N12"], NHYDs to add= 1 2 ["N12"+"JR_ASH"]
SAVE HYD         NHYD=1 , # OF PCYCLES=[-1], ICASEsh=[-1]
                 HYD_FILENAME=["H_SN12"]
                 HYD_COMMENT=["flow at S_N12 near Ashton"]
*%-----|-----
*#
*# Sum of hydrographs from Node 12 routed to Node 11
*# (Approximated cross-section - see cross-section 258)
*# Use n=0.04 for summer conditions and n=0.025 for spring conditions
ROUTE CHANNEL   NHYDout= 2 ["N11"] ,NHYDin= 1 ,
                RDT=[30] (min),
                CHLGTH=[972] (m),  CHSLOPE=[0.0514] (%),
                                FPSLOPE=[0.0514] (%),
                SECNUM=[1.0],      NSEG=[1]
                ( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                [-40, 132.5]
                [-30, 132]
                [-25, 131.5]
                [-13, 130]
                [-8, 127.00]
                [-7, 126.50]
                [-6, 126]
                [-5.5, 125.50]
                [0, 123.75]
                [4.5, 125.50]
                [6, 126]
                [7.5, 126.5]
                [9, 127]
                [10, 127.5]
                [11.5, 128.00]
                [15.5, 129.5]
*%-----|-----
*#
*# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
*#
ROUTE CHANNEL   NHYDout= 3 ["Dum11"] ,NHYDin= 1,
                RDT=[30] (min),
                CHLGTH=[972] (m),  CHSLOPE=[0.054] (%),
                                FPSLOPE=[0.054] (%),
                SECNUM=[1.0],      NSEG=[1]
                ( SEGROUGH, SEGDIST (m))=[0.04,15.5] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                [-40, 132.5]
                [-30, 132]
                [-25, 131.5]
                [-13, 130]
                [-8, 127.00]
                [-7, 126.50]
                [-6, 126]
                [-5.5, 125.50]
                [0, 123.75]
                [4.5, 125.50]
                [6, 126]
                [7.5, 126.5]
                [9, 127]

```

[10, 127.5]
[11.5, 128.00]
[15.5, 129.5]

*%-----|-----
*#

*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.80

*%-----|-----

CONTINUOUS NASHYD NHYD= 5 ["NN_CK"], DT=[30]min, AREA=[1917] (ha),
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),
N=[3.0], TP=[5.29]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

*%-----|-----
*%-----|-----

*#
*# Addition of Subwatershed 11 and No Name Creek to Node 11
*#

ADD HYD NHYDsum=1 ["S_N11"], NHYDs to add= 3 4 5 ["Dum11"+"SW_11"+"NN_CK"]

*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.52

*%-----|-----
*%-----|-----

*#
*# Sum of hydrographs from Node 11 routed to Node 10
*# Section 1
*#

ROUTE CHANNEL NHYDout= 2 ["N10"] ,NHYDin= 1 ,
RDT=[30] (min),
CHLGTH=[14028] (m), CHSLOPE=[0.1568] (%),
FPSLOPE=[0.1568] (%),
SECNUM=[1.0], NSEG=[5]
(SEGROUGH, SEGDIST (m))=
[0.04,-52.82
0.1,-6.47
-0.05,6.47
0.1,45.36
0.04,423.88] NSEG times
(DISTANCE (m), ELEVATION (m))=
[-226.24 ,112.50]
[-167.50 ,111.50]
[-106.81 ,111.00]
[-92.37 ,110.00]
[-52.82 ,109.00]
[-24.90, 109.00]
[-17.02, 108.50]
[-6.47, 108.00]
[6.47, 108.00]
[15.67, 108.50]
[18.95, 109.00]
[45.36, 109.50]
[120.79, 110.00]
[145.72, 111.00]
[181.56, 111.50]
[423.88, 112.50]

CONTINUOUS NASHYD NHYD= 4 ["SW_10"], DT=[30]min, AREA=[5666] (ha),
DWF=[0] (cms), CN/C=[72], IA=[2.5] (mm),
N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),


```

SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# Addition of Subwatershed 10 to Node 10
*#
ADD HYD          NHYDsum= 1 ["S_N10"], NHYDs to add= 2 4 ["N10"+"SW_10"]
*%-----|-----
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
                HYD_FILENAME=["H_SN10"]
                HYD_COMMENT=["flow at S_N10: N10 + SW_10"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*#mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["KG_CK"], DT=[30]min, AREA=[8376] (ha),
                  DWF=[0] (cms), CN/C=[66.3], IA=[2.5] (mm),
                  N=[3.0], TP=[11.66]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*# Addition of Kings Creek to S_N10
*#
ADD HYD          NHYDsum=2 ["S_N10A"], NHYDs to add= 1 3 ["S_N10"+"KG_CK"]
*%-----|-----
*#
*# Sum of hydrographs from Node 10 routed to Node 9
*# Section 2
*#
ROUTE CHANNEL    NHYDout= 1 ["N9"] ,NHYDin= 2
                  RDT=[30] (min),
                  CHLGTH=[3982] (m),  CHSLOPE=[0.0753] (%),
                                      FPSLOPE=[0.0753] (%),
                  SECNUM=[1.0],      NSEG=[4]
                  ( SEGROUGH, SEGDIST (m))=
                    [0.04,-30.27
                     0.05,-18.42
                    -0.05,18.42
                    0.04,131.58] NSEG times
                  ( DISTANCE (m), ELEVATION (m))=
                    [-446.74, 106.00]
                    [-415.68, 105.50]
                    [-285.40, 105.00]
                    [-173.77, 104.50]
                    [-144.95, 104.00]
                    [-111.18, 103.50]
                    [-94.06, 103.00]
                    [-71.02, 102.50]
                    [-30.27, 102.00]
                    [-19.33, 100.00]
                    [-18.42, 99.50]
                    [18.42, 99.50]
                    [20.77, 100.00]
                    [27.93, 101.00]
                    [52.29, 101.00]

```

[68.80, 101.50]
[79.66, 103.00]
[91.50, 103.50]
[131.58, 104.00]

```
*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.68
*%-----|-----|
CONTINUOUS NASHYD  NHYD= 3 ["SW_9"], DT=[30]min, AREA=[1132] (ha),
                   DWF=[0] (cms),  CN/C=[70], IA=[2.5] (mm),
                   N=[3.0], TP=[2.51]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----|
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----|
CONTINUOUS NASHYD  NHYD= 4 ["NC_CK"], DT=[30]min, AREA=[4464] (ha),
                   DWF=[0] (cms),  CN/C=[62], IA=[2.5] (mm),
                   N=[3.0], TP=[11.32]hrs,
                   Continuous simulation parameters:
                   IaRECper=[4] (hrs),
                   SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                   InterEventTime=[12] (hrs)
                   Baseflow simulation parameters:
                   BaseFlowOption=[1] ,
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                   VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----|
*#
*# Addition of Subwatershed 9 and Nichols Creek to Node 9
*#
ADD HYD              NHYDsum= 2 ["S_N9"], NHYDs to add= 1 3 4 ["N9"+"SW_9"+"NC_CK"]
*%-----|-----|
*#
*# Sum of hydrographs from Node 9 routed to Node 8
*# Section 3
*#
ROUTE CHANNEL       NHYDout= 1 ["N8"] ,NHYDin= 2
                   RDT=[30] (min),
                   CHLGTH=[2269] (m),  CHSLOPE=[0.0882] (%),
                                       FPSLOPE=[0.0882] (%),
                   SECNUM=[1.0],      NSEG=[3]
                   ( SEGROUGH, SEGDIST (m) )=
                   [0.1,-17.99
                   -0.045,17.31
                   0.1,456.58] NSEG times
                   ( DISTANCE (m), ELEVATION (m) )=
                   [-201.19,100.50]
                   [-135.21, 100.00]
                   [-94.83, 99.50]
                   [-67.05, 99.00]
                   [-17.99, 98.50]
                   [-16.02, 98.00]
                   [-13.95, 97.50]
                   [13.95, 97.50]
                   [15.64, 98.00]
                   [17.31, 98.50]
```

[162.02, 98.50]
[172.89 ,99.00]
[314.38, 99.00]
[343.78, 99.50]
[365.67, 100.00]
[376.68, 100.00]
[393.11, 99.50]
[404.97, 99.50]
[431.70, 100.00]
[456.58, 100.50]

```
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.80  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 3 ["SW_8"], DT=[30]min, AREA=[131] (ha),  
DWF=[0] (cms), CN/C=[63], IA=[2.5] (mm),  
N=[3.0], TP=[0.90]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)  
*# of 1.65  
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 4 ["HB_DR"], DT=[30]min, AREA=[3854] (ha),  
DWF=[0] (cms), CN/C=[66], IA=[2.5] (mm),  
N=[3.0], TP=[8.42]hrs,  
Continuous simulation parameters:  
IaRECper=[4] (hrs),  
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
InterEventTime=[12] (hrs)  
Baseflow simulation parameters:  
BaseFlowOption=[1] ,  
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
VHydCond=[0.055] (mm/hr), END=-1  
  
*%-----|-----  
*#  
*# Addition of Subwatershed 8 and Hobb's Drain to Node 8  
*#  
ADD HYD          NHYDsum= 2 ["S_N8"], NHYDs to add= 1 3 4 ["N8"+"SW_8"+"HB_DR"]  
*%-----|-----  
*#  
*# Sum of hydrographs from Node 8 routed to Node 7  
*# Section 4  
*#  
ROUTE CHANNEL   NHYDout= 1 ["N7"] ,NHYDin= 2  
RDT=[30] (min),  
CHLGTH=[3750] (m), CHSLOPE=[0.0533] (%),  
FPSLOPE=[0.0533] (%),  
SECNUM=[1.0], NSEG=[3]  
( SEGROUGH, SEGDIST (m))=  
[0.12,-18.11  
-0.07,17.22  
0.12,590.05] NSEG times  
( DISTANCE (m), ELEVATION (m))=  
[-433.21, 102.00]  
[-425.34, 101.50]
```

```

[-377.56, 101.50]
[-366.23, 101.00]
[-202.60, 100.50]
[-96.25, 99.50]
[-68.36 99.00]
[-18.11, 98.50]
[-13.81, 97.50]
[13.81, 97.50]
[17.22, 98.50]
[161.95, 98.50]
[173.11, 99.00]
[314.05, 99.00]
[365.52, 100.00]
[404.70, 99.50]
[476.74, 100.50]
[502.31, 101.00]
[584.69, 101.00]
[585.79, 101.00]
[590.05, 102.00]

```

```

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.82
*%-----|-----

```

```

CONTINUOUS NASHYD  NHYD= 3 ["SW_7"], DT=[30]min, AREA=[3197] (ha),
DWF=[0] (cms), CN/C=[57], IA=[2.5] (mm),
N=[3.0], TP=[6.65]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

```

```

*%-----|-----
*#
*# Addition of Subwatershed 7 to Node 7
*#

```

```

ADD HYD          NHYDsum= 2 ["S_N7"], NHYDs to add= 1 3 ["N7"+"SW_7"]

```

```

*%-----|-----
SAVE HYD        NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H_SN7"]
HYD_COMMENT=["flow at S_N7: N7 + SW_7"]

```

```

*%-----|-----
*# Insertion of a reservoir to simulate the effects of the Richmond Fen.
*# Storage area and volumes were estimated from available topo maps.
*# Release rate from fen was assumed to be controlled by the downstream
*# river cross-section for summer conditions. It is was assumed that for up to
*# 0.75 m of water, the main channel of the river provided the storage. Above
*# this depth, the wetland starts to signigicantly store water.
*#

```

```

ROUTE RESERVOIR  NHYDout= 1 ["RES_RF"] ,NHYDin= 2
RDT=[30] (min),
TABLE of ( OUTFLOW-STORAGE ) values
(cms) - (ha-m)
TABLE of ( OUTFLOW-STORAGE ) values
(cms) - (ha-m)
[ 0.0 , 0.0 ]
[0.9051, 2.40]
[2.907, 4.13]
[9.744, 9.18]
[20.304, 14.96]
[34.167, 310.21]
[74.993, 605.46]
[104.876, 900.71]

```

```

[140.56, 2892.00]
[225.00, 3615.63]
[ -1 , -1 ] (max twenty pts)
NHYDovf=[" " ] ,
*%-----|-----
SAVE HYD      NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["H_ResRF"]
              HYD_COMMENT=["outflow of Richmond Fen"]
*%-----|-----
*#
*# Sum of hydrographs from Node 7 routed to Node 6
*# Section 5
*#
ROUTE CHANNEL    NHYDout= 2["N6"] ,NHYDin= 1
                 RDT=[30] (min),
                 CHLGTH=[3056] (m),  CHSLOPE=[0.0818] (%),
                                     FPSLOPE=[0.0818] (%),
                 SECNUM=[1.0],      NSEG=[5]
                 ( SEGROUGH, SEGDIST (m))=
                   [0.025,-70.8
                    0.1,-23.9
                   -0.05,23.9
                    0.06,39.8
                   0.05,96.3] NSEG times
                 ( DISTANCE (m), ELEVATION (m))=
                   [-100.8, 97.00]
                   [-70.8, 96.50]
                   [-52.0, 96.00]
                   [-35.1, 95.50]
                   [-30.6, 95.00]
                   [-23.9, 94.54]
                   [23.9, 94.54]
                   [39.8, 95.00]
                   [50.4, 95.50]
                   [93.5, 96.00]
                   [94.9, 96.50]
                   [96.3, 97.00]
SAVE HYD      NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
              HYD_FILENAME=["N6"]
              HYD_COMMENT=["flow at N6 u/s of Richmond"]
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.75
*#mod CN - Tp reduced by 25%
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_6"], DT=[30]min, AREA=[165] (ha),
                  DWF=[0] (cms),  CN/C=[70.3], IA=[2.5] (mm),
                  N=[3.0], TP=[4.18]hrs,
                  Continuous simulation parameters:
                  IaRECper=[4] (hrs),
                  SMIN=[-1] (mm),  SMAX=[-1] (mm), SK=[0.010]/(mm),
                  InterEventTime=[12] (hrs)
                  Baseflow simulation parameters:
                  BaseFlowOption=[1] ,
                  InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
                  VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.67
*# mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["VG_DR"], DT=[30]min, AREA=[1332] (ha),
                  DWF=[0] (cms),  CN/C=[73.8], IA=[2.5] (mm),
                  N=[3.0], TP=[5.95]hrs,

```

```

Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
SAVE HYD NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H-VG_DR"]
HYD_COMMENT=["flow at Van Gaal Drain"]

*%-----|-----
*#
*# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
*#
ADD HYD NHYDsum= 1 ["S_N6"], NHYDs to add= 2 3 4 ["N6"+"SW_6"+"VG_DR"]
SAVE HYD NHYD=3, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["SW_6"]
HYD_COMMENT=["flow from SW_6"]
SAVE HYD NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["VG_DR"]
HYD_COMMENT=["flow from VG_DR"]

*%-----|-----
*#
*# Sum of hydrographs from Node 6 routed to Node 5
*# Section 6
*#
ROUTE CHANNEL NHYDout= 2 ["N5"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[1852] (m), CHSLOPE=[0.0540] (%),
FPSLOPE=[0.0540] (%),
SECNUM=[1.0], NSEG=[3]
( SEGROUGH, SEGDIST (m))=
[0.035,-131.59
-0.045,48.96
0.1,239.04] NSEG times
( DISTANCE (m), ELEVATION (m))=
[-686.30, 94.50]
[-675.70, 94.00]
[-492.52, 93.00]
[-467.28, 94.00]
[-131.59, 94.00]
[-92.79, 92.50]
[-18.06, 91.00]
[18.06, 91.00]
[43.47, 92.50]
[48.96, 94.00]
[177.43, 94.00]
[239.04,94.50]

*%-----|-----
*# mod CN
CONTINUOUS NASHYD NHYD= 3 ["SW_5"], DT=[30]min, AREA=[224] (ha),
DWF=[0] (cms), CN/C=[79.1], IA=[2.5] (mm),
N=[3.0], TP=[0.75]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.20

```

```

*# mod CN
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["FL_CK"], DT=[30]min, AREA=[4945] (ha),
DWF=[0] (cms), CN/C=[74.6], IA=[2.5] (mm),
N=[3.0], TP=[4.45]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1

*%-----|-----
*#
*# Addition of Subwatershed 5 and Flowing Creek to Node 5
*#
ADD HYD          NHYDsum= 1 ["S_N5"], NHYDs to add= 2 3 4 ["N5"+"SW_5"+"FL_CK"]
SAVE HYD         NHYD=2, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["N5"]
HYD_COMMENT=["flow at N5"]
SAVE HYD         NHYD=3, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["SW_5"]
HYD_COMMENT=["flow at SW_5"]
SAVE HYD         NHYD=4, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["FL_CK"]
HYD_COMMENT=["flow at FL_CK"]
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["S_N5"]
HYD_COMMENT=["flow at S_N5"]

*%-----|-----
*#
*# Sum of hydrographs from Node 5 routed to Node 5A
*# Section 7
*#
ROUTE CHANNEL    NHYDout= 2 ["N5A"], NHYDin= 1
RDT=[30] (min),
CHLGTH=[556] (m), CHSLOPE=[0.0900] (%),
FPSLOPE=[0.0900] (%),
SECNUM=[1.0], NSEG=[4]
( SEGROUGH, SEGDIST (m))=
  [0.04,-41.5
   0.1,-14.0
  -0.045,14.0
   0.1,41.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-275.8, 93.00]
  [-248.6, 92.50]
  [-237.0, 92.00]
  [-219.3, 91.50]
  [-202.1, 91.50]
  [-186.0, 92.00]
  [-129.2, 92.00]
  [-117.6, 91.50]
  [-100.6, 91.00]
  [-41.5, 91.00]
  [-20.0, 91.00]
  [-14.0, 90.54]
  [14.0, 90.54]
  [15.3, 91.00]
  [17.3, 91.50]
  [38.4, 92.00]
  [39.8, 92.50]
  [41.1, 93.00]

*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_5A2"], DT=[30]min, AREA=[20] (ha),

```

```

DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[0.62]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
*# of 1.61
*# mod CN
*%-----|-----
CONTINUOUS NASHYD NHYD= 4 ["SW_5A1"], DT=[30]min, AREA=[1412] (ha),
DWF=[0] (cms), CN/C=[75.3], IA=[2.5] (mm),
N=[3.0], TP=[8.00]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr), END=-1
*%-----|-----
*#
*# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
*#
ADD HYD NHYDsum= 1 ["S_N5A"], NHYDs to add= 2 3 4 ["N5A"+"SW_5A2"+"SW_5A1"]
*%-----|-----
*#
*# Sum of hydrographs from Node 5A routed to Node 4
*# Section 8
*#
ROUTE CHANNEL NHYDout= 2["N4"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[4630] (m), CHSLOPE=[0.0432] (%),
FPSLOPE=[0.0432] (%),
SECNUM=[1.0], NSEG=[3]
( SEGROUGH, SEGDIST (m))=
[0.05,-28.2
-0.035,28.2
0.05,173.1] NSEG times
( DISTANCE (m), ELEVATION (m))=
[-38.9, 92.00]
[-35.8, 91.50]
[-33.3, 91.00]
[-28.2, 90.50]
[-15.0, 87.48]
[-5.0, 88.34]
[5.0, 86.20]
[15.0, 88.55]
[28.2, 90.50]
[29.7, 91.00]
[46.5, 91.00]
[127.8, 91.00]
[148.7, 91.50]
[173.1, 92.00]
*%-----|-----
CONTINUOUS NASHYD NHYD= 3["SW_4"], DT=[30]min, AREA=[585] (ha),
DWF=[0] (cms), CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[1.75]hrs,
Continuous simulation parameters:

```



```

IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1
*%-----|-----
CONTINUOUS NASHYD  NHYD= 4 ["LM_CK"], DT=[30]min, AREA=[1021] (ha),
DWF=[0] (cms),  CN/C=[80], IA=[2.5] (mm),
N=[3.0], TP=[2.46]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),  END=-1

*%-----|-----
*#
*# Addition of Subwatershed 4 and Leamy Creek to Node 4
*#
ADD HYD          NHYDsum= 1 ["S_N4"], NHYDs to add= 2 3 4 ["N4"+"SW_4"+"LM_CK"]
SAVE HYD        NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]
                HYD_COMMENT=["flow at S_N4"]
*%-----|-----
*#
*# Sum of hydrographs from Node 4 routed to Node 2
*# Section 9
*#
ROUTE CHANNEL   NHYDout= 2 ["N2"] ,NHYDin= 1
                RDT=[30] (min),
                CHLGTH=[1667] (m),  CHSLOPE=[0.0600] (%),
                                FPSLOPE=[0.0600] (%),
                SECNUM=[1.0],      NSEG=[4]
                ( SEGROUGH, SEGDIST (m))=
                  [0.1,-28.0
                  -0.04,28.4
                  0.06,31.7
                  0.04,80.2] NSEG times
                ( DISTANCE (m), ELEVATION (m))=
                  [-36.3, 92.00]
                  [-32.6, 91.50]
                  [-30.2, 91.00]
                  [-28.0, 90.45]
                  [-15.0, 87.48]
                  [-5.0, 88.34]
                  [5.0, 86.20]
                  [15.0, 88.55]
                  [28.0, 90.45]
                  [28.4, 90.50]
                  [30.4, 91.00]
                  [31.7, 91.50]
                  [80.2, 92.00]
*%-----|-----
CONTINUOUS NASHYD  NHYD= 3 ["SW_2"], DT=[30]min, AREA=[177] (ha),
DWF=[0] (cms),  CN/C=[77], IA=[2.5] (mm),
N=[3.0], TP=[0.75]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),  SMAX=[-1] (mm),  SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm),  GWResK=[0.96] (mm/day/mm)

```

```

VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
CONTINUOUS NASHYD  NHYD= 4 ["SM_DR"], DT=[30]min, AREA=[1122] (ha),
DWF=[0] (cms),   CN/C=[81], IA=[2.5] (mm),
N=[3.0], TP=[3.25]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
CONTINUOUS NASHYD  NHYD= 5 ["MO_DR"], DT=[30]min, AREA=[2737] (ha),
DWF=[0] (cms),   CN/C=[76], IA=[2.5] (mm),
N=[3.0], TP=[3.03]hrs,
Continuous simulation parameters:
IaRECper=[4] (hrs),
SMIN=[-1] (mm),   SMAX=[-1] (mm), SK=[0.010]/(mm),
InterEventTime=[12] (hrs)
Baseflow simulation parameters:
BaseFlowOption=[1] ,
InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)
VHydCond=[0.055] (mm/hr),   END=-1
*%-----|
*#
*# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
*#
ADD HYD           NHYDsum= 1 ["S_N2"], NHYDs to add= 2 3 4 5
                  ["N2"+"SW_2"+"SM_DR"+"MO_DR"]
*%-----|
SAVE HYD         NHYD=1, # OF PCYCLES=[-1], ICASEsh=[-1]
HYD_FILENAME=["H_SN2"]
HYD_COMMENT=["flow at S_N2 Jock River Gauge at Moodie Dr."]
*%-----|
*#
*# Sum of hydrographs from Node 2 routed to Node 1
*# Section 10
*#
ROUTE CHANNEL   NHYDout= 2 ["N1"] ,NHYDin= 1
RDT=[30] (min),
CHLGTH=[10046] (m),   CHSLOPE=[0.0498] (%),
                    FPSLOPE=[0.0498] (%),
SECNUM=[1.0],       NSEG=[5]
( SEGROUGH, SEGDIST (m))=
  [0.04,-27.6
   0.06,-15.0
  -0.045,15.0
   0.06,25.4
   0.04,122.6] NSEG times
( DISTANCE (m), ELEVATION (m))=
  [-87.0, 91.50]
  [-32.4, 91.00]
  [-27.6, 90.50]
  [-25.0, 90.00]
  [-22.9, 89.57]
  [-15.0, 86.20]
  [-5.0, 84.83]
  [5.0, 84.83]
  [15.0, 88.11]
  [22.9, 89.57]
  [25.4, 90.00]
  [27.9, 90.50]
  [38.0, 91.00]
  [112.5, 91.00]
  [114.3, 90.50]

```

[115.1, 90.26]
[116.3, 90.50]
[119.0, 91.00]
[121.0, 91.50]
[122.6, 92.00]

```
*%-----|-----  
CONTINUOUS NASHYD  NHYD= 3 ["SW_1"], DT=[30]min, AREA=[3176] (ha),  
                   DWF=[0] (cms), CN/C=[78], IA=[2.5] (mm),  
                   N=[3.0], TP=[3.56]hrs,  
                   Continuous simulation parameters:  
                   IaRECper=[4] (hrs),  
                   SMIN=[-1] (mm), SMAX=[-1] (mm), SK=[0.010]/(mm),  
                   InterEventTime=[12] (hrs)  
                   Baseflow simulation parameters:  
                   BaseFlowOption=[1] ,  
                   InitGWResVol=[50] (mm), GWResK=[0.96] (mm/day/mm)  
                   VHydCond=[0.055] (mm/hr), END=-1  
*%-----|-----  
*#  
*# Addition of Subwatershed 1 to Node 1  
*#  
ADD HYD             NHYDsum= 1["N1"], NHYDs to add= 2 3 ["N1"+"SW_1"]  
SAVE HYD           NHYD=1, # OF PCYCLES=[-1], ICASEsh=[1]  
                   HYD_FILENAME=["N1-fut"]  
                   HYD_COMMENT=["total outflow of Jock River"]  
*#####  
*% 5 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves  
START             TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[5]  
*%               ["C24SC005.stm"] <--storm filename, one per line for NSTORM time  
*%-----|-----  
  
*% 100 yr, 24 hr SCS storm based on OTTAWA CDA IDF Curves  
START            TZERO=[0.0], METOUT=[2], NSTORM=[1], NRUN=[100]  
*%              ["C24SC100.stm"] <--storm filename, one per line for NSTORM time  
FINISH
```

SWMHYMO – OUTPUT - FUTURE

```
=====  
SSSSS W W M M H H Y Y M M OOO          999 999 =====  
S      W W W MM MM H H Y Y MM MM O O      9 9 9 9  
SSSSS W W W M M M H H H H H H Y Y M M M O O ## 9 9 9 9 Ver. 4.02  
      S W W M M H H Y Y M M O O          9999 9999 July 1999  
SSSSS W W M M H H Y Y M M OOO          9 9 =====  
                                9 9 9 9 # 1915185  
StormWater Management HYdrologic Model      999 999 =====
```

```
*****  
***** SWMHYMO-99 Ver/4.02 *****  
***** A single event and continuous hydrologic simulation model *****  
***** based on the principles of HYMO and its successors *****  
***** OTTHYMO-83 and OTTHYMO-89. *****  
***** Distributed by: J.F. Sabourin and Associates Inc. *****  
***** Ottawa, Ontario: (613) 727-5199 *****  
***** Gatineau, Quebec: (819) 243-6858 *****  
***** E-Mail: swmhymo@jfsa.Com *****  
*****
```

```
+++++ Licensed user: TSH Ottawa +++++  
+++++ Ottawa SERIAL#:1915185 +++++  
+++++
```

```
*****  
***** +++++ PROGRAM ARRAY DIMENSIONS +++++ *****  
***** Maximum value for ID numbers : 10 *****  
***** Max. number of rainfall points: 15000 *****  
***** Max. number of flow points : 15000 *****  
*****
```

```
*** DESCRIPTION SUMMARY TABLE HEADERS (units depend on METOUT in START) ***  
***-----  
*** ID: Hydrograph IDentification numbers, (1-10). ***  
*** NHYD: Hydrograph reference numbers, (6 digits or characters). ***  
*** AREA: Drainage area associated with hydrograph, (ac.) or (ha.). ***  
*** QPEAK: Peak flow of simulated hydrograph, (ft^3/s) or (m^3/s). ***  
*** TpeakDate_hh:mm is the date and time of the peak flow. ***  
*** R.V.: Runoff Volume of simulated hydrograph, (in) or (mm). ***  
*** R.C.: Runoff Coefficient of simulated hydrograph, (ratio). ***  
*** *: see WARNING or NOTE message printed at end of run. ***  
*** **: see ERROR message printed at end of run. ***  
*****  
*****
```

```
::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
```

```
*****
```

```
***** SUMMARY OUTPUT *****  
*****  
* DATE: 2010-03-07 TIME: 14:11:29 RUN COUNTER: 000645 *  
*****  
* Input filename: C:\STORMS~1\R2V2-A~1.DAT *  
* Output filename: C:\STORMS~1\R2V2-A~1.out *  
* Summary filename: C:\STORMS~1\R2V2-A~1.sum *  
* User comments: *  
* 1: _____ *  
* 2: _____ *  
* 3: _____ *  
*****
```

```
#*****
```

```

# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#*****
# Project Name: [Jock River]      Project Number: [411-02]
# Date       : 06-06-2003
# Modeller   : [JoF]
# Company    : JFSAinc.
# License #   : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#
RUN:COMMAND#
001:0001-----
START
  [TZERO = .00 hrs on 0]
  [METOUT= 2 (1=imperial, 2=metric output)]
  [NSTORM= 1 ]
  [NRUN = 1 ]
001:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:2 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 45.51]
001:0003-----
MODIFY STORM
  [RFAC= 1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 45.51]
001:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax= 80.12: APIavg= 56.74: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
001:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 6.065 No_date 37:00 11.44 .251
  [CN= 64.5: N= 3.00]
  [Tp= 7.13:DT=30.00]
  [IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
001:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 2.154 No_date 32:30 10.72 .236
  [CN= 61.0: N= 3.00]
  [Tp= 3.76:DT=30.00]
  [IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
  [InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
001:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 6.065 No_date 37:00 11.44 n/a
      + 02:SW_13 971.00 2.154 No_date 32:30 10.72 n/a
  [DT=30.00] SUM= 01:S_N13 4651.00 7.713 No_date 35:30 11.29 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions

```

```

#
001:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N13  4651.00  7.713 No_date  35:30  11.29  n/a
[RDT=30.00] out<- 02:N13A  4651.00  6.154 No_date  39:30  11.29  n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .427:Dmax= 2.537}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
001:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00  3.203 No_date  39:30  9.41  .207
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
001:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N13A  4651.00  6.154 No_date  39:30  11.29  n/a
+ 01:SN13A  3161.00  3.203 No_date  39:30  9.41  n/a
[DT=30.00] SUM= 01:SN13A  7812.00  9.357 No_date  39:30  10.53  n/a

#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
001:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A  7812.00  9.357 No_date  39:30  10.53  n/a
[RDT=30.00] out<- 02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
{MxStoUsed=.3547E+02}

#
001:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
fname :C:\STORMS~1\H_RESGM.001
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:RES_GM  7812.00  2.612 No_date  55:30  10.53  n/a
[RDT=30.00] out<- 01:N12  7812.00  2.604 No_date  58:00  10.53  n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .501:Dmax= 1.328}

001:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11  500.00  2.663 No_date  29:00  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#mod CN
001:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00  5.417 No_date  32:30  13.91  .306
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
001:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12  7812.00  2.604 No_date  58:00  10.53  n/a
+ 02:JR_ASH 1781.00  5.417 No_date  32:30  13.91  n/a
[DT=30.00] SUM= 01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
001:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:S_N12  9593.00  7.377 No_date  32:30  11.16  n/a
fname :C:\STORMS~1\H_SN12.001
remark:flow at S_N12 near Ashton

```

```

#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
001:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00   7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 02:N11   9593.00   7.323 No_date  33:00  11.16  n/a
[L/S/n= 972./ .051/.040]
{Vmax= .580:Dmax= 2.120}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
001:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N12  9593.00   7.377 No_date  32:30  11.16  n/a
[RDT=30.00] out<- 03:Dum11 9593.00   7.326 No_date  33:00  11.16  n/a
[L/S/n= 972./ .054/.040]
{Vmax= .589:Dmax= 2.098}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   3.966 No_date  34:30  11.95  .263
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
001:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11  9593.00   7.326 No_date  33:00  11.16  n/a
+ 04:SW_11      500.00   2.663 No_date  29:00  11.95  n/a
+ 05:NN_CK      1917.00   3.966 No_date  34:30  11.95  n/a
[DT=30.00] SUM= 01:S_N11 12010.00  11.957 No_date  33:00  11.32  n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
001:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00  11.957 No_date  33:00  11.32  n/a
[RDT=30.00] out<- 02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
[L/S/n=14028./ .157/.040]
{Vmax= .460:Dmax= .881}
001:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10  5666.00  10.936 No_date  38:00  13.91  .306
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
001:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10  12010.00  8.226 No_date  39:30  11.32  n/a
+ 04:SW_10      5666.00  10.936 No_date  38:00  13.91  n/a
[DT=30.00] SUM= 01:S_N10 17676.00  19.109 No_date  38:30  12.15  n/a
001:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00  19.109 No_date  38:30  12.15  n/a
fname :C:\STORMS~1\H_SN10.001
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN

```



```

001:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 10.656 No_date 39:30 11.95 .263
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
001:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N10 17676.00 19.109 No_date 38:30 12.15 n/a
+ 03:KG_CK 8376.00 10.656 No_date 39:30 11.95 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
001:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00 29.632 No_date 39:30 12.08 n/a
[RDT=30.00] out<- 01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .591:Dmax= 1.193}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
001:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 4.365 No_date 30:30 13.32 .293
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 .241
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
001:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N9 26052.00 28.892 No_date 39:30 12.08 n/a
+ 03:SW_9 1132.00 4.365 No_date 30:30 13.32 n/a
+ 04:NC_CK 4464.00 5.312 No_date 39:30 10.96 n/a
[DT=30.00] SUM= 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
001:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 35.499 No_date 39:30 11.97 n/a
[RDT=30.00] out<- 01:N8 31648.00 33.315 No_date 40:00 11.97 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .420:Dmax= 1.270}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
001:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 .770 No_date 28:30 11.20 .246
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)

```

```

# of 1.65
001:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 6.083 No_date 38:30 11.95 .263
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
001:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N8 31648.00 33.315 No_date 40:00 11.97 n/a
+ 03:SW_8 131.00 .770 No_date 28:30 11.20 n/a
+ 04:HB_DR 3854.00 6.083 No_date 38:30 11.95 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 39.371 No_date 39:30 11.96 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
001:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8 35633.00 39.371 No_date 39:30 11.96 n/a
[RDT=30.00] out<- 01:N7 35633.00 32.183 No_date 44:00 11.96 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .209:Dmax= 1.635}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
001:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 4.557 No_date 36:30 9.83 .216
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
001:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N7 35633.00 32.183 No_date 44:00 11.96 n/a
+ 03:SW_7 3197.00 4.557 No_date 36:30 9.83 n/a
[DT=30.00] SUM= 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
001:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
fname :C:\STORMS~1\H_SN7.001
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to signigicantly store water.
#
001:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7 38830.00 34.359 No_date 43:00 11.79 n/a
[RDT=30.00] out<- 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
{MxStoUsed=.7407E+02}
001:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
fname :C:\STORMS~1\H_ResRF.001
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
001:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:RES_RF 38830.00 23.079 No_date 54:30 11.79 n/a
[RDT=30.00] out<- 02:N6 38830.00 23.056 No_date 56:00 11.79 n/a
[L/S/n= 3056./ .082/.025]

```

```

      {Vmax= .431:Dmax= .805}
001:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:N6          38830.00   23.056 No_date   56:00   11.79 n/a
  fname :C:\STORMS~1\N6.001
  remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
001:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6          165.00    .454 No_date   33:00   13.32 .293
  [CN= 70.3: N= 3.00]
  [Tp= 4.18:DT=30.00]
  [IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
001:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR          1332.00   3.164 No_date   35:00   14.22 .312
  [CN= 73.8: N= 3.00]
  [Tp= 5.95:DT=30.00]
  [IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
  [InterEventTime= 12.00]
001:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  fname :C:\STORMS~1\H-VG_DR.001
  remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
001:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N6          38830.00   23.056 No_date   56:00   11.79 n/a
      + 03:SW_6          165.00    .454 No_date   33:00   13.32 n/a
      + 04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  [DT=30.00] SUM= 01:S_N6          40327.01  23.312 No_date   39:30   11.88 n/a
001:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          03:SW_6          165.00    .454 No_date   33:00   13.32 n/a
  fname :C:\STORMS~1\SW_6.001
  remark:flow from SW_6
001:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          04:VG_DR          1332.00   3.164 No_date   35:00   14.22 n/a
  fname :C:\STORMS~1\VG_DR.001
  remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
001:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N6          40327.01  23.312 No_date   39:30   11.88 n/a
  [RDT=30.00] out<- 02:N5          40327.01  23.176 No_date   55:30   11.88 n/a
  {L/S/n= 1852./ .054/.035}
  {Vmax= .378:Dmax= .916}
# mod CN
001:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5          224.00    2.773 No_date   28:30   16.98 .373
  [CN= 79.1: N= 3.00]
  [Tp= .75:DT=30.00]
  [IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
001:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK          4945.00  14.579 No_date   33:00   14.54 .319

```

[CN= 74.6: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]

#

Addition of Subwatershed 5 and Flowing Creek to Node 5

#

001:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5 40327.01 23.176 No_date 55:30 11.88 n/a
 + 03:SW_5 224.00 2.773 No_date 28:30 16.98 n/a
 + 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
 [DT=30.00] SUM= 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a

001:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:N5 40327.01 23.176 No_date 55:30 11.88 n/a
fname :C:\STORMS~1\N5.001
remark:flow at N5

001:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 03:SW_5 224.00 2.773 No_date 28:30 16.98 n/a
fname :C:\STORMS~1\SW_5.001
remark:flow at SW_5

001:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:FL_CK 4945.00 14.579 No_date 33:00 14.54 n/a
fname :C:\STORMS~1\FL_CK.001
remark:flow at FL_CK

001:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a
fname :C:\STORMS~1\S_N5.001
remark:flow at S_N5

#

Sum of hydrographs from Node 5 routed to Node 5A

Section 7

#

001:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5 45496.01 33.109 No_date 37:00 12.19 n/a
 [RD=30.00] out<- 02:N5A 45496.01 33.059 No_date 37:00 12.19 n/a
 [L/S/n= 556./ .090/.040]
 {Vmax= .443:Dmax= .937}

001:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 .287 No_date 28:30 17.76 .390
 [CN= 81.0: N= 3.00]
 [Tp= .62:DT=30.00]
 [IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
 [InterEventTime= 12.00]

#

The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)

of 1.61

mod CN

001:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 .334
 [CN= 75.3: N= 3.00]
 [Tp= 8.00:DT=30.00]
 [IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
 [InterEventTime= 12.00]

#

Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A

#

001:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N5A 45496.01 33.059 No_date 37:00 12.19 n/a
 + 03:SW_5A2 20.00 .287 No_date 28:30 17.76 n/a
 + 04:SW_5A1 1412.00 3.007 No_date 38:00 15.19 n/a
 [DT=30.00] SUM= 01:S_N5A 46928.01 36.077 No_date 37:00 12.28 n/a

#

Sum of hydrographs from Node 5A routed to Node 4

Section 8

#

001:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N5A 46928.01 36.077 No_date 37:00 12.28 n/a

```

[RDT=30.00] out<- 02:N4      46928.01  35.195 No_date  39:00  12.28  n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .694:Dmax= 2.840}
001:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4      585.00   4.232 No_date  29:30  17.76  .390
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK     1021.00   5.667 No_date  30:30  17.36  .382
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
001:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4      46928.01  35.195 No_date  39:00  12.28  n/a
                + 03:SW_4      585.00   4.232 No_date  29:30  17.76  n/a
                + 04:LM_CK     1021.00   5.667 No_date  30:30  17.36  n/a
                [DT=30.00] SUM= 01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
001:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
fname :C:\STORMS~1\H-S_N4.001
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
001:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N4  48534.01  37.533 No_date  38:30  12.46  n/a
[RDT=30.00] out<- 02:N2      48534.01  37.433 No_date  39:00  12.46  n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .715:Dmax= 2.844}
001:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2      177.00   1.996 No_date  28:30  15.88  .349
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
001:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR     1122.00   5.257 No_date  31:30  17.76  .390
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
001:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR     2737.00  11.338 No_date  31:30  15.53  .341
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
001:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2      48534.01  37.433 No_date  39:00  12.46  n/a
                + 03:SW_2      177.00   1.996 No_date  28:30  15.88  n/a
                + 04:SM_DR     1122.00   5.257 No_date  31:30  17.76  n/a
                + 05:MO_DR     2737.00  11.338 No_date  31:30  15.53  n/a
                [DT=30.00] SUM= 01:S_N2  52570.01  45.832 No_date  33:30  12.74  n/a
001:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N2  52570.01  45.832 No_date  33:30  12.74  n/a
fname :C:\STORMS~1\H_SN2.001
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

```

```

#
# Sum of hydrographs from Node 2 routed to Node 1
# Section 10
#
001:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 45.832 No_date 33:30 12.74 n/a
[RDt=30.00] out<- 02:N1 52570.01 42.743 No_date 39:30 12.74 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .768:Dmax= 2.667}
001:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 12.490 No_date 32:00 16.23 .357
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 1 to Node 1
#
001:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 42.743 No_date 39:30 12.74 n/a
+ 03:SW_1 3176.00 12.490 No_date 32:00 16.23 n/a
[DT=30.00] SUM= 01:N1 55746.00 49.310 No_date 36:30 12.94 n/a
001:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:N1 55746.00 49.310 No_date 36:30 12.94 n/a
fname :C:\STORMS~1\H-N1.001
remark:N1-fut
#####
** END OF RUN : 4

```

RUN:COMMAND#

```

005:0001-----
START
[TZERO = .00 hrs on 0]
[METOUT= 2 (1=imperial, 2=metric output)]
[NSTORM= 1 ]
[NRUN = 5 ]

```

```

#####
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#####
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237

```

```

#####
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA raingauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#

```

```

005:0002-----
READ STORM
Filename = storm.001
Comment = Pluie SCS de 24 hres 1:5 ans pour Ottawa CDA
[SDT=10.00:SDUR= 24.00:PTOT= 57.12]

```

```

005:0003-----
MODIFY STORM

```

```

[RFAC= 1.00:TSHIFT= 960.00 min]
[SDT=10.00:SDUR= 40.00:PTOT= 57.12]
005:0004-----
COMPUTE API
[APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
{APImax= 90.83: APIavg= 60.09: APImin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
005:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 9.169 No_date 37:00 16.38 .287
[CN= 64.5: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
005:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 3.350 No_date 32:30 15.27 .267
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
005:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 9.169 No_date 37:00 16.38 n/a
+ 02:SW_13 971.00 3.350 No_date 32:30 15.27 n/a
[DT=30.00] SUM= 01:S_N13 4651.00 11.688 No_date 35:30 16.15 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
005:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 11.688 No_date 35:30 16.15 n/a
[RDT=30.00] out<- 02:N13A 4651.00 9.343 No_date 39:30 16.15 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .475:Dmax= 2.992}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
005:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 4.639 No_date 39:30 13.20 .231
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
005:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 9.343 No_date 39:30 16.15 n/a
+ 01:SN13A 3161.00 4.639 No_date 39:30 13.20 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 13.982 No_date 39:30 14.96 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
005:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 13.982 No_date 39:30 14.96 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.139 No_date 58:00 14.96 n/a
{MxStoUsed=.6269E+02}
#

```

```

005:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
fname :C:\STORMS~1\H_RESGM.005
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 02:RES_GM  7812.00   3.139 No_date   58:00   14.96 n/a
[RDT=30.00] out<- 01:N12    7812.00   3.129 No_date   60:30   14.96 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .526:Dmax= 1.427}
005:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11   500.00   4.260 No_date   29:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#mod CN
005:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH  1781.00   8.382 No_date   32:30   20.09 .352
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
005:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N12   7812.00   3.129 No_date   60:30   14.96 n/a
+ 02:JR_ASH     1781.00   8.382 No_date   32:30   20.09 n/a
[DT=30.00] SUM= 01:S_N12   9593.00  10.366 No_date   32:30   15.91 n/a
005:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD          01:S_N12   9593.00  10.366 No_date   32:30   15.91 n/a
fname :C:\STORMS~1\H_SN12.005
remark:flow at S_N12 near Ashton
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
005:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N12   9593.00  10.366 No_date   32:30   15.91 n/a
[RDT=30.00] out<- 02:N11   9593.00  10.235 No_date   33:00   15.91 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .634:Dmax= 2.418}
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
005:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL    -> 01:S_N12   9593.00  10.366 No_date   32:30   15.91 n/a
[RDT=30.00] out<- 03:Dum11  9593.00  10.246 No_date   33:00   15.91 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .645:Dmax= 2.393}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK  1917.00   6.085 No_date   34:00   17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
005:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          03:Dum11   9593.00  10.246 No_date   33:00   15.91 n/a

```



```

+ 04:SW_11    500.00    4.260 No_date    29:00    17.15 n/a
+ 05:NN_CK    1917.00    6.085 No_date    34:00    17.15 n/a
[DT=30.00] SUM= 01:S_N11 12010.00 17.319 No_date    33:00    16.16 n/a
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
005:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N11 12010.00 17.319 No_date    33:00    16.16 n/a
[RDT=30.00] out<- 02:N10 12010.00 11.909 No_date    38:30    16.16 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .462:Dmax= 1.078}
005:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10 5666.00 16.454 No_date    38:00    20.09 .352
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 10 to Node 10
#
005:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N10 12010.00 11.909 No_date    38:30    16.16 n/a
+ 04:SW_10    5666.00 16.454 No_date    38:00    20.09 n/a
[DT=30.00] SUM= 01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
005:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
fname :C:\STORMS~1\H_SN10.005
remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN
005:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 15.668 No_date    39:30    17.15 .300
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
005:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00 28.349 No_date    38:00    17.42 n/a
+ 03:KG_CK    8376.00 15.668 No_date    39:30    17.15 n/a
[DT=30.00] SUM= 02:S_N10A 26052.00 43.598 No_date    39:30    17.33 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
005:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N10A 26052.00 43.598 No_date    39:30    17.33 n/a
[RDT=30.00] out<- 01:N9 26052.00 42.453 No_date    39:30    17.33 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .663:Dmax= 1.480}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
005:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 6.854 No_date    30:30    19.22 .336
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#

```

```

# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 7.795 No_date 39:30 15.63 .274
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
005:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N9 26052.00 42.453 No_date 39:30 17.33 n/a
+ 03:SW_9 1132.00 6.854 No_date 30:30 19.22 n/a
+ 04:NC_CK 4464.00 7.795 No_date 39:30 15.63 n/a
[DT=30.00] SUM= 02:S_N9 31648.00 52.078 No_date 39:30 17.16 n/a

#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
005:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 52.078 No_date 39:30 17.16 n/a
[RTD=30.00] out<- 01:N8 31648.00 48.443 No_date 40:00 17.16 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .371:Dmax= 1.510}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
005:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 1.239 No_date 28:30 16.00 .280
[CN= 63.0: N= 3.00]
[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
005:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 9.126 No_date 38:30 17.15 .300
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]

#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
005:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:N8 31648.00 48.443 No_date 40:00 17.16 n/a
+ 03:SW_8 131.00 1.239 No_date 28:30 16.00 n/a
+ 04:HB_DR 3854.00 9.126 No_date 38:30 17.15 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 57.182 No_date 39:30 17.16 n/a

#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
005:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N8 35633.00 57.182 No_date 39:30 17.16 n/a
[RTD=30.00] out<- 01:N7 35633.00 46.901 No_date 45:00 17.16 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .207:Dmax= 1.840}

#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
005:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 6.873 No_date 36:00 13.87 .243
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]

```

```

[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
005:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00   46.901 No_date   45:00   17.16  n/a
          + 03:SW_7      3197.00    6.873 No_date   36:00   13.87  n/a
[DT=30.00] SUM= 02:S_N7      38830.00   50.132 No_date   43:30   16.89  n/a
005:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7      38830.00   50.132 No_date   43:30   16.89  n/a
fname :C:\STORMS~1\H_SN7.005
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is was assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
005:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7      38830.00   50.132 No_date   43:30   16.89  n/a
[RDt=30.00] out<- 01:RES_RF 38830.00   27.650 No_date   59:00   16.89  n/a
{MxStoUsed=.1714E+03}
005:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00   27.650 No_date   59:00   16.89  n/a
fname :C:\STORMS~1\H_ResRF.005
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5
#
005:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:RES_RF 38830.00   27.650 No_date   59:00   16.89  n/a
[RDt=30.00] out<- 02:N6      38830.00   27.619 No_date   60:00   16.89  n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .458:Dmax= .889}
005:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N6      38830.00   27.619 No_date   60:00   16.89  n/a
fname :C:\STORMS~1\N6.005
remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
005:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6      165.00    .702 No_date   33:00   19.22  .336
[CN= 70.3: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
005:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR      1332.00   4.821 No_date   35:00   20.55  .360
[CN= 73.8: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
[InterEventTime= 12.00]
005:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:VG_DR      1332.00   4.821 No_date   35:00   20.55  n/a
fname :C:\STORMS~1\H-VG_DR.005
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6

```

```

#
005:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N6      38830.00  27.619 No_date  60:00  16.89 n/a
                   + 03:SW_6      165.00    .702 No_date  33:00  19.22 n/a
                   + 04:VG_DR     1332.00   4.821 No_date  35:00  20.55 n/a
                   [DT=30.00] SUM= 01:S_N6  40327.01  27.694 No_date  59:30  17.02 n/a
005:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          03:SW_6      165.00    .702 No_date  33:00  19.22 n/a
  fname :C:\STORMS~1\SW_6.005
  remark:flow from SW_6
005:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          04:VG_DR     1332.00   4.821 No_date  35:00  20.55 n/a
  fname :C:\STORMS~1\VG_DR.005
  remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
005:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ROUTE CHANNEL  -> 01:S_N6  40327.01  27.694 No_date  59:30  17.02 n/a
  [RDT=30.00] out<- 02:N5   40327.01  27.667 No_date  60:30  17.02 n/a
  [L/S/n= 1852./ .054/.035]
  {Vmax= .396:Dmax= .997}
# mod CN
005:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  * CONTINUOUS NASHYD 03:SW_5      224.00    4.345 No_date  28:30  24.50 .429
  [CN= 79.1: N= 3.00]
  [Tp= .75:DT=30.00]
  [IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
  [InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
005:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  CONTINUOUS NASHYD 04:FL_CK     4945.00   22.432 No_date  33:00  21.01 .368
  [CN= 74.6: N= 3.00]
  [Tp= 4.45:DT=30.00]
  [IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
  [InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
005:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  ADD HYD          02:N5      40327.01  27.667 No_date  60:30  17.02 n/a
                   + 03:SW_5      224.00    4.345 No_date  28:30  24.50 n/a
                   + 04:FL_CK     4945.00   22.432 No_date  33:00  21.01 n/a
                   [DT=30.00] SUM= 01:S_N5  45496.01  43.412 No_date  35:00  17.49 n/a
005:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          02:N5      40327.01  27.667 No_date  60:30  17.02 n/a
  fname :C:\STORMS~1\N5.005
  remark:flow at N5
005:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          03:SW_5      224.00    4.345 No_date  28:30  24.50 n/a
  fname :C:\STORMS~1\SW_5.005
  remark:flow at SW_5
005:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          04:FL_CK     4945.00   22.432 No_date  33:00  21.01 n/a
  fname :C:\STORMS~1\FL_CK.005
  remark:flow at FL_CK
005:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
  SAVE HYD          01:S_N5     45496.01  43.412 No_date  35:00  17.49 n/a
  fname :C:\STORMS~1\S_N5.005
  remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7

```

```

#
005:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5   45496.01  43.412 No_date  35:00  17.49  n/a
[RDT=30.00] out<- 02:N5A   45496.01  43.373 No_date  35:30  17.49  n/a
[L/S/n= 556./ .090/.040]
{Vmax= .464:Dmax= 1.059}
005:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2  20.00   .448 No_date  28:30  25.59  .448
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
# mod CN
005:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00  4.515 No_date  37:30  21.96  .384
[CN= 75.3: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
005:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A   45496.01  43.373 No_date  35:30  17.49  n/a
                + 03:SW_5A2  20.00   .448 No_date  28:30  25.59  n/a
                + 04:SW_5A1 1412.00  4.515 No_date  37:30  21.96  n/a
[DT=30.00] SUM= 01:S_N5A 46928.01  47.728 No_date  35:30  17.62  n/a
#
# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
005:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A 46928.01  47.728 No_date  35:30  17.62  n/a
[RDT=30.00] out<- 02:N4   46928.01  46.060 No_date  37:00  17.62  n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .754:Dmax= 3.110}
005:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4   585.00  6.551 No_date  29:30  25.59  .448
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
005:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK 1021.00  8.738 No_date  30:30  25.04  .438
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
005:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4   46928.01  46.060 No_date  37:00  17.62  n/a
                + 03:SW_4   585.00  6.551 No_date  29:30  25.59  n/a
                + 04:LM_CK 1021.00  8.738 No_date  30:30  25.04  n/a
[DT=30.00] SUM= 01:S_N4 48534.01  50.229 No_date  36:30  17.88  n/a
005:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4 48534.01  50.229 No_date  36:30  17.88  n/a
fname :C:\STORMS~1\H-S_N4.005
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#

```

005:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N4 48534.01 50.229 No_date 36:30 17.88 n/a
[RDT=30.00] out<- 02:N2 48534.01 50.109 No_date 37:00 17.88 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .781:Dmax= 3.129}

005:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2 177.00 3.149 No_date 28:30 22.94 .402
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]

005:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR 1122.00 8.043 No_date 31:30 25.59 .448
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]

005:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR 2737.00 17.548 No_date 31:30 22.44 .393
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#

005:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N2 48534.01 50.109 No_date 37:00 17.88 n/a
+ 03:SW_2 177.00 3.149 No_date 28:30 22.94 n/a
+ 04:SM_DR 1122.00 8.043 No_date 31:30 25.59 n/a
+ 05:MO_DR 2737.00 17.548 No_date 31:30 22.44 n/a
[DT=30.00] SUM= 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a

005:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a
fname :C:\STORMS~1\H_SN2.005
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

Sum of hydrographs from Node 2 routed to Node 1
Section 10
#

005:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 66.504 No_date 33:00 18.30 n/a
[RDT=30.00] out<- 02:N1 52570.01 59.921 No_date 37:00 18.30 n/a
[L/S/n=10046./ .050/.040]
{Vmax= .862:Dmax= 3.206}

005:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 19.206 No_date 32:00 23.45 .411
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 1 to Node 1
#

005:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 59.921 No_date 37:00 18.30 n/a
+ 03:SW_1 3176.00 19.206 No_date 32:00 23.45 n/a
[DT=30.00] SUM= 01:N1 55746.00 72.279 No_date 35:00 18.59 n/a

005:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:N1 55746.00 72.279 No_date 35:00 18.59 n/a
fname :C:\STORMS~1\H-N1.005
remark:N1-fut

** END OF RUN : 99

```

RUN:COMMAND#
100:0001-----
START
  [TZERO = .00 hrs on 0]
  [METOUT= 2 (1=imperial, 2=metric output)]
  [NSTORM= 1 ]
  [NRUN = 100 ]
#*****
# SWMHYMO Ver:5.02/Jan 2001 <BETA> / INPUT DATA FILE
#*****
# Project Name: [Jock River] Project Number: [411-02]
# Date : 06-06-2003
# Modeller : [JoF]
# Company : JFSAinc.
# License # : 2549237
#*****
# CALIBRATION OF SUMMER MODEL PARAMETERS
# USING CONTINUOUS SIMULATIONS
# Rainfall data from JFSA rainauge installed at site + other gauges by the Cit
# Use data collected from May 1st to July 14, 2003
# -----
#
# FUTURE SUMMER - Cumulative Development
#
#
100:0002-----
READ STORM
  Filename = storm.001
  Comment = Pluie SCS de 24 hres 1:100 ans pour Ottawa CDA
  [SDT=10.00:SDUR= 24.00:PTOT= 88.57]
100:0003-----
MODIFY STORM
  [RFAC= 1.00:TSHIFT= 960.00 min]
  [SDT=10.00:SDUR= 40.00:PTOT= 88.57]
100:0004-----
COMPUTE API
  [APIini= 50.00: APIkdy= .8500: APIkdt= .9989]
  {APIimax=119.84: APIavg= 69.19: APIimin= 44.87}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
# mod CN
100:0005-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_HW 3680.00 21.054 No_date 36:30 35.15 .397
[CN= 64.5: N= 3.00]
[Tp= 7.13:DT=30.00]
[IaREC= 4.00: SMIN= 57.05: SMAX=380.32: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.32
100:0006-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:SW_13 971.00 8.058 No_date 32:30 32.81 .370
[CN= 61.0: N= 3.00]
[Tp= 3.76:DT=30.00]
[IaREC= 4.00: SMIN= 64.50: SMAX=430.01: SK= .010]
[InterEventTime= 12.00]
#
# Starting with the addition of Jock River Headwater and Subwatershed 13
#
100:0007-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N13 3680.00 21.054 No_date 36:30 35.15 n/a
+ 02:SW_13 971.00 8.058 No_date 32:30 32.81 n/a

```

```

[DT=30.00] SUM= 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
#
# Sum of hydrographs from Node 13 routed to Node 13A
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
#
100:0008-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N13 4651.00 27.020 No_date 35:00 34.66 n/a
[RDT=30.00] out<- 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
[L/S/n= 9074./ .022/.040]
{Vmax= .594:Dmax= 4.138}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
#mod CN
100:0009-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 01:JR_GWM 3161.00 10.266 No_date 39:30 28.27 .319
[CN= 55.8: N= 3.00]
[Tp=11.33:DT=30.00]
[IaREC= 4.00: SMIN= 83.24: SMAX=554.96: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Goodwood Marsh to Node 13A
#
100:0010-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N13A 4651.00 22.149 No_date 38:30 34.66 n/a
+ 01:SN13A 3161.00 10.266 No_date 39:30 28.27 n/a
[DT=30.00] SUM= 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
#
# Insertion of a reservoir to simulate the effects of the Goodwood Marsh
#
100:0011-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 01:SN13A 7812.00 32.270 No_date 39:30 32.08 n/a
[RDT=30.00] out<- 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
{MxStoUsed=.1788E+03}
#
100:0012-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
fname :C:\STORMS~1\H_RESGM.100
remark:Outflow from Res GM
# Output of Reservoir Goodwood Marsh routed from Node 13A to Node 12
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0013-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:RES_GM 7812.00 3.947 No_date 63:30 32.08 n/a
[RDT=30.00] out<- 01:N12 7812.00 3.943 No_date 66:30 32.08 n/a
[L/S/n= 5926./ .076/.040]
{Vmax= .560:Dmax= 1.559}
100:0014-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_11 500.00 10.499 No_date 29:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 1.24:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#mod CN
100:0015-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 02:JR_ASH 1781.00 19.356 No_date 32:30 42.46 .479
[CN= 72.3: N= 3.00]
[Tp= 3.91:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed Jock River at Ashton to Node 12
#
100:0016-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 01:S_N12 7812.00 3.943 No_date 66:30 32.08 n/a
+ 02:JR_ASH 1781.00 19.356 No_date 32:30 42.46 n/a

```



```
[DT=30.00] SUM= 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
100:0017-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
fname :C:\STORMS~1\H_SN12.100
remark:flow at S_N12 near Ashton
```

```
#
# Sum of hydrographs from Node 12 routed to Node 11
# (Approximated cross-section - see cross-section 258)
# Use n=0.04 for summer conditions and n=0.025 for spring conditions
100:0018-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
[RDT=30.00] out<- 02:N11 9593.00 21.120 No_date 33:00 34.00 n/a
[L/S/n= 972./ .051/.040]
{Vmax= .760:Dmax= 3.206}
```

```
#
# Sum of hydrographs from Node 12 routed to Node 11 with Dummy section 248
#
100:0019-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N12 9593.00 21.415 No_date 32:30 34.00 n/a
[RDT=30.00] out<- 03:Dum11 9593.00 21.116 No_date 32:30 34.00 n/a
[L/S/n= 972./ .054/.040]
{Vmax= .774:Dmax= 3.175}
```

```
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0020-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:NN_CK 1917.00 14.197 No_date 34:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 5.29:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
```

```
#
# Addition of Subwatershed 11 and No Name Creek to Node 11
#
100:0021-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 03:Dum11 9593.00 21.116 No_date 32:30 34.00 n/a
+ 04:SW_11 500.00 10.499 No_date 29:00 36.74 n/a
+ 05:NN_CK 1917.00 14.197 No_date 34:00 36.74 n/a
[DT=30.00] SUM= 01:S_N11 12010.00 37.438 No_date 33:00 34.55 n/a
```

```
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.52
#
# Sum of hydrographs from Node 11 routed to Node 10
# Section 1
#
```

```
100:0022-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N11 12010.00 37.438 No_date 33:00 34.55 n/a
[RDT=30.00] out<- 02:N10 12010.00 23.324 No_date 39:00 34.55 n/a
[L/S/n=14028./ .157/.040]
{Vmax= .484:Dmax= 1.483}
```

```
100:0023-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_10 5666.00 36.560 No_date 37:30 42.46 .479
[CN= 72.0: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 39.75: SMAX=264.99: SK= .010]
[InterEventTime= 12.00]
```

```
#
# Addition of Subwatershed 10 to Node 10
#
100:0024-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N10 12010.00 23.324 No_date 39:00 34.55 n/a
+ 04:SW_10 5666.00 36.560 No_date 37:30 42.46 n/a
[DT=30.00] SUM= 01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
```

```
100:0025-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
fname :C:\STORMS~1\H_SN10.100
```

```

    remark:flow at S_N10: N10 + SW_10
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN
100:0026-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:KG_CK 8376.00 34.456 No_date 39:30 36.74 .415
[CN= 66.3: N= 3.00]
[Tp=11.66:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
# Addition of Kings Creek to S_N10
#
100:0027-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:S_N10 17676.00 59.680 No_date 38:00 37.09 n/a
                + 03:KG_CK 8376.00 34.456 No_date 39:30 36.74 n/a
                [DT=30.00] SUM= 02:S_N10A 26052.00 93.257 No_date 39:30 36.98 n/a
#
# Sum of hydrographs from Node 10 routed to Node 9
# Section 2
#
100:0028-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N10A 26052.00 93.257 No_date 39:30 36.98 n/a
[RDT=30.00] out<- 01:N9 26052.00 91.386 No_date 39:30 36.98 n/a
[L/S/n= 3982./ .075/.040]
{Vmax= .769:Dmax= 2.125}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.68
100:0029-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_9 1132.00 16.257 No_date 30:30 40.80 .461
[CN= 70.0: N= 3.00]
[Tp= 2.51:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0030-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:NC_CK 4464.00 17.270 No_date 39:30 33.59 .379
[CN= 62.0: N= 3.00]
[Tp=11.32:DT=30.00]
[IaREC= 4.00: SMIN= 61.90: SMAX=412.66: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 9 and Nichols Creek to Node 9
#
100:0031-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N9 26052.00 91.386 No_date 39:30 36.98 n/a
                + 03:SW_9 1132.00 16.257 No_date 30:30 40.80 n/a
                + 04:NC_CK 4464.00 17.270 No_date 39:30 33.59 n/a
                [DT=30.00] SUM= 02:S_N9 31648.00 112.276 No_date 39:30 36.63 n/a
#
# Sum of hydrographs from Node 9 routed to Node 8
# Section 3
#
100:0032-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 02:S_N9 31648.00 112.276 No_date 39:30 36.63 n/a
[RDT=30.00] out<- 01:N8 31648.00 106.477 No_date 40:00 36.63 n/a
[L/S/n= 2269./ .088/.045]
{Vmax= .372:Dmax= 1.905}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.80
100:0033-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_8 131.00 3.096 No_date 28:30 34.37 .388
[CN= 63.0: N= 3.00]

```

```

[Tp= .90:DT=30.00]
[IaREC= 4.00: SMIN= 59.42: SMAX=396.11: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.65
100:0034-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:HB_DR 3854.00 20.590 No_date 38:00 36.74 .415
[CN= 66.0: N= 3.00]
[Tp= 8.42:DT=30.00]
[IaREC= 4.00: SMIN= 52.62: SMAX=350.79: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 8 and Hobb's Drain to Node 8
#
100:0035-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N8      31648.00 106.477 No_date 40:00 36.63 n/a
                + 03:SW_8    131.00   3.096 No_date 28:30 34.37 n/a
                + 04:HB_DR    3854.00 20.590 No_date 38:00 36.74 n/a
[DT=30.00] SUM= 02:S_N8 35633.00 126.247 No_date 39:30 36.64 n/a
#
# Sum of hydrographs from Node 8 routed to Node 7
# Section 4
#
100:0036-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 02:S_N8 35633.00 126.247 No_date 39:30 36.64 n/a
[RDT=30.00] out<- 01:N7 35633.00 108.774 No_date 44:30 36.64 n/a
[L/S/n= 3750./ .053/.070]
{Vmax= .236:Dmax= 2.384}
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.82
100:0037-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_7 3197.00 16.027 No_date 36:00 29.76 .336
[CN= 57.0: N= 3.00]
[Tp= 6.65:DT=30.00]
[IaREC= 4.00: SMIN= 76.32: SMAX=508.81: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 7 to Node 7
#
100:0038-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          01:N7      35633.00 108.774 No_date 44:30 36.64 n/a
                + 03:SW_7    3197.00 16.027 No_date 36:00 29.76 n/a
[DT=30.00] SUM= 02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
100:0039-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
fname :C:\STORMS~1\H_SN7.100
remark:flow at S_N7: N7 + SW_7
# Insertion of a reservoir to simulate the effects of the Richmond Fen.
# Storage area and volumes were estimated from available topo maps.
# Release rate from fen was assumed to be controlled by the downstream
# river cross-section for summer conditions. It is assumed that for up to
# 0.75 m of water, the main channel of the river provided the storage. Above
# this depth, the wetland starts to significantly store water.
#
100:0040-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE RESERVOIR -> 02:S_N7 38830.00 117.367 No_date 43:30 36.07 n/a
[RDT=30.00] out<- 01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
{MxStoUsed=.5014E+03}
100:0041-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
fname :C:\STORMS~1\H_ResRF.100
remark:outflow of Richmond Fen
#
# Sum of hydrographs from Node 7 routed to Node 6
# Section 5

```

```

#
100:0042-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:RES_RF 38830.00 60.603 No_date 58:30 36.07 n/a
[RDT=30.00] out<- 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
[L/S/n= 3056./ .082/.025]
{Vmax= .553:Dmax= 1.353}
100:0043-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
fname :C:\STORMS~1\N6.100
remark:flow at N6 u/s of Richmond
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.75
#mod CN - Tp reduced by 25%
100:0044-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_6 165.00 1.630 No_date 32:30 40.80 .461
[CN= 70.3: N= 3.00]
[Tp= 4.18:DT=30.00]
[IaREC= 4.00: SMIN= 43.07: SMAX=287.10: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.67
# mod CN
100:0045-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 .489
[CN= 73.8: N= 3.00]
[Tp= 5.95:DT=30.00]
[IaREC= 4.00: SMIN= 38.18: SMAX=254.55: SK= .010]
[InterEventTime= 12.00]
100:0046-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
fname :C:\STORMS~1\H-VG_DR.100
remark:flow at Van Gaal Drain
#
# Addition of Subwatershed 6 and Van Gaal Drain to Node 6
#
100:0047-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N6 38830.00 60.346 No_date 60:00 36.07 n/a
+ 03:SW_6 165.00 1.630 No_date 32:30 40.80 n/a
+ 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
[DT=30.00] SUM= 01:S_N6 40327.01 60.510 No_date 59:30 36.33 n/a
100:0048-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 03:SW_6 165.00 1.630 No_date 32:30 40.80 n/a
fname :C:\STORMS~1\SW_6.100
remark:flow from SW_6
100:0049-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 04:VG_DR 1332.00 10.866 No_date 35:00 43.30 n/a
fname :C:\STORMS~1\VG_DR.100
remark:flow from VG_DR
#
# Sum of hydrographs from Node 6 routed to Node 5
# Section 6
#
100:0050-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N6 40327.01 60.510 No_date 59:30 36.33 n/a
[RDT=30.00] out<- 02:N5 40327.01 60.396 No_date 60:30 36.33 n/a
[L/S/n= 1852./ .054/.035]
{Vmax= .490:Dmax= 1.451}
# mod CN
100:0051-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5 224.00 9.957 No_date 28:30 50.23 .567
[CN= 79.1: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 27.47: SMAX=183.15: SK= .010]
[InterEventTime= 12.00]
#

```

```

# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.20
# mod CN
100:0052-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:FL_CK 4945.00 51.121 No_date 33:00 44.15 .498
[CN= 74.6: N= 3.00]
[Tp= 4.45:DT=30.00]
[IaREC= 4.00: SMIN= 36.67: SMAX=244.49: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5 and Flowing Creek to Node 5
#
100:0053-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5      40327.01 60.396 No_date 60:30 36.33 n/a
                + 03:SW_5   224.00  9.957 No_date 28:30 50.23 n/a
                + 04:FL_CK  4945.00 51.121 No_date 33:00 44.15 n/a
[DT=30.00] SUM= 01:S_N5  45496.01 80.280 No_date 34:00 37.25 n/a
100:0054-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         02:N5      40327.01 60.396 No_date 60:30 36.33 n/a
fname :C:\STORMS~1\N5.100
remark:flow at N5
100:0055-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         03:SW_5   224.00  9.957 No_date 28:30 50.23 n/a
fname :C:\STORMS~1\SW_5.100
remark:flow at SW_5
100:0056-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         04:FL_CK  4945.00 51.121 No_date 33:00 44.15 n/a
fname :C:\STORMS~1\FL_CK.100
remark:flow at FL_CK
100:0057-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N5   45496.01 80.280 No_date 34:00 37.25 n/a
fname :C:\STORMS~1\S_N5.100
remark:flow at S_N5
#
# Sum of hydrographs from Node 5 routed to Node 5A
# Section 7
#
100:0058-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL   -> 01:S_N5  45496.01 80.280 No_date 34:00 37.25 n/a
[RDT=30.00] out<- 02:N5A  45496.01 80.210 No_date 34:00 37.25 n/a
[L/S/n= 556./ .090/.040]
{Vmax= .545:Dmax= 1.349}
100:0059-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_5A2 20.00 1.014 No_date 28:30 52.03 .587
[CN= 81.0: N= 3.00]
[Tp= .62:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
#
# The Tp was modified according to a Peak Reduction factor (MTO-Chart B2-4)
# of 1.61
# mod CN
100:0060-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SW_5A1 1412.00 9.884 No_date 37:30 45.85 .518
[CN= 75.3: N= 3.00]
[Tp= 8.00:DT=30.00]
[IaREC= 4.00: SMIN= 33.81: SMAX=225.43: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 5A1 and Subwatershed 5A2 to Node 5A
#
100:0061-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N5A  45496.01 80.210 No_date 34:00 37.25 n/a
                + 03:SW_5A2  20.00  1.014 No_date 28:30 52.03 n/a
                + 04:SW_5A1 1412.00  9.884 No_date 37:30 45.85 n/a
[DT=30.00] SUM= 01:S_N5A 46928.01 89.005 No_date 34:30 37.51 n/a
#

```

```

# Sum of hydrographs from Node 5A routed to Node 4
# Section 8
#
100:0062-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N5A  46928.01  89.005 No_date  34:30  37.51 n/a
[RDT=30.00] out<- 02:N4    46928.01  85.339 No_date  36:00  37.51 n/a
[L/S/n= 4630./ .043/.035]
{Vmax= .902:Dmax= 3.855}
100:0063-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_4    585.00  14.684 No_date  29:30  52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 1.75:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0064-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:LM_CK   1021.00  19.515 No_date  30:30  51.13 .577
[CN= 80.0: N= 3.00]
[Tp= 2.46:DT=30.00]
[IaREC= 4.00: SMIN= 26.32: SMAX=175.50: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 4 and Leamy Creek to Node 4
#
100:0065-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N4    46928.01  85.339 No_date  36:00  37.51 n/a
                + 03:SW_4    585.00  14.684 No_date  29:30  52.03 n/a
                + 04:LM_CK   1021.00  19.515 No_date  30:30  51.13 n/a
[DT=30.00] SUM= 01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
100:0066-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD         01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
fname :C:\STORMS~1\H-S_N4.100
remark:flow at S_N4
#
# Sum of hydrographs from Node 4 routed to Node 2
# Section 9
#
100:0067-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL  -> 01:S_N4  48534.01  96.093 No_date  34:30  37.97 n/a
[RDT=30.00] out<- 02:N2    48534.01  95.740 No_date  35:00  37.97 n/a
[L/S/n= 1667./ .060/.040]
{Vmax= .943:Dmax= 3.921}
100:0068-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
* CONTINUOUS NASHYD 03:SW_2    177.00  7.344 No_date  28:30  47.59 .537
[CN= 77.0: N= 3.00]
[Tp= .75:DT=30.00]
[IaREC= 4.00: SMIN= 31.15: SMAX=207.66: SK= .010]
[InterEventTime= 12.00]
100:0069-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 04:SM_DR   1122.00  17.710 No_date  31:30  52.03 .587
[CN= 81.0: N= 3.00]
[Tp= 3.25:DT=30.00]
[IaREC= 4.00: SMIN= 25.21: SMAX=168.09: SK= .010]
[InterEventTime= 12.00]
100:0070-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 05:MO_DR   2737.00  40.026 No_date  31:00  46.72 .527
[CN= 76.0: N= 3.00]
[Tp= 3.03:DT=30.00]
[IaREC= 4.00: SMIN= 32.46: SMAX=216.39: SK= .010]
[InterEventTime= 12.00]
#
# Addition of Subwatershed 2 with Monohan Drain and Smith Drain to Node 2
#
100:0071-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD          02:N2    48534.01  95.740 No_date  35:00  37.97 n/a
                + 03:SW_2    177.00  7.344 No_date  28:30  47.59 n/a
                + 04:SM_DR   1122.00  17.710 No_date  31:30  52.03 n/a
                + 05:MO_DR   2737.00  40.026 No_date  31:00  46.72 n/a

```

[DT=30.00] SUM= 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
100:0072-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
fname :C:\STORMS~1\H_SN2.100
remark:flow at S_N2 Jock River Gauge at Moodie Dr.

Sum of hydrographs from Node 2 routed to Node 1
Section 10

100:0073-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ROUTE CHANNEL -> 01:S_N2 52570.01 141.818 No_date 32:30 38.76 n/a
[RDT=30.00] out<- 02:N1 52570.01 124.692 No_date 35:00 38.76 n/a
[L/S/n=10046./ .050/.040]
{Vmax= 1.092:Dmax= 4.559}
100:0074-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
CONTINUOUS NASHYD 03:SW_1 3176.00 43.079 No_date 32:00 48.46 .547
[CN= 78.0: N= 3.00]
[Tp= 3.56:DT=30.00]
[IaREC= 4.00: SMIN= 29.88: SMAX=199.22: SK= .010]
[InterEventTime= 12.00]

Addition of Subwatershed 1 to Node 1

100:0075-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
ADD HYD 02:N1 52570.01 124.692 No_date 35:00 38.76 n/a
+ 03:SW_1 3176.00 43.079 No_date 32:00 48.46 n/a
[DT=30.00] SUM= 01:N1 55746.00 158.805 No_date 34:00 39.31 n/a
100:0076-----ID:NHYD-----AREA----QPEAK-TpeakDate_hh:mm----R.V.-R.C.-
SAVE HYD 01:N1 55746.00 158.805 No_date 34:00 39.31 n/a
fname :C:\STORMS~1\H-N1.100
remark:N1-fut

#####

100:0002-----
FINISH

WARNINGS / ERRORS / NOTES

001:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
001:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
005:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0033 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0051 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.

R.V. may be ok. Peak flow could be off.
100:0059 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
100:0068 CONTINUOUS NASHYD
*** WARNING: Time step is too large for value of TP.
R.V. may be ok. Peak flow could be off.
Simulation ended on 2010-03-07 at 14:11:30

=====