

Civil and Municipal
Engineering

ARK Engineering and Development

Conceptual Serviceability Brief

Cedar Lakes Subdivision
Phases 3 - 4
Ottawa (Greely), Ontario

Prepared For
6980848 CANADA CORPORATION

ARK Engineering
and Development

Civil Engineer Services
2691 Old Highway 17
Rockland, Ontario

Tel: (613) 858-6443
ARKEngineering@rogers.com

January 2011
Updated
March 2025

**LOT 7 AND 8,
CONCESSION 3**

**WATER SUPPLY, SEWAGE,
GRADING AND STORMWATER**

CONCEPTUAL SERVICEABILITY BRIEF

TABLE OF CONTENT

1.0	BACKGROUND	
1.1	General.....	1
1.2	Existing Services	1
2.0	PROPOSED SERVICES	2
2.1	Water Supply.....	2
2.2	Sewage	2
3.0	STORMWATER MANAGEMENT	2
3.1	Minor System	3
3.2	Major System	3
3.2	Quality and Quantity Control Design	3
4.0	POND SIZING	3
5.0	SILTATION AND EROSION CONTROL	6
6.0	SWM FACILITY MAINTENANCE PROGRAM	6
7.0	SITE GRADING	8
8.0	CONCLUSION	8

APPENDICES

Appendix "A"

SK-1	Location Map
Figure 4.9.2	Geomorphic Stream Reaches
Figure 4.12.1	Greely/Shields Creek Stormwater and Drainage Study
SK-2	Storm Drainage and Macro Grading Plan
SK-3	Figure 7.1- Greely/Shields Creek Stormwater and Drainage Study Sub Area
	Discretization for Existing Conditions
EC-1	Erosion and Sediment Control Plan

Appendix "B"

Pond 1 and 2 – Design requirement calculations
--

CONCEPTUAL SERVICEABILITY BRIEF

1.0 BACKGROUND

1.1 General

The proposed development site situated on Lot 7 and 8 of Concession 3 consists of approximately 40 ha and is situated West of the Stagecoach Rd. and South of Courtland Grove Crescent (see location map SK-1). The proposed subdivision will consist of 71 lots, which are all a minimum one acre in size and are to be developed on full private services and roadside drainage ditches.

1.2 Existing Services

This area of development in Greely has no existing sanitary, watermain and storm sewers to services this proposed subdivision. Therefore, this rural development will be constructed as follows:

- All dwellings will have their own:
 1. wells for domestic water usage
 2. septic systems for sewage treatment
- Roadside ditches and culvert crossings will be proposed and sized to accommodate the 2yr storm as a minimum to drain the lots and roads
- Two new stormwater management ponds are proposed to ensure that the pre to post conditions of the site are respected after development.
- An internal road network as shown in the SK-2 drawing in Appendix "A" is being proposed which will provide this subdivision with three connection access points, one by the existing Phase 1, the second by Deermeadow Dr. and the other off of Stagecoach Rd.
- Hydro, Bell Cable and Gas were not part of this preliminary serviceability study; it should be verified prior to proceeding with the first design submission.

2.0 PROPOSED SERVICES

2.1 Water Supply

As previously mentioned, all dwellings will have their own individual wells in order to supply domestic water. These wells will have to be drilled by a licensed water well contractor and its construction method will have to be in accordance to the recommendations of the Hydrogeological report dated December 27, 2023 which was prepared by Gemtec. All new wells shall have a minimum casing length of 40.0m. Once the well is drilled, a Certificate of Well Compliance and a MOE Well Record shall be provided to the City of Ottawa.

2.2 Sewage

Since no sanitary sewer pipes are available for this area, septic systems for every dwelling are proposed which is typical in a rural setting. These septic systems must be designed and installed carefully to protect the surrounding water resources. The proposed designs must be submitted, approved and then inspected by the local Ottawa Septic System Office (OSSO).

3.0 STORMWATER MANAGEMENT

The SWM report will have to be written/designed in conjunction with the approved Stantec Consulting Ltd: "Greely/Shields Creek Stormwater and Drainage Study", 2002, which fall within the Middle Castor River Subwatershed.

In order to meet the MOE quality and quantity control criteria, Stormwater Management Ponds (SWM) are required. Due to the existing site topography, two stormwater management ponds will be constructed as shown on sketch SK-2. The proposed pond locations are as shown on the sketch SK-2, and will intercept control and treat runoff which currently drains from the North to the South. The pond outlets will be via two existing Tributaries 1 and 2 open ditch from this site which ultimately discharges into Grey's Creek Municipal Drain (refer to Figure 4.9.2 for site outlet locations, identified as SNC18 and SNC 20 and Figure 4.12.1 also depicts existing drainage outlets.)

These two existing tributary outlets were utilized at the time of registration of Cedar Lake Phase 1 Plan 4M-1479 and Phase 2 Plan 4M-1555. The City of Ottawa has registered easements along the entire drainage corridor within the land of this application, for outlet maintenance, Parts 1-5 on Plan 4R-26960, and the drainage system is currently receiving pre development flows from subject lands for the phases 3 and 4, approved as flow conveyers in ECA #8672-94QRSV.

Section 4.0 of the report will demonstrate that the post-development flows will adhere to the existing pre-developments flows and that the proposed stormwater management pond areas are sufficient to comply to this criteria.

The following are some Design Objectives and Criteria which will be analyzed:

The design criteria and guidelines used for the stormwater management of the subject subdivision are based on the October 2012 City of Ottawa Sewer Design Guidelines and subsequent technical memorandums, as well as generally accepted stormwater management design guidelines. The design guidelines used for the SWM design of the subject site include the following:

- City of Ottawa Sewer Design Guidelines, October 2012
- The September 2016 City of Ottawa Technical Bulletin PIEDTB-2016-01
- The March 2018 City of Ottawa Technical Bulletin ISTB-2018-01
- The MECP Stormwater Management Planning and Design Manual, March 2003

Additional design criteria are based on generally accepted stormwater management design guidelines. The specific criteria used for the minor and major system and SWM pond design are presented below:

3.1 Minor System

- Roadside ditches and driveway culverts are to be designed to provide, at a minimum, a 2-year level of service. That is, for a 2-year design storm, all surface drainage draining to the SWM pond shall be contained within the roadside ditches.
- All driveway culverts shall be a minimum of 500 mm in diameter.

3.2 Major System

- The 100-year Water surface elevation in the roadside ditch should not exceed the lowest ground elevation around the perimeter of the adjacent building.
- The spread of major system flows for the 100-year + 20% stress test shall not exceed the building's lowest opening.
- Roof leaders shall be installed to direct the runoff to grassed areas.

3.3 Quality and Quantity Control Design

- As per Stantec's "Greely/Shield Creek Stormwater and Drainage Study" for future developments with stormwater management (SWM) controls, the recommended SWM strategy is to control the 2-year post-development flow to 50% of predevelopment peak flow and control 5-year to 100-year post-development peak flows to match pre-development conditions.
- The site is required to provide an Enhanced level of protection for stormwater quality or 80% long-term removal of suspended solids as per the MECP Stormwater Management Planning and Design Manual.

4.0 POND DESIGN AND SIZING

Existing pre-development 100yr flows

As this report is "conceptual" only the 100yr flows will be analyzed to ensure that it meets all requirements for pond sizing of the major storm event. The existing 100yr peak design flows have been estimated at the proposed outlets for Ponds 1 and 2 of the development. These flow results were obtained using the Transportation o Flood Discharge Method from the MTO Drainage Manual (equation 8.31) relative to Stantec's flows for a larger area (GY013 = 210.82ha @ 3,135 L/s) per the "Greely/Shields Creek Stormwater and Drainage Study" October 2002 report, refer to Appendix B. Note that this method of pro-rating existing flows was previously presented and approved for Cedar Lakes Phases 1 and 2, in Table 1 of the JF Sabourin Stormwater Management Plan and Pond Design Brief dated January 2012.

Pond 1

Drainage Area = 13.79ha

Discharge from existing Western pond from the north = 272 L/s

100yr storm release = 678 L/s (including the ex. discharge of 272 L/s)

Pond 2

Drainage Area = 24.01ha

Discharge from existing Eastern pond from the north = 459 L/s

100yr storm release = 1,074 L/s (including the ex. discharge of 459 L/s)

Description of SWM Pond 1

As shown on SK-2 in Appendix A, the proposed stormwater management facility will have one cell of an approximate area of 3,100 m². In accordance with the requirements of the MOW SWMPD Manual (March 2003), the will have the following components:

- i) A main pond cell,
- ii) A quantity control outlet at the end of the main pond cell

The pond was designed based on local site conditions to achieve the necessary quantity control. As per MOE guidelines, the required permanent pool volume for enhanced protection is 772m³ and the required detention volume is 552m³ for an area of 13.79ha at 14% imperviousness. This provides a total required pond volume of 1,324m³. The provided permanent pool volume of 5,150m³ exceeds the required MOE volume for enhanced protection set for 80% long-term TSS removal. Also, the required extended detention volume of 552m³ will be provided with the required drawdown time between 24 and 48 hours based on the pond outlets at the final design stage.

Description of SWM Pond 2

As shown on SK-2 in Appendix A, the proposed stormwater management facility will have one cell of an approximate area of 4,200m². In accordance with the requirements of the MOW SWMPD Manual (March 2003), the will have the following components:

- i) A main pond cell,
- ii) A quantity control outlet at the end of the main pond cell

The pond was designed based on local site conditions to achieve the necessary quantity control. As per MOE guidelines, the required permanent pool volume for enhanced protection is 1,345m³ and the required detention volume is 960m³ for an area of 24.01ha at 14% imperviousness. This provides a total required pond volume of 2,305m³. The provided permanent pool volume of 6,850m³ exceeds the required MOE volume for enhanced protection set for 80% long-term TSS removal. Also, the required extended detention volume of 960m³ will be provided with the required drawdown time between 24 and 48 hours based on the pond outlets at the final design stage.

Main Pond Cells

SWM Pond 1 Main Cell

As per the drawing SK-2, at a permanent pool elevation of 96.55m, the main pond cell will have a surface area of 3,100m² (approx. 100m long by 31m wide). The side slope of the main pond cell will be 3H:1V from the pond bottom of 92.35m up to and elevation of 95.35m, 7H:1V from an elevation of 95.35m to the permanent pool at 96.55m and 3H:1V from the permanent pool at 97.25m.

The permanent pool has a depth of 4.20m based on the bottom elevation of 92.35m and a volume of approximately of 5,150m³. As discussed above, the provided permanent pool volume exceeds the 772m³ volume required by the MOE. The proposed extended detention volume will be designed at approximately 620m³, which also exceeds the 552m³, volume required by the MOE.

SWM Pond 2 Main Cell

As per the drawing SK-2, at a permanent pool elevation of 97.60m, the main pond cell will have a surface area of 4,200m² (approx. base of 140m long by height of 60m). The side slope of the main pond cell will be 3H:1V from the pond bottom of 93.40m up to and elevation of 96.40m, 7H:1V from an elevation of 96.40m to the permanent pool at 97.60m and 3H:1V from the permanent pool at 98.25m.

The permanent pool has a depth of 4.20m based on the bottom elevation of 92.35m and a volume of approximately of 6,850m³. As discussed above, the provided permanent pool volume exceeds the 1,345m³ volume required by the MOE. The proposed extended detention volume will be design at approximately 1,050m³, which also exceeds the 960m³, volume required by the MOE.

Pond levels and outflows

Based on the allowable pre-existing 100yr target flows pro-rated from the “Greely/Shields Creek Stormwater and Drainage Study” October 2002 report, the maximum 100yr pond elevations were calculated and results can be found in Appendix B.

Pond 1 will store a volume of 1,172m³ which represents a depth of storage of 0.38m above permanent pond elevation of 96.55m. As such the 100yr elevation is tabulated at 96.93m.

Pond 2 will store a volume of 2,169m³ which represents a depth of storage of 0.52m above permanent pond elevation of 97.60m. As such the 100yr elevation is tabulated at 98.12m.

Tributary 1 with Grey’s Creek Municipal Drain

The confluence of Tributary 1 with Grey’s Creek Municipal Drain is 665m downstream from the proposed Pond 1. The 100-year water level on Grey’s Creek Municipal Drain at this location has been interpolated as 94.71m, 1.84m below the channel invert at the property boundary. As such, the 100-year water level on Grey’s Creek Municipal Drain will not interfere with the hydraulics of Pond 1.

Tributary 2 with Grey’s Creek Municipal Drain

The confluence of Tributary 2 with Grey’s Creek Municipal Drain is 1,240m downstream from the proposed Pond 2. The 100-year water level on Grey’s Creek Municipal Drain at this location has been interpolated as 93.15m, 4.45m below the channel invert at the property boundary. As such, the 100-year water level on Grey’s Creek Municipal Drain will not interfere with the hydraulics of Pond 2.

As it may be seen above, the 100yr post-development outflows from SWM Pond 1 and 2 to Tributary 1 and 2 respectively will be controlled to pre-development levels as per Stantec’s pro-rated flows. This design methodology applied is consistent with the previously approved for Cedar Lakes Phases 1 and 2, of the JF Sabourin Stormwater Management Plan and Pond Design Brief dated January 2012.

5.0 SILTATION AND EROSION CONTROL

In order to minimize the transfer of silt off-site or to the proposed SWM ponds during construction activities, the following measures should be implemented if deemed necessary:

- i) Silt control fences can be installed as required in order to prevent the movement of silt off-site during rainfall events.
- ii) Regular cleaning of adjacent roads can be undertaken during the construction activities.
- iii) Silt check dams can be installed along drainage swales in order to prevent the transfer of silt off-site where silt laden surface flows may be anticipated.
- iv) Regular inspection and maintenance of any silt control measures should be undertaken until the site has been stabilized.
- v) Any erosion and sediment control devices should be removed after the site has been stabilized.

6.0 SWM FACILITY MAINTENANCE PROGRAM

During the construction of the subdivision, ongoing maintenance activities for the SWM ponds should include, but not be limited to, the following;

Spring:

- i) a general clean-up should be undertaken each spring to remove trash from the pond surface and surrounding area, including the access road;
- ii) a visual inspection of inlet and outlet structures to ensure free flowing conditions and correct possible undercutting problems if necessary; and
- iii) a visual inspection of berms to check for animal burrows that may deteriorate the structural integrity of the embankments. Existing burrows should be filled as soon as possible.

Summer:

- i) regular (e.g. monthly) visual inspection of inlet and outlet structures to ascertain that they are unobstructed and free of debris (remove debris and sediment if necessary);
- ii) visual inspections of inlet and outlet structures during and following any significant rainfall events (10 mm or more within four hours) to ensure that the pond is functioning properly; and to enhance water quality benefits and discourage waterfowl access, grass cutting shall not be undertaken within 3 m of the permanent pool. In areas where grass cutting must be undertaken for aesthetic reasons, grass clippings should be ejected upland (away from the pond or other drainage works) to reduce the potential for organic loading in the ponds. Grass should never be cut to lengths of less than 10 cm.

Fall:

- i) weeds, if deemed to be invasive and affecting the operation of the ponds, should be selectively removed to prevent the destruction of surrounding vegetation.

Winter:

- i) No special provisions are anticipated at this time for the operation of the proposed SWM ponds during the winter.

7.0 SITE GRADING

A preliminary permissible grade raise restriction has been provided by Paterson Group for the southwest portion of the site where a silty clay deposit was encountered and is set between 2.0 m to 2.5m. Footings bearing upon a sand/silty sand, glacial till or bedrock bearing medium will not be subject any grade raise restrictions. This is shown on the Paterson Group, Drawing PG6871-2 - Permissible Grade Raise Plan included in Appendix 2.

If higher than permissible grade raises are required, preloading with or without a surcharge, lightweight fill, and/or other solutions may be recommended by the geotechnical consultant, if required, to mitigate the risks of unacceptable long-term post-construction total and differential settlements.

8.0 CONCLUSION

From the above statements the following can be concluded:

This entire site can be serviced as proposed above. All dwelling are to be serviced on private wells with 40.0m casings and septic systems approved by OSSO. The Geotechnical report determine the permissible grade raise of up to 2.0m-2.5m in the South-Western corner.

It has been confirmed that the capacity of the proposed major drainage systems is sufficient to convey the 100-year design storm flows to the ponds, and that the ponds have sufficient capacity to provide the required quantity and quality controls. It also has been demonstrated the that pond outflows will respect the existing pre-development flows for the 100yr storm event in the two downstream Tributaries 1 and Tributary 2. This design methodology applied is consistent with the previously approved for Cedar Lakes Phases 1 and 2, of the JF Sabourin Stormwater Management Plan and Pond Design Brief dated January 2012

Recommendations for silt and erosion control strategies and for maintenance and monitoring during construction are provided in Section 5.0 and 6.0.


In conclusion, the proposed conceptual design satisfies all selected design guidelines and requirements.

Prepared by:

ARK Engineering and Development



Daniel Payer, P.Eng.
President



APPENDIX "A"

SK-1	Location Map
Figure 4.9.2	Geomorphic Stream Reaches
Figure 4.12.1	Greely/Shields Creek Stormwater and Drainage Study
SK-2	Storm Drainage and Macro Grading Plan
SK-3	Figure 7.1- Greely/Shields Creek Stormwater and Drainage
	Study Sub Area Discretization for Existing Conditions
EC-1	Erosion and Sediment Control Plan




	LOCATION MAP CITY OF OTTAWA - Formerly TOWNSHIP OF OSGOODE	Completed By: ARK ENGINEERING AND DEVELOPMENT Scale: 1:6000 Date: DEC 2023	Drawing No.: SK-1
--	--	---	-----------------------------------

Shields Creek Subwatershed Study

GEOMORPHIC STREAM REACHES

Legend


- | | Reach Breaks
- Roads
- ~ Watercourse
- Ponds
- Study Area Boundary
- Subwatershed



Blackport & Associates
Donald G. Weatherbe Associates Inc.

June 28, 2004


Figure 4.9.2




Sunset Lake &
Thunderbird Cove

Figure 4.12.1
Greely / Shields Creek
Stormwater and Drainage Study

Existing Drainage Conditions





LEGEND:

RUNOFF FLOW DIRECTION

DRAINAGE AREA BOUNDARY

PROPOSED CULVERT CROSSING

97.55 (s)

PROPOSED SWALE ELEVATIONS

97.55 (d)

PROPOSED DITCH ELEVATIONS

98.55

PROPOSED CENTER LINE OF ROAD ELEVATIONS

STORM DRAINAGE AND MACRO GRADING PLAN

CEDAR LAKES - PHASES 3 to 4

CITY OF OTTAWA - Formerly TOWNSHIP OF OSGOODE

Completed By:

ARK ENGINEERING
AND DEVELOPMENT

Scale:

NTS

Date:

MAR 2025

Drawing No.:

SK-2



Greely /Shields Creek Stormwater and Drainage Study
Sub Area Discretization for Existing Condition
Stantec October 2002

SK-3

Responsibility / Copyright Reserved

The location of under/overground utilities and structures are not necessarily shown on the contract drawings, and/or where shown. The accuracy of the position of such utilities and structures is not guaranteed. The Contractor shall verify and be responsible to determine the exact location of all such utilities and structures and assumes all liability for any damage to them.

The Copyrights to all designs and drawings are the property of ARK Engineering and Development. Reproduction or use for any purpose other than that authorized by ARK Engineering and Development is forbidden.


Legend

- SITE BOUNDARY
- DIRECTION OF SHEET FLOW DRAINAGE
- SILTATION CURTAIN
- STRAW BALES

Notes

- 1) STRAW BALES SHOULD BE INSTALLED AS PER OPSD 219.180
- 2) STRAW BALES MAY BE INSTALLED ALONG THE VARIOUS SWALES (MAN MADE OR EXISTING) WHERE JUDGED NECESSARY BY THE ENGINEER AND/OR THE CITY OF OTTAWA'S INSPECTOR.
- 3) ALL SEDIMENT CONTROL LOCATIONS MUST BE INSPECTED ON A REGULAR BASIS ESPECIALLY FOLLOWING A RAINFALL EVENT. SEDIMENTS SHALL BE REMOVED AND CONTROLS REINSTALLED AS NECESSARY.
- 4) SHOULD IT BE IMPOSSIBLE TO PREVENT OVERLAND SHEET FLOW TO AN EXTERNAL AREA DURING THE CONSTRUCTION PHASE, SUCH AREA SHALL BE PROTECTED WITH A SILT FENCE AS PER OPSD 219.110 TO ENSURE FLOW IS MAINTAINED ON-SITE.
- 5) ANY MATERIAL STOCKPILES SHOULD BE LOCATED ON FLAT AREAS WELL AWAY FROM ANY DRAINAGE OUTLETS. ALL STOCKPILES ARE TO BE TO BE STABILIZED BY VEGETATION AND/OR GEOTEXTILE. STABILIZATION MEASURES SHALL BE INITIATED AS SOON AS FEASIBLE IN PORTIONS OF THE SITE WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY CEASED, BUT IN NO CASE MORE THAN 7 DAYS AFTER THE CONSTRUCTION ACTIVITY HAS TEMPORARILY OR PERMANENTLY CEASED.
- 6) STOCKPILES AS WELL AS EQUIPMENT FUELING AND MAINTENANCE AREAS WILL BE LOCATED A MINIMUM OF 30m FROM THE DITCH AND OTHER CONVEYANCE ROUTES.
- 7) PREPARATIONS TO RESPOND TO ANY ACCIDENTAL SPILLS, INCLUDING KEEPING A SPILLS RESPONSE KIT ON SITE, WILL BE MAINTAINED DURING THE CONSTRUCTION PHASE.
- 8) NO SEDIMENT CONTROL STRUCTURES SHALL BE REMOVED UNLESS DEEMED UNNECESSARY.
- 9) THE SEDIMENT AND EROSION CONTROL MEASURES MAY BE MODIFIED IN THE FIELD AT THE DISCRETION OF THE CITY OF OTTAWA SITE INSPECTOR.
- 10) THIS PLAN IS A "LIVING DOCUMENT" AND THAT ANY MODIFICATION TO THE PLAN SHALL BE SUBMITTED TO THE SATISFACTION OF SNC AND MAY BE MODIFIED BY SNC STAFF.


Key Plan



Revision

0.	SUBMITTED FOR APPROVAL	JAN 4/24

Seal



Client / Project

6980848 CANADA CORPORATION

CEDAR LAKES - Phases 3 - 4

Drawing Name

EROSION and SEDIMENT CONTROL PLAN

Scale



Revision




REV-0

Sheet

1 of 1

Drawing No.

EC-1



APPENDIX "B"

Pond 1 and 2 – Design requirement calculations

Existing Peak Design Outflows vs Target Post Flows

Design Storms	Peak Flows (m ³ /s)			
	Pond 1 (13.79ha)		Pond 2 (24.01ha)	
	Stantec Results*	Target Post Flows	Stantec Results*	Target Post Flows
4 hr - 25mm Storm	0.034	0.034	0.051	0.051
2 yr - 3hr Chicago	0.060	0.030	0.091	0.045
5 yr - 3hr Chicago	0.107	0.107	0.163	0.163
25 yr - 3hr Chicago	0.199	0.199	0.301	0.301
100 yr - 3hr Chicago	0.296	0.296	0.448	0.448
2 yr - 24 hr SCS Type II	0.090	0.045	0.136	0.068
5 yr - 24 hr SCS Type II	0.155	0.155	0.235	0.235
10 yr - 24 hr SCS Type II	0.206	0.206	0.312	0.312
25 yr - 24 hr SCS Type II	0.277	0.277	0.419	0.419
50 yr - 24 hr SCS Type II	0.337	0.337	0.510	0.510
100 yr - 24 hr SCS Type II	0.406	0.406	0.615	0.615

* Results obtained by pro-rating Stantec's flows per the "Greely/Shields Creek Stormwaterand Drainage Study" report

Design Storms	GY013 Q as per Stantec Areas (m ³ /s)
Ch 4h 25 mm	0.261
Ch 3h 2 yr	0.464
Ch 3h 5 yr	0.829
Ch 3h 25 yr	1.537
Ch 3h 100 yr	2.287
SCS 24 hr 2 yr	0.695
SCS 24 hr 5 yr	1.199
SCS 24 hr 10 yr	1.593
SCS 24 hr 25 yr	2.139
SCS 24 hr 50 yr	2.602
SCS 24 hr 100 yr	3.135

So for example, equation 8.31:

Pro-Rated flow for Pond 1 - 100-year 24-hour SCS design storm would be $3.135 \text{ m}^3/\text{s} \times (13.79 \text{ ha} / 210.82 \text{ ha})^{0.75} = 0.406 \text{ m}^3/\text{s}$.

POND 1 - STORAGE REQUIREMENT

1.0 Pre-development Site Conditions:

1.1 Allowable (predevelopment) Flow Rate:

Site Area, A: 13.79 ha

Q100yr allowable = 678 L/sec (406L/s + outflow from ex. pond @ 272L/s)

2.0 Post-Development Site Conditions:

2.1 Overall Runoff Coefficient for Site and Sub-Catchment Area

Sub-catchment Area	Area (Ha) "A"	Runoff Coefficient Table	
		Runoff Coefficient "C"	"A x C"
1	13.7900	0.30	4.137

Area = 13.79

Cavg = 0.30

2.2 Total Site Stormwater Storage Requirements (100 year storm event)

Storage Table					
t _c	I (100 yr)	Q _{actual}	Q _{allowable}	Q _{stored}	V _{stored}
min.	mm/hr	L/sec.	L/sec.	L/sec.	m ³
5	291.2	3347	678	2669	801
10	214.3	2463	678	1785	1071
15	171.5	1971	678	1293	1163
20	144.0	1655	678	977	1172
25	124.6	1431	678	753	1130
30	110.3	1267	678	589	1061

Volume Stored

1172 m³

I (100 yr)

144.0 mm/hr

t_c

20 min.

Pond 2 - STORAGE REQUIREMENT

1.0 Pre-development Site Conditions:

1.1 Allowable (predevelopment) Flow Rate:

Site Area, A: 24.01 ha

Q100yr allowable = 1074 L/sec (615 L/s + outflow from ex. pond @ 459 L/s)

2.0 Post-Development Site Conditions:

2.1 Overall Runoff Coefficient for Site and Sub-Catchment Area

Sub-catchment Area	Area (Ha) "A"	Runoff Coefficient Table	
		Runoff Coefficient "C"	"A x C"
1	24.01	0.30	7.203

Area = 24.01

Cavg = 0.30

2.2 Total Site Stormwater Storage Requirements (100 year storm event)

Storage Table					
t _c	I (100 yr)	Q _{actual}	Q _{allowable}	Q _{stored}	V _{stored}
min.	mm/hr	L/sec.	L/sec.	L/sec.	m ³
5	291.2	5827	1074	4753	1426
10	214.3	4288	1074	3214	1929
15	171.5	3431	1074	2357	2121
20	144.0	2881	1074	1807	2169
25	124.6	2492	1074	1418	2127
30	110.3	2207	1074	1133	2039

Volume Stored

2169 m³

I (100 yr)

144.0 mm/hr

t_c

20 min.

Quality Pond Sizing

Protection Level	SWMP Type	Imp 35%
80%	Wet Pond	140 m ³ /ha

Pond 1

Area = 13.79
Imp = 14%

As Per MOEE

Required Pond Volume = 96 m³/ha
Total Pond Volume = 1324 m³
Permanent Pool = 772 m³
Ext. Det. Volume = 552 m³

Pond 2

Area = 24.01
Imp = 14%

As Per MOEE

Required Pond Volume = 96 m³/ha
Total Pond Volume = 2305 m³
Permanent Pool = 1345 m³
Ext. Det. Volume = 960 m³