

Application # D07-12-22-0155

2510 St. Laurent Blvd – Tree Conservation Report

Claridge Homes

Table of Contents

| | |
|---------------------------|--|
| CLIENT: | Claridge Homes |
| PROJECT NAME: | Walkley Conroy |
| REPORT TITLE: | 2510 St Laurent Blvd - Tree Conservation Report |
| ARCADIS REFERENCE: | 140253 |
| VERSION: | 5.0 |
| ORIGINATOR: | Brittany Semmler, Ecologist |
| REVIEWER: | Casey Little, Senior Ecologist, Certified ISA Arborist |

Table of Contents

| | |
|--|-----------|
| 1. Introduction | 1 |
| 2. Site Observation and Methodology | 1 |
| 3. Results | 3 |
| 3.1. Tree Inventory | 3 |
| 3.2. Limitations of Assessment | 6 |
| 4. Impact Assessment | 6 |
| 4.1. Recommended for Removal | 6 |
| 4.2. Recommended for Retention | 6 |
| 4.3. Recommended for Potential to be Retained | 7 |
| 5. Mitigation Measures | 9 |
| 5.1. Tree Removals | 9 |
| 5.2. Tree Preservation | 9 |
| 5.3. Boundary Trees on Adjacent Properties | 10 |
| 5.4. City Owned Trees | 11 |
| 6. Tree Conservation Summary | 11 |
| Appendix A – Tree Inventory and Preservation Plan | 12 |
| Appendix B - City of Ottawa Tree Protection Specification | 14 |

1. Introduction

Arcadis was retained to complete a tree inventory and prepare a Tree Conservation Report for development located at 2510 St. Laurent Boulevard (Subject Property; **Figure 1**). The proposed development consists of a residential area with medium-density dwellings and an urban park. Tree removals are required to facilitate the construction of the approved residential development within the 5.7-hectare property.

The purpose of this report is to identify those trees that will be impacted by the proposed development and construction activities within the Subject Property, identify opportunities for tree retention, and establish a mitigative framework for removals that allow for the implementation of impact avoidance measures, to minimize risk to surrounding vegetation.

The following was considered during the production of the Tree Conservation Report:

The characteristics of trees growing on site including species composition, size, figure, and other health considerations; The social and ecological functions of the trees identified; The sensitivity of these trees to disturbances (including changes to grade and drainage, sun and wind exposure, and proximity to physical construction activities).

This report aims to identify each individual tree of significance on the property as outlined by The City of Ottawa's Tree Protection By-law.


2. Site Observation and Methodology

The Subject Property is a decommissioned commercial lot with no existing structures present within the 5.7 ha parcel. Four major structures existed on the Subject property until they were demolished around 2007. Currently, all that remains of the existing structures are the abandoned parking lots that once serviced the units.

Trees were originally assessed and inventoried on June 24th and June 27th of 2022 by a qualified terrestrial ecologist. Weather conditions were sunny, with a temperature of 27°C and 22°C respectively. An updated tree inventory was completed on September 19, 2025, to ensure that tree data collected in 2022 corresponds to the professionally surveyed trees completed by an Ontario Land Surveyor (OLS), as well as to collect tree health information on several trees not surveyed in 2022.

All trees greater than 10 cm Diameter at Breast Height (DBH) were measured using a calibrated diameter tape at 1.4 m above ground as per the City of Ottawa's Tree Protection By-law (No. 2020-340).

Tree inventory data included the following metrics: tree species, general health conditions, DBH, UTM coordinates, and other notable characteristics identified by the surveyor (i.e. number of stems).



Legend

- Subject Property
- Tree Search Area

10 50 10 20 30 40
Meters
Scale: 1:1,300



Client:

Claridge Homes

Title:

2510 St. Laurent Blvd:
Site and Study Area

Prepared By:

ARCADIS Design & Consultancy
for natural and
built assets

Project: 140253

Date:
10/21/2025

Figure: 1

3. Results

The vegetation on this vacant commercial property can be described as a disturbed urban tree stand composed of several non-native and invasive tree species of various sizes and stages of development. Large ornamental plant species such as: Norway Spruce (*Picea albies*), Blue Spruce (*Picea pungens*) and Honey Locust (*Gleditsia triacanthos*); mid-succession species such as Large Tooth Aspen (*Populus grandidentata*), Trembling Aspen (*Populus tremuloides*), and Green Ash (*Fraxinus pensylvanica*); and various invasive species such as European Buckthorn (*Rhamnus cathartica*), Russian Olive (*Elaeagnus angustifolia*), and Amur Honeysuckle (*Lonicera maackii*) dominate the landscape within the Subject Property.

The trees within the tree stand may provide cover and nesting habitat for birds and other wildlife. However, none of the inventoried trees possessed cavities that would be suitable for any significant wildlife habitat.

Invasive species such as European Buckthorn and Dog Strangling Vine (*Cynanchum rossicum*) were prevalent within the Subject Property. These invasive species are present within the understory of taller conifers and canopy trees, fence lines, and open hedge rows. The presence of Emerald Ash Borer (EAB) was evident within some of the dead tree snags. The presence of these invasive species within the urban tree canopy can have a significant impact on the ecological integrity of the existing landscape. Over time, invasives could outcompete and displace native vegetation by impacting the existing species diversity and as has likely occurred within the Subject Property.

3.1. Tree Inventory


347 trees with a DBH greater than 10cm were located within the Development Footprint. A total of 29 different tree species were found in varying stages of maturity with an average DBH of 23cm. Larger trees within the lot are predominately ornamental spruces, pines, and honey locust species. Some larger native trees such as Red Oak and Sugar Maple are present throughout the Subject Property; however, presence is limited. Smaller diameter trees throughout the Subject Property are predominantly poplar species, Manitoba Maple, Russian Olive, and Green Ash trees.

The following **Table 1** provides a summary of the tree inventory results with a full Tree Inventory and Preservation Plan included in **Appendix A**. **Figure 2** below displays the tree locations and associated health conditions.

None of the trees identified within the inventoried footprint are at risk or regionally rare.

Table 1: Summary of trees inventoried at 2510 St Laurent Blvd Project Location

| COMMON NAME | BOTANICAL NAME | AVERAGE DBH | AVERAGE HEALTH | TOTAL TREES INVENTORIED |
|---------------------|-------------------------------|-------------|----------------|-------------------------|
| Amur Honeysuckle | <i>Lonicera maackii</i> | 13 | Good | 4 |
| Amur Maple | <i>Acer ginnala</i> | 14 | Good | 16 |
| Austrian Pine | <i>Pinus nigra</i> | 37 | Fair | 25 |
| Balsam Poplar | <i>Populus balsamifera</i> | 10 | Good | 1 |
| American Basswood | <i>Tilia americana</i> | 47 | Excellent | 12 |
| Blue Spruce | <i>Picea pungens</i> | 29 | Good | 81 |
| Canada Plum | <i>Prunus nigra</i> | 13 | Good | 2 |
| Common Buckthorn | <i>Rhamnus cathartica</i> | 10 | Fair | 1 |
| Crabapple Tree | <i>Malus spp.</i> | 13 | Fair | 2 |
| Green Ash | <i>Fraxinus pennsylvanica</i> | 14 | Fair | 17 |
| Honey Locust | <i>Gleditsia triacanthos</i> | 28 | Good | 16 |
| Japanese Tree Lilac | <i>Syringa reticulata</i> | 11 | Good | 1 |
| Large Tooth Aspen | <i>Populus grandidentata</i> | 13 | Very Good | 28 |
| Little Leaf Linden | <i>Tilia cordata</i> | 37 | Very Good | 3 |
| Manitoba Maple | <i>Acer negundo</i> | 15 | Good | 31 |
| Norway Maple | <i>Acer platanoides</i> | 34 | Very Good | 5 |
| Norway Spruce | <i>Picea abies</i> | 32 | Very Good | 16 |
| Peach Leaf Willow | <i>Salix amygdaloides</i> | 12 | Very Good | 4 |
| Red Oak | <i>Quercus rubra</i> | 39 | Good | 3 |
| Red Pine | <i>Pinus resinosa</i> | 47 | Good | 3 |
| Russian Olive Tree | <i>Elaeagnus angustifolia</i> | 19 | Good | 16 |
| Siberian Elm | <i>Ulmus pumila</i> | 11 | Good | 2 |
| Staghorn Sumac | <i>Rhus typhina</i> | 16 | Good | 1 |
| Sugar Maple | <i>Acer saccharum</i> | 39 | Very Good | 5 |
| Trembling Aspen | <i>Populus tremuloides</i> | 12 | Very Good | 16 |
| Unknown | N/A | 22 | Dead | 21 |
| White Ash | <i>Fraxinus americana</i> | 15 | Very Good | 3 |
| White Poplar | <i>Populus alba</i> | 19 | Very Good | 9 |
| White Spruce | <i>Picea glauca</i> | 36 | Good | 3 |
| Total | | | | 347 |



3.2. Limitations of Assessment

The inventory and assessment provided in this report has been completed using techniques of visual observation of above-ground parts of each tree. This tree assessment is therefore valid at the time of inspection, and no guarantee can be made about the continued health of the trees deemed to be in good condition.

4. Impact Assessment

Tree impacts within the property have been determined by cross referencing the 347 recorded tree locations with the proposed site plan (Novatech, October 29, 2025). The site plan has been guided by the City of Ottawa's Zoning By-law that identifies that the Subject Property zoned as General Mixed Use and allows for the development of residential units (i.e., apartment, stacked, or townhouse dwellings).

Figure 3 below displays the results of the tree inventory overlaid with the current site plan. Recommendations for removal, retention, and potential for retention are included.

4.1. Recommended for Removal

The Critical Root Zone (CRZ) of **185 trees are in direct conflict with the proposed site plan and or grading limits and will require removal (Appendix A)**. Physical impacts on the CRZ by construction activities rapidly deteriorates the overall health, quality, and ecological service of the tree. Therefore, tree locations that will impact majority of the CRZ have been recommended for removal.

- A total of 156 trees will be directly impacted because of townhome construction and associated grading limits, building infrastructure, or on-site drainage construction.
- Twenty-two trees will be removed due to the grading associated with the proposed park block.
- Seven trees have been recommended for removal due to their poor quality (i.e, severe structural issues, or dead).

4.2. Recommended for Retention


Trees have been considered for retention in instances where they do not conflict with the development footprint, or where there is limited anticipated impact to the CRZ of high-quality trees. Additionally, retention has been considered for trees owned by the City of Ottawa, or adjacent landowners. **A total of 91 trees has been identified as being considered for retention (Appendix A)**.

- All 91 trees are located outside of the construction footprint or near the property edge with the majority of their CRZ outside the area of impact.
- Twenty-one trees are owned by adjacent landowners; nine of which are owned by the City of Ottawa.

4.3. Recommended for Potential to be Retained

There are 71 trees within the proposed park area or along the perimeter of the Site that are slated for Potential Preservation (Appendix A). Once the Detail Design of the parkland is finalized impacts to trees in this area will be updated and included in a subsequent TCR.

- All 71 trees recommended as “Potential to be Retained” are located within the proposed park and/or along the perimeter of the Site.
- Ten trees are located on adjacent properties; two of which are owned by the City of Ottawa.



5. Mitigation Measures

The success of this mitigation plan is largely dependent upon the execution of clearing and construction activities to minimize impacts while meeting the planned objectives. The following mitigation measures are intended to manage the potential risk to trees recommended for retention and to ensure this conservation plan is executed to the standards expected by the City of Ottawa and the local community.

5.1. Tree Removals

- A qualified professional shall mark all trees (dead and alive) that need to be removed, relative to the staked grading limits and referring to the tree inventory.
- An updated removals tally shall be provided to the City Forester for review to ensure general compliance with the permit.
- Any privately owned trees on adjacent property proposed for removal shall be replaced at a ratio of 2:1 and will be accounted for within the Landscaping Plan. Should replacement not be feasible, monetary compensation shall be provided as described in Schedule D of the City of Ottawa's Tree Protection By-law.
- Any City owned trees proposed for removal will be replaced at a ratio of 2:1 and will be accounted for within the Landscaping Plan. Should replacement not be feasible, monetary compensation shall be provided as described in Schedule D of the City of Ottawa's Tree Protection By-law.
- If tree clearing is required during the breeding bird season (April 15th to August 31st), a qualified biologist shall undertake a search for active nests and nesting behaviors within and adjacent to the clearing limits within 2 days before clearing activities begin. If nesting activity is identified, an appropriate area around the nest (as determined by the qualified biologist) shall be protected until the young have left the nest or the nest is abandoned.

5.2. Tree Preservation

- Grading plans shall ensure that the CRZ of the trees identified for retention are not impacted.
- The limit of all grading shall be clearly staked in the field in advance of tree clearing to facilitate the flagging/markings of trees that need to be removed.
- Tree Protection Fencing shall be installed as per City specifications to protect the CRZ of the trees to be retained.
 - Tree protection fencing must be at least 1.2m in height and constructed of rigid or framed materials (e.g. moduloc - steel, plywood hoarding, or snow fence on a 2"x4" wood frame) with posts 2.4m apart, such that the fence location cannot be altered. All supports and bracing must be placed outside of the CRZ, and installation must minimise damage to existing roots, as per the City of Ottawa Tree Protection Specification (**Appendix B**).

- Tree protection fencing shall be monitored weekly to ensure that it is in working order. Should deficiencies be identified, the contractor must ensure to fix the fence within 48 hours of notice.
- Do not place any material or equipment within the CRZ of any trees to be preserved.
- There shall be no access to the area beyond the limit of construction. All construction access shall be limited to the development side of the tree protection fence.
- Do not attach any signs, notices, or posters to any tree.
- Do not raise or lower the existing grade within the CRZ of trees without approval.
- Do not tunnel or bore when digging within the CRZ of a tree without approval.
- A qualified professional shall inspect the fencing prior to commencement of construction activities to confirm the tree protection measures are adequate.
- Should roots be encountered during construction, they are to be clean cut using proper arboricultural practices to minimize root damage and impact to tree health. These shall be conducted by, or under the supervision of a qualified professional as per the City of Ottawa's requirements.
- To minimize the risks to adjacent natural heritage features and wildlife during construction, the following best management procedures and mitigation measures should be followed prior to and during construction:
 - Prior to the start of tree clearing, a qualified biologist should conduct site visit(s) with the contractor to review exactly which trees need to be removed and to identify those trees that can be 'topped' to provide wildlife habitat.
 - A qualified professional should be on-site for vegetation clearing to ensure only those trees selected for removal are being removed.
- The tree inventory identified several invasive and non-native species on site. The removal of invasive tree species will help prevent the spread onto adjacent natural areas. Landscape plans for the proposed development should favour native species that hold greater ecological and social value to local communities.

5.3. Boundary Trees on Adjacent Properties

There is one tree located along the southwestern extents of the Site positioned on the border of the adjacent 2520 St Laurant Blvd property (**tree #519**) slated for removal based on its proximity to the outer limits of the construction footprint. Communication with the adjacent landowner should occur to discuss impact recommendations, permitting, and compensation for the loss of this tree due to this proposed development.

- Any privately owned trees on adjacent property proposed for removal shall be replaced at a ratio of 2:1 and will be accounted for within the Landscaping Plan. Should replacement not be feasible, monetary compensation shall be provided as described in Schedule D of the City of Ottawa's Tree Protection By-law.

5.4. City Owned Trees

There are 11 trees along the perimeter of the Site that are identified as City owned trees. Eight trees (**tree #s 300, 301, 303, 304, 306, 538, 539, and 540**) are able to be Retained, two trees (**tree #305, and 307**) are recommended as “Potential to be Retained”, and one tree (**tree #302**) will need to be removed as it is in conflict with the proposed road entrance location.

- Any City owned trees proposed for removal will be replaced at a ratio of 2:1 and will be accounted for within the Landscaping Plan. Should replacement not be feasible, monetary compensation shall be provided as described in Schedule D of the City of Ottawa’s Tree Protection By-law.

6. Tree Conservation Summary

To accommodate the proposed residential development, it is expected that tree removals will be required for the construction of medium-density residential development and its associated infrastructure. Trees considered for removal were determined based off the current site plan, and locations determined by an Ontario Land Surveyor.

Ecological impacts associated with the removal of identified trees will be permanent but limited due to the presence of invasive and non-native/cultivated trees within the Subject Property. Urban tree cover quality is likely to improve with the installation of newly planted native tree species as per the Landscape Plan. The tree selection for the Subject Property and the proposed park should incorporate native trees to enhance the ecological integrity. Native plantings will extend the City of Ottawa’s existing wildlife corridors within the south end by connection existing nearby green spaces such as Sharel Park, Fairlea Park, and Orlando Park.

Tree removals are to be guided by a trained professional where a site visit is required to mark all trees to be removed to ensure that no additional trees are harmed or killed during the works. This Tree Conservation Plan is to be reviewed by the City of Ottawa to ensure that the plan adequately mitigates the anticipated impacts of tree removals.

Sincerely,



Brittany Semmler, HB.Sc.
Ecologist, Natural Systems



Casey Little, Certified ISA Arborist #3105A.
Sr. Ecologist, Natural Systems

Appendix A – Tree Inventory and Preservation Plan

Appendix A - 2510 St Laurent Blvd - Tree Health And Preservation Plan

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|----------------|------------------------------|----------|--------------------|------------------------|-----------|---------------|-------------------------|---|
| 1 | Red Oak | <i>Quercus rubra</i> | 33 | 3.3 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 2 | Manitoba Maple | <i>Acer negundo</i> | 10 | 1 | Excellent | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 3 | White Ash | <i>Fraxinus americana</i> | N/A | N/A | Dead | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 4 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 5 | Blue Spruce | <i>Picea pungens</i> | 32 | 3.2 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 6 | Honey Locust | <i>Gleditsia triacanthos</i> | 30 | 3 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 7 | Unknown | <i>Unknown</i> | 23 | 2.3 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 8 | Blue Spruce | <i>Picea pungens</i> | 23 | 2.3 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 9 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 10 | Blue Spruce | <i>Picea pungens</i> | 33 | 3.3 | Excellent | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 11 | Honey Locust | <i>Gleditsia triacanthos</i> | 30 | 3 | Excellent | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 12 | Honey Locust | <i>Gleditsia triacanthos</i> | 29 | 2.9 | Excellent | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 13 | Honey Locust | <i>Gleditsia triacanthos</i> | 23 | 2.3 | Poor | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 14 | Honey Locust | <i>Gleditsia triacanthos</i> | 32 | 3.2 | Excellent | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 15 | Honey Locust | <i>Gleditsia triacanthos</i> | 16 | 1.6 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 16 | Honey Locust | <i>Gleditsia triacanthos</i> | 31 | 3.1 | Poor | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 17 | Honey Locust | <i>Gleditsia triacanthos</i> | 35 | 3.5 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 18 | Honey Locust | <i>Gleditsia triacanthos</i> | 37 | 3.7 | Poor | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 20 | Honey Locust | <i>Gleditsia triacanthos</i> | 31 | 3.1 | Poor | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 21 | Amur Maple | <i>Acer ginnala</i> | 11 | 1.1 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 22 | Honey Locust | <i>Gleditsia triacanthos</i> | 12 | 1.2 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 23 | Manitoba Maple | <i>Acer negundo</i> | 22 | 2.2 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 24 | Blue Spruce | <i>Picea pungens</i> | 30 | 3 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 25 | Blue Spruce | <i>Picea pungens</i> | 31 | 3.1 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 26 | Canada Plum | <i>Prunus nigra</i> | 11 | 1.1 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 27 | Blue Spruce | <i>Picea pungens</i> | 33 | 3.3 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 28 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------------|-------------------------------|----------|--------------------|------------------------|-----------|---------------|--------------------------|---|
| 29 | Manitoba Maple | <i>Acer negundo</i> | 24 | 2.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 30 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Fair | Client | No | Remove | Located in construction footprint (Swale) |
| 31 | Blue Spruce | <i>Picea pungens</i> | 26 | 2.6 | Snag | Client | No | Remove | Located in construction footprint (Swale) |
| 32 | Trembling Aspen | <i>Populus tremuloides</i> | 14 | 1.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 33 | Large Tooth Aspen | <i>Populus grandidentata</i> | 20 | 2 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 34 | Manitoba Maple | <i>Acer negundo</i> | 11 | 1.1 | Poor | Client | No | Remove | Located in construction footprint (Swale) |
| 35 | Austrian Pine | <i>Pinus nigra</i> | 40 | 4 | Poor | Client | No | Remove | Located in construction footprint (Residence) |
| 36 | Austrian Pine | <i>Pinus nigra</i> | 39 | 3.9 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 37 | Austrian Pine | <i>Pinus nigra</i> | 38 | 3.8 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 38 | Austrian Pine | <i>Pinus nigra</i> | 37 | 3.7 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 39 | Austrian Pine | <i>Pinus nigra</i> | 48 | 4.8 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 40 | Honey Locust | <i>Gleditsia triacanthos</i> | 16 | 1.6 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 41 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 42 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 43 | Blue Spruce | <i>Picea pungens</i> | 35 | 3.5 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 44 | Blue Spruce | <i>Picea pungens</i> | 30 | 3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 45 | Blue Spruce | <i>Picea pungens</i> | 23 | 2.3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 46 | Crabapple | <i>Malus spp.</i> | 13 | 1.3 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 47 | Manitoba Maple | <i>Acer negundo</i> | 20 | 2 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 48 | Manitoba Maple | <i>Acer negundo</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 49 | Green Ash | <i>Fraxinus pennsylvanica</i> | 18 | 1.8 | Poor | Client | No | Remove | Located in construction footprint (Residence) |
| 50 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 51 | Austrian Pine | <i>Pinus nigra</i> | 44 | 4.4 | Very Good | Client | No | Remove | Located in construction footprint |
| 52 | Blue Spruce | <i>Picea pungens</i> | 25 | 2.5 | Good | Client | No | Remove | Located in construction footprint |
| 53 | Blue Spruce | <i>Picea pungens</i> | 28 | 2.8 | Fair | Client | No | Remove | Located in construction footprint |
| 54 | Austrian Pine | <i>Pinus nigra</i> | 32 | 3.2 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 55 | Austrian Pine | <i>Pinus nigra</i> | 32 | 3.2 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 56 | Austrian Pine | <i>Pinus nigra</i> | 29 | 2.9 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 57 | Austrian Pine | <i>Pinus nigra</i> | 38 | 3.8 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 58 | Austrian Pine | <i>Pinus nigra</i> | 38 | 3.8 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 59 | Red Oak | <i>Quercus rubra</i> | 50 | 5 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 60 | Large Tooth Aspen | <i>Populus grandidentata</i> | 13 | 1.3 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 61 | Large Tooth Aspen | <i>Populus grandidentata</i> | 11 | 1.1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 62 | Peach Leaf Willow | <i>Salix amygdaloidea</i> | 10 | 1 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 63 | Manitoba Maple | <i>Acer negundo</i> | 10 | 1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 64 | Green Ash | <i>Fraxinus pennsylvanica</i> | 23 | 2.3 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 65 | Austrian Pine | <i>Pinus nigra</i> | 20 | 2 | Dead | Client | No | Remove | Deceased tree in park footprint |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------------|-------------------------------|----------|--------------------|------------------------|-----------|---------------|--------------------------|---|
| 66 | Blue Spruce | <i>Picea pungens</i> | 28 | 2.8 | Poor | Client | No | Remove | Poor condition |
| 67 | Blue Spruce | <i>Picea pungens</i> | 28 | 2.8 | Poor | Client | No | Remove | Poor condition |
| 68 | Blue Spruce | <i>Picea pungens</i> | 24 | 2.4 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 69 | Unknown | <i>Unknown</i> | 17 | 1.7 | Dead | Client | No | Remove | Deceased tree in park footprint |
| 70 | Norway Maple | <i>Acer platanoides</i> | 39 | 3.9 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 71 | Blue Spruce | <i>Picea pungens</i> | 28 | 2.8 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 72 | Austrian Pine | <i>Pinus nigra</i> | 41 | 4.1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 73 | Manitoba Maple | <i>Acer negundo</i> | 11 | 1.1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 74 | Honey Locust | <i>Gleditsia triacanthos</i> | 52 | 5.2 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 75 | Honey Locust | <i>Gleditsia triacanthos</i> | 35 | 3.5 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 76 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 77 | Blue Spruce | <i>Picea pungens</i> | 26 | 2.6 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 78 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 79 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 80 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 81 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 82 | Honey Locust | <i>Gleditsia triacanthos</i> | 15 | 1.5 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 83 | Austrian Pine | <i>Pinus nigra</i> | 28 | 2.8 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 84 | Blue Spruce | <i>Picea pungens</i> | 38 | 3.8 | Good | Client | No | Remove | Located in construction footprint |
| 85 | Honey Locust | <i>Gleditsia triacanthos</i> | 34 | 3.4 | Very Good | Client | No | Remove | Located in construction footprint |
| 86 | Austrian Pine | <i>Pinus nigra</i> | 32 | 3.2 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 87 | Blue Spruce | <i>Picea pungens</i> | 36 | 3.6 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 88 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 89 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 90 | Blue Spruce | <i>Picea pungens</i> | 18 | 1.8 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 91 | Blue Spruce | <i>Picea pungens</i> | 17 | 1.7 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 92 | Crabapple | <i>Malus spp.</i> | 11 | 1.1 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 93 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 94 | Blue Spruce | <i>Picea pungens</i> | 27 | 2.7 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 95 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 96 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 97 | Green Ash | <i>Fraxinus pennsylvanica</i> | 15 | 1.5 | Poor | Client | No | Remove | Located in construction footprint (Road) |
| 98 | Sugar Maple | <i>Acer saccharum</i> | 44 | 4.4 | Excellent | Client | No | Potential to be Retained | Located within proposed park |
| 99 | Peach Leaf Willow | <i>Salix amygdaloides</i> | 16 | 1.6 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 100 | Austrian Pine | <i>Pinus nigra</i> | 38 | 3.8 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 101 | Austrian Pine | <i>Pinus nigra</i> | 38 | 3.8 | Poor | Client | No | Remove | Poor condition |
| 102 | Manitoba Maple | <i>Acer negundo</i> | 13 | 1.3 | Good | Client | No | Potential to be Retained | Located within proposed park |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------------|-------------------------------|----------|--------------------|------------------------|-----------|---------------|--------------------------|---|
| 103 | Green Ash | <i>Fraxinus pennsylvanica</i> | 12 | 1.2 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 104 | Green Ash | <i>Fraxinus pennsylvanica</i> | 12 | 1.2 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 105 | Green Ash | <i>Fraxinus pennsylvanica</i> | 11 | 1.1 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 106 | Green Ash | <i>Fraxinus pennsylvanica</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 107 | Green Ash | <i>Fraxinus pennsylvanica</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint |
| 108 | White Poplar | <i>Populus alba</i> | 36 | 3.6 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 109 | Austrian Pine | <i>Pinus nigra</i> | 43 | 4.3 | Poor | Client | No | Remove | Located in construction footprint (Road) |
| 110 | Red Oak | <i>Quercus rubra</i> | 33 | 3.3 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 111 | Austrian Pine | <i>Pinus nigra</i> | 37 | 3.7 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 112 | Blue Spruce | <i>Picea pungens</i> | 35 | 3.5 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 113 | Green Ash | <i>Fraxinus pennsylvanica</i> | 12 | 1.2 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 114 | Large Tooth Aspen | <i>Populus grandidentata</i> | 14 | 1.4 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 115 | Large Tooth Aspen | <i>Populus grandidentata</i> | 15 | 1.5 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 116 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 117 | Peach Leaf Willow | <i>Salix amygdaloides</i> | 11 | 1.1 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 118 | Large Tooth Aspen | <i>Populus grandidentata</i> | 15 | 1.5 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 119 | Large Tooth Aspen | <i>Populus grandidentata</i> | 21 | 2.1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 120 | Green Ash | <i>Fraxinus pennsylvanica</i> | 15 | 1.5 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 121 | Large Tooth Aspen | <i>Populus grandidentata</i> | 15 | 1.5 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 122 | Unknown | Unknown | N/A | N/A | Snag | Client | No | Remove | Located in construction footprint (Road) |
| 123 | Blue Spruce | <i>Picea pungens</i> | 21 | 2.1 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 124 | Blue Spruce | <i>Picea pungens</i> | 19 | 1.9 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 125 | Blue Spruce | <i>Picea pungens</i> | 28 | 2.8 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 126 | Blue Spruce | <i>Picea pungens</i> | 40 | 4 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 127 | Blue Spruce | <i>Picea pungens</i> | 24 | 2.4 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 128 | Blue Spruce | <i>Picea pungens</i> | 39 | 3.9 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 129 | Blue Spruce | <i>Picea pungens</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Swale) |
| 130 | Austrian Pine | <i>Pinus nigra</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Swale) |
| 131 | Blue Spruce | <i>Picea pungens</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Swale) |
| 132 | Green Ash | <i>Fraxinus pennsylvanica</i> | 25 | 2.5 | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 133 | White Poplar | <i>Populus alba</i> | 12 | 1.2 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 134 | Russian Olive | <i>Elaeagnus angustifolia</i> | 16 | 1.6 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 135 | Unknown | Unknown | 29 | 2.9 | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 136 | Russian Olive | <i>Elaeagnus angustifolia</i> | 12 | 1.2 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 137 | Russian Olive | <i>Elaeagnus angustifolia</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 138 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 139 | Large Tooth Aspen | <i>Populus grandidentata</i> | 11 | 1.1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 140 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 141 | Russian Olive | <i>Elaeagnus angustifolia</i> | 18 | 1.8 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 142 | Russian Olive | <i>Elaeagnus angustifolia</i> | 28 | 2.8 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 143 | Manitoba Maple | <i>Acer negundo</i> | 18 | 1.8 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 144 | Green Ash | <i>Fraxinus pennsylvanica</i> | 11 | 1.1 | Good | Client | No | Potential to be Retained | Located within proposed park |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------------|-------------------------------|----------|--------------------|------------------------|-----------|---------------|--------------------------|---|
| 145 | Manitoba Maple | <i>Acer negundo</i> | 17 | 1.7 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 146 | Green Ash | <i>Fraxinus pennsylvanica</i> | 10 | 1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 147 | Manitoba Maple | <i>Acer negundo</i> | 12 | 1.2 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 148 | Green Ash | <i>Fraxinus pennsylvanica</i> | 22 | 2.2 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 149 | Manitoba Maple | <i>Acer negundo</i> | 15 | 1.5 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 150 | Austrian Pine | <i>Pinus nigra</i> | 48 | 4.8 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 151 | Manitoba Maple | <i>Acer negundo</i> | 18 | 1.8 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 152 | Russian Olive | <i>Elaeagnus angustifolia</i> | 28 | 2.8 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 153 | Austrian Pine | <i>Pinus nigra</i> | 44 | 4.4 | Excellent | Client | No | Remove | Located in construction footprint (Residence) |
| 154 | Manitoba Maple | <i>Acer negundo</i> | 12 | 1.2 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 155 | Large Tooth Aspen | <i>Populus grandidentata</i> | 13 | 1.3 | Excellent | Client | No | Potential to be Retained | Located within proposed park |
| 156 | Russian Olive | <i>Elaeagnus angustifolia</i> | 33 | 3.3 | Poor | Client | No | Remove | Located in construction footprint (Residence) |
| 157 | Russian Olive | <i>Elaeagnus angustifolia</i> | 48 | 4.8 | Poor | Client | No | Remove | Located in construction footprint |
| 158 | Russian Olive | <i>Elaeagnus angustifolia</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 159 | Green Ash | <i>Fraxinus pennsylvanica</i> | 11 | 1.1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 160 | Manitoba Maple | <i>Acer negundo</i> | 11 | 1.1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 161 | Russian Olive | <i>Elaeagnus angustifolia</i> | 11 | 1.1 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 162 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 163 | Trembling Aspen | <i>Populus tremuloides</i> | 11 | 1.1 | Excellent | Client | No | Potential to be Retained | Located within proposed park |
| 164 | Trembling Aspen | <i>Populus tremuloides</i> | 23 | 2.3 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 165 | Trembling Aspen | <i>Populus tremuloides</i> | 14 | 1.4 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 166 | Balsam Poplar | <i>Populus balsamifera</i> | 10 | 1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 167 | Trembling Aspen | <i>Populus tremuloides</i> | 10 | 1 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 168 | Trembling Aspen | <i>Populus tremuloides</i> | 12 | 1.2 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 169 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 170 | Manitoba Maple | <i>Acer negundo</i> | 14 | 1.4 | Excellent | Client | No | Potential to be Retained | Located within proposed park |
| 171 | White Ash | <i>Fraxinus americana</i> | 15 | 1.5 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 172 | Manitoba Maple | <i>Acer negundo</i> | 13 | 1.3 | Poor | Client | No | Remove | Poor condition |
| 173 | Trembling Aspen | <i>Populus tremuloides</i> | 14 | 1.4 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 174 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------------|-------------------------------|----------|--------------------|------------------------|-----------|---------------|-------------------------|---|
| 175 | Canada Plum | <i>Prunus nigra</i> | 15 | 1.5 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 176 | Manitoba Maple | <i>Acer negundo</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 177 | Manitoba Maple | <i>Acer negundo</i> | 10 | 1 | Excellent | Client | No | Remove | Located in construction footprint (Residence) |
| 178 | Manitoba Maple | <i>Acer negundo</i> | 13 | 1.3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 179 | Manitoba Maple | <i>Acer negundo</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 180 | Sugar Maple | <i>Acer saccharum</i> | 33 | 3.3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 181 | Russian Olive | <i>Elaeagnus angustifolia</i> | 12 | 1.2 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 182 | Russian Olive | <i>Elaeagnus angustifolia</i> | 2 | 0.2 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 183 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 184 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 185 | Large Tooth Aspen | <i>Populus grandidentata</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 186 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 187 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 188 | Large Tooth Aspen | <i>Populus grandidentata</i> | 11 | 1.1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 189 | Trembling Aspen | <i>Populus tremuloides</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 190 | Trembling Aspen | <i>Populus tremuloides</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 191 | Trembling Aspen | <i>Populus tremuloides</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 192 | Trembling Aspen | <i>Populus tremuloides</i> | 14 | 1.4 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 193 | Trembling Aspen | <i>Populus tremuloides</i> | 14 | 1.4 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 194 | Trembling Aspen | <i>Populus tremuloides</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 195 | Trembling Aspen | <i>Populus tremuloides</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 196 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 197 | Large Tooth Aspen | <i>Populus grandidentata</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 198 | White Poplar | <i>Populus alba</i> | 10 | 1 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 199 | White Poplar | <i>Populus alba</i> | 14 | 1.4 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 200 | White Poplar | <i>Populus alba</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 201 | White Poplar | <i>Populus alba</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 202 | White Poplar | <i>Populus alba</i> | 49 | 4.9 | Excellent | Client | No | Remove | Located in construction footprint (Road) |
| 203 | White Poplar | <i>Populus alba</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 204 | White Poplar | <i>Populus alba</i> | 14 | 1.4 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 205 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 206 | Trembling Aspen | <i>Populus tremuloides</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 207 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 208 | Blue Spruce | <i>Picea pungens</i> | 24 | 2.4 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 209 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 210 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 211 | Blue Spruce | <i>Picea pungens</i> | 24 | 2.4 | Fair | Client | No | Remove | Located in construction footprint (Road) |
| 212 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Fair | Client | No | Remove | Located in construction footprint (Residence) |
| 213 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 214 | Blue Spruce | <i>Picea pungens</i> | 31 | 3.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 215 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 216 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 217 | Blue Spruce | <i>Picea pungens</i> | 41 | 4.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 218 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 219 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 220 | Unknown | Unknown | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 221 | Amur Honeysuckle | <i>Lonicera maackii</i> | 14 | 1.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|--------------------|------------------------------|----------|--------------------|------------------------|---------------------|---------------|-------------------------|---|
| 222 | Amur Honeysuckle | <i>Lonicera maackii</i> | 14 | 1.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 223 | Amur Honeysuckle | <i>Lonicera maackii</i> | 14 | 1.4 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 224 | Amur Honeysuckle | <i>Lonicera maackii</i> | 13 | 1.3 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 225 | Sugar Maple | <i>Acer saccharum</i> | 35 | 3.5 | Very Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 226 | Siberian Elm | <i>Ulmus pumila</i> | 10 | 1 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 227 | Sugar Maple | <i>Acer saccharum</i> | 27 | 2.7 | Fair | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 228 | Siberian Elm | <i>Ulmus pumila</i> | 12 | 1.2 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 229 | Sugar Maple | <i>Acer saccharum</i> | 55 | 5.5 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 230 | Trembling Aspen | <i>Populus tremuloides</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 231 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 232 | Amur Maple | <i>Acer ginnala</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 233 | Amur Maple | <i>Acer ginnala</i> | 14 | 1.4 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 234 | Little Leaf Linden | <i>Tilia cordata</i> | 35 | 3.5 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 235 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 236 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 237 | Blue Spruce | <i>Picea pungens</i> | 31 | 3.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 238 | Amur Maple | <i>Acer ginnala</i> | 11 | 1.1 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 239 | Basswood | <i>Tilia americana</i> | 31 | 3.1 | Excellent | Client | No | Remove | Located in construction footprint (Residence) |
| 240 | Amur Maple | <i>Acer ginnala</i> | 13 | 1.3 | Good | Client | No | Remove | Located within construction footprint |
| 241 | Amur Maple | <i>Acer ginnala</i> | 11 | 1.1 | Good | Client | No | Remove | Located within construction footprint |
| 242 | Amur Maple | <i>Acer ginnala</i> | 12 | 1.2 | Good | Client | No | Remove | Located within construction footprint |
| 243 | Amur Maple | <i>Acer ginnala</i> | 12 | 1.2 | Good | Client | No | Remove | Located within construction footprint |
| 244 | Amur Maple | <i>Acer ginnala</i> | 10 | 1 | Good | Client | No | Remove | Located within construction footprint |
| 245 | Norway Spruce | <i>Picea abies</i> | 39 | 3.9 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 246 | Norway Spruce | <i>Picea abies</i> | 39 | 3.9 | Good | Client | No | Remove | Located within construction footprint |
| 247 | Norway Spruce | <i>Picea abies</i> | 34 | 3.4 | Good | Client | No | Remove | Located within construction footprint |
| 248 | Norway Spruce | <i>Picea abies</i> | 25 | 2.5 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 249 | Norway Spruce | <i>Picea abies</i> | 35 | 3.5 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 250 | Norway Spruce | <i>Picea abies</i> | 39 | 3.9 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 251 | Unknown | <i>Unknown</i> | 34 | 3.4 | Dead | Client | No | Remove | Located in construction footprint (Road) |
| 252 | Norway Spruce | <i>Picea abies</i> | 38 | 3.8 | Very Good | Client | No | Remove | Located in construction footprint (Road) |
| 253 | Norway Spruce | <i>Picea abies</i> | 45 | 4.5 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 254 | Blue Spruce | <i>Picea pungens</i> | 29 | 2.9 | Good | Client | No | Remove | Located in construction footprint (Road) |
| 255 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 256 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 257 | Large Tooth Aspen | <i>Populus grandidentata</i> | 12 | 1.2 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 258 | Large Tooth Aspen | <i>Populus grandidentata</i> | 10 | 1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 259 | Little Leaf Linden | <i>Tilia cordata</i> | 28 | 2.8 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 260 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|---------------------|-------------------------------|----------|--------------------|------------------------|---------------------|---------------|--------------------------|---|
| 261 | Russian Olive | <i>Elaeagnus angustifolia</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 262 | Unknown | <i>Unknown</i> | N/A | N/A | Dead | Client | No | Remove | Located in construction footprint (Residence) |
| 263 | Large Tooth Aspen | <i>Populus grandidentata</i> | 13 | 1.3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 264 | Large Tooth Aspen | <i>Populus grandidentata</i> | 11 | 1.1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 265 | Large Tooth Aspen | <i>Populus grandidentata</i> | 21 | 2.1 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 266 | Peach Leaf Willow | <i>Salix amygdaloides</i> | 12 | 1.2 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 267 | Austrian Pine | <i>Pinus nigra</i> | 30 | 3 | Very Good | Client | No | Remove | Located in construction footprint (Residence) |
| 268 | Austrian Pine | <i>Pinus nigra</i> | 32 | 3.2 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 300 | Norway Spruce | <i>Picea abies</i> | 37 | 3.7 | Very Good | City of Ottawa | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 301 | Norway Maple | <i>Acer platanoides</i> | 27 | 1.8 | Very Good | City of Ottawa | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 302 | Norway Maple | <i>Acer platanoides</i> | 36 | 2.7 | Very Good | City of Ottawa | Yes | Remove | Located in construction footprint (Road) |
| 303 | Norway Maple | <i>Acer platanoides</i> | 31 | 2.6 | Very Good | City of Ottawa | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 304 | Norway Maple | <i>Acer platanoides</i> | 37 | 2.6 | Very Good | City of Ottawa | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 305 | Blue Spruce | <i>Picea pungens</i> | 22 | 1.6 | Very Good | City of Ottawa | No | Potential to be Retained | Tree owned by City of Ottawa |
| 306 | Blue Spruce | <i>Picea pungens</i> | 25 | 2.5 | Very Good | City of Ottawa | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 307 | Blue Spruce | <i>Picea pungens</i> | 32 | 3.2 | Very Good | City of Ottawa | No | Potential to be Retained | Tree owned by City of Ottawa |
| 400 | Red Pine | <i>Pinus resinosa</i> | 46 | 4.6 | Very Good | Client | No | Potential to be Retained | Located within proposed park |
| 402 | Amur Maple | <i>Acer ginnala</i> | 23 | 2.3 | Good | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 403 | Norway Spruce | <i>Picea abies</i> | 39 | 3.9 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 404 | Amur Maple | <i>Acer ginnala</i> | 11 | 1.1 | Fair | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 405 | Amur Maple | <i>Acer ginnala</i> | 12 | 1.2 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 406 | Amur Maple | <i>Acer ginnala</i> | 19 | 1.9 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 407 | Norway Spruce | <i>Picea abies</i> | 33 | 3.3 | Very Good | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 408 | Manitoba Maple | <i>Acer negundo</i> | 13 | 1.3 | Good | Client | No | Remove | Located in construction footprint (Residence) |
| 409 | Amur Maple | <i>Acer ginnala</i> | 20 | 2 | Very Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 410 | Norway Spruce | <i>Picea abies</i> | 18 | 1.8 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 411 | Norway Spruce | <i>Picea abies</i> | 31 | 3.1 | Very Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 412 | Russian Olive | <i>Elaeagnus angustifolia</i> | 29 | 2.9 | Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 413 | Japanese Tree Lilac | <i>Syringa reticulata</i> | 11 | 1.1 | Good | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 414 | Green Ash | <i>Fraxinus pennsylvanica</i> | 10 | 1 | Fair | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 415 | Austrian Pine | <i>Pinus nigra</i> | 43 | 4.3 | Very Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 416 | Norway Spruce | <i>Picea abies</i> | 24 | 2.4 | Excellent | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 417 | White Spruce | <i>Picea glauca</i> | 19 | 1.9 | Good | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|------------------|-------------------------------|----------|--------------------|------------------------|---------------------|---------------|-------------------------|---|
| 418 | Norway Spruce | <i>Picea abies</i> | 15 | 1.5 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 419 | Blue Spruce | <i>Picea pungens</i> | 34 | 3.4 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 420 | Amur Maple | <i>Acer ginnala</i> | 19 | 1.9 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 421 | Amur Maple | <i>Acer ginnala</i> | 15 | 1.5 | Very Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 422 | Blue Spruce | <i>Picea pungens</i> | 11 | 1.1 | Poor | Client | No | Remove | Poor condition |
| 423 | Manitoba Maple | <i>Acer negundo</i> | 14 | 1.4 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 424 | Staghorn Sumac | <i>Rhus typhina</i> | 16 | 1.6 | Good | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 425 | Green Ash | <i>Fraxinus pennsylvanica</i> | 11 | 1.1 | Dead | Adjacent land owner | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 426 | Blue Spruce | <i>Picea pungens</i> | 46 | 4.6 | Very Good | Adjacent land owner | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 427 | Blue Spruce | <i>Picea pungens</i> | 38 | 3.8 | Excellent | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 428 | White Spruce | <i>Picea glauca</i> | 46 | 4.6 | Very Good | Client | No | Remove | Critical Root Zone will be impacted by drainage construction |
| 500 | Manitoba Maple | <i>Acer negundo</i> | 29 | 2.9 | Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 501 | Unknown | <i>Unknown</i> | 11 | 1.1 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 502 | Blue Spruce | <i>Picea pungens</i> | 36 | 3.6 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 503 | Blue Spruce | <i>Picea pungens</i> | 39 | 3.9 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 504 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 505 | Common Buckthorn | <i>Rhamnus cathartica</i> | N/A | N/A | Dead | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 506 | Blue Spruce | <i>Picea pungens</i> | 16 | 1.6 | Dead | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 507 | Blue Spruce | <i>Picea pungens</i> | 36 | 3.6 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 508 | Blue Spruce | <i>Picea pungens</i> | 30 | 3 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 509 | Blue Spruce | <i>Picea pungens</i> | 21 | 2.1 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 510 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Very Good | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 511 | Basswood | <i>Tilia americana</i> | 50 | 5 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 512 | Basswood | <i>Tilia americana</i> | 65 | 6.5 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 513 | Basswood | <i>Tilia americana</i> | 50 | 5 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 514 | Basswood | <i>Tilia americana</i> | 52 | 5.2 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 515 | Basswood | <i>Tilia americana</i> | 46 | 4.6 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 516 | Basswood | <i>Tilia americana</i> | 57 | 5.7 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|--------------------|-------------------------------|----------|--------------------|------------------------|---------------------|---------------|--------------------------|---|
| 517 | Basswood | <i>Tilia americana</i> | 49 | 4.9 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 518 | Basswood | <i>Tilia americana</i> | 33 | 3.3 | Very Good | Client | Yes | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 519 | Basswood | <i>Tilia americana</i> | 49 | 4.9 | Good | Client | Yes | Remove | Located in construction footprint (Road) |
| 520 | Basswood | <i>Tilia americana</i> | 42 | 4.2 | Good | Client | Yes | Potential to be Retained | Located within proposed park |
| 521 | Basswood | <i>Tilia americana</i> | 43 | 4.3 | Good | Client | Yes | Potential to be Retained | Located within proposed park |
| 522 | Little Leaf Linden | <i>Tilia cordata</i> | 48 | 4.8 | Fair | Adjacent land owner | Yes | Potential to be Retained | Located within proposed park |
| 523 | Manitoba Maple | <i>Acer negundo</i> | 15 | 1.5 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 524 | Blue Spruce | <i>Picea pungens</i> | 33 | 3.3 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 525 | Manitoba Maple | <i>Acer negundo</i> | 14 | 1.4 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 526 | Blue Spruce | <i>Picea pungens</i> | 25 | 2.5 | Fair | Client | No | Potential to be Retained | Located within proposed park |
| 527 | Blue Spruce | <i>Picea pungens</i> | 31 | 3.1 | Fair | Adjacent land owner | No | Potential to be Retained | Located on adjacent property |
| 528 | Manitoba Maple | <i>Acer negundo</i> | 25 | 2.5 | Good | Adjacent land owner | Yes | Potential to be Retained | Located on adjacent property |
| 529 | White Ash | <i>Fraxinus americana</i> | 15 | 1.5 | Good | Adjacent land owner | Yes | Potential to be Retained | Located on adjacent property |
| 530 | Blue Spruce | <i>Picea pungens</i> | 37 | 3.7 | Fair | Adjacent land owner | Yes | Potential to be Retained | Located on adjacent property |
| 531 | Norway Spruce | <i>Picea abies</i> | 20 | 2 | Good | Adjacent land owner | Yes | Potential to be Retained | Located on adjacent property |
| 532 | Blue Spruce | <i>Picea pungens</i> | 20 | 2 | Good | Adjacent land owner | No | Potential to be Retained | Located on adjacent property |
| 533 | Manitoba Maple | <i>Acer negundo</i> | 21 | 2.1 | Fair | Adjacent land owner | Yes | Potential to be Retained | Located on adjacent property |
| 534 | Manitoba Maple | <i>Acer negundo</i> | 27 | 2.7 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 535 | Red Pine | <i>Pinus resinosa</i> | 43 | 4.3 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 536 | Red Pine | <i>Pinus resinosa</i> | 52 | 5.2 | Good | Client | No | Potential to be Retained | Located within proposed park |
| 537 | White Spruce | <i>Picea glauca</i> | 45 | 4.5 | Good | Adjacent land owner | No | Potential to be Retained | Located on adjacent property |
| 538 | Blue Spruce | <i>Picea pungens</i> | 22 | 2.2 | Good | City of Ottawa | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 539 | Blue Spruce | <i>Picea pungens</i> | 15 | 1.5 | Poor | City of Ottawa | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 540 | Blue Spruce | <i>Picea pungens</i> | 18 | 1.8 | Poor | City of Ottawa | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 541 | Russian Olive | <i>Elaeagnus angustifolia</i> | 17 | 1.7 | Fair | Client | No | Retain | Tree health to be monitored due to proximity to construction. Tree protection fencing will be required to protect the CRZ |
| 542 | Manitoba Maple | <i>Acer negundo</i> | 12 | 1.2 | Good | Client | No | Potential to be Retained | Located outside of construction footprint |
| 543 | Russian Olive | <i>Elaeagnus angustifolia</i> | 14 | 1.4 | Good | Client | No | Remove | Located in construction footprint (Road) |

¹Condition

| Tree # | Common Name | Scientific Name | DBH (cm) | CRZ (m from trunk) | Condition ¹ | Ownership | Boundary Tree | Impact / Recommendation | Rationale |
|--------|-------------|-----------------|----------|--------------------|------------------------|-----------|---------------|-------------------------|-----------|
|--------|-------------|-----------------|----------|--------------------|------------------------|-----------|---------------|-------------------------|-----------|

Dead: Dead

Excellent: No apparent health problems; excellent structural form

Fair: Significant problems with health and/or structural form


Good: Minor problems with health and/or structural form

Poor: Major problems with health and structural form

Snag: Standing dead or dying tree, often missing a top

Very Good: No apparent health problems; good structural form

Appendix B - City of Ottawa Tree Protection Specification



PLAN VIEW

CRZ = DBH x 10CM.
CRZ IS TO BE
MEASURED FROM THE
OUTSIDE EDGE OF
THE TREE BASE

TREE PROTECTION
SIGNAGE AS PER
CITY STANDARD

GRADE

SOIL AND ROOT DISTURBANCE NOT PERMITTED

1.2M MIN. HIGH TREE
PROTECTION
FENCING AS PER
REQUIREMENT # 3

POSTS TO BE
SPACED AT 2.4M
O/C MAX AS PER
REQUIREMENT # 3

GRADE

TREE PROTECTION REQUIREMENTS:

- PRIOR TO ANY WORK ACTIVITY WITHIN THE CRITICAL ROOT ZONE (CRZ = 10 X DIAMETER) OF A TREE, TREE PROTECTION FENCING MUST BE INSTALLED SURROUNDING THE CRITICAL ROOT ZONE, AND REMAIN IN PLACE UNTIL THE WORK IS COMPLETE.
- UNLESS PLANS ARE APPROVED BY CITY FORESTRY STAFF, FOR WORK WITHIN THE CRZ:
 - DO NOT PLACE ANY MATERIAL OR EQUIPMENT - INCLUDING OUTHOUSES;
 - DO NOT ATTACH ANY SIGNS, NOTICES OR POSTERS TO ANY TREE;
 - DO NOT RAISE OR LOWER THE EXISTING GRADE;
 - TUNNEL OR BORE WHEN DIGGING;
 - DO NOT DAMAGE THE ROOT SYSTEM, TRUNK, OR BRANCHES OR ANY TREE;
 - ENSURE THAT EXHAUST FUMES FROM ALL EQUIPMENT ARE NOT DIRECTED TOWARD ANY TREE CANOPY.
 - DO NOT EXTEND HARD SURFACE OR SIGNIFICANTLY CHANGE LANDSCAPING
- TREE PROTECTION FENCING MUST BE AT LEAST 1.2M IN HEIGHT, AND CONSTRUCTED OF RIGID OR FRAMED MATERIALS (E.G. MODULOC - STEEL, PLYWOOD HOARDING, OR SNOW FENCE ON A 2"X4" WOOD FRAME) WITH POSTS 2.4M APART, SUCH THAT THE FENCE LOCATION CANNOT BE ALTERED. ALL SUPPORTS AND BRACING MUST BE PLACED OUTSIDE OF THE CRZ, AND INSTALLATION MUST MINIMISE DAMAGE TO EXISTING ROOTS. (SEE DETAIL)
- THE LOCATION OF THE TREE PROTECTION FENCING MUST BE DETERMINED BY AN ARBORIST AND DETAILED ON ANY ASSOCIATED PLANS FOR THE SITE (E.G. TREE CONSERVATION REPORT, TREE INFORMATION REPORT, ETC). THE PLAN AND CONSTRUCTED FENCING MUST BE APPROVED BY CITY FORESTRY STAFF PRIOR TO THE COMMENCEMENT OF WORK.
- IF THE FENCED TREE PROTECTION AREA MUST BE REDUCED TO FACILITATE CONSTRUCTION, MITIGATION MEASURES MUST BE PRESCRIBED BY AN ARBORIST AND APPROVED BY CITY FORESTRY STAFF. THESE MAY INCLUDE THE PLACEMENT OF PLYWOOD, WOOD CHIPS, OR STEEL PLATING OVER THE ROOTS FOR PROTECTION OR THE PROPER PRUNING AND CARE OF ROOTS WHERE ENCOUNTERED.

THE CITY'S TREE PROTECTION BY-LAW, 2020-340 PROTECTS BOTH CITY-OWNED TREES, CITY-WIDE, AND PRIVATELY-OWNED TREES WITHIN THE URBAN AREA. PLEASE REFER TO WWW.OTTAWA.CA/TREEBYLAW FOR MORE INFORMATION ON HOW THE TREE BY-LAW APPLIES.

ACCESSIBLE FORMATS AND COMMUNICATION
SUPPORTS ARE AVAILABLE, UPON REQUEST



TREE PROTECTION SPECIFICATION

TO BE IMPLEMENTED FOR RETAINED TREES, BOTH ON SITE AND ON ADJACENT SITES, PRIOR TO ANY TREE REMOVAL OR SITE WORKS AND MAINTAINED FOR THE DURATION OF WORK ACTIVITIES ON SITE.

SCALE: NTS

DATE: MARCH 2021

DRAWING NO.: 1 of 1